



Spare parts for the professional sector:
Food processing equipment



Suitable for:

SANTOS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

SANTOS



Suitable for:

Abrasive discs for potato peeler

9735001 EJECTOR DISC OF RUBBER VEGETABLE CHOPPER
external \varnothing 180 mm - with pin groove 27x18 mm
for Vegetables/mozzarella cutter (SANTOS) 48



SANTOS 48240

5049373 GRATING DISC FOR VEGETABLE CHOPPER 6 mm
external \varnothing 110 mm - coupling hole \varnothing 15 mm



SANTOS 02201DD

Bearings

1063911 BEARING 6202 ZZ NSK
external \varnothing 35 mm-internal \varnothing 15 mm-thickness 11 mm
for Planetary machine (SANTOS) 27



SANTOS 01206
SANTOS 02303
SANTOS 04303
SANTOS 09303
SANTOS 12303
SANTOS 16314
SANTOS 18256
SANTOS 27426
SANTOS 27612

SANTOS 01303
SANTOS 02314
SANTOS 04314
SANTOS 09314
SANTOS 12314
SANTOS 16409
SANTOS 18303
SANTOS 27458

SANTOS 01314
SANTOS 04206
SANTOS 06522
SANTOS 12216
SANTOS 16303
SANTOS 18216
SANTOS 18314
SANTOS 27603

Belts

9062001 TOOTHED BELT 011NV 900W20S H20
for Planetary machine (SANTOS) 27



SANTOS 27478

Capacitors, electrical

3068006 CAPACITOR DUCATI ENERGIA 4 μ F
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



SANTOS 10726

SANTOS 11420

3068095 CAPACITOR ELECTRICAL 4 μ F
450V 50/60Hz - \varnothing 30xh51 mm



SANTOS 10726

SANTOS 11420

3068103 STARTING CAPACITOR 88/103 μ F 330V




SANTOS 40609

Contactors

5009239 CONTACTOR SCHNEIDER LC1K0910P7

9A 4Kw coil 220V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



SANTOS 28516

Gears

9212025 REDUCTION GEAR 21 TEETH

external \varnothing 48 mm
internal \varnothing 15 mm
overall height 33 mm
for Kneader (SANTOS) 18
for Planetary machine (SANTOS) 27



SANTOS 18219

SANTOS 27417

Ironmongery (screws,nuts,washers)

1241513 BLIND HEXAGONAL NUT M8 UNI 5721

stainless steel - height 16 mm UNI 5721 - DIN 1587



SANTOS 50201

1528630 HEXAGON HEAD SCREW M5x10

stainless steel - UNI 5739 - DIN 933 - ISO 4017



SANTOS 40704



Suitable for:

SANTOS



Suitable for:

Knives for meat mincers

9014601 STAINLESS STEEL KNIFE F/MEAT MINCER 12
model ENTERPRISE 12 self-sharpening
external \varnothing 60 mm - square hole 12x12 mm
for Meat mincer (SANTOS) 12



SANTOS 12710

9014600 STAINLESS STEEL KNIFE F/MEAT MINCER 8
model ENTERPRISE 8 self-sharpening
external \varnothing 55 mm - square hole 10x10 mm
for Meat mincer (SANTOS) 12-8



SANTOS 12110

Knobs

3241849 BLACK SELECTOR SWITCH KNOB \varnothing 36 mm
D-shaped hole 6x5 mm
for Meat mincer (SANTOS) 12



SANTOS 12425

Microswitches, mechanical

3240407 MICROSWITCH KIT 16A 250V
2 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



SANTOS

3240123 MICROSWITCH ROLD VRSRB1DA1
16A 250V



SANTOS 09147

9240002 MICROSWITCH SAIA-BURGESS XP52-Z51
16A 250V
for Planetary machine (SANTOS) 27
for Vegetables/mozzarella cutter (SANTOS) 48



SANTOS 27309

3803040 SAFETY MICROSWITCH 5A 240V
dimensions 40x20x11 mm
for Meat mincer (SANTOS) 12



SANTOS 12418



O-Ring and ORM gaskets

3786532 O-RING \varnothing 52x48x2 mm
for Kneader (SANTOS) 18



SANTOS 18215B

Plates for mincers

9015514 SELF-SHARPENING ST. STEEL PLATE 12/4.5
model 12 ENTERPRISE self-sharpening
outlet holes \varnothing 4.5 mm
external \varnothing 69.6 mm - central hole \varnothing 10,2 mm



SANTOS 12712

9015504 SELF-SHARPENING ST. STEEL PLATE 8/4.5
model 8 ENTERPRISE self-sharpening
outlet holes \varnothing 4.5 mm
external \varnothing 61.8 mm - central hole \varnothing 9 mm



SANTOS 12112

9015512 SELF-SHARPENING STAINL. STEEL PLATE 12/3
model 12 ENTERPRISE self-sharpening
outlet holes \varnothing 3 mm
external \varnothing 69.6 mm - central hole \varnothing 10,2 mm



SANTOS 12711

9015502 SELF-SHARPENING STAINL. STEEL PLATE 8/3
model 8 ENTERPRISE self-sharpening
outlet holes \varnothing 3 mm
external \varnothing 61.8 mm - central hole \varnothing 9 mm
for Meat mincer (SANTOS) 8



SANTOS 12111

Relays

9351001 START RELAY 4CR-1-675 25D3R
overall length without plate 46 mm
overall width 33 mm - distance between holes 55 mm
for Kneader (SANTOS) 18
for Meat mincer (SANTOS) 12
for Planetary machine (SANTOS) 27



SANTOS 12409

SANTOS 18409

SANTOS 27823



Suitable for:

SANTOS



Suitable for:


Rotary switches

9057017 SELECTOR/REVERSING SWITCH
contact capacity 16A 250V
D-shaped shaft \varnothing 6x5 mm - length 20 mm
for Meat mincer (SANTOS) 12



SANTOS 12416

3241849 BLACK SELECTOR SWITCH KNOB \varnothing 36 mm
D-shaped hole 6x5 mm
for Meat mincer (SANTOS) 12



SANTOS 12425

Switches

9319002 ORANGE PUSH-BUTTON 4A 240V
with indicator light and button cap
silk-screen printing 0 - I
mounting hole 22x45 mm
for Planetary machine (SANTOS) 27
for Vegetables/mozzarella cutter (SANTOS) 48



SANTOS 02435
SANTOS 50730

SANTOS 27505

SANTOS 48605

3319664 STOP PUSH-BUTTON RED 15A 240V
LEGRAND-BACO - 1 normally closed contact
mounting hole \varnothing 22 mm
for Planetary machine (SANTOS) 27



SANTOS 27508

Watertight seals and rings

9186057 SEALING RING 20x35x7 mm
for Kneader (SANTOS) 18



SANTOS 18251

Whisks, hooks and flat beaters

9740002 ALUMINIUM BEATER WIDTH 156 mm
overall height with fitting 280 mm
for Planetary machine (SANTOS) 27



SANTOS 27101

9740001 ALUMINIUM HOOK \varnothing 10 mm
overall height with fitting 285 mm
for Planetary machine (SANTOS) 27




SANTOS 27102



Suitable for:

9740003 METAL WHISK WITH THREADS \varnothing 2.5 mm
overall height with fitting 285 mm
for Planetary machine (SANTOS) 27



SANTOS 27105

SANTOS



Suitable for:

7150829 PINCER OF ALUMINIUM 275x125 mm
internal fitting \varnothing 20 mm
for Kneader (SANTOS) 18



SANTOS 18120

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com