Spare parts for the professional sector:

# Ovens

Suitable for:

# BARON

This catalogue is automatically generated.
Therefore, the sequence of the items might not be always shown at best.
Updates will be issued in case of additions and/or amendments.
*Suitable **universal spare parts** may not be included*

Rel. 2018-02130949

# BARON

Suitable for:

Suitable for:

## Air regulators

**3020097** **PILOT AERATION REGULATOR**
internal ø 7 mm - external ø 9 mm
height 10 mm

BARON BN6A013104 BARON 6A013104

## Cables for piezo igniters

**3001002** **IGNITION LEAD 1000 mm**
with faston 6.35x0.8 mm for ignition
with faston ø 4 mm for ignition plug

BARON 85326050065

**3001016** **IGNITION LEAD 1000 mm**
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode

BARON 85326050610

**3001019** **IGNITION LEAD 1000 mm**
with faston ø 2.4 mm for ignition
with faston ø 2.4 mm for electrode

BARON 826690011

**3001017** **IGNITION LEAD 600 mm**
with faston 6.35x0.8 mm for ignition
with faston ø 4 mm for electrode

BARON BN6A013000 BARON 6A013000

## Contact thermostats

**5016360** **THERMOSTAT CONTACT 90°C**
with automatic reset

BARON BN6A046186 BARON 6A046186

## Contactors

**3454038** **CONTACT AUXILIARY AEG HS05K11**
10A
1 NO contact
1 NC contact

BARON BN6A047038 BARON 6A047038

**3446223** **CONTACTOR AEG LS02K400**
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



BARON BN6A047037 BARON 6A047037

**3351209** **CONTACTOR AEG LS05 9A 230V 4Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



BARON A047037 BARON BN6A047031

**3351211** **CONTACTOR AEG LS4K 9A 230V 4Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact

BARON BN6A047034 BARON 6A047034

**3351218** **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact

BARON 853310065

**3446561** **CONTACTOR LOVATO BF0910A**
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact

BARON BN826630300 BARON 826630300

## Controllers and changeover switches

**3322258** **TIMER P255 1 CAM 230V 50/60HZ**
clockwise rotation
cycle 30 seconds - D-shaped pin ø 6x4.6 mm

BARON BN3102335

**3446075** **TIMER 14003F3 2 CAMS 230V 50Hz**
cycle 120 minutes - D-shaped pin ø 6x4.6 mm



BARON BN6A047080

**5016347** **TIMER 14003F3 3 CAMS 230V 50Hz**
120 minute cycle - D-shaped pin ø 6x4.6 mm



BARON BN6A047080 BARON LAR65090110

## Door glasses for oven and accessories

**5016365** **SCREW LH M5 STAIN.STEEL DOOR GLASS FIX.**
screw head ø 20 mm

BARON BN3106050

## Drip trays

**5026771** **KIT CAP OVEN DRIP TRAY**
this kit includes:
1 cap ø 16 mm - ø housing 7 mm - thread M3
1 cap ø 15 mm - thread M3
1 spring ø 13x15 mm
1 gasket ø 17x2 mm

BARON BN3106355

## Electrical gas valves and accessories

**3526108** **ELBOW FLANGE ø 1/2"F**
with screws and OR
for ELETTROSIT VALVE

BARON 6A049900

**3526124** **KNOB EXTENSION LENGTH 67 mm**
for VALVE 820 NOVA-824 NOVASIT

BARON 824710350

**3440200** **THERMOPILE WITH TWIN LEAD ø 9x65 mm**
cable length 800 mm - with coupling M11X1

BARON 41826920100

**3526096** **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

BARON BN6A050003

# BARON

Suitable for:

**3526090** **VALVE 810 ELETTROSIT ø 3/4"FF**
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple

BARON 6A050000

Suitable for:

**3523084** **VALVE 826 NOVA ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
2÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz

BARON BN3103650 BARON 3103650

## Electronic boards

**3390316** **CIRCUIT BOARD COMPART. LIGHT 85x75mm**
with reverse switch - 50Hz



BARON BN3103241

**3390171** **CIRCUIT BOARD ELECTRONIC BASIC 165x100mm**
complete with display board and buzzer



BARON BN3103245

**3390037** **SELECTOR SWITCH COMLETE WITH CABLE**
version 2/5
D-shaped pin ø 6x4.6 mm

BARON BN3103260

## Energy regulators

**3350026** **ENERGY REGULATOR**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



BARON 41853400180 BARON 6A049320 BARON 826630140
BARON 853310063 BARON 853400010

# BARON

Suitable for:

Suitable for:

## Filters

**3160390** **AIR FILTER 163x57 mm**



BARON BN3111950

## Fittings

**1349130** **FITTING ø 1/2"M-3/4"F**

BARON BN3103633

## Gas burners

**3023343** **BURNER ø 50x440 mm**
overall length 460 mm
made of STAINLESS steel

BARON BN3104830

**3023342** **BURNER ø 50x600 mm**
overall length 620 mm
made of STAINLESS steel

BARON BN3104850

## Gas taps and accessories

**3348041** **OLIVE FOR PIPE ø 16 mm**
for model PEL 23

BARON 6A016500

**3348036** **OLIVE FOR PIPE ø 4 mm**
for model PEL 21-22-24-25

BARON 41822450120 BARON 6A016120

**3348034** **PIPE FITTING ø 16 mm**
thread M24x1.5
for model PEL 23

BARON 6A016401

**3348029** **PIPE FITTING ø 4 mm**
thread M10x1 mm
for model PEL 21-22-24-25

BARON BN6A016110 BARON 41822450110 BARON 6A016110

## Gaskets for oven door

**5016087** **GASKET FOR OVEN DOOR 1460x445 mm**
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR BLACK




BARON BN3108820

**3186400** **GASKET FOR OVEN DOOR 530x450 mm**
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR BLACK




BARON BN3108600

**3186395** **GASKET FOR OVEN DOOR 765x630 mm**
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR BLACK




BARON BN3108800

**3186375** **GASKET FOR OVEN DOOR 770x450 mm**
made of silicone elastomer
profile dimensions 25.5x19 mm
COLOUR BLACK




BARON BN3108700

## Handles

**3242664** **BASE FOR DOOR LOCK**



BARON BN3107945

**3242107** **COMPLETE DOOR HANDLE FOR OVEN**

BARON BN3107900

**3242664** **BASE FOR DOOR LOCK**



BARON BN3107945

**3242108** **DOOR HANDLE LOCK**



BARON BN3107915

**3242679** **DOOR HANDLE SPRING ø 6.5x14 mm**

BARON BN3107955

# BARON

Suitable for:

## 3242109 FIXING PLATE FOR HANDLE

BARON BN3107910

## 3242681 PIN FOR DOOR HANDLE ROTATION



BARON BN3107930

## 3242663 RING FOR OVEN DOOR HANDLE

BARON BN3107935

## 3242680 ST.STEEL BALL ø 7.9 mm

BARON BN6A011409

## 3242108 DOOR HANDLE LOCK



BARON BN3107915

Suitable for:

## 5019992 HANDLE BLOCK FOR OVEN DOOR

BARON BN3107991

## 3242665 RING FOR HANDLE BOSS



BARON BN3107941

## 3242682 SCREW FOR BALL SLIDEWAY BLOCK

BARON BN3107950

## 3242679 DOOR HANDLE SPRING ø 6.5x14 mm

BARON BN3107955


## 3242109 FIXING PLATE FOR HANDLE

BARON BN3107910

## 5019992 HANDLE BLOCK FOR OVEN DOOR

BARON BN3107991

Suitable for:

**3242681 PIN FOR DOOR HANDLE ROTATION**



BARON BN3107930

Suitable for:

**3242665 RING FOR HANDLE BOSS**



BARON BN3107941

**3242663 RING FOR OVEN DOOR HANDLE**

BARON BN3107935

**3242682 SCREW FOR BALL SLIDEWAY BLOCK**

BARON BN3107950

**3242680 ST.STEEL BALL ø 7.9 mm**

BARON BN6A011409

## Heating elements

**5016381 HEATING ELEMENT 10500W 230V**
external ø 380 mm - overall height 243 mm
flange 142x25 mm

BARON BN6A037470

**3455215 HEATING ELEMENT 7500W 230V**
external ø 375 mm - overall height 230 mm
flange 142x25 mm

BARON BN6A037460

**5032986 HEATING ELEMENT 9000W 230V**
external ø 485 mm - internal ø 470 mm
overall height 253 mm - flange 142x25 mm

BARON BN6A037475

Suitable for:

**5021812** **KIT HEATING ELEMENT 15000W 230V**
complete with 2 brackets dimensions 87x58x30 mm
complete with bracket 310x130x40 mm
complete with sponge
complete with contact thermostat
immersed length 223 mm
with 2 probe receptacles

BARON BN6A037484 BARON 6A037484

Suitable for:

**5008663** **O-RING 0237 RED SILICONE**
ring thickness 7.0 mm - internal ø 193.7 mm



BARON BN6A037485

## Hinges, catches and accessories

**3053281** **RIGHT/LEFT HINGE FOR OVEN**
mounting distance 130 mm - overall length 155 mm
height 147 mm

BARON BN6A035980

**3053108** **ROLL HOLDER FOR HINGE**
mounting distance 95 mm - overall length 110 mm
height 23 mm

BARON

**3053108** **ROLL HOLDER FOR HINGE**
mounting distance 95 mm - overall length 110 mm
height 23 mm

BARON

**3053530** **UPPER HINGE FOR OVEN DOOR GLASS**

BARON BN3106500

**3053454** **UPPER HINGE FOR OVEN DOOR LH**

BARON BN3106700

## Indicator lights

**3221162** **GREEN LAMP RECEPTACLE**
head ø 14.5 mm - hole ø 10 mm

BARON 6A038501

**5020713** **SIGNAL LAMP FUNCTIONS**

BARON BN3102850

# BARON

Suitable for:

Suitable for:

## Knobs

**3241278** **GREY KNOB ø 40 mm**
D-shaped hole 6x4.6 mm
with clip and gasket

BARON BN3199020

## Labels for control panels

**5025170** **PLATE MECHANIC MADE OF GLASS / BLUE**
dimensions 725x210 mm

BARON BN3108550

**5020713** **SIGNAL LAMP FUNCTIONS**

BARON BN3102850

## Lamp receptacles and spare parts

**3221477** **HALOGEN LAMP RECEPTACLE G4 20W 12V**
wire connection length 950 mm
distance between holes 23 mm

BARON BN3108860

## Level sensors

**1341751** **LEVEL PROBE ø 1/4"M-150 mm**

BARON BN6A037482

**5043961** **LEVEL PROBE ø 1/4"M-180 mm**

BARON BN6A037481

## Magnet groups

**3182010** **MAGNETIC UNIT PEL**
head ø 24 mm - end piece ø 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23

BARON BN6A014200 BARON 6A014200

**3182003** **MAGNETIC UNIT SIT**
head ø 25 mm - end piece ø 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT

BARON 6A015200

## Microswitches, magnetic

**3803028** **MAGNETIC MICROSWITCH E5201V**
0.04A 250V - NO contact - head 40x13x8 mm
with cable length 700 mm

BARON BN6A047085 BARON 6A047085

## Microswitches, mechanical

**3240820** **MICROSWITCH ELECTRICA NR48W5**
1NO + 1NC 16A 250V

BARON 85326043085

**3240410** **MICROSWITCH 16(4)A 250V**

BARON BN6A039800 BARON 6A039800

## Motors

**5031870** **MOTOR LAFERT FB80 4/8**
0.55/0.13 kW 400V
50/60Hz - 0.85/0.4A
rpm 50Hz 1440/720 rpm
rpm 60Hz 1720/860 rpm
shaft length 110 mm
shaft ø 24 mm - thread ø 20 mm



BARON BN3102310

**3240230** **MOTOR LAFERT LM/FB80 4/8**
0.55/0.13 kW 230V 50/60Hz
2.4/0.66A - 1400/700rpm - 1700/850rpm
shaft length 110 mm
shaft ø 24 mm - 20 mm
capacitor 25µF



BARON BN3102210

# BARON

Suitable for:

**3240283** **MOTOR LAFERT LM80/4**
0.55 kW 230V 50/60Hz
2.4A - one speed
1400rpm 50Hz - 1680rpm 60Hz
shaft length 114 mm
shaft ø 24 mm - thread ø 20 mm
capacitor 20 µF



BARON BN3102200

Suitable for:

**3340068** **MOTOR LAFERT ST80/4**
0.55 kW 230/400V 50/60Hz
1.9/1.1A - 1420/1700rpm
shaft length 114 mm
shaft ø 24 mm - thread ø 20 mm
distance between holes 185 mm

BARON BN3102300

**3240000** **MOTOR WITH FAN 45W 220V 50/60Hz**
fan ø 150 mm

BARON BN6A036410 BARON 6A036410

## Nozzles

**3500345** **GAS JET M9x1 ø 0.60 mm**

BARON BN6A015350

## Nozzles for humidifier

**5021805** **WATER SPRAY NOZZLE ø 50x74 mm**

BARON BN3103627

## O-Ring and ORM gaskets

**5008663** **O-RING 0237 RED SILICONE**
ring thickness 7.0 mm - internal ø 193.7 mm



BARON BN6A037485

## Outlet solenoid valves and accessories

**3525022** **MOTORIZED VALVE DRAIN BOILER**
230V 50/60Hz 2.5W
fittings ø 3/4"FF DN20

BARON BN3103590 BARON BN3198150

## Pilot burners and accessories

**3020083** **FITTING AND OLIVE ø 4 mm**



BARON 6A011608

**3020084** **FITTING AND OLIVE ø 6 mm**



BARON 6A011607

**3020085** **FITTING FOR SPARKING PLUG FIXING M10x1mm**

BARON 6A011707

**3020200** **FITTING FOR THERMOCOUPLE ø 6.5 mm**
thread M10x1



BARON 6A011708

**3020082** **OLIVE FOR PIPE ø 12 mm**
for model PEL 22-24-25

BARON BN6A016300 BARON 6A016300

**3020113** **OLIVE FOR PIPE ø 4 mm**

BARON BN822450050

**3020114** **OLIVE FOR PIPE ø 6 mm**

BARON BN6A011706 BARON 6A011706

**3020201** **PILOT JET ø 0.14 mm**

BARON 6A013109

# BARON

Suitable for:

## 3020042 PILOT JET ø 0.19 mm

BARON BN822140380 BARON 41822140380 BARON 822140380

Suitable for:

## 3020557 PILOT JET ø 0.20 mm

BARON 41822140440

## 3020202 PILOT JET ø 0.27 mm

BARON MA1887800 BARON 6A013107 BARON 822140120

## 3020040 PILOT JET ø 0.30 mm

BARON 41822140360

## 3020452 PILOT JET ø 0.32 mm

BARON BN6A013240 BARON 6A013240

## 3020055 PILOT JET ø 0.35 mm

BARON BN6A013103 BARON 6A013103

## 3020041 PILOT JET ø 0.41 mm

BARON 41822140430

## 3020449 PILOT JET ø 0.54 mm

BARON BN6A013230 BARON 6A013230

## 3020079 PIPE FITTING ø 12 mm

thread ø 3/8"M

BARON 6A011620 BARON 6A011625

## 3020077 PIPE FITTING ø 4 mm

thread M10x1

BARON MA673500 BARON 822450040

## 3020078 PIPE FITTING ø 6 mm

thread M10x1

BARON BN6A011705 BARON 6A011705 BARON 822450450

## 3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting

BARON BN826920030 BARON 826920030

# BARON

Suitable for:

**3020011** **THREE-FLAME PILOT BURNER**
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



BARON 85327090026

Suitable for:

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

BARON 6A013300 BARON 85326010046 BARON 853310150

**3020269** **THREE-FLAME PILOT BURNER**
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



BARON BN6A013220 BARON 6A013220

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

BARON 6A013300 BARON 85326010046 BARON 853310150

**3020006** **THREE-FLAME PILOT BURNER SIT**
multigas with jet ø 0.20 mm
with 3 positions bracket

BARON BN6A013200 BARON 6A013200 BARON 85327090022

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

BARON 6A013300 BARON 85326010046 BARON 853310150

## Potentiometers

**3390037** **SELECTOR SWITCH COMLETE WITH CABLE**
version 2/5
D-shaped pin ø 6x4.6 mm

BARON BN3103260

# BARON

Suitable for:

Suitable for:

## Pressure gauges

**5008798** **PRESSURE GAUGE ø 50 mm**
complete with fitting ø 1/4"F-3/8"M
fitting ø 1/4"M
scale 0-1 bar

BARON BN6A021900 BARON 6A021900

## Probes

**3397175** **PROBE TEMPERATURE PT100**
2 wires - bulb ø 6x130 mm
cable length 800 mm

BARON BN3103270

**3020084** **FITTING AND OLIVE ø 6 mm**



BARON 6A011607

**3445352** **TEMPERATURE PROBE PT100**
2-wire probe
bulb ø 4/6x100 mm - cable length 800 mm

BARON

## Relays

**3351007** **POWER RELAY FINDER 55.32.8.230.0040**
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge

BARON BN6A047070 BARON 6A047070

**3351021** **POWER RELAY FINDER 62.82.8.230.0000**
230V 50/60Hz
2 exchange contacts 16A

BARON 826630250

**5072234** **POWER RELAY FINDER 62.83.8.230.0300**
complete with bracket
230V 50/60Hz
3 changeover contacts 16A

BARON 6A001407

## Selector switches

**3057050** **CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.

BARON 6A045900

**3057014** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



BARON 6A044800

**3057026** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm

BARON 6A046000

**3057177** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



BARON BN6A046001 BARON 6A046001 BARON 826630150

## Solenoid valves

**3120004** **SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm

BARON 826630220

**3120007** **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm

BARON BN3103610

# BARON

Suitable for:

Suitable for:

## Spark generators

**3181002** **SPARK GENERATOR 2 OUTLETS**
220/240V 50/60Hz

BARON BN6A050100 BARON 6A050100 BARON 6A050105

**3181003** **SPARK GENERATOR 4 OUTLETS**
220/240V 50/60Hz

BARON 826630040

## Sparking and detection plugs

**3020177** **DETECTION PLUG ROUND ø 7 mm**
overall length 68 mm
complete with cable length 900 mm

BARON BN3104900

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

BARON 6A013300 BARON 85326010046 BARON 853310150

**3020060** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F

BARON BN6A013301 BARON 6A013301

**3020124** **IGNITION PLUG ROUND ø 7x44 mm**
connection ø 2.4 mm
overall length 58 mm

BARON BN6A013302 BARON 6A013302

## Switches

**3319949** **BIPOLAR SWITCH ORANGE 16A 250V**
16(4)A 250V - with indicator light
max. temperature 120°C
mounting hole ø 25 mm

BARON 626630200 BARON 826630200

**3319667** **CONTACT CASE SIEMENS**

BARON BN3102802

**3319666** **PUSH-BUTTON RED ø 16 mm SIEMENS**

BARON BN3102801

**3319667** **CONTACT CASE SIEMENS**

BARON BN3102802

**3319155** **RED SINGLE-POLE PUSH-BUTTON 16A 250V**
16(4)A 250V - with push-button cap
with indicator light
mounting hole ø 25 mm

BARON BN826630050

## Thermocouples and accessories

**3440065** **CUT-OFF THERMOCOUPLE M9x1 32 cm**
cut-off contact with terminals



BARON 826920130

**3440067** **INTERRUPTED THERMOCOUPLE M9x1 100 cm.**
interrupted contact with terminals

BARON BN6A011910 BARON 6A011910

**3440066** **INTERRUPTED THERMOCOUPLE M9x1 60 cm**
interrupted contact with fastons



BARON 826920050 BARON 85326010055

**3440015** **INTERRUPTION CONNECTOR M9x1**



BARON 6A013603

**3440064** **NUT FOR THERMOCOUPLE M8x1**

BARON BN6A012300 BARON 6A012300

**3440893** **THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**

BARON 41826920080 BARON 6A011904

**3440135** **THERMOCOUPLE SIT M10x1 150 cm**

BARON 853310070

**3440853** **THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**
CONNECTOR M8x1

BARON BN6A011905 BARON 6A011905

# BARON

Suitable for:

## 3440038 THERMOCOUPLE SIT M9x1 120 cm

BARON BN6A001455

## 3440039 THERMOCOUPLE SIT M9x1 150 cm

BARON BN6A011800 BARON 6A011800

## 3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

BARON BN6A011800 BARON 6A011800

## 3440033 THERMOCOUPLE SIT M9x1 32 cm

BARON 6A011906

## 3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS

BARON 6A011906

## 3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS

BARON 6A011906

## 3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS

CONNECTOR M8x1
ALUMINIUM COATED HEAD

BARON BN6A015900 BARON 6A015900

## 3440058 THERMOCOUPLE SIT M9x1 32 cm THREAD M8x1

ALUMINIUM COATED HEAD

BARON BN6A015900 BARON 6A015900

## 3440064 NUT FOR THERMOCOUPLE M8x1

BARON BN6A012300 BARON 6A012300

# BARON

Suitable for:

**3440858 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**

CONNECTOR M8x1
ALUMINIUM COATED HEAD

BARON BN6A015900 BARON 6A015900

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**

BARON BN6A011901 BARON 6A011901

**3440080 THERMOCOUPLE SIT M9x1 40 cm.**

BARON BN6A011901 BARON 6A011901

Suitable for:

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**

BARON BN6A011901 BARON 6A011901

**3440034 THERMOCOUPLE SIT M9x1 50 cm**

BARON BN6A011902 BARON 6A011902

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

BARON BN6A011902 BARON 6A011902

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

BARON BN6A011902 BARON 6A011902

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**

BARON BN6A011903 BARON 6A011903

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**

CONNECTOR M8x1

BARON BN6A012000 BARON 6A012000

# BARON

Suitable for:

## 3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

BARON BN6A012000 BARON 6A012000

## 3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS

CONNECTOR M8x1

BARON BN6A012000 BARON 6A012000

## 3440035 THERMOCOUPLE SIT M9x1 60 cm.

BARON BN6A011903 BARON 6A011903

## 3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

BARON 6A011900 BARON 85326010057

## 3440036 THERMOCOUPLE SIT M9x1 85 cm.

BARON 6A011900 BARON 85326010057

## 3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm

BARON 41826920080 BARON 6A011904

Suitable for:

## 3440064 NUT FOR THERMOCOUPLE M8x1

BARON BN6A012300 BARON 6A012300

## 3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS

BARON BN6A011903 BARON 6A011903

## 3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

BARON 6A011900 BARON 85326010057

## 3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS

BARON 41826920080 BARON 6A011904

## Thermostatic gas valves

**3345018** **THERMOSTATIC TAP 25ST**
operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x75 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



BARON BN41826920330

**3348036** **OLIVE FOR PIPE ø 4 mm**
for model PEL 21-22-24-25

BARON 41822450120 BARON 6A016120

**3348032** **PIPE FITTING ø 12 mm**
thread M20x1.5 mm
for model PEL 22-24-25

BARON BN6A016200 BARON 6A016200

**3348029** **PIPE FITTING ø 4 mm**
thread M10x1 mm
for model PEL 21-22-24-25

BARON BN6A016110 BARON 41822450110 BARON 6A016110

**3020082** **OLIVE FOR PIPE ø 12 mm**
for model PEL 22-24-25

BARON BN6A016300 BARON 6A016300

**3348031** **PIPE FITTING ø 10 mm**
thread M20x1.5 mm
for model PEL 22-24-25

BARON BN6A011475

**3020077** **PIPE FITTING ø 4 mm**
thread M10x1

BARON MA673500 BARON 822450040

**3020078** **PIPE FITTING ø 6 mm**
thread M10x1

BARON BN6A011705 BARON 6A011705 BARON 822450450

## Thermostats

### 3444339 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin 6x4.6 mm
capillary length 880 mm - 16A 250V
bulb ø 6x130 mm



BARON BN6A046100 BARON 6A046100

### 3444120 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
capillary length 900 mm - 16A 250V
bulb ø 6x80 mm



BARON BN6A049500 BARON 6A049500

### 3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1

BARON BN6A038801

### 5016359 THERMOSTAT SINGLE-PHASE 130°C
with manual reset
capillary length 540 mm - 16A 250V
bulb ø 6x75 mm

BARON BN6A046185

### 3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x80 mm



BARON 41826630350 BARON 826630350 BARON 85326010002

### 3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb ø 3x190 mm

BARON BN6A046150 BARON 6A046150

### 3444306 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 4x120 mm



BARON BN826630130 BARON 826630130

### 3444713 THREE-PHASE THERMOSTAT 40-320°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 380V
bulb ø 3x219 mm

BARON 6A038400

# BARON

Suitable for:

**3444251** **THREE-PHASE THERMOSTAT 50-300°C**
D-shaped pin ø 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb ø 3x220 mm

BARON BN826630123 BARON 826630123 BARON 826630161

Suitable for:

**3444052** **THREE-PHASE THERMOSTAT 50-320°C**
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb ø 3x230 mm

BARON 6A044900

**3444695** **3-PHASE THERMOSTAT 160°C**
with manual reset
covered capillary length 900 mm - 20A 380V
bulb ø 6x89 mm - with stuffing gland fitting M10x1



BARON BN6A049405 BARON BARON 6A049405

**3744102** **3-PHASE THERMOSTAT 300°C**
with manual reset
covered capillary length 900 mm - 20A 400V
button bulb ø 14x16 mm

BARON BN6A046190 BARON 6A046190

## Transformers

**3221336** **HALOGEN LAMP TRANSFORMER 230V/11.5V**
primary voltage 230V 50/60Hz
secondary voltage 11.5V
screwed terminal block

BARON BN6A047060

## Watertight seals and rings

**3786494** **MAIN SHAFT SEALING GASKET**
external ø 36mm - internal ø 24mm - thickness 4mm
for OVEN

BARON BN3102400

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*

Distributing Components, Spare Parts & Accessories
in original quality worldwide

**LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
**www.lfricambi724.it - info@lfricambi.it**
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
**www.lfspareparts724.com - export@lfspareparts.com**

**LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
**www.lfspareparts724.com - info@lfspareparts.com**

**EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
**www.epgc.com - epgc@epgc.com**

**LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
**www.lfersatzteile724.de - info@lfersatzteile.de**

**LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
**www.lfspareparts724.com - china@lfspareparts.com**

**OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
**www.lfspareparts724.ru - info@lfspareparts.ru**

**LF Repuestos Horeca S.L.U. SPAIN**
Polígono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
**www.lfrepuestos-horeca724.es - info@lfrepuestos.es**

**LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
**www.lfspareparts724.dk - denmark@lfspareparts.dk**

**LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
**www.lfersatzteile724.ch - info@lfersatzteile.ch**

**LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
**www.lfspareparts724.co.uk - info@lfspareparts.co.uk**

**LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
**www.lfspareparts724.cz - info@lfspareparts.cz**

**LF SPARE PARTS INC. USA**
**Legal address:**
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
**Business/Mailing address:**
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
**www.lfspareparts724.us - info@lfspareparts.us**
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis

**AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com

**AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at

**BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com

**BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com

**LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es

**POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl

**SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com

**TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com