# Spare parts for the professional sector:

# Ovens

Suitable for:

# GIGA

This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
*Suitable **universal spare parts** may not be included*

Rel. 2018-02131204

Suitable for:

# GIGA

Suitable for:

## Air regulators

**3020097** **PILOT AERATION REGULATOR**
internal ø 7 mm - external ø 9 mm
height 10 mm

GIGA X19901

## Cables for piezo igniters

**3001016** **IGNITION LEAD 1000 mm**
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode

GIGA E10000 GIGA X41000

**3001018** **IGNITION LEAD 600 mm**
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode

GIGA X40100

## Clamps

**3449462** **HOSE CLAMP 12-20**
for pipes ø 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry

GIGA SD902440

**3449454** **HOSE CLAMP 32-50**
for pipes ø 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry

GIGA SD902441

## Contactors

**3446223** **CONTACTOR AEG LS02K400**
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



GIGA Y10100

**3351209** **CONTACTOR AEG LS05 9A 230V 4Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA D229019

# GIGA

Suitable for:

**3454055** **CONTACTOR AEG LS5K400**
12A 400V 5.5Kw - coil 230V 50/60Hz
4 normally open contacts

GIGA E10300

Suitable for:

**3351217** **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact

GIGA Y11100

**3351218** **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact

GIGA X55300

**3454068** **CONTACTOR BENEDIKT/JAGER K3-10ND10**
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact

GIGA Y10000

**3446556** **CONTACTOR LOVATO BG0910A**
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



GIGA SD907043 GIGA SD907095

**3446507** **CONTACTOR SIEMENS 3RT2016-1AP02**
9A 400V 4Kw - coil 230V 50/60Hz
3 contacts NO
1 auxiliary contact NC
2 auxiliary contacts NO
2 auxiliary contacts NC

GIGA R36300 GIGA R65140150

## Electrical capacitors

**3068019** **CAPACITOR DUCATI ENERGIA 12,5µF**
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
ø 36xh70 mm

GIGA SD901740

**3068014** **CAPACITOR DUCATI ENERGIA 8µF**
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
ø 32xh55 mm

GIGA D206001

Suitable for:

**3068081** **CAPACITOR ELECTRICAL 12.5µF**
450V 50/60Hz - ø 35xh71 mm

GIGA SD901740

Suitable for:

**3068079** **CAPACITOR ELECTRICAL 8µF**
450V 50/60Hz - ø 30xh71 mm

GIGA D206001

## Electrical gas valves and accessories

**3526098** **COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA

GIGA X50400

**3526096** **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

GIGA X49000

**3526079** **VALVE 820 NOVA ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz

GIGA X11400 GIGA 0000X11400

## Electronic boards

**5031578** **PC BOARD DISPLAY 150x100 mm**



GIGA RS244003

# GIGA

Suitable for:

Suitable for:

## Energy regulators

**3350026** **ENERGY REGULATOR**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



GIGA X44400 GIGA 5010063

## Feet

**3313001** **STAINLESS STEEL FOOT ø 2" x h 125 mm**

GIGA Y40400

## Gaskets for oven door

**3286030** **GASKET FOR OVEN DOOR 04880 - 15 m**
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR




GIGA R37700 GIGA 761085

**3286084** **GASKET FOR OVEN DOOR 04880 - 3 m**
made of silicone elastomer
profile dimensions
BLACK COLOUR




GIGA R37700 GIGA 761085

**3286029** **GASKET FOR OVEN DOOR 04880 - 6 m**
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR




GIGA R37700 GIGA 761085

**3286028** **GASKET FOR OVEN GLASS 3198 - 25 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (GIGA)




GIGA R37600 GIGA R70040120

# GIGA

Suitable for:

Suitable for:

**3286027** **GASKET FOR OVEN GLASS 3198 - 6 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (GIGA)




GIGA R37600 GIGA R70040120

## Handles

**3398021** **OVEN DOOR CATCH**
distance between holes 47 mm
catch distance 27 mm
for Convection oven (GIGA) FC005M



GIGA R31200

**3242144** **OVEN DOOR HANDLE 260x30 mm**
with strike mounting distance 45 mm
handle mounting distance 133 mm



GIGA RX1496

**3242224** **SPRING FOR HANDLE STRIKE**

GIGA R61620012

## Heating elements

**3455325** **HEATING ELEMENT 2100W 230V**
external ø 190 mm - internal ø 180 mm
overall height 100 mm - flange 70x22 mm

GIGA X68700

**3355889** **HEATING ELEMENT 2500W 230V**
external ø 190 mm - internal ø 178 mm
total height 70 mm
flange 70x22 mm

GIGA X68002 GIGA 50039

# GIGA

Suitable for:

**3755008** **HEATING ELEMENT 5400W 230V**
external ø 203 mm - internal ø 191 mm
total height 118 mm
flange 140x22 mm

GIGA 760978

Suitable for:

**3355137** **HEATING ELEMENT 6000W 230V**
external ø 230 mm - internal ø 217 mm
total height 150 mm
flange 140x22 mm

GIGA R33400 GIGA R65010530 GIGA 761344

## Hinges, catches and accessories

**3053019** **DOOR HINGE ROLL HOLDER**
mounting distance 95 mm - overall length 110 mm
height 25 mm

GIGA X68006

## Indicator lights

**3221097** **INDICATOR LIGHT NEUTRAL 220V**
head ø 8 mm - 120°C

GIGA D216006

## Inlet hoses

**3449034** **FLEX HOSE ø 3/4" Fp x CFp 1500 mm**
EPDM hose covered in stainless steel
hose external ø 17 mm - internal ø 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved

GIGA D143016

## Ironmongery (screws,nuts,washers)

**3528111** **HEXAGONAL HEAD SCREW M6x10**
st./steel - UNI 5739 - DIN 933 - ISO 4017

GIGA SD907780

## Lamp receptacles and spare parts

**3221053** **GASKET FOR OVEN LAMP RECEPTACLE**
dimensions ø 48x38x5 mm
for OVEN



GIGA

**3221062** **LAMP RECEPTACLE WITH LAMP E14 15W 230V**
lamp glass ø 57 mm
mounting hole ø 42 mm
max temperature 300°C
for OVEN

GIGA X68004 GIGA 50051

## Magnets

**3240148** **MAGNET 63x19x11 mm**

GIGA SD903651 GIGA SD908706

## Microswitches, magnetic

**3240256** **MAGNETIC MICROSWITCH STEM E550 1B**
1 contact NO 250V 1A 50W
cable length 1200 mm

GIGA SDTR0666

**3240148** **MAGNET 63x19x11 mm**

GIGA SD903651 GIGA SD908706

# GIGA

Suitable for:

**9014015** **MICROSWITCH MAGNETIC STEM D102 1V**
0.04A 250V - contact NO
cylindric sensor ø 10x33 mm - thread M10x0.75
with cable length 750 mm

GIGA SDTR0309

Suitable for:

**3240148** **MAGNET 63x19x11 mm**

GIGA SD903651 GIGA SD908706

## Microswitches, mechanical

**3240605** **DOOR MICROSWITCH M1AX20 10A 250V**



GIGA D218011

**3240189** **MICRO SWITCH M1DX20 10A 250V**

GIGA R31600

**3240820** **MICROSWITCH ELECTRICA NR48W5**
1NO + 1NC 16A 250V



GIGA X52800

## Motors

**3240000** **MOTOR WITH FAN 45W 220V 50/60Hz**
fan ø 150 mm

GIGA V03000

## Nozzles

**3500337** **GAS JET M10x1 ø 1.50 mm**

GIGA Y08700

**3500374** **GAS JET M10x1 ø 2.20 mm**

GIGA Y31200

## O-Ring and ORM gaskets

**3186013** **O-RING 06187 EPDM ø 58 mm**
ring thickness 5.34 mm - internal ø 47.00 mm

GIGA D456002 GIGA E11700

## Pilot burners and accessories

**3020104** **BRACKET CLAMP 3 POSITIONS**

GIGA 5730045

**3020103** **BRACKET 3 POSITIONS**

GIGA 5730042

**3020085** **FITTING FOR SPARKING PLUG FIXING M10x1mm**

GIGA X13002

**3020200** **FITTING FOR THERMOCOUPLE ø 6.5 mm**
thread M10x1



GIGA X16500

**3020102** **HEXAGON HEAD SCREW 3/16"x18 mm**

GIGA X19904

**3020036** **PILOT BURNER SIT 3 FLAMES**
multigas type with nozzle ø 0.35 mm
with 3 position bracket

GIGA E30100005

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

GIGA E30100054

# GIGA

Suitable for:

**3020054 PILOT JET ø 0.20 mm**

GIGA X19906

Suitable for:

**3020201 PILOT JET ø 0.14 mm**

GIGA X30400

**3020042 PILOT JET ø 0.19 mm**

GIGA X30000

**3020054 PILOT JET ø 0.20 mm**

GIGA X19906

**3020202 PILOT JET ø 0.27 mm**

GIGA X30300

**3020043 PILOT JET ø 0.36 mm**

GIGA X30100

**3020105 PILOT WITH 0.20 mm ø JET**

GIGA X19900

**3020106 PILOT WITH 0.25 mm ø JET**

GIGA 0000X19000 GIGA 0000X19000+...

**3020077 PIPE FITTING ø 4 mm**
thread M10x1

GIGA X13200

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**
supplied without sparking plug, nozzle and gasket
with thermocouple fitting

GIGA X13000

# GIGA

Suitable for:

**3020006** **THREE-FLAME PILOT BURNER SIT**
multigas with jet ø 0.20 mm
with 3 positions bracket

GIGA R32300 GIGA X13500

**3020054** **PILOT JET ø 0.20 mm**

GIGA X19906

Suitable for:

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

GIGA E30100054

## Pressure switches

**3320059** **OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V**
fitting ø 1/8"M

GIGA RS033001

## Probes

**3440159** **TEMPERATURE PROBE**
2 wires - bulb ø 4x30 mm
cable length 1500 mm

GIGA Y50100 GIGA Y50200

**3397034** **TEMPERATURE PROBE PT100**
2 wires
probe length 83 mm
cable length 1500 mm

GIGA R40600

## Relays

**3351008** **POWER RELAY FINDER 62.83.8.230.0000**
230V 50/60Hz
3 exchange contacts 16A

GIGA SD905475 GIGA SD905476

# GIGA

Suitable for:

Suitable for:

## Selector switches

**3057050** **CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.

GIGA X44600

**3057014** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



GIGA X40700 GIGA X49700

**3057177** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



GIGA X40900

**3057178** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



GIGA 6030012

## Solenoid valves

**3120005** **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm

GIGA D240011 GIGA SD902390

**3120505** **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm

GIGA LF-3120530

**3120007** **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm

GIGA D240003

**3120512** **SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm

GIGA

## Spark generators

**3181002** **SPARK GENERATOR 2 OUTLETS**
220/240V 50/60Hz

GIGA X50000

**3181003** **SPARK GENERATOR 4 OUTLETS**
220/240V 50/60Hz

GIGA X52600

## Sparking and detection plugs

**3001003** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

GIGA E30100054

**3020060** **IGNITION PLUG ROUND ø 7x44 mm**
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F

GIGA X13001 GIGA X16900

## Switches

**3319012** **BIPOLAR SWITCH GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I

GIGA X50800

**3319151** **SWITCH PROTECTION CAP**
ø external 34 mm
for push-buttons with mounting hole ø 25 mm

GIGA D410005

## Terminal blocks

**3247017** **TERMINAL BLOCK 12-POLES OF PLASTIC**
for cable 1-10 mm²
operating temperature 150°C
nominal voltage 500V

GIGA X41400

**3247034** **TERMINAL BLOCK 12-POLES PITCH 5.08**
for cable 2,5 mm²
operating temperature 80°C
nominal voltage 250/750V

GIGA Y50400

**3247035** **TERMINAL BLOCK 4-POLES PITCH 5.08**
for cable 2,5 mm²
operating temperature 80°C
nominal voltage 250/750V

GIGA Y50300

**3247009** **TERMINAL BLOCK 6-POLES FV122/B 40A 600V**
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GIGA X52300 GIGA X59000

Suitable for:

Suitable for:

# Thermocouples and accessories

**3440067** **INTERRUPTED THERMOCOUPLE M9x1 100 cm.**
interrupted contact with terminals

GIGA X14000

**3440066** **INTERRUPTED THERMOCOUPLE M9x1 60 cm**
interrupted contact with fastons



GIGA X19100

**3440064** **NUT FOR THERMOCOUPLE M8x1**

GIGA X15900

**3440894** **THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS**



GIGA X17600

**3440857** **THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**
CONNECTOR M8x1



GIGA X68045

**3440057** **THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**

GIGA X68045

**3440064** **NUT FOR THERMOCOUPLE M8x1**

GIGA X15900

**3440857** **THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**
CONNECTOR M8x1



GIGA X68045

**3440028** **THERMOCOUPLE SIT M8x1 60 cm**

GIGA X14800

**3440828** **THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**

GIGA X14800

# GIGA

Suitable for:

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**

GIGA X14800

Suitable for:

**3440039 THERMOCOUPLE SIT M9x1 150 cm**

GIGA X14900

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

GIGA X14900

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

GIGA X14900

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**

GIGA X13900

**3440080 THERMOCOUPLE SIT M9x1 40 cm.**

GIGA X13900

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**

GIGA X13900

**3440034 THERMOCOUPLE SIT M9x1 50 cm**

GIGA X14200

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

GIGA X14200

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

GIGA X14200

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**

GIGA X14100

# GIGA

Suitable for:

**3440859** **THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**
CONNECTOR M8x1

GIGA X15700

Suitable for:

**3440059** **THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**

GIGA X15700

**3440064** **NUT FOR THERMOCOUPLE M8x1**

GIGA X15900

**3440859** **THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**
CONNECTOR M8x1

GIGA X15700

**3440035** **THERMOCOUPLE SIT M9x1 60 cm.**

GIGA X14100

**3440835** **THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**

GIGA X14100

**3440094** **THERMOCOUPLE SIT QUICK M9x1 100 cm**

GIGA X17600

**3440894** **THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS**



GIGA X17600

## Thermostats

**3444114** **SINGLE-PHASE THERMOSTAT 50-250°C**
D-shaped pin 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm

GIGA X49600

**3444043** **SINGLE-PHASE THERMOSTAT 50-270°C**
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm



GIGA R31400
GIGA 5010087
GIGA R65070210
GIGA X43600

**3444145** **SINGLE-PHASE THERMOSTAT 50-310°C**
D-shaped pin ø 6x4.6 mm
capillary length covered 1600 mm - 16A 250V
bulb ø 4x120 mm
for OVEN



GIGA X49800

**3444174** **SINGLE-PHASE THERMOSTAT 50-320°C**
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm

GIGA X68205
GIGA Y68205

**3444040** **THREE-PHASE THERMOSTAT 100-300°C**
D-shaped pin ø 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb ø 6x80 mm

GIGA X43200
GIGA X43900
GIGA Y16400

**3444298** **THREE-PHASE THERMOSTAT 337°C**
with manual reset
covered capillary length 850 mm - 20A 400V
button bulb ø 14x10 mm



GIGA R65070050

## Timers

**3446001** **TIMER 120 MINUTES**
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm



GIGA X54000
GIGA 6180003

**3446002** **TIMER 120 MINUTES**
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm

GIGA R31700

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*

Distributing Components, Spare Parts & Accessories
in original quality worldwide

**LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
**www.lfricambi724.it - info@lfricambi.it**
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
**www.lfspareparts724.com - export@lfspareparts.com**

**LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
**www.lfspareparts724.com - info@lfspareparts.com**

**EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
**www.epgc.com - epgc@epgc.com**

**LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
**www.lfersatzteile724.de - info@lfersatzteile.de**

**LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
**www.lfspareparts724.com - china@lfspareparts.com**

**OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
**www.lfspareparts724.ru - info@lfspareparts.ru**

**LF Repuestos Horeca S.L.U. SPAIN**
Polígono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
**www.lfrepuestos-horeca724.es - info@lfrepuestos.es**

**LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
**www.lfspareparts724.dk - denmark@lfspareparts.dk**

**LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
**www.lfersatzteile724.ch - info@lfersatzteile.ch**

**LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
**www.lfspareparts724.co.uk - info@lfspareparts.co.uk**

**LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
**www.lfspareparts724.cz - info@lfspareparts.cz**

**LF SPARE PARTS INC. USA**
**Legal address:**
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
**Business/Mailing address:**
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
**www.lfspareparts724.us - info@lfspareparts.us**
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis

**AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com

**AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at

**BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com

**BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com

**LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es

**POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl

**SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com

**TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com