




## Spare parts for the professional sector: Ovens



Suitable for:

# TECNOEKA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2018-02131547





Suitable for:

# TECNOEKA



Suitable for:

## Bushings

### 5039470 SPACER UPPER DOOR HINGE

ø extern 12 mm  
ø intern 7 mm  
thickness 10 mm  
for Convection oven gas (TECNOEKA) KF1001GIXAL-G




TECNOEKA 00006080

TECNOEKA 11960918700

## Contact thermostats

### 5068681 CONTACT THERMOSTAT 200°C

with manual reset  
connection M4



TECNOEKA 01200310

TECNOEKA 01951157000

### 7102631 CONTACT THERMOSTAT 300°C 16A 250V

with automatic reset  
till serial number 2308005641  
for Convection oven electric (TECNOEKA) KF723



TECNOEKA 01200070

TECNOEKA 01950117000

## Contactors

### 3446222 CONTACTOR SIEMENS MINI 3TG1010-0AL2

8.4A 400V 4Kw - coil 230V 50/60Hz  
4 normally open contacts



TECNOEKA 01201680

## Controllers and changeover switches

### 3446241 TIMER 11902F1 2 CAMS

230V 50/60Hz  
240 second cycle  
for Convection oven electric (TECNOEKA)  
for Convection oven gas (TECNOEKA)



TECNOEKA 01201040

TECNOEKA 09951027000



## Door glasses for oven and accessories

**5044820** GLASS EXTERNAL OVEN DOOR 770x450 mm  
for Convection oven (TECNOEKA)



TECNOEKA 09980978418

TECNOEKA 21000140

**5051636** GLASS EXTERNAL OVEN DOOR 770x450 mm  
for Convection oven (TECNOEKA)  
for Convection oven (TECNOEKA) KF912



TECNOEKA 09985128418

TECNOEKA 21000350

TECNOEKA 21002220

**5051639** GLASS INTERNAL OVEN DOOR 705x450 mm  
for Convection oven (TECNOEKA)



TECNOEKA 01400490

TECNOEKA 09984978400

**5047979** GLASS INTERNAL OVEN DOOR 718x555 mm  
for Convection oven (TECNOEKA)




TECNOEKA 01400670

TECNOEKA 01400671

TECNOEKA 11981038418

## Electrical gas valves and accessories

**3526013** VALVE VK4105A HONEYWELL  $\varnothing$  3/4"MM  
inlet  $\varnothing$  3/4" M - outlet  $\varnothing$  3/4" M  
maximum gas inlet pressure 60 mbar  
room temperature  $-15 \div 60^{\circ}\text{C}$   
power supply 220/240V 50Hz  
for Convection oven gas (TECNOEKA)




TECNOEKA 01201810

TECNOEKA 11951027000

## Electronic boards

**5036872** CIRCUIT BOARD AMBIENT 122x112 mm  
for Convection oven electric (TECNOEKA) KF980A  
KF980V - KF981A - KF981DOUBLE V  
KF981DOUBLE V/UD - KF981DOUBLE V/UI - KF981V



TECNOEKA 01900110

TECNOEKA 11950727000

**3390408** CIRCUIT BOARD DISPLAY 430x80 mm  
three D-shaped pins  $\varnothing$  6x4.6 mm  
for Convection oven (TECNOEKA) KF725EUD - KF981EV




TECNOEKA 01900080

TECNOEKA 11950567000



Suitable for:

**5049111 ELECTRONIC CONTROL BOARD 103X74 mm**  
 for Convection oven electric (TECNOEKA) KF725EUD  
 KF980DOUBLEV - KF980DOUBLEV/A - KF980EV  
 KF980EV/A - KF981/EV - KF981DOUBLE ED  
 KF981DOUBLE EV - KF981DOUBLE EV/UD  
 KF981DOUBLE EV/UI - KF981E/UD - KF981E/UDGA



TECNOEKA 01900100

TECNOEKA 11950587000

Suitable for:

**3390407 PC KEY BOARD 364x55 mm**  
 for Convection oven electric (TECNOEKA) EKF311DUD  
 EKF364DUD - EKF411D - EKF411DALUD - EKF411DUD  
 EKF4113D - EKF423DUD - EKF443DUD - EKF464D  
 EKF464DALUD - EKF464DUD - EKF4643D



TECNOEKA 01202500

TECNOEKA 11951777000

TECNOEKA 01202501

TECNOEKA 01202502

## Electronic boxes

**3054042 CONTROL BLOX S4565A3050U**  
 model HONEYWELL - 220/240V 50/60Hz 4VA  
 for Convection oven gas (TECNOEKA)  
 Series EKF1064 - Series EKF1111 - Series EKF664  
 Series EKF711 - Series KF1001



TECNOEKA 01900030

TECNOEKA 01900031

TECNOEKA 11951037000

**2101338 CONTROL BOX 579 DBC**  
 SIT model - 220/240V 50/60Hz 12VA  
 for Convection oven gas (TECNOEKA)  
 till 1/01/10



TECNOEKA 01900020

## Gaskets and seals

**7102032 GASKET FOR ELEMENT**  
 external size 100x22 mm  
 for Convection oven electric (TECNOEKA) KF723M



TECNOEKA 01000160

TECNOEKA 01980518000


**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm  
 for Convection oven electric (TECNOEKA) 940.3



TECNOEKA 01960368000

## Gaskets for oven door

**5080624 GASKET FOR OVEN DOOR 1780 mm**  
 made of silicone elastomer  
 profile dimensions 22x11 mm  
 BLACK COLOUR



TECNOEKA 01000810

**5061768 GASKET FOR OVEN DOOR 330x250 mm**  
 made of silicone elastomer  
 profile dimensions 8x8 mm  
 with fastening clips  
 COLOUR RED  
 for Convection oven electric (TECNOEKA) EKF412US



TECNOEKA 01000290

TECNOEKA 09980288000

Suitable for:

Suitable for:

**5036905 GASKET FOR OVEN DOOR 440x370 mm**  
 made of silicone elastomer  
 profile dimension 12x10 mm  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven (TECNOEKA) 640/022/0302



TECNOEKA 01000390

TECNOEKA 09980748000

TECNOEKA 09988928000

**5061310 GASKET FOR OVEN DOOR 510x330 mm**  
 made of silicone elastomer  
 profile dimensions 12x10 mm  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven (TECNOEKA)



TECNOEKA 01000280

**5032931 GASKET FOR OVEN DOOR 640x370 mm**  
 made of silicone elastomer  
 profile dimensions 12x10 mm  
 with fastening clips  
 COLOUR BLACK  
 for Convection oven (TECNOEKA) KF933 - 938.3D  
 912/A/999 1798  
 for Convection oven electric (TECNOEKA) 940.3



TECNOEKA 01000370

TECNOEKA 01000371

TECNOEKA 09981148000

TECNOEKA 09988078000

**7104098 GASKET FOR OVEN DOOR 650x255 mm**  
 made of silicone elastomer  
 profile dimensions 12x10 mm  
 with fastening clamps  
 COLOUR BLACK



TECNOEKA 01000340

TECNOEKA 09982018000

**5037769 GASKET FOR OVEN DOOR 700x530 mm**  
 made of silicone elastomer  
 profile dimension 30x17 mm  
 COLOUR BLACK



TECNOEKA 01000540


TECNOEKA 11981618000

**5080417 GASKET FOR OVEN FRONT 2000 mm**  
 made of silicone elastomer  
 profile dimensions 22x11 mm  
 COLOUR: BLACK  
 for Convection oven (TECNOEKA) EKF464-411



TECNOEKA 01000740

**5036851 GASKET FOR OVEN GLASS 430x340 mm**  
 of silicone elastomer  
 COLOUR BLACK



TECNOEKA 01000300

TECNOEKA 09980928000

**5084290 GASKET OVEN FRONT 2130 mm**  
 made of silicone elastomer  
 profile dimensions 22x11 mm  
 BLACK COLOUR



TECNOEKA 01000780




Suitable for:

# TECNOEKA



## 5070144 GASKET OVEN FRONT 1700 m m

made of silicone elastomer  
dimensions profile 22x11 mm  
COLOUR: BLACK  
for Convection oven electric (TECNOEKA) EKF523EUD  
EKF523UD



TECNOEKA 01000070

TECNOEKA 09989748000

Suitable for:

## 5058081 GASKET OVER FRONT 2070 m m

made of silicone elastomer  
dimensions profile 22x11 mm  
COLOUR: BLACK  
for Convection oven (TECNOEKA)



TECNOEKA 01000320

TECNOEKA 09982008000

## Handles

### 7110732 CATCH OVEN DOOR

distance between the holes 47 mm  
catch distance 19 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00004310

TECNOEKA 09980358700

### 3242122 COMPLETE OVEN DOOR HANDLE

spring retainer 31 mm  
for Convection oven (TECNOEKA) KF1001GIXAL  
KF1001GLPGIXAL - KF933AL - KF966DALUD  
for Convection oven electric (TECNOEKA) KF725EUD  
KF725UD - KF933U - KF964AL - KF964ALM  
KF965AL - KF965UD



TECNOEKA 11961668500

### 5087228 HANDLE COMPLETE FOR OVENS DOOR RH

with cross clothing



TECNOEKA 00005060

## Heating elements

### 3355127 HEATING ELEMENT 1600W 220V

ø external 190 mm - internal ø 178 mm  
total height 65 mm  
flange 70x22 mm  
operating ambient: dry  
for Convection oven electric (TECNOEKA) EKF411D  
EKF464 - EKF464D  
for Convection oven electric (TECNOEKA) EKF411



TECNOEKA 01201010

TECNOEKA 09950987000

### 3186098 HEATING ELEMENT GASKET

external dimensions 71x23 mm  
for Convection oven electric (TECNOEKA) 940.3



TECNOEKA 01960368000

Suitable for:

Suitable for:

**3855036 HEATING ELEMENT 2700W 230V**  
 external  $\varnothing$  190 mm - exchange contacts 78 mm  
 flange 70x22 mm  
 for Convection oven electric (TECNOEKA)

**5035523 HEATING ELEMENT 3000W 230V**  
 external  $\varnothing$  233 mm - internal  $\varnothing$  220 mm  
 total height 85 mm  
 flange 70x22 mm  
 for Convection oven (TECNOEKA) KF725EUD - KF725UD  
 KF733 - KF733DUD - KF931 - KF933 - KF933AL  
 KF933AL/U - KF933U - KF965 - KF965AL/UD  
 KF965M - KF966DALUD - KF966UD - KF980DOUBLEV  
 KF980EV - KF980I - KF981EV



TECNOEKA 01201210

TECNOEKA 09952477000

TECNOEKA 01201610

TECNOEKA 01202671

TECNOEKA 11950537000

**5068205 HEATING ELEMENT 4000W 230V**  
 external  $\varnothing$  230 mm - internal  $\varnothing$  215 mm  
 total height 90 mm  
 flange 70x22 mm  
 for Convection oven (TECNOEKA)

**5078304 HEATING ELEMENT 4000W 230V**  
 external  $\varnothing$  230 mm - internal  $\varnothing$  215 mm  
 total height 130 mm  
 flange 100x22 mm  
 for Convection oven (TECNOEKA)



TECNOEKA 01200810

TECNOEKA 09950247000

TECNOEKA 01203130

**3855037 HEATING ELEMENT 5000W 230V**  
 external  $\varnothing$  240 mm - internal  $\varnothing$  225 mm  
 total height 142 mm  
 flange 100x22 mm  
 for Convection oven electric (TECNOEKA)  
 Series EKF




TECNOEKA 01202660

TECNOEKA 09951307000

**7102031 HEATING ELEMENT 900+1900W 230V**  
 length 325 mm - width 395 mm  
 flange 100x22 mm  
 for Convection oven electric (TECNOEKA) KF723M  
 for Convection oven (TECNOEKA) 648VE

**7102032 GASKET FOR ELEMENT**  
 external size 100x22 mm  
 for Convection oven electric (TECNOEKA) KF723M



TECNOEKA 01200860

TECNOEKA 01203240

TECNOEKA 09950317000

TECNOEKA 01000160

TECNOEKA 01980518000




Suitable for:



Suitable for:

**5032482 LOWER HEATING ELEMENT 1400W 230V**  
 length 398 mm - width 366 mm  
 flange 70x22 mm  
 for Convection oven electric (TECNOEKA) 648




TECNOEKA 01200870

TECNOEKA 09950327000

## Hinges, catches and accessories

**5072010 HINGE RIGHT-LEFT FOR OVEN**  
 distance between the holes 130 mm  
 overall length 155 mm  
 height 160 mm  
 for Convection oven (TECNOEKA) KF912 - KF933U  
 KF965



TECNOEKA 00000380

**3053425 OVEN DOOR HINGE R/L**  
 with roller holder - hinge mounting dist. 120 mm  
 hinge overall length 165 mm  
 hinge height 116 mm  
 roller holder mounting distance 84 mm  
 overall length with roller holder  
 roller holder height 25 mm  
 OLD TYPE



TECNOEKA 00003170

**5031555 RIGHT-LEFT HINGE FOR OVEN**  
 mounting distance 130 mm - overall length 155 mm  
 height 157 mm  
 for Convection oven electric (TECNOEKA) KF911  
 KF911IX - KF964AL - KF964IM - KF965  
 for Convection oven gas (TECNOEKA) KF1001G  
 KF1001GLPG



TECNOEKA 00004440

TECNOEKA 09981619512

**7102358 RIGHT-LEFT ROLLER HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 140 mm  
 for Convection oven electric (TECNOEKA) KF911  
 KF911IX - KF964I - KF964IM



TECNOEKA

TECNOEKA 30304880

TECNOEKA 01981589512

TECNOEKA 30304870

**5037262 ROLLER HOLDER KIT RIGHT-LEFT**  
 mounting distance 95 mm - overall length 110 mm  
 height 140 mm  
 for Convection oven electric (TECNOEKA) KF723  
 KF911 - KF921 - KF931 - KF964IM  
 for Convection oven (TECNOEKA) KF912



TECNOEKA 01980869512

TECNOEKA 30304880

TECNOEKA 01981589512

TECNOEKA 30304900

TECNOEKA 01981819512



Suitable for:

**5036850 RIGHT-LEFT HINGE FOR OVEN**  
 mounting distance 120 mm - overall length 157 mm  
 height 149 mm  
 for Convection oven electric (TECNOEKA) KF620  
 KF620IX - KF723 - KF723GRILL - KF723M - KF723U  
 KF733 - KF921 - KF931 - KF937



TECNOEKA 00000350

TECNOEKA 01980859512

Suitable for:

**5037262 ROLLER HOLDER KIT RIGHT-LEFT**  
 mounting distance 95 mm - overall length 110 mm  
 height 140 mm  
 for Convection oven electric (TECNOEKA) KF723  
 KF911 - KF921 - KF931 - KF964IM  
 for Convection oven (TECNOEKA) KF912



TECNOEKA 01980869512

TECNOEKA 01981599512

TECNOEKA 01981819512

TECNOEKA 30304880

TECNOEKA 30304900

**7102358 RIGHT-LEFT ROLLER HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 140 mm  
 for Convection oven electric (TECNOEKA) KF911  
 KF911IX - KF964I - KF964IM




TECNOEKA

TECNOEKA 01981589512

TECNOEKA 30304870

TECNOEKA 30304880

**3053354 RIGHT/LEFT HINGE FOR OVEN**  
 mounting distance 120 mm - overall length 165 mm  
 height 118 mm  
 for Convection oven (TECNOEKA)



TECNOEKA 00007510

TECNOEKA 11982239512

**5037262 ROLLER HOLDER KIT RIGHT-LEFT**  
 mounting distance 95 mm - overall length 110 mm  
 height 140 mm  
 for Convection oven electric (TECNOEKA) KF723  
 KF911 - KF921 - KF931 - KF964IM  
 for Convection oven (TECNOEKA) KF912



TECNOEKA 01980869512

TECNOEKA 01981599512


TECNOEKA 01981819512

TECNOEKA 30304880

TECNOEKA 30304900

## Incandescent lamps and neon lamps

**3221041 LAMP E14 15W 230V**  
 max temperature 300°C - ø 22x50 mm



TECNOEKA 01950108400

**3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V**  
 max. temperature 250°C



TECNOEKA 01201470



Suitable for:

# TECNOEKA



Suitable for:

## Indicator lights

**3221240 GREEN LAMP RECEPTACLE**  
head ø 10 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00002360

TECNOEKA 09950388535

**3221238 INDICATOR LIGHT GREEN 250V**  
for Convection oven (TECNOEKA)



TECNOEKA 01200340

TECNOEKA 01951187000

TECNOEKA 09950377000

**3221240 GREEN LAMP RECEPTACLE**  
head ø 10 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00002360

TECNOEKA 09950388535

**3221237 ORANGE LAMP RECEPTACLE**  
head ø 10 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00002350

TECNOEKA 09950368534

**7100783 INDICATOR LIGHT ORANGE 250V**  
for Convection oven (TECNOEKA)



TECNOEKA 01200330

TECNOEKA 01950377000

TECNOEKA 01951177000

**3221240 GREEN LAMP RECEPTACLE**  
head ø 10 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00002360

TECNOEKA 09950388535

**3221237 ORANGE LAMP RECEPTACLE**  
head ø 10 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00002350

TECNOEKA 09950368534

**3221237 ORANGE LAMP RECEPTACLE**  
 head  $\varnothing$  10 mm  
 for Convection oven (TECNOEKA)



TECNOEKA 00002350

TECNOEKA 09950368534

## Knobs

**3541004 KNOB BLACK  $\varnothing$  43 mm**  
 D-shaped hole 6x4.6 mm  
 for Convection oven (TECNOEKA)



TECNOEKA 00002780

TECNOEKA 09960028500

## Lamp receptacles and spare parts

**3221233 GLASS FOR OVEN LAMP RECEPTACLE  $\varnothing$  42 mm**  
 thread  $\varnothing$  33 mm - overall height 26 mm



TECNOEKA 09950208400

**3221615 HALOGEN LAMP RECEPTACLE G4 20W 12/24V**  
 wire connection length 110 mm  
 for Convection oven electric (TECNOEKA)  
 for Convection oven gas (TECNOEKA)



TECNOEKA 00005690

TECNOEKA 11950107000

**3221311 LAMP RECEPTACLE E14 25W 230V**  
 mounting hole  $\varnothing$  36 mm  
 max temperature 300°C



TECNOEKA 09950197400

**3221049 LAMP RECEPTACLE W/LAMP E14 15W 230V**  
 lamp glass  $\varnothing$  54 mm  
 mounting hole  $\varnothing$  51 mm  
 max. temperature 300°C  
 ceramic socket height 18 mm  
 for OVEN  
 for Convection oven electric (TECNOEKA)



TECNOEKA 01200050



Suitable for:

# TECNOEKA



Suitable for:

## 5079546 LAMP RECEPTACLE WITH LAMP G9 40W 230V

lamp glass  $\varnothing$  36 mm  
mounting hole  $\varnothing$  35 mm  
for Convection oven (TECNOEKA)



TECNOEKA 00002720

TECNOEKA 00013730

## Microswitches, mechanical

### 3240918 MICROSWITCH FOR DOOR

pin M10x0,75 - 16A 250V  
2 NO contacts  
for Convection oven electric (TECNOEKA)  
EKF4643GRILL  
for Convection oven gas (TECNOEKA) KF1001GIXAL-G



TECNOEKA 01201700

TECNOEKA 1195077000

### 7108049 MICROSWITCH ROLD OMR

5A 250V  
for Convection oven electric (TECNOEKA)  
KF980DOUBLE



TECNOEKA 01200150

TECNOEKA 01950297000

### 5037263 MICROSWITCH ROLD VRSR01DA1

16(4)A 250V  
for Convection oven electric (TECNOEKA) 940.3



TECNOEKA 01201160

TECNOEKA 09951727000

### 3240410 MICROSWITCH 16(4)A 250V



TECNOEKA 01200890

TECNOEKA 09950437000

## Motors

### 7104571 MOTOR FIR 1004.2455

0.12 kW 220/240V 50/60Hz  
0.9A - 2800/3400rpm  
shaft length 67 mm  
shaft  $\varnothing$  10 mm - thread 7x8 mm  
capacitor 6.3  $\mu$ F  
for Convection oven electric (TECNOEKA) KF921  
KF931 - KF961I - KF964AL - KF964ALM - KF964IM  
KF980DOUBLE - KF980DOUBLEEV - KF980DOUBLEEV/I  
KF980DOUBLEV - KF980DOUBLEV/A - KF980DOUBLEV/I  
KF980EV - KF980EV/A - KF980I - KF980V/A



TECNOEKA 01201130+01201030

TECNOEKA 09951627000

### 3240709 MOTOR FIR 1004.2456

0.12 kW 220/240V 50/60Hz  
0.9A - 2800/3400rpm  
shaft length 67 mm  
shaft  $\varnothing$  10 mm - thread 6x8 mm  
capacitor 6.3  $\mu$ F  
for Convection oven gas (TECNOEKA) KF1001GIXAL-G



TECNOEKA 01201030

TECNOEKA 01201330+01203600

TECNOEKA 01201330

TECNOEKA 01203600

TECNOEKA 01201330+01201030

Suitable for:

**3340245 MOTOR FIR 1004.2459**  
 0.12 kW 220/240V 50/60Hz  
 0.9A - 2800/3400rpm  
 shaft length 67 mm  
 shaft  $\varnothing$  10 mm - thread 7x8 mm  
 with capacitor 6.3  $\mu$ f



TECNOEKA 01202600

TECNOEKA 21004980

Suitable for:

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
 fan  $\varnothing$  150 mm  
 for Convection oven (TECNOEKA) GC01001 - KF912  
 640/022/0302 - 912  
 for Convection oven electric (TECNOEKA) KF911  
 648 - 940  
 for Electric oven electric (TECNOEKA) KF723



TECNOEKA 01201460

TECNOEKA 11950057000

## Relays

**7102890 RELAY POWER FINDER 62.82.8.230.0040**  
 230V 50/60Hz  
 2 contacts change-over 16A  
 with test push-button + mechanical indicator




TECNOEKA 01200820

TECNOEKA 09950287000

## Selector switches


**7101414 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



TECNOEKA 01200180

TECNOEKA 01950337400

**3057335 SELECTOR SWITCH 10 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for Convection oven electric (TECNOEKA) KF723M  
 KF964ALM - KF964IM - KF965M



TECNOEKA 01200040

TECNOEKA 01950037000

## Solenoid valves

**5033868 SOLENOID VALVE RPE 1 WAY 180°  $\varnothing$  8 mm**  
 solen. valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - quick release couplings  $\varnothing$  8 mm  
 1 outlet with adjusters - brown  
 for Convection oven electric (TECNOEKA)  
 for Convection oven gas (TECNOEKA)



TECNOEKA 01201860

TECNOEKA 11951377000

**3120602 SOLENOID VALVE RPE 2 WAYS 180°  $\varnothing$  8 mm**  
 solen. valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - quick release couplings  $\varnothing$  8 mm  
 1 outlet with adjusters - brown  
 with 1 flow rate adjuster - black  
 for Convection oven electric (TECNOEKA)  
 EK1111EVUD



TECNOEKA 01201790

TECNOEKA 11950997000




Suitable for:

# TECNOEKA



Suitable for:

**3120128 SOLENOID VALVE RPE 3 WAYS 180° ø 8 mm**  
 solen.valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - quick release couplings ø 8 mm  
 3 outlets with adjusters - red 0.2-0.3 L/min  
 for Convection oven (TECNOEKA) EKF1064TC  
 EKF1064UD - EKF1111EUD - EKF1111TC - EKF1111UD  
 for Convection oven electric (TECNOEKA) EKF1064EUD



TECNOEKA 01201800

TECNOEKA 11951017000

## Spark generators

**3181004 SPARK GENERATOR 6 OUTLETS**  
 220/240V - 50/60Hz



TECNOEKA 01202611

TECNOEKA 07950017000

## Sparking and detection plugs

**5047178 ROUND DETECTION PLUG ø 7x45 mm**  
 overall length 60 mm  
 complete with covered cable length 970 mm  
 F-faston fitting 4.8x0.8 mm



TECNOEKA 01201570

TECNOEKA 11950447000

**3806025 ROUND IGNITION PLUG ø 7x45 mm**  
 overall length 50 mm  
 complete with covered cable length 970 mm  
 F-faston fitting 2.8x0.8mm  
 for Convection oven gas (TECNOEKA) KF1001GIXAL-GAG  
 KF1001GIXAL-GAM



TECNOEKA 01201560

TECNOEKA 11950437000

## Switches

**5047412 BIPOLAR SWITCH BLACK 16A 250V**  
 mounting hole ø 25 mm  
 for Convection oven (TECNOEKA)



TECNOEKA 00002630

TECNOEKA 09951707000



## Tangential and radial motor fans

**3526153 TANGENTIAL FAN 180 mm RH**  
 25W 230V 50/60Hz - ø 60 mm  
 operating temperature -30°+100°C




TECNOEKA 01202330

TECNOEKA 15950427000

## Thermostats

**5037893 SINGLE-PHASE THERMOSTAT 50-280°C**  
 D-shaped pin ø 6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb ø 3x140 mm  
 for Convection oven electric (TECNOEKA) KF1010AUD  
 KF1010AUD/GA - KF725UD - KF733



TECNOEKA 01201310

TECNOEKA 09953137000


**5031404 SINGLE-PHASE THERMOSTAT 60-318°C**  
 D-shaped pin ø 6x4.6 mm  
 capillary length 870 mm - 16A 250V  
 bulb ø 3x139 mm  
 for Convection oven electric (TECNOEKA) KF412  
 KF412U - KF620 - KF620IX - KF620U - KF620UIX  
 KF622 - KF630UD - KF723 - KF723U - KF937  
 KF937UD



TECNOEKA 01200370

TECNOEKA 01951317000

**5025542 SINGLE-PHASE THERMOSTAT 66-310°C**  
 D-shaped pin ø 6x4.6 mm  
 capillary length 1500 mm  
 double bulb ø 3x120 mm  
 for Convection oven electric (TECNOEKA) KF412GRILL  
 KF622GRILL - KF723M - KF911 - KF911IX - KF933  
 KF933U - KF964ALM - KF964IM - KF965  
 KF965AL/UD - KF965M - KF966UD - KF980DOUBLE  
 KF980DOUBLEV/A - KF980I - KF980V/A - KF981  
 KF981DOUBLE - KF981DOUBLE EV/UD  
 KF981DOUBLE UD  
 for Convection oven electric (TECNOEKA) 940.3



TECNOEKA 01201220

TECNOEKA 09950107000

TECNOEKA 09952637000

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
 D-shaped pin ø 6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb ø 6.5x95 mm  
 for Proving oven (TECNOEKA) KL1010/002 - KL822/001  
 KL823 - KL833 - KL864/001 - KL898



TECNOEKA 01201430

TECNOEKA 10950057000



Suitable for:


**3444175 THERMOSTAT SINGLE-PHASE 335°C**  
with manual reset  
covered capillary length 1200 mm  
bulb  $\varnothing$  3x200mm - with stuffing gland fitting M10x1  
with tank sealing fitting M16  
for Convection oven electric (TECNOEKA) KF723



TECNOEKA 01200400

Suitable for:


**2111653 THERMOSTAT SINGLE-PHASE 55-325°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
double bulb  $\varnothing$  3x120 mm  
for Convection oven electric (TECNOEKA) EKF411  
EKF464 - EKF4643GRILL



TECNOEKA 01201230

TECNOEKA 09952647000

**3744160 THERMOSTAT SINGLE-PHASE 71-303°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary 1230 mm  
double bulb  $\varnothing$  3x127 mm  
for Convection oven electric (TECNOEKA) EKF411ALUD  
EKF411UD - EKF464ALP - EKF464ALUD - EKF464P  
EKF464UD  
for Convection oven gas (TECNOEKA) KF1001GIXAL-G



TECNOEKA 01201550

TECNOEKA 11950417000

## Transformers

**3221336 HALOGEN LAMP TRANSFORMER 230V/11.5V**  
primary voltage 230V 50/60Hz  
secondary voltage 11.5V  
screwed terminal block



TECNOEKA 00005680

TECNOEKA 11950087000



The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)