

Spare parts for the professional sector:



Pizza ovens

Suitable for: **BAKE OFF**




This catalogue is automatically generated. Therefore, the sequence of the items might not be always shown at best. Updates will be issued in case of additions and/or amendments. Suitable universal spare parts may not be included







DOOR GLASSES FOR PIZZA OVEN BAKE OFF / BEST FOR



HEATING ELEMENTS FOR PIZZA OVENS BAKE OFF / BEST FOR

8_____

1			
1			
1			
-			

Photo	LF Code	Watt	Volt	Dimensions	Overall leng	th (mm)	Flange/fittings	Connections	UPPER /	LOWER	Suitable for
				L x W (mm)							
1	3355776	1100W	400V	890x120	990		ø 3/8"	faston	Ceiling	- Deck	373500030
1	3355778	1300W	400V	890x120	990		ø 3/8"	faston	Ceiling	- Deck	373548010

LAMP RECEPTACLES AND SPARE PARTS BAKE OFF / BEST FOR



Photo	LF Code	Description	ø Glass	Mounting hole	Lamp	Suitable for
				ø		
1	3221350	lamp receptacle complete	42 mm	38 mm	E14 15W 230V	166400007
	3221233	glass	42 mm-thread ø 33 mm			
	2101372	lamp receptacle		38 mm	E14 15-25W 230V	
	3221053	gasket				
	3221041	lamp - temperature 300°C			E14 15W 230V	146600012
2	3221318	ceramic lamp receptacle			E27 40W 230V	166400006
	3221001	lamp - temperature 300°C			E27 25W 230V	
	3221059	lamp - temperature 300°C			E27 40W 230V	
	3221651	lamp covered in PTFE - temperature 300°C			E27 60W 230V	
3	3221615	halogen lamp receptacle-cable lenght 110 mm			G4 20W 12/24V	166400002
	3221616	halogen lamp - temperature 250°C			G4 20W 24V	146600003
	3221105	halogen lamp – temperature 250°C			G4 20W 12V	
	3221638	halogen lamp OSRAM - temperature 250°C			G4 20W 12V	







01000						
Photo	LF Code	Description	ø Glass	Mounting hole	Lamp	Suitable for
				ø		
4	5072410	lamp receptacle complete	75x60 mm	30 mm	E14 25W 230V	166400010
	3221172	frame 96x80 mm				
	3186173	gasket 93x79 mm				
	3221173	glass	73x58 mm			
	3221061	lamp - temperature 300°C			E14 25W 230V	

LAMPS FOR PIZZA OVEN BAKE OFF / BEST FOR



2

Photo	LF Code	Connections	Watt	Volt	Max temperature (°C) Dimensions (mm)	Suitable for
1	3221061	E14	25W	230V	300°C	ø 26x57	146600012
2	3221616	G4	20W	24V	250°C		146600003
2	3221416	G4	35W	12V	250°C		391548021

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

