



# Spare parts for the professional sector: Warewashing equipment



Suitable for:

# ALBA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*





Suitable for:


# ALBA



Suitable for:

## Boilers

**3024036 COMPLETE BOILER  $\varnothing$  160x505 mm**



ALBA 22002

## Hinges, catches and accessories

**3053211 ROD FOR DOOR STAINLESS STEEL 580 mm**



ALBA 15009

**3704005 BRASS BUSHING**



ALBA 11835

ALBA 11835/A

**3053315 ROD FOR DOOR STAINLESS STEEL 490 mm**



ALBA 16046

**3704005 BRASS BUSHING**



ALBA 11835

ALBA 11835/A

**3250037 DOOR RETURN SPRING 138 mm**



ALBA 10700/A

**5013975**

**SCREWS NO HEAD WITH HEXAGON SOCKET M5x20**

stainless steel - cone-shaped edge  
UNI 5927 - DIN 914 - ISO 4027



ALBA 11501

**3250035**

**DOOR RETURN SPRING 140 mm**



ALBA 10700/B



# ALBA




Suitable for:

Suitable for:

**3053323 HINGE FOR DOOR RH**

**3053338 DOOR ROD SLIDEWAY**



ALBA 150210

ALBA 150401

**3053532 HINGE DOOR RETAINER K50**

**3704005 BRASS BUSHING**



ALBA 135222

ALBA 11835

ALBA 11835/A

**3743631 RH/LH DOOR ROD**



ALBA 150221

**3053336 RH RUBBER PIECE FOR DOOR HINGE**

**3053337 LH RUBBER PIECE FOR DOOR HINGE**




ALBA 560006

ALBA 560007

**3053339 HINGE FOR DOOR LH**

**3053338 DOOR ROD SLIDEWAY**



ALBA 150211

ALBA 150401

**3053532 HINGE DOOR RETAINER K50**

**3704005 BRASS BUSHING**



ALBA 135222

ALBA 11835

ALBA 11835/A



Suitable for:

3743631 RH/LH DOOR ROD



ALBA 150221


# ALBA

Suitable for:



## Air traps

**3060065 AIR CHAMBER 55x31x56 mm**  
hose end fitting  $\varnothing$  6 mm



ALBA 10911/D

**3060070 GASKET 14x8x1.5 mm**




ALBA 13301

**3060066 AIR CHAMBER 55x31x65 mm**  
hose end fitting  $\varnothing$  6 mm




ALBA 10911/C

**3060070 GASKET 14x8x1.5 mm**



ALBA 13301

**3060067 AIR CHAMBER 55x31x75 mm**  
hose end fitting  $\varnothing$  6 mm



ALBA 10911/B

**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11702

**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11702

**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11702



Suitable for:

**3060070 GASKET 14x8x1.5 mm**



ALBA 13301

**3060068 AIR CHAMBER 55x31x90 mm**  
hose end fitting  $\varnothing$  6 mm



ALBA 10911

**3060070 GASKET 14x8x1.5 mm**



ALBA 13301

# ALBA

Suitable for:



**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11702

## Rinse aid pumps and accessories

**3090016 HYDRAULIC DISPENSER TYPE 3000**  
for rinse aid - flow rate max 3.6 cc  
with inspectionable filter - silicone valves  
neoprene/nylon diaphragm




ALBA 10599999

**3090017 INLET FILTER MODEL 3000**



**3090056 DIAPHRAGM MOD. DA 3010**



**3090003 INLET VALVE FOR RINSE AID INJECTOR**



**3090018 T-FITTING BLACK**





Suitable for:

# ALBA



**3090026 HYDRAULIC DISPENSER TYPE 1000**  
 for rinse aid  
 delivery connector for boiler. olive connection.  
 pipe  $\varnothing$  4x6 mm  
 PTFE ball  
 stainless steel spring for diaphragm. wire  $\varnothing$  1 mm  
 silicone valve  
 silicone diaphragm  
 pump connection fitting. olive connection.  
 pipe  $\varnothing$  6x8 mm  
 inlet fitting with connection  
 for flexible pipe  $\varnothing$  4x6 mm



ALBA 10799

**3090221 SILICONE VALVE F/DISPENSER MOD.1000**



Suitable for:

**3090055 DIAPHRAGM MOD. DA 1011**



**3090076 RINSE AID DISPENSER 2 WAYS**  
 with adjusting screw  
 with pvc green tube  $\varnothing$  4x6 mm and foot filter



ALBA 10599999


**3090220 FILTER WITH ST. STEEL WEIGHT**



ALBA 12525

ALBA 15058

**3090194 DISPENSER DIAPHRAGM TECNOPRO**




**3090083 RINSE AID DISPENSER 3 WAYS**  
 with adjusting screw  
 with pvc green tube  $\varnothing$  4x6 mm and foot filter



ALBA 10799

**3090194 DISPENSER DIAPHRAGM TECNOPRO**





Suitable for:

**3090220 FILTER WITH ST. STEEL WEIGHT**



ALBA 12525

ALBA 15058

# ALBA



Suitable for:

**3090219 RINSE AID DISPENSER 3 WAYS**  
with adjusting screw  
with pvc green tube ø 4x6 mm and foot filter



ALBA 10705


**3090220 FILTER WITH ST. STEEL WEIGHT**



ALBA 12525

ALBA 15058

**3090194 DISPENSER DIAPHRAGM TECNOPRO**



## Solenoid valves

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



ALBA 10703

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%



**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



# ALBA



Suitable for:

**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



**3120000 FILTER FOR INLET SOLENOID VALVE ELBI**



ALBA 30001000

**3120015 ADJUSTER FOR OUTLET ELBI RED**  
flow rate 0.5 L/min - tolerance +/- 25%



**3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL**  
flow rate 1.2 L/min - tolerance +/- 25%







Suitable for:

**3120017 ADJUSTER FOR OUTLET ELBI ORANGE**  
flow rate 2.5 L/min - tolerance +/- 25%



**3120021 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 12 L/min - tolerance +/- 15%



**3120037 ADJUSTER FOR OUTLET ELBI GREEN**  
flow rate 0.25 L/min - tolerance +/- 25%



**3120202 ADJUSTER FOR OUTLET ELBI YELLOW**  
flow rate 0.35 L/min / tolerance +/- 25%



**3120204 OUTLET ADJUSTER ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 25%



**3120368 SOLENOID VALVE ODE ø 3/4"FF 220/230V**  
for steam - NC  
max temperature 140°C  
max differential pressure 25 bar  
coil '220/230V 50Hz - flowrate 140 L/min



# ALBA



Suitable for:

**3120019 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 5.5 L/min - tolerance +/- 15%



**3120022 ADJUSTER FOR INLET ELBI BLACK**  
flow rate 16 L/min - tolerance +/- 15%



**3120201 ADJUSTER FOR OUTLET ELBI GREY**  
flow rate 4.7 L/min - tolerance +/- 25%



**3120203 ADJUSTER FOR OUTLET ELBI WHITE**  
flow rate 2 L/min - tolerance +/- 25%



**1120820 COIL ODE BDA08223DS 220/230V 50/60Hz**  
14.5 VA  
width 30 mm - height 39 mm  
length 42 mm





Suitable for:

**3120034 CONNECTOR LARGE F-FITTING**  
for coils



# ALBA



Suitable for:

**3120374 coil ODE BDA08024DS 24V 50/60Hz 8W**  
width 30 mm - height 39 mm  
length 42 mm



## Electric pumps

**3122264 ELECTRIC PUMP OP T.7 0.70HP**  
inlet external  $\varnothing$  50 mm - outlet external  $\varnothing$  30 mm  
additional outlet external  $\varnothing$  30 mm  
0.70HP 230V 50Hz 3.2A - Rpm 2750  
capacitor 12.5 $\mu$ F



**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



ALBA 150914

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm



ALBA 15081

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
height 15.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



ALBA 15081

**3122268 GASKET FOR PUMP HOUSING OP T.41/T.5**




**3122746 IMPELLER CLOSED OP  $\varnothing$  91 mm**  
for models T.7 - T.12



**5018196 PUMP HOUSING OP T.5/T.6/T.7**  
inlet  $\varnothing$  external 50 mm - outlet  $\varnothing$  external 30 mm  
additional outlet external  $\varnothing$  30 mm



**3122284 ELECTRIC PUMP OP T.41 0.40HP**  
 inlet external  $\varnothing$  29 mm - outlet external  $\varnothing$  28 mm  
 0.29kW 230V 50Hz 1.8A - Rpm 2700  
 capacitor 8  $\mu$ F - flow rate 165 L/min



ALBA 16042

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
 metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
 height 15.5 mm  
 back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
 height 8 mm



**3122269 PUMP HOUSING OP T.4/T.41 0.40HP**  
 inlet external  $\varnothing$  29 mm - outlet external  $\varnothing$  28 mm



**3122366 ELECTRIC PUMP OP T.15 1.50HP**  
 inlet external  $\varnothing$  60 mm - outlet external  $\varnothing$  50 mm  
 additional outlet  $\varnothing$  30 mm  
 1.10kW 230V 50Hz - Rpm 2700  
 capacitor 16 $\mu$ f



ALBA 22009

**3068083 CAPACITOR ELECTRICAL 16 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  35xh71 mm



Suitable for:

**3068014 CAPACITOR DUCATI ENERGIA 8 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  32xh55 mm



ALBA 16043

**3122268 GASKET FOR PUMP HOUSING OP T.41/T.5**



**3122272 IMPELLER OP T.41 0.4HP  $\varnothing$  94 mm**



**3068024 CAPACITOR DUCATI ENERGIA 16 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connector 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
 metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
 height 15.5 mm  
 back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
 height 8 mm





Suitable for:


**3122371 PUMP HOUSING OP T.12/15/75**  
inlet external  $\varnothing$  60 mm - outlet external  $\varnothing$  50 mm  
additional outlet external  $\varnothing$  30 mm



**3186239 O-RING 02525 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  133.07 mm



**3122367 ELECTRIC PUMP OP T.75 0.75HP**  
inlet external  $\varnothing$  60 mm - outlet external  $\varnothing$  50 mm  
additional outlet external  $\varnothing$  30 mm  
0.55kW 230V 50Hz 3.2A - Rpm 2700  
capacitor 12.5  $\mu$ f



ALBA 15908

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm



ALBA 15081

**3122371 PUMP HOUSING OP T.12/15/75**  
inlet external  $\varnothing$  60 mm - outlet external  $\varnothing$  50 mm  
additional outlet external  $\varnothing$  30 mm



## ALBA

Suitable for:

**3122372 IMPELLER OP  $\varnothing$  102 mm**  
for models T.6 T.15



**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



ALBA 15081

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
height 15.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



**3122373 IMPELLER CLOSED OP  $\varnothing$  90 mm**  
threaded connection  
for models T.5 - T.75



**3186239 O-RING 02525 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  133.07 mm



**3122395 ELECTRIC PUMP FIR 2233/X1SX 0.75HP**  
inlet external  $\varnothing$  60 mm - outlet external  $\varnothing$  50 mm  
additional outlet external  $\varnothing$  30 mm  
0.75HP 230V 50Hz - rpm 2700  
capacitor 12.5  $\mu$ f



ALBA 15908/A

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm




ALBA 15081

**3122296 IMPELLER CLOSED FIR  $\varnothing$  93 mm**  
overall height 32 mm - D-shaped hole 8x9 mm  
for models 2233/4247/4268/5283SX



**3786491 GASKET FOR PUMP FIR 2233/4233SX**



**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



ALBA 15081

**3122058 SEAL MECHANICAL FOR SHAFT  $\varnothing$  11 mm**  
metal seal internal  $\varnothing$  10 mm -  $\varnothing$  external 24 mm  
height 13.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



**3122676 PUMP HOUSING FIR 2233/4233SX**  
inlet external  $\varnothing$  60 mm - outlet external  $\varnothing$  50 mm  
additional outlet external  $\varnothing$  30 mm  
hose end fitting  $\varnothing$  10 mm





Suitable for:


# ALBA



Suitable for:

## Supports for wash and rinse arms

**3243385 WASH ARM ASSEMBLY SUPPORT  $\varnothing$  18 mm**



ALBA 10205

**3186244 O-RING 03125 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  31.42 mm



ALBA 13000

**3243386 PUNCHED SUPPORT FOR LOWER WASH ARM ASSY**



ALBA 10205/A

**1186304 O-RING 0112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.92 mm



ALBA 13003

**1186362 O-RING 02021 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  5.28 mm



**3186244 O-RING 03125 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  31.42 mm



ALBA 13000

**3243000 STAINLESS STEEL CONNECTING ROD 180 mm**



ALBA 16039

**3243390 ELBOW FITTING  $\varnothing$  3/8" M**  
hose-end fitting  $\varnothing$  12 mm



ALBA 12030

**3243391 GASKET FLAT  $\varnothing$  10x5x1 mm**



ALBA 13303

**3243998 STAINLESS STEEL DISK**  
 $\varnothing$  internal 31 mm



ALBA 16038



Suitable for:

**3243999 TUBING ASSEMBLY WITH HOSE**  
height 100 mm



ALBA 16250

**3743011 BOWL ASSY WITH END-HOSE PIPE S98**  
height 150 mm



**3743146 IMPELLER SPINDLE**



**3743431 LOWER WASH ARM ASSY SUPPORT COLUMN**  
height 96 mm



**3743435 LOWER WASH ARM ASSY SUPPORT COLUMN**  
height 73 mm  
for rinse arm assembly



**3243388 WASH ARM ASSEMBLY SUPPORT**



ALBA 15041

# ALBA



Suitable for:

**3743001 PIPE GUIDE**



ALBA 10203

**3743017 BOWL ASSY WITH END-HOSE PIPE**



**3743150 SPLASH GUARD FOR WASH/RINSE ARM ASSY**



**3743433 S/STEEL FLANGE**  
external  $\varnothing$  60 mm - internal  $\varnothing$  31 mm



**3743753 PTFE WASHER  $\varnothing$  16.5x10x2.5 mm**




**3186197 O-RING 04150 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  37.69 mm





Suitable for:

**3186275 GASKET FLAT EPDM  $\varnothing$  24x7x2.5 mm**



ALBA 13313

**3243994 HOSE-END FITTING  $\varnothing$  10 mm**  
threaded connection M12x1



ALBA 12506

**3743145 FLAT WASHER M8**  
internal/external  $\varnothing$  8.4/16 mm - thickness 1.6 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ALBA 11185

ALBA 11611

**3743148 RING NUT FOR WASH/RINSE ARM ASSY**



ALBA 15038

**3243477 UPPER WASH ARM ASSEMBLY SUPPORT**  
complete with spindle



ALBA 15069/A

ALBA 15069/C

ALBA 15910

**3243478 STAINLESS STEEL SPINDLE FOR SUPPORT**



ALBA 15300

# ALBA



Suitable for:

**3243389 O-RING 03162 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  40.95 mm



ALBA 13006

**3743144 TIE ROD PIN**



ALBA 70303

**3743147 LOWER SHAFT SOCKET**



ALBA 15040/A

**3743680 RINSE EXTENSION  $\varnothing$  10x162 mm**



**1186304 O-RING 0112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.92 mm



ALBA 13003

**3243995 RINSE PIPE FITTING**




ALBA 12006



Suitable for:

Suitable for:

**3243479 UPPER-LOWER WASH ARM ASSEMBLY SUPPORT**  
without spindle



ALBA 500612

**3243478 STAINLESS STEEL SPINDLE FOR SUPPORT**



ALBA 15300

**3243995 RINSE PIPE FITTING**



ALBA 12006

**3743013 LOWER RINSE PIN**  
length 110 mm



ALBA 550226

**3743750 BOTTOM SLEEVE 170 mm**



**3743152 LOWER STAINLESS STEEL FITTING**



ALBA 15039

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ALBA 13015

**3243480 SUPPORT LOCKING RING NUT**



ALBA 500610

**3743012 LOWER IMPELLER SUPPORT**  
height 125 mm



ALBA 550223

**3743310 RINSE BOARD EXTENSION**



ALBA 75315

**3743209 UPPER RINSE COLUMN**



ALBA 10909



Suitable for:

# ALBA



Suitable for:

**3743309 SUPPORT FOR BOTTOM ARM ASSEMBLY**



ALBA 15909

**3743679 ST/STEEL COLUMN UPPER**



ALBA 75067

**3743015 RINSE ELBOW NUT 1/4"**



ALBA 75319

**3325001 MANIFOLD PIN 88 mm**



ALBA 75322

## Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47µF



ALBA 15149


## Filters

**3160157 STAINLESS STEEL FILTER ø 100x50 mm**



ALBA 16050

**3160172 WASH PUMP FILTER BASE - HOLE ø 50 mm**



ALBA 16051/A

**3160159 STAINLESS STEEL FILTER ø 195x55 mm**



ALBA 15911

Suitable for:

Suitable for:

**3160236 INLET FILTER**  
plastic made - external  $\varnothing$  155 mm - height 70 mm



ALBA 500616

**3160506 INTERNAL FILTER WITH SCREEN**



**3186228 FLAT GASKET EPDM  $\varnothing$  95x75x3 mm**



ALBA 80208

**3316154 INLET OUTLET UNIT**



## Clamps


**3449465 HOSE CLAMP 30-45**  
for pipes  $\varnothing$  30÷45 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ALBA 11809

## Gaskets and seals

**3786042 PIPE SLIDING GASKET**



ALBA 13304

## Guides

**3391017 HOOD SLIDE 600 mm**



ALBA 75304



Suitable for:

# ALBA



Suitable for:

## Indicator lights

**3221095 INDICATOR LIGHT ORANGE 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ALBA 347561183523

ALBA 347561183610

**3221132 INDICATOR LIGHT GREEN 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ALBA 347561183522

ALBA 347561183600

**3319102 SWITCH BLOCK WITH 2 BLANKS - GREY**  
mounting hole 28x74 mm  
green indicator light 250V



ALBA 15889

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head ø 8 mm - 120°C




**3319446 LAMP CAP GREEN 23x23 mm TERMOMETRO**



## Wash and rinse arms for warewashers

**3243360 WASH AND RINSE ARM ASSEMBLY 490 mm**



ALBA 15956

**3243368 COMPLETE JET FOR RINSE ARM**



ALBA 12528

**1186421 O-RING 02018 EPDM**  
ring thickness 1.78 mm - internal ø 4.48 mm



ALBA 13016

**3243371 RINSE ARM CAP**



ALBA 12527



Suitable for:

**3243374 OPEN RINSE JET  $\varnothing$  10 mm**  
for wash assembly boss



ALBA 10213

**3243377 COMPLETE JET FOR WASH ARM**



ALBA 10211

**3243381 PLASTIC END CAP  $\varnothing$  26 mm**  
for wash arm



ALBA 10207

**3243384 BUSHING FOR WASH ARM ASSEMBLY  $\varnothing$  14x11 mm**



ALBA 13319

**3243993 NUT BLOCKING PLATE FOR IMPELLER**



ALBA 10210

**3501227 CLOSED JET**



ALBA 10217

## ALBA

Suitable for:

**3243375 BLANK WASH JET  $\varnothing$  18 mm**  
for wash assembly boss



**3243378 OPEN WASH JET  $\varnothing$  28 mm**  
for wash assembly boss



ALBA 10218

**3243382 O-RING 02087 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  21.95 mm



ALBA 13018

**3243992 FIXING SCREW STAINLESS STEEL RETAINER**



ALBA 11101/I

**3243996 IMPELLER DRUM 4 WAYS LARGE SIZE**  
complete with bushes



ALBA 10209





Suitable for:

# ALBA



**3243401 UPPER RINSE ARM ASSEMBLY 300 mm**



ALBA 10996

**3243384 BUSHING FOR WASH ARM ASSEMBLY  $\varnothing$  14x11 mm**



ALBA 13319

**3501201 OPEN RINSE JET**



ALBA 12537

**3243402 COMPLETE RINSE ARM ASSEMBLY 480 mm**



ALBA 75069

ALBA 75918

**3743009 CAP FOR RINSE PIPE  
thread  $\varnothing$  9 mm**



ALBA 560017

**3743756 DRUM FOR WASH IMPELLER**



Suitable for:

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



ALBA 13002

**3243472 WASH ARM ASSEMBLY LOCKING NUT**



ALBA 10365

**3743014 SLIDING BUSH PTFE**  
 $\varnothing$  internal 10 mm.  
 $\varnothing$  external 14 mm.



ALBA 13320

**3501108 RINSE JET STAINL. STEEL**  
thread  $\varnothing$  5 mm



ALBA 560018

**3743361 PIN FOR RINSE ARM ASSEMBLY**



**3743855 RINSE SCREW MA5**






Suitable for:

**3743002 STAINLESS STEEL WASH ARM ASSY 530 mm**



ALBA 75915

**3743004 NUT FOR SUPPORT DRUM**



ALBA 75317

**3743149 SPACER FOR DRUM  $\varnothing$  22x17x15 mm**



ALBA 75321

**3743248 BOTTOM WASH AND RINSE ARM ASSEMBLY**



ALBA 16950

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



ALBA 13002

**3243472 WASH ARM ASSEMBLY LOCKING NUT**



ALBA 10365

Suitable for:

**3743003 DRUM FOR WASH IMPELLER**  
height 31 mm



ALBA 75320

**3743016 DRUM FOR IMPELLER**  
height 47 mm



**5018192 SPACER IMPELLER DRUM  $\varnothing$  22x26 mm**



**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



ALBA 13017

**3243384 BUSHING FOR WASH ARM ASSEMBLY  $\varnothing$  14x11 mm**



ALBA 13319

**3501201 OPEN RINSE JET**



ALBA 12537



Suitable for:

**3501202 CLOSED RINSE JET**  
with "O" ring



**3501204 CLOSED RINSE JET**



# ALBA



Suitable for:

**3501203 BIG HOLE OPEN RINSE JET**  
complete with gasket




## Terminal blocks

**3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ALBA 500551

**3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ALBA 500550

## Tubing and hoses

**3248105 OUTLET HOSE**  
internal  $\varnothing$  50 e 31 mm - dimensions 120x110 mm



ALBA 16170

ALBA 16170/M

**3248113 INLET CONNECTION HOSE**  
internal  $\varnothing$  58 e 50 mm - dimensions 125x125 mm



ALBA 15032/A

**3248138 INLET CONNECTION TUBING**  
internal  $\varnothing$  28 - length 70 mm



ALBA 10718

**3248203 INLET HOSE**  
external  $\varnothing$  70 mm - internal  $\varnothing$  58 mm



ALBA 25032



Suitable for:

**3248205 HOSE FOR WATER OUTLET**



ALBA 150048/A

Suitable for:

**3248206 OUTLET HOSE LOWER NEW**  
internal  $\varnothing$  30 mm - external  $\varnothing$  40 mm



ALBA 15033/A

## Springs

**3250219 HOOD LIFTING SPRING  $\varnothing$  38x810 mm**  
for GASTRO 11S



ALBA 75303

## Feet

**3313005 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 135 mm**  
with fixed screw M12x40 mm  
adjustable height 135÷200 mm



ALBA 15116

**3313118 PLASTIC FOOT  $\varnothing$  37x13 mm**  
threaded pin M10x22



ALBA 10786

## Hose-end fittings


**3315026 HOSE-END FITTING 4-WAYS  $\varnothing$  10 mm**



ALBA 15151

## Switches

**3319093 CHANGEVER SWITCH 1 POLE GREEN 16A 250V**  
16(4)A 250V - with switch cover  
with indicator light  
max. temperature 120°C  
mounting hole 22x30 mm



ALBA 18080

**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm





Suitable for:

**3319779 BLOCK CONNECTIONS BLACK 22x30 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm**



**3319096 GREEN BIPOLAR SWITCH 250V**  
mounting hole 28x28 mm




ALBA 15849

**3319647 PUSH-BUTTON SQUARE GREEN 23x23mm "ON/OFF"**



**3319101 SWITCH WITH 2 BUTTONS AND 1 LAMP - GREEN**  
1 monopolar switch  
1 bipolar switch  
with indicator light 16A 250V



ALBA 15888

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head ø 8 mm - 120°C



# ALBA



Suitable for:

**3319780 BLOCK CONNECTION WHITE 22x30 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm**



**3319571 HOUSING FOR PUSH-BUTTON SQUARE GREY**  
mounting hole 28x28 mm - for push-button 23x23 mm



**3319920 BIPOLAR SWITCH BLACK 16A 250V**



**1319082 SINGLE-POLE PUSH BUTTON 16A 250V**



**3221192 LAMP SUPPORT**





Suitable for:

3319647 PUSH-BUTTON SQUARE GREEN 23x23mm "ON/OFF"



ALBA



Suitable for:

3319920 BIPOLAR SWITCH BLACK 16A 250V



## Pressure switches

3320036 PRESSURE SWITCH 1 LEVEL  
calibration 75/35 mm  
250V 16A  
max operating temperature 85°C



ALBA 10300026

3320091 PRESSURE SWITCH 1 LEVEL  
calibration 46/26 mm  
250V 16(4)A



ALBA 10706/A

3320207 PRESSURE SWITCH 1 LEVEL  
calibration 86/59 mm



ALBA 75950

## Controllers and changeover switches

3322195 CONTROLLER 600/627/5309 2 CAMS  
120 seconds cycle  
230V 50/60Hz




ALBA 10708/L

3322231 CONTROLLER 4904F3 4 CAMS  
1st cycle 60 seconds  
2nd cycle 90 seconds  
3rd cycle 120 seconds  
230V 50Hz  
without pin



ALBA 10300117

3322232 CONTROLLER 11803F1 3 CAMS  
18 minutes cycle  
230V 50/60Hz  
without pin  
for regeneration



ALBA 16064/A



Suitable for:

# ALBA



Suitable for:

## Pins

**3743363 STAINL.STEEL BOARD EXTENSION 140 mm**



ALBA 15304

## Castors, rollers and accessories

**3346144 SHUTTER ROLLER  $\varnothing$  34x12 mm**



ALBA 10800244

## Fittings

**3349346 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4" M  $\varnothing$  12**



ALBA 12005

## Relays

**3351001 POWER RELAY ITALIANA RELÉ B1-2**  
2 NO contacts - contact capacity 16A  
coil 230V 50/60Hz



ALBA 16037

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



ALBA 15620

## Heating elements

**3355475 HEATING ELEMENT BOILER 2500W 230V**  
immersed depth 195 mm  
flange external  $\varnothing$  63 mm  
with bulbholder sheathing  $\varnothing$  7 mm  
complete with O-ring  $\varnothing$  58 mm (3186013)



ALBA 16036/A

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



ALBA 13005



Suitable for:

**3355477 HEATING ELEMENT BOILER 3000W 220/380V**  
 immersed depth 265 mm  
 flange external  $\varnothing$  63 mm  
 with bulbholder sheathing  $\varnothing$  6 mm  
 complete with O-ring  $\varnothing$  58 mm (3186013)



ALBA 15046

Suitable for:

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



ALBA 13005

**3355478 HEATING ELEMENT BOILER 4500W 220/380V**  
 immersed depth 370 mm  
 flange external  $\varnothing$  63 mm  
 with bulbholder sheathing  $\varnothing$  7 mm  
 complete with O-ring  $\varnothing$  58 mm (3186013)



ALBA 15089

**4065560 COVER FOR HEATING ELEMENT**  
 $\varnothing$  55 mm - height 60 mm  
 distance between fastening holes 60 mm



**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm




ALBA 13005

**3355479 HEATING ELEMENT FOR BOILER 6000W 220/380**  
 immersed length 460 mm  
 flange external  $\varnothing$  72 mm  
 with probe receptacle  $\varnothing$  7 mm  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut (3528232) and washer (3528238) on request



ALBA 30001010

**3455308 FLANGE FOR HEATING ELEMENT**  
 internal  $\varnothing$  57 mm



ALBA 30001024

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ALBA 13015



Suitable for:

# ALBA




**3355480 HEATING ELEMENT FOR BOILER 9000W 220/380**  
 immersed length 460 mm  
 flange external  $\varnothing$  72 mm  
 with probe receptacle  $\varnothing$  7 mm  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut (3528232) and washer (3528238) on request



ALBA 30001011

**3455308 FLANGE FOR HEATING ELEMENT**  
 internal  $\varnothing$  57 mm



ALBA 30001024

**3355483 HEATING ELEMENT TANK 1850W 230V**  
 immersed depth 255 mm  
 width 42 mm - flange 61x26 mm  
 complete with gasket



ALBA 16035/A

**3355484 HEATING ELEMENT TANK 2700W 230/400V**  
 immersed depth 255 mm  
 height 25 mm - flange external  $\varnothing$  63 mm  
 complete with O-ring  $\varnothing$  58 mm (3186013)



ALBA 15047/A

**3355485 HEATING ELEMENT TANK 2700W 230V**  
 immersed depth 350 mm  
 width 42 mm - flange 61x26 mm  
 complete with gasket



ALBA 150047

Suitable for:

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ALBA 13015

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm




ALBA 13005




Suitable for:

**3755952 HEATING ELEMENT 12000W 220V**  
immersed depth 460 mm  
flange external  $\varnothing$  72 mm - with bulbholder sheathin  
complete with O-ring  $\varnothing$  67 mm (3186014)



ALBA 30001011/A

**3455308 FLANGE FOR HEATING ELEMENT**  
internal  $\varnothing$  57 mm



ALBA 30001024

Suitable for:

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



ALBA 13015

## Door catches

**3398035 NICKEL PLATED DOOR CATCH  $\varnothing$  13x24 mm**  
for DISHWASHER all models



ALBA 10775

## Drain pumps

**3122865 DRAIN PUMP PLASET 59491**  
22W 220/240V 50Hz  
inlet  $\varnothing$  external 30 mm  
exit  $\varnothing$  external 22 mm



ALBA 15101



Suitable for:

# ALBA



Suitable for:

## Telethermometers

**3441011 TELE-THERMOMETER BLACK 56x25 mm 0-120°C**

plastic case  
capillary length 1500 mm  
bulb  $\varnothing$  6x15 mm



ALBA 10500005

## Thermostats

**3444280 SINGLE-PHASE THERMOSTAT 0-90°C**

covered capillary 1500 mm  
bulb  $\varnothing$  6.5x90 mm  
15A 250V  
with adjusting screw



ALBA 10707/1

**3444282 SINGLE-PHASE THERMOSTAT 90-110°C**

with manual reset  
covered capillary 1500 mm  
bulb  $\varnothing$  6.5x95 mm  
15A 250V



ALBA 2000430

## Drain plugs

**3448136 OVERFLOW PIPE  $\varnothing$  28x132 mm**  
in plastic




ALBA 15126

**3316041 GASKET 1"  $\varnothing$  44x32x3 mm**



ALBA 13305

**3448137 OVERFLOW PIPE  $\varnothing$  28x106 mm**  
in plastic



ALBA 16052

**3316040 ELBOW CONNECTOR  $\varnothing$  1"x30 mm**



ALBA 10701

**3316042 STAINLESS STEEL NUT  $\varnothing$  1"**



ALBA 11701/A

**3316040 ELBOW CONNECTOR  $\varnothing$  1"x30 mm**



ALBA 10701






Suitable for:

**3316041 GASKET 1" ø 44x32x3 mm**




ALBA 13305

**3448168 OVERFLOW PIPE ø 40x187 mm**  
made of plastic




ALBA 500618

**3448207 OVERFLOW PIPE ø 40x210 mm**  
in plastic



ALBA 500619

**3448296 OVERFLOW PIPE ø 45x155 mm**  
s/steel



ALBA 75250

**3316072 ELBOW STEM FOR OUTLET ø 1"1/4**  
complete with gasket



ALBA 15613

**3316155 GASKET 75x58x3 mm**



# ALBA

Suitable for:

**3316042 STAINLESS STEEL NUT ø 1"**



ALBA 11701/A

**3186231 LIP SEAL DEM40 EPDM**  
ø 40x30x7 mm



ALBA 13021

**3186231 LIP SEAL DEM40 EPDM**  
ø 40x30x7 mm



ALBA 13021


**3316045 COMPLETE DRAIN ASSEMBLY ø 2"x1"1/4**  
fitting ø 2"  
outlet ø 1"1/4  
complete with nut and gasket



ALBA 10200113

ALBA 10200173

**3316153 NUT FOR DRAIN ASSEMBLY**  
threaded hole int.ø 60 mm



ALBA 10200114





Suitable for:

ALBA



Suitable for:

## Ironmongery (screws,nuts,washers)

**1528631 CYLINDER HEAD SCREW M4x8**  
stainless steel - cross recessed  
UNI 7687 - DIN 7985 - ISO 7045



ALBA 11121

## Bushings

**5013886 ROLL BUSHING**  
for DISHWASHER KROMO K100



ALBA 10800231

**5023385 WASHER SLIDING 16x10x8 mm**



ALBA 13330

## Microswitches, mechanical

**3240197 MICROSWITCH PIZZATO MF17**  
1-NO 1-NC 16A 250V



ALBA 70305

**3240407 MICROSWITCH KIT 16A 250V**  
2 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel



ALBA 10704

**3240568 MICROSWITCH CROUZET EF83161.3**  
1NO+NC 16A 250V  
complete with roll lever 28 mm




---

## Door gaskets for dishwashers

---

**3187013 DOOR GASKET 1500 mm**  
profile dimensions 24x10x6 mm



ALBA 560021

---

## Microswitches, magnetic

---

**3240196 MAGNETIC MICROSWITCH E5201V**  
0.04A 250V - NO contact - head 40x13x8 mm  
with cable length 1400 mm



ALBA 10778

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)