



Spare parts for the professional sector: Warewashing equipment



Suitable for:

GIGA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included





Suitable for:


GIGA



Suitable for:

Air traps

- 3060041 AIR CHAMBER**
 ext. dimens. 46x130 mm - hose end fitting \varnothing 6 mm
 fastening area 46x32.5 mm



GIGA SD907254

- 3060086 AIR CHAMBER COMPLETE 53x38x130 mm**
 hose end fitting \varnothing 6 mm
 complete with flat gasket and fastening nut



GIGA SDTR0268

- 3060087 BRASS NUT \varnothing 3/8"**



GIGA SD902100

- 3186438 FLAT EPDM GASKET \varnothing 25x16.5x2 mm**
 for air chamber



GIGA SD903260

- 3060601 AIR CHAMBER COMPLETE 85x20x80 mm**
 with two O-ring gaskets, bajo bolt and
 hose end fitting \varnothing 5 mm



GIGA D984001


Boilers

- 6104050 BOILER \varnothing 142x405 mm**



GIGA 104050

- 3024020 BOILER \varnothing 150x400 mm**



GIGA SD900353



Bulb sheathes

3187006 THERMOSTAT SHEATH \varnothing 1/2"
bulb length 105 mm



GIGA SDTR0298

Contact thermostats


3445403 CONTACT THERMOSTAT 55°C
with automatic reset



GIGA SD907120


Contactors

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



GIGA Y10100

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA D229019

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



GIGA Y11100

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



GIGA X55300



Suitable for:

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact




GIGA Y10000

GIGA



Suitable for:

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact




GIGA SD907043

GIGA SD907095

Controllers and changeover switches


3322609 CONTROLLER 11803F1 3 CAMS
150-second cycle
230V 50/60Hz
without pin
former model 600/636/5200 - PWE5



GIGA D238036


GIGA D238053

3322116 CONTROLLER 4905MDV 5 CAMME
1st cycle 180 seconds
2nd cycle 6 seconds
230V 50/60Hz



GIGA SD907183

3322029 PROGRAMMATOR 3 CAMS -120"
motor 230V 50Hz - cycle 120"



GIGA SD907172

Door catches

3398016 DOOR CATCH
thread \varnothing 12 mm



GIGA SD906121

3398605 DOOR CATCH



GIGA D994011

3398606 STAINLESS STEEL DOOR RETAINER



GIGA D325030

3398077 PAWL SPRING



GIGA D449036

Drain assembly

3316603 PLASTIC DRAIN ASSEMBLY 3/4"
inner hole \varnothing 22 mm



GIGA D429048

3316604 DRAIN ELBOW
outlet external \varnothing 25 mm



GIGA D463009

3186616 GASKET FLAT ASBESTOS FREE \varnothing 35x27x1.5 mm



GIGA D437025


1186655 O-RING 04131 EPDM
ring thickness 3.53 mm - internal \varnothing 32.93 mm



GIGA X05300

Drain hoses

3450026 DRAIN HOSE \varnothing 28x1500 mm
elbow hose internal \varnothing 28 mm external \varnothing 33 mm
straight hose internal \varnothing 24 mm external \varnothing 28 mm
max temperature 90°C



GIGA SD907440

3450028 DRAIN HOSE \varnothing 29x1500 mm
muffs internal \varnothing 24 and 28 mm
max temperature 90°C



GIGA D143120

3450120 DRAIN HOSE \varnothing 38x1500 mm
elbow hose internal \varnothing 40 mm
straight hose internal \varnothing 31 mm



GIGA SD907451

3450604 DRAIN HOSE \varnothing 42x1900 mm
elbow sleeve internal \varnothing 50 mm
pipe internal \varnothing 35 mm
max temperature 90°C



GIGA D143136



Suitable for:

GIGA



Suitable for:

Drain plugs

3160602 OVERFLOW PIPE \varnothing 25x215 mm - GREY



GIGA D142008

3448171 OVERFLOW PIPE \varnothing 27x92 mm
made of plastic



GIGA SD907280

3448612 OVERFLOW PIPE \varnothing 39x240 mm
made of plastic



GIGA D142022

1186655 O-RING 04131 EPDM
ring thickness 3.53 mm - internal \varnothing 32.93 mm



GIGA X05300

1186655 O-RING 04131 EPDM
ring thickness 3.53 mm - internal \varnothing 32.93 mm



GIGA X05300

Drain pumps

3122743 DRAIN PUMP 100W 230V 50Hz
inlet external \varnothing 30 mm - outlet external \varnothing 24 mm



GIGA SD902337

Electric pumps

3122696 ELECTRIC PUMP AP CL170 1.20HP
inlet external \varnothing 60 mm - outlet external \varnothing 50 mm
1.20HP 230V 50Hz - Rpm 2800
capacitor 16 μ f



GIGA



Electric pumps

3122033 ELECTRIC PUMP FIR 1225SX 1.50HP
 inlet external \varnothing 63 mm - outlet external \varnothing 48 mm
 1.50HP 220/400V 50Hz 4.8/2.8A - Rpm 2800
 flow rate 625 L/min



GIGA D130025

3122026 PUMP HOUSING GASKET FIR




GIGA D456023

3122024 SEAL MECHANICAL FOR SHAFT \varnothing 12 mm
 metal seal internal \varnothing 11 mm - \varnothing external 24 mm
 height 15.5 mm
 back. element internal \varnothing 14 mm - \varnothing external 26 mm
 height 8 mm



GIGA D141002

3122623 ELECTRIC PUMP LGB ZA400SX 1.20HP
 inlet external \varnothing 60 mm - outlet external \varnothing 50 mm
 0.90kW 230V 50Hz 4.7A - Rpm 2800
 capacitor 20 μ f



GIGA D130068


GIGA D130079

3122392 ELECTRIC PUMP LGB ZF130DX 0.27HP
 inlet external \varnothing 28 mm - outlet external \varnothing 28 mm
 0.20kW 230V 50Hz - Rpm 2800
 capacitor 6.3 μ f



GIGA D130097

3122752 ELECTRIC PUMP LGB ZF270VDX 0.80HP
 inlet external \varnothing 45 mm - outlet external \varnothing 40 mm
 0.60kW 230V 50Hz - Rpm 2800
 capacitor 12.5 μ f



GIGA SD902304

3122393 ELECTRIC PUMP LGB ZF320VSX 0.75HP
 inlet external \varnothing 45 mm - outlet external \varnothing 40 mm
 0.75kW 230V 50Hz - Rpm 2800
 capacitor 12.5 μ f



GIGA SD902293



Suitable for:

GIGA



3122631 ELECTRIC PUMP LGB ZF400SX 0.80HP
inlet external \varnothing 50 mm - outlet external \varnothing 50 mm
0.60kW 230V 50Hz 3.8A - Rpm 2800
capacitor 16 μ f




GIGA D130098

GIGA D130109

Suitable for:

1063005 BEARING 6201 DDU NSK
external \varnothing 32mm - internal \varnothing 12mm - thickness 10mm



GIGA SDTR0050

Electric pumps for pressure increase


3122153 ELECTRIC PUMP TM61E 0.45HP
inlet \varnothing 1" F - outlet \varnothing 1" F
0.45HP 230V 50Hz 2.3A - rpm 2900
capacitor 10 μ f - flow rate 38 L/min
max pressure 6 ATM max temperature 90°C
for pressure increase



GIGA D130013

Electronic boards

3390317 BASE BOARD 6 KEYS



GIGA SD909012

Electronic controllers

3441065 DIGITAL THERMOMETER TM103TN4 -40+100°C
power supply 24V
mounting hole 60x25 mm



GIGA SDTR0402




Feet

3313001 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm

GIGA Y40400

Filters

3160605 INTERNAL FILTER \varnothing 136x75 mm - GREY

GIGA D121016

3160614 RETAINING ASSEMBLY FOR DRAIN

GIGA D429038

3349595 SUCTION CONNECTION

GIGA SDTR0977

Fittings

3743052 ELBOW-SHAPED FITTING 1/4"

GIGA SD908120

**3743053 FITTING FOR RINSE HOSE
 \varnothing 1/4"x10 mm**

GIGA SD908121

Gears

3243847 REDUCER FOR CONVEYOR SUPPORT

GIGA SDTR0241



Suitable for:

GIGA



Suitable for:

Heating elements

3355459 HEATING ELEMENT BOILER 4500W 230V
immersed depth 365 mm
flange external \varnothing 55 mm
complete with O-ring \varnothing 48 mm (3186001)



GIGA SD905560

3355458 HEATING ELEMENT BOILER 6000W 230V
immersed depth 365 mm
flange external \varnothing 55 mm
complete with O-ring \varnothing 48 mm (3186001)



GIGA SD905570

3755067 HEATING ELEMENT FOR BOILER 1600W 230V
immersed length 265 mm
width 35 mm - connections \varnothing 10 mm



GIGA SD905771

3355601 HEATING ELEMENT FOR BOILER 2400W 220V
immersed length 200 mm
external \varnothing flange 63 mm - with probe receptacle
complete with O-ring \varnothing 58 mm (3186013)



GIGA D230012

GIGA D230023

GIGA D230090

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



GIGA D456002

GIGA E11700

3755061 HEATING ELEMENT FOR BOILER 2600W 230V
immersed length 295 mm
external \varnothing flange 55 mm - with probe receptacle
complete with gasket \varnothing 48 mm (3186001)



GIGA SD905492

3355620 HEATING ELEMENT FOR BOILER 2935W 230V
immersed length 340 mm
width 55 mm - flange 70x25 mm



GIGA D230075

3455417 HEATING ELEMENT FOR BOILER 3000W 230V
immersed length 300 mm
external \varnothing flange 55 mm - with probe receptacle
with O-ring \varnothing 48 mm (3186001)



GIGA SD905521

3355604 HEATING ELEMENT FOR TANK 2000W 220V
immersed length 275 mm
width 120 mm - connection \varnothing 10 mm



GIGA D230017

Suitable for:

3755065 HEATING ELEMENT TANK 3000W 230V
 immersed depth 360 mm
 width 35 mm - fittings \varnothing 10 mm



GIGA SD905748

Suitable for:

3755941 HEATING ELEMENT 14000W 230/400V
 immersed length 510 mm
 external \varnothing flange 72 mm - with probe receptacle
 complete with O-ring \varnothing 67 mm (3186014)
 nut (3528232) and washer (3528238) on request



GIGA SDTR0331

GIGA SDTR0347

3755063 HEATING ELEMENT 8000W 230V
 immersed depth 545 mm
 flange external \varnothing 55 mm
 complete with O-ring \varnothing 48 mm (3186001)



GIGA SDTR0335

Hydraulic piping

3450622 PRESSURE SWITCH PIPE \varnothing 5x13 mm - 5 m
 temperature $-30^{\circ}+110^{\circ}\text{C}$
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external \varnothing 13 mm
 internal \varnothing 5 mm
 5-m bundles
 for 50-m bundles see 3450652



GIGA D143005

3450652 PRESSURE SWITCH PIPE \varnothing 5x13 mm - 50 m
 temperature $-30^{\circ}+110^{\circ}\text{C}$
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external \varnothing 13 mm
 internal \varnothing 5 mm
 50-m bundles
 for 5-m bundles see 3450622



GIGA D143005

Indicator lights

3221499 INDICATOR LIGHT GREEN 250V
 head \varnothing 14 mm - hole \varnothing 13 mm



GIGA



Suitable for:

GIGA



Suitable for:

Inlet hoses

3449034 FLEX HOSE \varnothing 3/4" Fp x CFp 1500 mm
 EPDM hose covered in stainless steel
 hose external \varnothing 17 mm - internal \varnothing 12 mm
 max temperature 90°C
 max pressure 20 bar
 WRAS approved



GIGA D143016

Interference suppression filters

3160473 INTERFERENCE SUPP. FILTER D.E.M.FCP045000



GIGA SD902107

Manifolds for dishwashers

3743686 WASH OUTLET PIPE 720 mm



GIGA SD908701

Microswitches, magnetic

3240256 MAGNETIC MICROSWITCH STEM E550 1B
 1 contact NO 250V 1A 50W
 cable length 1200 mm



GIGA SDTR0666

3240148 MAGNET 63x19x11 mm



GIGA SD903651

GIGA SD908706

Suitable for:

9014015 MICROSWITCH MAGNETIC STEM D102 1V
 0.04A 250V - contact NO
 cylindric sensor \varnothing 10x33 mm - thread M10x0.75
 with cable length 750 mm



GIGA SDTR0309

Suitable for:

3240148 MAGNET 63x19x11 mm




GIGA SD903651

GIGA SD908706

Microswitches, mechanical

3240605 DOOR MICROSWITCH M1AX20 10A 250V



GIGA D218011

3240189 MICRO SWITCH M1DX20 10A 250V




GIGA R31600

3240601 MICROSWITCH BITRON N16
 contact capacity 16A 250V



GIGA D218002

3240820 MICROSWITCH ELECTRICA NR48W 5
 1NO + 1NC 16A 250V



GIGA X52800

O-Ring and ORM gaskets

3186015 O-RING 0178 EPDM
 ring thickness 5.34 mm - internal \varnothing 74.63 mm
 for SANMARCO GRUPPO A LEVA



GIGA D456008

1186365 O-RING 02012 EPDM
 ring thickness 1.78 mm - internal \varnothing 2.90 mm



GIGA 456014

Pins

3243631 SPINDLE



GIGA D325011



Suitable for:

GIGA



Suitable for:

Pressure switches

3320019 PRESSURE SWITCH 1 LEVEL
calibration 55/35 mm
250V 16A
max operating temperature 85°C



GIGA D224003

3320020 PRESSURE SWITCH 1 LEVEL
calibration 110/60 mm
250V 16A
max operating temperature 85°C



GIGA D224002

3320029 PRESSURE SWITCH 1 LEVEL
calibration 40/20 mm
250V 16A
max operating temperature 85°C



GIGA SD905270

3320111 PRESSURE SWITCH 1 LEVEL
calibration 35/17 mm
250V 16(4)A



GIGA D224004

Relays

1351001 POWER RELAY FINDER 62.83.8.024.0000
24Vac 50/60Hz
3 changeover contacts 16A



GIGA SDTR0300

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



GIGA SD905475

GIGA SD905476

3351603 POWER RELAY ITALIANA RELÉ A2L-FA
2 NO contacts - contact capacity 16 A
coil 230V 50/60Hz



GIGA D229030



Rinse aid pumps and accessories

3090039 COIL 220/240V 50Hz



GIGA D201002

3090086 DOSING PUMP HYDRAULIC FOR RINSE AID
with EPDM diaphragm
minimum pressure 0.5 bar
inlet side hose fitting \varnothing 4 mm
pressure side hose fitting \varnothing 8 mm



GIGA SD902199

3090228 RINSE AID DISPENSER 2001P
max flowrate 6.6 cc



GIGA SD902018

Scale removers for dishwashers


3094007 NEW 4-COLUMN SCALE REMOVER
dimensions 410x210x35 mm
fittings \varnothing 12 mm



GIGA D117004

Selector switches

3059055 CYCLE SELECTOR SWITCH
D-shaped pin \varnothing 6x4.6 mm



GIGA

3059078 SELECTOR SWITCH 2-POLE 16A 380V
square spindle 5x5 mm



GIGA D213002



Suitable for:

GIGA



Suitable for:

Solenoid valves

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



GIGA D240011

GIGA SD902390

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm




GIGA LF-3120530

3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



GIGA D240003

3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



GIGA

3120555 SOLENOID VALVE ELBI TYPE 369 2-WAY 180°
230V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
1 outlet with red adjuster 0.5 L/min



GIGA D240002

3120541 SOLENOID VALVE L140B5 ø 1/2"FF 24V
for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz




GIGA SDTR0091

3120558 SOLENOID VALVE L182B17 3/4"FF 24V
EX L180
for water
NC
max. temperature 100°C
max. differential pressure 16 bar
coil 24V 50/60Hz



GIGA SDTR0090

3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
12V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar



GIGA



Springs

3250066 HOOD LIFTING SPRING \varnothing 39x390 mm
for DISHWASHER 1000-1300-1300S



GIGA SD904137

Supports for wash and rinse arms

3743142 ARM TOP DRUM



GIGA SD904290

3243571 LOWER WASH ARM ASSEMBLY SUPPORT




GIGA SD905456

3743298 SUPPORT FOR TOP WASH ARM



GIGA SD905449

3743636 WASH/RINSE ARM
length 350 mm



GIGA SD908743

3349598 WASH/RINSE ARM TOP SUPPORT



GIGA SD908700

Switches

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



GIGA X50800



Suitable for:

GIGA



Suitable for:

Switches

3319607 PUSH-BUTTON 2-POLE RED 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator light and push-button cap
 mounting hole \varnothing 25 mm



GIGA D999070

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



GIGA D410005

Telethermometers

3441011 TELE-THERMOMETER BLACK 56x25 mm 0-120°C
 plastic case
 capillary length 1500 mm
 bulb \varnothing 6x15 mm



GIGA SD907090


Terminal blocks

3247017 TERMINAL BLOCK 12-POLES OF PLASTIC
 for cable 1-10 mm²
 operating temperature 150°C
 nominal voltage 500V



GIGA X41400

3247050 TERMINAL BLOCK 3-POLES FV110 40A 450V
 for cable \varnothing 6 mm² max.
 operating temperature 150°C



GIGA X59200

3247037 TERMINAL BLOCK 4-POLES FV173 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



GIGA X52500

GIGA X59100

3351071 TERMINAL BLOCK 5-POLES
 for cable max 16 mm²
 nominal voltage 600V



GIGA 0000X53900

Suitable for:

Suitable for:

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



GIGA X52300

GIGA X59000

Thermostats

3444165 BOILER SAFETY THERMOSTAT 90-110° C
 capillary 1000 mm
 bulb ø 6.5x90 mm
 15A 250V



GIGA SD907125

3444604 SET TEMPERATURE THERMOSTAT F/TANK 53°C
 preset temperature
 covered capillary 600 mm
 button bulb ø 14x31 mm
 16A 250V



GIGA D236023

GIGA D236042

3444197 SINGLE PHASE THERMOSTAT 0-90°C
 15A 250V
 covered capillary 1000 mm
 bulb ø 6.5x98 mm
 D-shaped pin ø 6x4.6 mm




GIGA SD907110

3444008 KNOB BLACK ø 41 mm 0-90°C
 D-shaped hole 6x4.6 mm
 for thermostat IMIT



GIGA SD903982

3444612 SINGLE-PHASE THERMOSTAT FOR BOILER 85°C
 15A 250V
 covered capillary 600 mm
 bulb ø 6x120 mm



GIGA D236022

GIGA D236043

3444018 SINGLE-PHASE THERMOSTAT 30-90°C
 complete with auxiliary selector switch
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb ø 6x175 mm



GIGA X5780011



Suitable for:

GIGA



Suitable for:

3444133 SINGLE-PHASE THERMOSTAT 30-90°C


covered capillary 2200 mm
bulb \varnothing 6.5x95 mm
15A 250V
D shaft \varnothing 6x4.6 mm



GIGA SD907100

3444164 TANK THERMOSTAT 50°C

covered capillary 600 mm
button-shaped bulb \varnothing 10x48 mm
15A 250V



GIGA SD907124

3060087 BRASS NUT \varnothing 3/8"



GIGA SD902100

3444005 THERMOSTAT SINGLE-PHASE TR2 0-120°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



GIGA X43100

Tubing and hoses

3248182 OUTLET HOSE

internal \varnothing 37mm
length 40mm



GIGA SD903756

3248605 PUMP OUTLET HOSE

internal \varnothing 33 mm



GIGA D127012

Wash and rinse arms for warewashers

3243834 CAP FOR RINSE ARM ASSEMBLY



GIGA SD906450



Wash and rinse arms for warewashers

3243579 COMPLETE RINSE ARM ASSEMBLY 490 mm



GIGA SD903017

3243833 RINSE ARM ASSEMBLY LOCKING BOLT




GIGA SD902880

3243651 RINSE ARM ASSEMBLY COMPLETE



GIGA D993031

3243625 RINSE BOSS



GIGA D129019

3243648 STAINLESS STEEL WASH ARM ASSEMBLY 490 mm
complete with slide bushing



GIGA D990055

3122414 STAINLESS STEEL WASH ARM ASSEMBLY 495 mm



GIGA SD902908

GIGA SD903107

3243600 WASH AND RINSE ARM ASSEMBLY 410 mm



GIGA D990046

3243637 WASH AND RINSE ARM ASSEMBLY 410 mm



GIGA D990008

3743689 WASH ARM ASSEMBLY WITH DRUM AND RING NUT
length 534 mm



GIGA SD902960

GIGA SD902961

Wash jets and accessories

3501622 GREY WASH JET



GIGA D140014

3501620 WASH JET PROPELLER



GIGA D119004



Suitable for:

Suitable for:

3501626 JET FIXED SPRING

3243593 LEFTHAND SUPPORT FOR RINSE JET



GIGA D449029

GIGA D468125

3243599 RIGHTHAND SUPPORT FOR RINSE JET

3501611 RINSE JET CLAMP



GIGA D468124

GIGA D110002

3501610 TOP RINSE JET



GIGA D138001

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com