



# Spare parts for the professional sector: Warewashing equipment



Suitable for:

# HOONVED



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*

Rel. 2018-03091610





Suitable for:

# HOONVED



Suitable for:

## Air traps

**3060062 AIR CHAMBER  $\varnothing$  34x170 mm**  
hose end fitting  $\varnothing$  5.5 mm - with connecting tube



HOONVED H161310  
HOONVED 161324

HOONVED 160121  
HOONVED 161324+450134+...


HOONVED 161310  
HOONVED 450134

**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**



HOONVED H460502

**5007276 COUNTER NUT OF ST. STEEL  $\varnothing$  1/2"**  
with milled seat for gasket  $\varnothing$  27 mm



HOONVED H270121

HOONVED 270101

**3449404 DOUBLE-WIRE CLAMP 8.8-9.3 - 100 PCS**  
for hoses  $\varnothing$  8.8÷9.3 mm



HOONVED H450134

**3060079 FLAT GASKET EPDM  $\varnothing$  30x21x2 mm**



HOONVED H200927

HOONVED 200927

**3450236 PRESSURE SWITCH HOSE  $\varnothing$  5x9 mm - 20 m**  
 $\varnothing$  external 9 mm  
 $\varnothing$  internal 5 mm



HOONVED H160121

HOONVED 00181

HOONVED 160121

**3060077 AIR CHAMBER  $\varnothing$  34x255 mm**  
hose end fitting  $\varnothing$  5.5 mm




HOONVED H161308

HOONVED 161308

HOONVED 161323

**5007276 COUNTER NUT OF ST. STEEL  $\varnothing$  1/2"**  
with milled seat for gasket  $\varnothing$  27 mm



HOONVED H270121

HOONVED 270101

**3449404 DOUBLE-WIRE CLAMP 8.8-9.3 - 100 PCS**  
for hoses  $\varnothing$  8.8÷9.3 mm



HOONVED H450134

**3060079 FLAT GASKET EPDM  $\varnothing$  30x21x2 mm**



HOONVED H200927

HOONVED 200927



Suitable for:

**3450236 PRESSURE SWITCH HOSE  $\varnothing$  5x9 mm - 20 m**  
 $\varnothing$  external 9 mm  
 $\varnothing$  internal 5 mm



# HOONVED




Suitable for:

HOONVED H160121

HOONVED 00181

HOONVED 160121

**3060013 AIR CHAMBER  $\varnothing$  46x72 mm**  
hose end fitting  $\varnothing$  5.5 mm



HOONVED H161303

HOONVED 161303

**3060054 HEXAGONAL NUT M10 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - 4032



**3060000 DUTRAL SEAL 18.5x10x3 mm**



HOONVED H200415

HOONVED 200415

HOONVED 25783

**3060009 AIR CHAMBER  $\varnothing$  49x155 mm**  
hose end fitting  $\varnothing$  5.5 mm



HOONVED H161301

**3060054 HEXAGONAL NUT M10 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - 4032



**3060000 DUTRAL SEAL 18.5x10x3 mm**



HOONVED H200415

HOONVED 200415

HOONVED 25783



Suitable for:

Suitable for:

**5034735 AIR CHAMBER HOSE C2001**  
overall length 2500 mm - internal  $\varnothing$  4 mm



HOONVED H161312

HOONVED H161320

HOONVED 161320


**3060085 AIR CHAMBER 260x170x60 mm**  
3 hose end fitting  $\varnothing$  10/10/5 mm



HOONVED H191095

HOONVED 191095

**3786653 GASKET FLAT 1"1/2  $\varnothing$  65x47x2 mm**  
made of neoprene



HOONVED 200498


**3060124 PLASTIC RING NUT FOR AIR CHAMBER**



HOONVED H180149

HOONVED 180149

**3060008 AIR CHAMBER 85x50x35 mm**  
threaded connection  $\varnothing$  3/4"



HOONVED 161316

HOONVED 25010

**3060060 AIR CHAMBER RETAINING CAP**  
thread 3/4" - hose-end fitting  $\varnothing$  6 mm



HOONVED 161317

HOONVED 25011

**3060061 GASKET FLAT  $\varnothing$  38x25x2 mm**



HOONVED 25263

**5066477 AIR TRAP MID YEAR 2013**



HOONVED 161324



## Bearings

**D063018 BEARING 6002-2Z SKF**  
single box



HOONVED 410119

**D063040 BEARING 6203-2Z SKF**  
external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm  
single box packaging



HOONVED H410109

HOONVED 410109

## Boilers

**3024070 BOILER  $\varnothing$  124x370 mm**



HOONVED 18683

HOONVED 35426

**3024025 BOILER  $\varnothing$  150x340 mm**



HOONVED H330353

HOONVED 330374

**3024069 BOILER  $\varnothing$  150x440 mm**



HOONVED 34596

**3024066 BOILER  $\varnothing$  150x450 mm**




HOONVED 05990  
HOONVED 36558

HOONVED 330368/1  
HOONVED 36558/1

HOONVED 330368/1+05990  
HOONVED 36558/1+05990

**3024007 BOILER  $\varnothing$  155x500 mm**



HOONVED H330331  
HOONVED 33403

HOONVED H330342

HOONVED 330342

**5033882 BOILER STAINLESS STEEL  $\varnothing$  150x690 mm**



HOONVED 34857

**3024067 COMPLETE BOILER  $\varnothing$  150x630 mm**



HOONVED H330320

HOONVED 330320



Suitable for:

**3024068 COMPLETE BOILER**  $\varnothing$  200x640 mm  
2 holes for heating element



HOONVED H330339

HOONVED 330339

Suitable for:

**5009483 FITTING BOILER** 1/2" x  $\varnothing$  13 mm  
for DISHWASHER COMENDA ACR-NE-NG



HOONVED H280525

HOONVED 280525

**5007282 HOSE END FITTING FOR BOILER**  
thread 1/2" - hose-end fittings  $\varnothing$  12 mm



HOONVED H51047

**3024065 COMPLETE BOILER**  $\varnothing$  230x635 mm  
3 holes for heating element



HOONVED H330322

HOONVED 330322

**5007282 HOSE END FITTING FOR BOILER**  
thread 1/2" - hose-end fittings  $\varnothing$  12 mm



HOONVED H51047

## Bulb sheathes

**3187005 THERMOSTAT SHEATH**  $\varnothing$  1/2"  
bulb length 112 mm



HOONVED H450515

HOONVED 450515


**3187050 COUNTER NUT**  $\varnothing$  1/2"  
with milled seat for gasket  
with gasket  $\varnothing$  26 mm



HOONVED

HOONVED 270101

**5007276 COUNTER NUT OF ST. STEEL**  $\varnothing$  1/2"  
with milled seat for gasket  $\varnothing$  27 mm



HOONVED H270121

HOONVED 270101

Suitable for:

Suitable for:

**3187006 THERMOSTAT SHEATH  $\varnothing$  1/2"**  
bulb length 105 mm

**3186138 ASBESTOS FREE FLAT GASKET  $\varnothing$  30x21x2 mm**



HOONVED H450516

HOONVED 450516

HOONVED H460502

**3187050 COUNTER NUT  $\varnothing$  1/2"**  
with milled seat for gasket  
with gasket  $\varnothing$  26 mm



HOONVED

HOONVED 270101

**3187008 THERMOSTAT SHEATH  $\varnothing$  1/2"**  
bulb length 54 mm

**3187050 COUNTER NUT  $\varnothing$  1/2"**  
with milled seat for gasket  
with gasket  $\varnothing$  26 mm




HOONVED H450519

HOONVED H450519+450297

HOONVED

HOONVED 270101

**5007276 COUNTER NUT OF ST. STEEL  $\varnothing$  1/2"**  
with milled seat for gasket  $\varnothing$  27 mm



HOONVED H270121

HOONVED 270101

## Bushings

**3243014 BUSHING FOR ARM**

**3743734 BUSHING FOR WASH ARM ASSEMBLY**  
internal  $\varnothing$  22 mm - height 32 mm



HOONVED H190615

HOONVED 190615

HOONVED H190669

HOONVED 190669

HOONVED 37468



Suitable for:

# HOONVED



**3743065 RINSE ARM ASSY BUSH**  
ø internal 16 mm



HOONVED 34383

Suitable for:

**3743064 RING NUT ø 30 mm LH**  
ø internal 8.5 mm



HOONVED 34382

## Caps

**5023357 CAP CHROME-PLATED BRASS 1/8"**



HOONVED H290121

HOONVED 290121

**5033870 CAP PROBE ADJUSTER ø 40 mm**



HOONVED 33835

**5020945 TAP SNAP HEYCO ø 8**



HOONVED H160720

HOONVED 160720

## Clamps

**3449415 DOUBLE-WIRE CLAMP 34.6-36.4**  
for hoses ø 34.6÷36.4 mm



HOONVED H450143

**3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS**  
for hoses ø 9.8÷10.4 mm



HOONVED H450125

**3449451 HOSE CLAMP 10-16**  
for pipes ø 10÷16 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



HOONVED 33424

**3449457 HOSE CLAMP 60-80**  
for pipes ø 60÷80 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



HOONVED 32130

HOONVED 450127





## Clutches

**5012088 TORQUE LIMITER**  
external  $\varnothing$  65 mm - height 50 mm - hole  $\varnothing$  19 mm



HOONVED H410407

## Contact thermostats

**3443023 CONTACT THERMOSTAT 50°C-58°C**  
1 contact NO  
1 contact NC  
15A 250V



HOONVED 120524

HOONVED 33948

**3443024 THERMOSTAT GASKET**



HOONVED H200494

HOONVED 200494

**7100964 THERMOSTAT SAFETY 68°C**  
for DISHWASHER CAP7



HOONVED 35837

## Contactors

**3454070 CONTACTOR ABB AF09-30-10-11**  
9A 400V 4Kw - coil 24/60V 50/60Hz  
3 NO contacts  
1 NO auxiliary contact



HOONVED H120468

**3446034 CONTACTOR ABB B6-30-01**  
6A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



HOONVED H120461

HOONVED 120461




Suitable for:

# HOONVED



**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



HOONVED 31873

Suitable for:

**3446562 CONTACTOR LOVATO BF0901A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



HOONVED 31982

**3351019 THERMAL RELAY ABB TF42**  
 7.6÷10A  
 1 normally open contact  
 1 normally closed contact



HOONVED 120866


## Controllers and changeover switches

**3322181 CONTROLLER HA4M16 4 CAMS**  
 150 seconds cycle  
 220/240V 50/60Hz  
 without pin



HOONVED 34402

**3322005 CONTROLLER HFD3M16 3 CAMS**  
 210 seconds cycle  
 rinse 18 seconds  
 220/240V 50/60Hz  
 anticlockwise rotation  
 square pin 5x5 mm



HOONVED H120208

**3322175 CONTROLLER HH3M16 3 CAMS**  
 for REGENERATION  
 20 minutes cycle  
 220/240V 50/60Hz  
 without pin



HOONVED H120277

**3322180 CONTROLLER HH4M16 4 CAMS**  
 120 seconds cycle  
 220/240V 50/60Hz  
 without pin



HOONVED H120262

Suitable for:

**3322051 CONTROLLER 11903F3 3 CAMS**

120 seconds cycle  
rinse 17 seconds  
230V 50/60Hz  
anticlockwise rotation  
D-shaped pin  $\varnothing$  6x4.6 mm



HOONVED 25384

Suitable for:

**3322053 CONTROLLER 4803F1 3 CAMS**

120 seconds cycle  
rinse 15 seconds  
230V 50/60Hz  
clockwise rotation  
without pin



HOONVED 25389

**5018642 CONTROLLER 4804F14 CAMS**


120 seconds cycle  
230V 50/60Hz



HOONVED 34822

**3322058 CONTROLLER 4804M1 4 CAMS**


120-second cycle  
230V 50/60Hz  
with adjustable spout - without pin



HOONVED 29828

**3322050 CONTROLLER 4902F1 2 CAMS**

120 seconds cycle  
rinse 17 seconds  
230V 50/60Hz  
anticlockwise rotation  
D-shaped pin  $\varnothing$  6x4.6 mm



HOONVED 25381

**3322047 CONTROLLER 4905DV 5 CAMS**


1st cycle 180 seconds  
2nd cycle 45 seconds  
230V 50/60Hz



HOONVED 31054

**3322048 CONTROLLER 6005V1A1FB 5 CAMS**


90 seconds cycle  
230V 50/60Hz  
for old models



HOONVED 25404

**3322059 CONTROLLER 7003F3P3 3 CAMS**

6 minutes cycle  
230V 50/60Hz  
D-shaped pin  $\varnothing$  6x4.6 mm



HOONVED 32529



Suitable for:


# HOONVED



Suitable for:

## 3322079 CONTROLLER 7803F1 3 CAMS


120 seconds cycle  
230V 50/60Hz



HOONVED

## 3322054 CONTROLLER 9003F3 3 CAMS


6 minutes cycle  
rinse 17 seconds  
230V 50/60HZ  
anticlockwise rotation  
complete with knob and push-button



HOONVED 25386

## 3322160 KNOB CONTROLLER ø 41 mm

D-shaped hole 6x4.6 mm




HOONVED 25095

HOONVED 25095+27006+25124

## 5003686 TIMER 7803F1 3 CAMS

120 seconds cycle - motor 230V 50Hz



HOONVED 30347

## Curtains

## 3443311 INLET/OUTLET CURTAIN 620x480 mm

with hole for rod



HOONVED H190906

HOONVED 190906

## 3443312 CURTAIN ROD 750 mm



HOONVED H341210

## 5007585 BRACKET UPPER DROP DOWN



HOONVED H330715

## 3443055 CURTAIN SHAFT 660 mm




HOONVED H340422

HOONVED 340422



Suitable for:

**3443309 RINSE CURTAIN 620x250 mm**  
with hole for rod



HOONVED H190913

Suitable for:

**3443312 CURTAIN ROD 750 mm**



HOONVED H341210

## Door catches

**3398086 CATCH**



HOONVED 180508

**3398014 DOOR CATCH**



HOONVED 22121

**3398024 DOOR CATCH**



HOONVED 20018

**3398025 DOOR RETAINER**



HOONVED 25052

**3398019 DOOR CATCH COMPLETE**



HOONVED 33336

**3053462 LARGE PAN HEAD SCREW M4x10**  
stainless steel - slotted



HOONVED H260238

**3398026 DOOR CATCH HOUSING WITH CAP**  
for DISHWASHER models UNIR-UNIRD



HOONVED 31956

**3398028 DOOR CATCH SPRING**  
for DISHWASHER models UNIR-UNIRD



HOONVED 30438

HOONVED 450234

**3398027 DOOR RETAINER**  
for DISHWASHER models UNIR-UNIRD



HOONVED 31817




Suitable for:

# HOONVED



Suitable for:

**3398085 8 mm LOCK WITH 2 BALL BEARING PAWL**



HOONVED H441503

HOONVED 441503

## Door gaskets for dishwashers

**3189015 ADHESIVE SPONGE GASKET 25x4 mm**  
sold per meter



HOONVED H200402


**3189012 ADHESIVE SPONGE GASKET 6x2.5 mm**  
sold per meter



HOONVED H200433

HOONVED 200433


**3189014 ADHESIVE SPONGE GASKET 8x4 mm**  
sold per meter



HOONVED 200432


HOONVED 33408

**5028249 DOOR GASKET**  
profile dimensions 16x10 mm  
sold per metre




HOONVED 36883

**5054472 DOOR GASKET 560x445 mm**



HOONVED 200974


**5036097 DOOR GASKET 590 mm**  
profile dimensions 15,5x7,5 mm



HOONVED H200217

HOONVED 200217

**5039229 DOOR GASKET 595 mm OF SILICOME**  
profile 18x13 mm



HOONVED 200216

HOONVED 36926



Suitable for:

Suitable for:

**3186252 DOOR PLASTIC FRAME GASKET**  
profile dimensions 19x4 mm  
for FC-F90M-LF

**3186259 GASKET LOCKING PLATE**



HOONVED H200923


HOONVED 200923

HOONVED H331764

HOONVED 331764

## Door labyrinths

**3222003 CORNER PROTECTION GASKET FOR DOOR**



HOONVED 25202

## Drain assembly

**3316086 DRAIN ASSEMBLY - CONNECTION  $\varnothing$  1"1/2**  
outlet  $\varnothing$  40 mm

**3186286 GASKET FLAT EPDM  $\varnothing$  65x51x2 mm**



HOONVED 32715

HOONVED 25260

HOONVED 31423

**3186285 GASKET FLAT NBR  $\varnothing$  55x42x2 mm**

**3160174 PUMP FILTER  $\varnothing$  40x47 mm**



HOONVED 26637

HOONVED 460507

HOONVED 31620

**3316087 RING NUT FOR DRAIN ELBOW - CONN.  $\varnothing$  1"1/2**



HOONVED 180145

HOONVED 25006




Suitable for:

# HOONVED



## 3316020 DRAIN ASSEMBLY $\varnothing$ 1"1/2

upper external  $\varnothing$  68 mm  
upper internal  $\varnothing$  44 mm  
lower external  $\varnothing$  47 mm  
lower internal  $\varnothing$  35 mm  
height 39 mm



HOONVED H160301

HOONVED 160301

HOONVED 33525

## 3316021 GASKET FOR DRAIN ASSEMBLY $\varnothing$ 1"1/2

outer  $\varnothing$  68 mm -  $\varnothing$  48 mm - thickness 2 mm



HOONVED H200410  
HOONVED 33529

HOONVED 200410

HOONVED 26289

## 3316022 RING NUT FOR DRAIN ASSEMBLY $\varnothing$ 1"1/2



HOONVED H180109

HOONVED 180109

## 3316162 DRAIN ASSEMBLY COMPLETE



HOONVED 33451

## 3316091 DRAIN ASSEMBLY CONNECTION $\varnothing$ 1"1/2

outlet external  $\varnothing$  50 mm



HOONVED 160310

HOONVED 30425

## 1186461 O-RING 0158 mm SILICONE

ring thickness 3.53 mm - internal  $\varnothing$  53.98 mm



HOONVED 200842

HOONVED 31948

## 3160175 ANTI-DEPOSITION FILTER $\varnothing$ 39 mm



HOONVED 30839

## 3316087 RING NUT FOR DRAIN ELBOW - CONN. $\varnothing$ 1"1/2



HOONVED 180145

HOONVED 25006





Suitable for:

**3160224 TANK FILTER  $\varnothing$  70x35 mm**



HOONVED 21094

# HOONVED



Suitable for:

**3316093 DRAIN ASSEMBLY FOR OVERFLOW HOSE**  
connection  $\varnothing$  1"1/2



HOONVED H270409

HOONVED 270409

**3316021 GASKET FOR DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
outer  $\varnothing$  68 mm -  $\varnothing$  48 mm - thickness 2 mm



HOONVED H200410

HOONVED 200410

HOONVED 33529

**3061033 OUTLET ELBOW RING NUT  $\varnothing$  1"1/2**



HOONVED H180102

HOONVED 180102

HOONVED 26289

**3316088 DRAIN CONNECTION FITTING  $\varnothing$  1"1/4**  
outlet  $\varnothing$  30 mm



HOONVED 190225

HOONVED 30421

**1186466 O-RING 03181 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  45.69 mm  
for group flange



HOONVED 28226

**3061032 GASKET ELBOW  $\varnothing$  1"1/2**  
external  $\varnothing$  43 mm - internal  $\varnothing$  33 mm



HOONVED H200412

HOONVED 200412

HOONVED 33530

**3316051 NUT FOR HEATING ELEMENT  $\varnothing$  1"1/2**



HOONVED H270104

**3316095 STRAIGHT DRAIN CONNECTION  $\varnothing$  34 mm**



HOONVED H160201

HOONVED 160201

**3186285 GASKET FLAT NBR  $\varnothing$  55x42x2 mm**



HOONVED 26637

HOONVED 460507

**3316092 RING NUT F/DRAIN ASSEMBLY CONNECT.  $\varnothing$  1"1**  
internal  $\varnothing$  35 mm



HOONVED 33734



Suitable for:

**3316136 RING NUT FOR DRAIN ASSEMBLY**



HOONVED 34790

**5047108 FITTING 1"1/4 FOR DRAIN PUMP**



HOONVED 180142

HOONVED 31621

**3316089 RING NUT WITH CONNECTION HOOK  $\phi$  1"1/4**



HOONVED 180147

HOONVED 30422

HOONVED 31637

# HOONVED



Suitable for:

**3316089 RING NUT WITH CONNECTION HOOK  $\phi$  1"1/4**



HOONVED 180147

HOONVED 30422

HOONVED 31637

**1186466 O-RING 03181 EPDM**

ring thickness 2.62 mm - internal  $\phi$  45.69 mm  
for group flange



HOONVED 28226

## Drain hoses

**3450057 DRAIN HOSE  $\phi$  24x1500 mm**  
straight hose internal  $\phi$  19 mm  
elbow hose internal  $\phi$  21.5 mm



HOONVED 27386


**3450056 DRAIN HOSE  $\phi$  25x3000 m m**  
straight hose internal  $\phi$  19 mm  
elbow hose internal  $\phi$  21.5 mm



HOONVED 200346

HOONVED 34106

**3450110 DRAIN HOSE  $\phi$  29x1500 m m**  
sleeves internal  $\phi$  24 mm



HOONVED 27078

**3450038 DRAIN HOSE  $\phi$  34x2000 m m**  
muff internal  $\phi$  33 mm  
max temperature 90°C



HOONVED 27110



# HOONVED



Suitable for:

**5020932 DRAIN HOSE ELISPIR  $\varnothing$  35x44 mm**  
sold per meter



HOONVED H200127

HOONVED 200127

Suitable for:

**5051771 DRAIN HOSE ELISPIR  $\varnothing$  45x55 mm**  
sold per meter



HOONVED H200121

**3450122 SPACER  $\varnothing$  9x26.5 mm**



HOONVED H160501

## Drain plugs

**3448063 OVERFLOW PIPE  $\varnothing$  25x120 mm**  
in plastic



HOONVED 25014

**3448064 OVERFLOW PIPE  $\varnothing$  25x121 mm**  
in plastic




HOONVED 25015

**3448062 OVERFLOW PIPE  $\varnothing$  25x81 mm**  
in plastic



HOONVED 25013

**5022368 OVERFLOW PIPE  $\varnothing$  26x120 mm**



HOONVED 180730

HOONVED 36395

**3448163 OVERFLOW PIPE  $\varnothing$  35x125 mm**  
made of plastic



HOONVED 33735

**3448061 OVERFLOW PIPE  $\varnothing$  35x143 mm**  
in plastic



HOONVED 25012




# HOONVED



Suitable for:

**3448178 OVERFLOW PIPE  $\varnothing$  35x150 mm**  
made of stainless steel



HOONVED 18903

Suitable for:

**3448244 OVERFLOW PIPE  $\varnothing$  35x160 mm**



HOONVED 34485

**5012242 OVERFLOW PIPE  $\varnothing$  35x415 mm**



HOONVED H380836

HOONVED 380836


**5012195 OVERFLOW PIPE  $\varnothing$  35x490 mm**



HOONVED H380832

HOONVED 380832

**3448152 OVERFLOW PIPE KNOB M6**  
 $\varnothing$  29 mm



HOONVED H180126

**3448150 OVERFLOW PIPE PLUG  $\varnothing$  70 mm**




HOONVED H160738

**3448149 SPACER SHAFT FOR OVERFLOW PIPE M6**  
 $\varnothing$  10x90 mm



HOONVED H341237

**3448153 OVERFLOW PIPE  $\varnothing$  37x190 mm**  
made of plastic



HOONVED 180708


HOONVED 33528

**3448161 OVERFLOW PIPE  $\varnothing$  40x247 mm**  
made of stainless steel and plastic



HOONVED 20924

**3448162 OVERFLOW PIPE  $\varnothing$  40x277 mm**  
made of stainless steel and plastic



HOONVED 20923

**3316021 GASKET FOR DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
outer  $\varnothing$  68 mm -  $\varnothing$  48 mm - thickness 2 mm



HOONVED H200410  
HOONVED 33529

HOONVED 200410

HOONVED 26289



Suitable for:

**3316090 OVERFLOW DRAIN ASSEMBLY CONNECT.  $\varnothing$  1"1/2**  
internal  $\varnothing$  39 mm



HOONVED 25138

# HOONVED



Suitable for:

**3243762 RING NUT  $\varnothing$  1"1/2**



HOONVED 25007

**3448243 OVERFLOW PIPE  $\varnothing$  40x450 mm**



HOONVED 34865

**3448238 OVERFLOW PIPE  $\varnothing$  43x305 mm**  
plastic made



HOONVED H180729

HOONVED 180729


**5020916 OVERFLOW PIPE ECORINSE  $\varnothing$  32x130 mm**



HOONVED 180723

## Drain pumps

**3122181 DRAIN PUMP 100W 230V 50Hz**  
inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  23 mm



HOONVED H100342

**3122369 DRAIN PUMP 100W 230V 50Hz**  
inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  22 mm



HOONVED H100803

**5047109 ELECTRIC PUMP DRAIN HANNING DPS25-131**  
220/240V 50Hz 30W  
inlet  $\varnothing$  extern 30 mm - outlet  $\varnothing$  extern 24 mm  
for dishwasher bc 2/3/33 E/EA - bhc 25/30/433 -  
LB 200/215



HOONVED 100893

HOONVED 35093



Suitable for:

# HOONVED

Suitable for:



## Electric pumps

**3122720 ELECTRIC PUMP AP AL426 0.30HP**  
 inlet external  $\varnothing$  28 mm - outlet external  $\varnothing$  28 mm  
 0.30HP 230/415V 50Hz 1.1/0.65A - 2850 rpm



HOONVED H100647

**3122559 ELECTRIC PUMP AP 2011 2HP**  
 inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  54 mm  
 2HP 230/400V 50Hz 5.8/3.4A - Rpm 2850



HOONVED

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
 metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
 height 15.5 mm  
 back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
 height 8 mm



HOONVED H630501  
HOONVED 29681  
HOONVED 630523

HOONVED H630523  
HOONVED 34182

HOONVED 26314  
HOONVED 630501

**3122680 ELECTRIC PUMP AP 22110 0.10HP**  
 inlet external  $\varnothing$  28 mm - outlet external  $\varnothing$  28 mm  
 0.10HP 230V 50Hz - capacitor 5  $\mu$ f



HOONVED

**1186237 O-RING 03300 EPDM**  
 ring thickness 2.62 mm - internal  $\varnothing$  75.87 mm



HOONVED 33183

HOONVED 34224

**3122317 ELECTRIC PUMP FIR B226/HSX 0.30HP**  
 inlet external  $\varnothing$  33 mm - outlet external  $\varnothing$  30 mm  
 additional outlet external  $\varnothing$  27 mm  
 0.30HP 230V 50Hz 2A - Rpm 2600  
 capacitor 5uf



HOONVED 33542

**3122187 ELECTRIC PUMP FIR B229SX 0.30HP**  
 inlet external  $\varnothing$  28 mm - outlet external  $\varnothing$  28 mm  
 0.22kW 230V 50Hz 1.6A - Rpm 2800  
 capacitor 5  $\mu$ f - flow rate 110 L/min



HOONVED H100702

Suitable for:

**3122185 ELECTRIC PUMP FIR 1204DX 2HP**  
 inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  54 mm  
 2HP 220/400V 50Hz 5.9/3.4A - Rpm 2800  
 flow rate 500 L/min



HOONVED H100361

HOONVED 100361

Suitable for:

**3122247 IMPELLER FIR  $\varnothing$  118 mm**  
 for models 1204DX



HOONVED H631618

HOONVED 631618

**3122047 PUMP HOUSING FIR**  
 inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  54 mm



HOONVED H630114

HOONVED 630114

**3122026 PUMP HOUSING GASKET FIR**



HOONVED H630411

HOONVED 630411

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
 metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
 height 15.5 mm  
 back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
 height 8 mm



HOONVED H630501

HOONVED H630523

HOONVED 26314

HOONVED 29681

HOONVED 34182

HOONVED 630501

HOONVED 630523

**3046028 VIBRATION BUFFER  $\varnothing$  25x20 M6**



HOONVED H441139

**3122245 ELECTRIC PUMP FIR 1205DX 2.70HP**  
 inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  54 mm  
 2.70HP 220/400V 6.2/3.4A 50Hz - Rpm 2800  
 flow rate 600 L/min



HOONVED H100674

HOONVED 100674

**3122047 PUMP HOUSING FIR**  
 inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  54 mm



HOONVED H630114

HOONVED 630114



Suitable for:

**3122026 PUMP HOUSING GASKET FIR**



HOONVED H630411

HOONVED 630411

# HOONVED



Suitable for:

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
height 15.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



HOONVED H630501

HOONVED 29681

HOONVED 630523

HOONVED H630523

HOONVED 34182

HOONVED 26314

HOONVED 630501

**5007616 ELECTRIC PUMP FIR 1219SX 1.5HP**  
inlet  $\varnothing$  45 mm - outlet  $\varnothing$  40 mm  
1.1KW 220/240-380/415V 50Hz



HOONVED H100386

HOONVED 100386

**3122814 IMPELLER FIR  $\varnothing$  103 mm**



HOONVED H631656

HOONVED 26207

**3122020 PUMP HOUSING GASKET FIR**  
thickness 3 mm



HOONVED H630410

HOONVED 26224

HOONVED 630410

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
height 15.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



HOONVED H630501

HOONVED 29681

HOONVED 630523

HOONVED H630523

HOONVED 34182

HOONVED 26314

HOONVED 630501

**3122354 ELECTRIC PUMP FIR 2253SX 0.33HP**  
inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  30 mm  
brass hose end fitting  $\varnothing$  10 mm  
0.33HP 230V 50Hz - rpm 2750  
capacitor 10 $\mu$ F



HOONVED 31260





Suitable for:

**3122078 ELECTRIC PUMP FIR 3981SX 0.50HP**  
 inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm  
 0.50HP 230V 50Hz 2.6A - Rpm 2800  
 capacitor 12.5  $\mu$ f



HOONVED 25313

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  35xh71 mm



HOONVED 25555

HOONVED 631207

**3122082 PUMP HOUSING FIR**  
 inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm



HOONVED 26181

**3122058 SEAL MECHANICAL FOR SHAFT  $\varnothing$  11 mm**  
 metal seal internal  $\varnothing$  10 mm -  $\varnothing$  external 24 mm  
 height 13.5 mm  
 back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
 height 8 mm



HOONVED H630510

HOONVED 34226

HOONVED 630510

HOONVED 630544

Suitable for:

**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



HOONVED 25555

**3122080 IMPELLER CLOSED FIR  $\varnothing$  85 mm**  
 D-shaped hole 8x9 mm - height 29 mm



HOONVED 26204

**3122020 PUMP HOUSING GASKET FIR**  
 thickness 3 mm



HOONVED H630410

HOONVED 26224

HOONVED 630410


**5012382 ELECTRIC PUMP FIR 4208DX 0.10HP**  
 inlet external  $\varnothing$  28 mm - outlet external  $\varnothing$  28 mm  
 0.073kW 230V 50Hz 1.1A - rpm 2700  
 capacitor 5  $\mu$ f



HOONVED H100747

HOONVED 100747

**3122320 ELECTRIC PUMP FIR 4226SX 0.50HP**  
 inlet external  $\varnothing$  28 mm - outlet external  $\varnothing$  28 mm  
 0.50HP 220/400V 50Hz 1.1/0.65A - Rpm 2800



HOONVED H100647

HOONVED H100754

HOONVED 100647



Suitable for:

**3122783 ELECTRIC PUMP FIR 4268SX 0.60HP**  
 inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm  
 0.60HP 230V 50Hz - Rpm 2800  
 capacitor 12.5  $\mu$ f



HOONVED 100820

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  35xh71 mm



HOONVED 25555

HOONVED 631207

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
 metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
 height 15.5 mm  
 back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
 height 8 mm



HOONVED H630501

HOONVED H630523

HOONVED 26314

HOONVED 29681

HOONVED 34182

HOONVED 630501

HOONVED 630523

**3122073 ELECTRIC PUMP FIR 4333SX 0.25HP**  
 inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  30 mm  
 0.25HP 230V 1.5A - Rpm 2700  
 capacitor 10  $\mu$ f - flow rate 90 l/min.



HOONVED 25311

**3122807 ELECTRIC PUMP FIR 5233RH 1.50HP**  
 inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  54 mm  
 1.50HP 220/400V 50Hz



HOONVED 25326

Suitable for:

**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



HOONVED 25555

**3122082 PUMP HOUSING FIR**  
 inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm



HOONVED 26181

**3122323 IMPELLER FIR  $\varnothing$  111 mm**  
 height 38 mm  
 for models 1241DX



HOONVED 26198



Suitable for:

**3122026 PUMP HOUSING GASKET FIR**



HOONVED H630411

HOONVED 630411

# HOONVED



Suitable for:

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
height 15.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



HOONVED H630501

HOONVED 29681

HOONVED 630523

HOONVED H630523

HOONVED 34182

HOONVED 26314

HOONVED 630501

**3122796 ELECTRIC PUMP LGB AM5225RH 1.60HP**  
inlet external  $\varnothing$  63 mm - outlet external  $\varnothing$  52 mm  
1.20kW 220/400V 50Hz 3.7/2,1A - Rpm 2800



HOONVED 29562

HOONVED 34193

**5017792 MECHANICAL SEAL FOR SHAFT  $\varnothing$  13 mm**  
metal seal internal  $\varnothing$  12 mm - external  $\varnothing$  24 mm  
height 15 mm  
back. element internal  $\varnothing$  14 mm - external  $\varnothing$  26 mm  
height 8 mm  
for pumps LGB ZF800DX e ZF650DX



HOONVED 33839

**3122255 O-RING 04625 EPDM**  
ring thickness 3.53 - internal  $\varnothing$  158.30 mm  
pump casing gasket LGB ZF650/800



HOONVED 33855

HOONVED 630438

**3122464 ELECTRIC PUMP LGB FC2006 0.93HP**  
with manifold  
inlet external  $\varnothing$  40/30 mm  
0.93HP 230V 50Hz - Rpm 2800  
capacitor 16  $\mu$ F



HOONVED 100827

**3068083 CAPACITOR ELECTRICAL 16 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm



HOONVED 34173

HOONVED 631202



Suitable for:

**3122632 MECHANICAL SEAL FOR SHAFT  $\varnothing$  13 mm**  
metal seal internal  $\varnothing$  12 mm - external  $\varnothing$  24 mm  
height 15 mm  
back. element internal  $\varnothing$  14 mm - external  $\varnothing$  26 mm  
height 5.5 mm



HOONVED 26194  
HOONVED 630530

HOONVED 33181

HOONVED 38795

# HOONVED




Suitable for:

**3046028 VIBRATION BUFFER  $\varnothing$  25x20 M6**



HOONVED H441139

**3122357 ELECTRIC PUMP LGB ZF140SX 0.48HP**  
inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  30 mm  
0.36kW 230V 50Hz 1.6A - Rpm 2800  
capacitor 5 $\mu$ F



HOONVED 35143

**3122271 ELECTRIC PUMP LGB ZF171SX 0.30HP**  
inlet external  $\varnothing$  28 mm - outlet external  $\varnothing$  28 mm  
0.30HP 230V 50Hz - Rpm 2800  
capacitor 5  $\mu$ f



HOONVED 34194

**1186237 O-RING 03300 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  75.87 mm



HOONVED 33183

HOONVED 34224

**3122167 ELECTRIC PUMP LGB ZF340VSX 1HP**  
inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm  
0.75kW 240V 50Hz 3.4A - rpm 2800  
capacitor 16  $\mu$ F



HOONVED 34170

**3122782 ELECTRIC PUMP LGB ZF350SX 0.85HP**  
inlet external  $\varnothing$  50 mm - outlet external  $\varnothing$  40 mm  
0.63kW 230V 50Hz - Rpm 2773  
capacitor 12.5  $\mu$ f



HOONVED 100820



**5018643 ELECTRIC PUMP LGB ZF522VDX 1HP**  
 inlet external  $\varnothing$  63 mm - outlet external 54 mm  
 0.75kW 230V 50Hz - rpm 2800  
 capacitor 16  $\mu$ F



HOONVED 100925

HOONVED 34800

**5009322 ELECTRIC PUMP LGB ZF800DX 2.20HP**  
 external inlet  $\varnothing$  63 mm - external outlet  $\varnothing$  54 mm  
 1.62kW 220/400V 50Hz - Rpm 2800



HOONVED 34432

**3122815 IMPELLER LGB  $\varnothing$  120 mm**  
 for models ZF650/800DX



HOONVED 34484

HOONVED 631725

**5017792 MECHANICAL SEAL FOR SHAFT  $\varnothing$  13 mm**  
 metal seal internal  $\varnothing$  12 mm - external  $\varnothing$  24 mm  
 height 15 mm  
 back. element internal  $\varnothing$  14 mm - external  $\varnothing$  26 mm  
 height 8 mm  
 for pumps LGB ZF800DX e ZF650DX



HOONVED 33839

**3122255 O-RING 04625 EPDM**  
 ring thickness 3.53 - internal  $\varnothing$  158.30 mm  
 pump casing gasket LGB ZF650/800



HOONVED 33855

HOONVED 630438

**5030272 ELECTRIC PUMP LGB ZF800DX 2HP**  
 inlet  $\varnothing$  63 mm - outlet  $\varnothing$  54 mm  
 230/400V 50Hz 1.50kW 7.3/4.1A



HOONVED 100796

HOONVED 36834

**3122815 IMPELLER LGB  $\varnothing$  120 mm**  
 for models ZF650/800DX



HOONVED 34484

HOONVED 631725



Suitable for:

**5017792 MECHANICAL SEAL FOR SHAFT  $\varnothing$  13 mm**  
metal seal internal  $\varnothing$  12 mm - external  $\varnothing$  24 mm  
height 15 mm  
back. element internal  $\varnothing$  14 mm - external  $\varnothing$  26 mm  
height 8 mm  
for pumps LGB ZF800DX e ZF650DX



HOONVED 33839

# HOONVED



Suitable for:

**3122255 O-RING 04625 EPDM**  
ring thickness 3.53 - internal  $\varnothing$  158.30 mm  
pump casing gasket LGB ZF650/800



HOONVED 33855

HOONVED 630438

## Electric pumps for pressure increase

**3122744 ELECTRIC PUMP PQm 60 0.50HP**  
inlet  $\varnothing$  1" F - outlet  $\varnothing$  1" F  
0,37kW 220/230V 50Hz - Rpm 2900  
capacitor 10  $\mu$ f - hydraulic head 5-38 m  
flow rate 5-40 L/min - for pressure increase



HOONVED 25342

**3122024 SEAL MECHANICAL FOR SHAFT  $\varnothing$  12 mm**  
metal seal internal  $\varnothing$  11 mm -  $\varnothing$  external 24 mm  
height 15.5 mm  
back. element internal  $\varnothing$  14 mm -  $\varnothing$  external 26 mm  
height 8 mm



HOONVED H630501

HOONVED 29681

HOONVED 630523

HOONVED H630523

HOONVED 34182

HOONVED 26314

HOONVED 630501


**3122153 ELECTRIC PUMP TM61E 0.45HP**  
inlet  $\varnothing$  1" F - outlet  $\varnothing$  1" F  
0.45HP 230V 50Hz 2.3A - rpm 2900  
capacitor 10  $\mu$ f - flow rate 38 L/min  
max pressure 6 ATM max temperature 90°C  
for pressure increase



HOONVED 25345

## Electronic boards

**3390087 CONTROL BOARD**  
dimensions 126x62 mm



HOONVED H121284

HOONVED 121284

HOONVED 121304

**3390367 CONTROL BOARD**



HOONVED H121296

HOONVED 121296


Suitable for:

**5024458 CONTROL BOARD HORIZONTAL 4 KEYS**  
dimensions 185x35 mm



HOONVED 36339

**5028375 CONTROL CIRCUIT BOARD**  
dimensions 120x70 mm  
for machines after the 02/2013



HOONVED 121353


**5075945 ELECTRONIC CIRC. BOARD CE 1.06 PUL TIMER**  
dimensions 100x70 mm  
for machines produced from the 12/2006 to 02/2013



HOONVED H121291

HOONVED 121291

**5071693 ELECTRONIC CIRC. BOARD C68E SOFTSTARTER**  
for machines from 01/2012  
dimensions 100x100 mm



HOONVED 121321

**5022592 HORIZ.PUSH-BUTTON PANEL BOARD SERIES C**  
dimensions 142x28 mm



HOONVED 36490

Suitable for:


**5036295 CONTROL BOARD 4 KEYS**  
back-lit version  
dimensions 185x35 mm



HOONVED H121300

HOONVED 121300

**5030650 CABLE FLAT 10-POLE 500 mm**



HOONVED 110498

HOONVED 36492

**5030650 CABLE FLAT 10-POLE 500 mm**




HOONVED 110498

HOONVED 36492




Suitable for:

**3390368 ELECTRONIC CIRC. BOARD DWEDCAP 02.03.99**




HOONVED 34514

**5071328 ELECTRONIC CIRCUIT BOARD SOFT"LED"**  
illuminated back-side for machines from 06/2011  
dimensions 100x100 mm



HOONVED 121317

**5028109 ELECTRONIC CIRCUIT BOARD SOFTSTART**  
not illuminted back-side for machines until 06/201  
dimensions 100x100 mm



HOONVED 121307

HOONVED 37577


**3390033 ELECTRONIC CIRCUIT BOARD 180x100 mm**



HOONVED H121239

HOONVED 121239


**5036359 TIMER BOARD UNIVERSAL WITH SOFTSTART**  
not illuminated back-side dimensions 100x100 mm  
for machines produced until 12/201



HOONVED 38062

Suitable for:

**3390383 ELECTRONIC CIRCUIT BOARD HOONVED**  
dimensions 145x105 mm  
setted for HOONVED models



HOONVED H121283

HOONVED 121283

**5071025 BOARD PUSH-BUTTON PANEL 4 BUTT. LED BLUE**  
dimensions 170x28 mm



HOONVED 121316


**5030647 PUSH-BUTTON PANEL 4 BUTTONS**



HOONVED 121305

HOONVED 37575

**5034008 ELECTRONIC TIMER 2 RELAYS TIMEX2LC 230V**  
dimensions 70x85 mm  
for DISHWASHERS C35E



HOONVED 37949

**3390089 TIMER BOARD 230V 50/60Hz**  
dimensions 100x70 mm  
with wiring




HOONVED H121287



Suitable for:

Suitable for:

**5020950** **TIMER BOARD 230V 50/60Hz**  
dimensions 100x70 mm  
with wiring



HOONVED H121287

HOONVED 121287

## Feet

**3313117** **ADJUSTABLE ALUMINIUM FOOT  $\varnothing$  2"**  
flange 110x65 mm  
adjustable height 135÷195 mm



HOONVED H620222

HOONVED 620222

**3313116** **BLACK RUBBER FOOT S90 NE SE**  
 $\varnothing$  35 mm  
coupling  $\varnothing$  11 mm




HOONVED H210404

HOONVED 210404


## Filters

**3160211** **CIRCULAR FILTER**  
 $\varnothing$  197 mm



HOONVED 32796

**3160212** **BASIS FOR CIRCULAR FILTER**  
 $\varnothing$  192 mm



HOONVED 32795

**3160315** **FILTER  $\varnothing$  22x87 mm**  
for gruppo collettore




HOONVED H330526

**3160317** **FILTER OF STAINLESS STEEL  $\varnothing$  90x105 mm**



HOONVED 333006

**3160329** **FILTER 250x265 mm**



HOONVED 180832



Suitable for:

# HOONVED



Suitable for:

5018639 FILTER STAINL. STEEL ø 122 mm PUMP SUCTI



HOONVED 34430

7106126 PLASTIC FILTER 595x268 mm  
distance between fastening handle holes 120 mm




HOONVED 180843

7106125 TANK FILTER HANDLE  
distance between snap-in pins 210 mm



3316145 DRAIN FILTER ASSY  
ø upper 155 mm  
ø lower 50 mm  
overall height 180 mm



HOONVED 180840

HOONVED 170827

3160114 PUMP INLET LOG



HOONVED H180236

HOONVED 180236

3160120 INLET LOG THREADED RING NUT



HOONVED H180128

HOONVED 180128

HOONVED 33450

3160325 SUCTION FILTER



HOONVED H180816

HOONVED 180816

3160505 SUCTION FILTER FOR PUMP  
external ø 80xh86mm



HOONVED 34556

3160163 SUCTION FILTER FOR PUMP ø 70x86 mm



HOONVED 34557

3160164 FILTER CONNECTOR



HOONVED 25001



Suitable for:

**3528164 FINNED NUT M6**  
stainless steel - UNI 5448 - DIN 315



HOONVED 25179


HOONVED 25789

**3243762 RING NUT  $\varnothing$  1"1/2**



HOONVED 25007

**3160324 TANK FILTER**



HOONVED 34658

**3160165 TANK FILTER  $\varnothing$  205x205 mm**  
complete with spring and overflow pipe



HOONVED 21452


**3250056 SPRING FOR OVERFLOW PIPE**  
 $\varnothing$  40x57 mm



HOONVED 30426

HOONVED 450232

**3160176 TANK FILTER COMPLETE  $\varnothing$  205x205 mm**



HOONVED 21574

# HOONVED



Suitable for:

**3186286 GASKET FLAT EPDM  $\varnothing$  65x51x2 mm**



HOONVED 25260

HOONVED 31423

**5010547 SUPPORT FILTER**



HOONVED 25019


**5015795 OVERFLOW PIPE 120 mm**  
for mod.STS53/DP45/TS53-60/UNI/INDY



HOONVED 21286

HOONVED 21286/R

**3160173 TANK FILTER  $\varnothing$  205x205 mm**



HOONVED 180848

HOONVED 30420

**3160210 DRAIN PUMP FILTER  $\varnothing$  24x90 mm**



HOONVED 31622



Suitable for:

# HOONVED



**3160177 TANK FILTER COMPLETE  $\varnothing$  205x205 mm**  
complete with spring and overflow pipe



HOONVED 21451

**3448164 OVERFLOW PIPE  $\varnothing$  26x104 mm**  
made of plastic



HOONVED 21078

HOONVED 21078/R


**3448160 SELF-TAPPING SCREW  $\varnothing$  3.9x13 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOONVED 25697

HOONVED 34815

**3160173 TANK FILTER  $\varnothing$  205x205 mm**



HOONVED 180848

HOONVED 30420

**3160213 TANK FILTER STAINLESS STEEL COMPLETE**



HOONVED 22012

HOONVED 22012/R

HOONVED 32719

HOONVED 34610

HOONVED 35071

HOONVED 35895

HOONVED 35933

HOONVED 25684

HOONVED 34611

HOONVED 35896

Suitable for:

**1186238 O-RING 04081 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  20.22 mm



HOONVED 30479

**3448155 OVERFLOW PIPE LID**



HOONVED 180725

HOONVED 30424

**3250056 SPRING FOR OVERFLOW PIPE**  
 $\varnothing$  40x57 mm



HOONVED 30426

HOONVED 450232

**3160214 FILTER**



HOONVED 32719



# HOONVED



Suitable for:

**5055244 TANK FILTER STAINLESS STEEL LH**  
dimensions 270x235 mm




HOONVED H332091

HOONVED 332091

Suitable for:


**5021503 TANK FILTER STAINLESS STEEL RH**  
dimensions 270x235 mm



HOONVED H332090

HOONVED 332090

**3160502 TANK FILTER 250x265 mm**



HOONVED 180831

HOONVED 36266

**3160118 WATER FILTER ø 185 mm**



HOONVED H330565

HOONVED 330565

**3160206 WATER FILTER ø 240 mm**



HOONVED H180818

HOONVED 180818

**3160141 WATER FILTER ø 3/4"F-3/4"M**  
for water inlet  
fittings 3/4"F - 3/4"M



HOONVED H620209

HOONVED 620209

**3160119 WATER FILTER 265x200 mm**



HOONVED 33895

HOONVED 34420

## Fittings

**3024039 BOILER COUPLING**



HOONVED H180420

HOONVED 180420

**7104474 BRASS FITTING 1/2"x ø 12 mm**



HOONVED H290218

**3243809 COUPLING 12x1/2"**



HOONVED H290217

HOONVED 290217

**5026640 FITTING 1/2"M W/SWIVEL RING NUT 3/4"F**



HOONVED 290215



Suitable for:

# HOONVED



Suitable for:

## Fuses

**3049081 DELAY FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 6A



HOONVED H130231


**3049069 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 2A



HOONVED H130260

HOONVED 130260

**3049071 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 6A



HOONVED 28048

**3049074 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 12A



HOONVED H130246

**3049076 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 20A



HOONVED H130248

HOONVED 130248

**3049077 QUICK ACTING FUSE  $\varnothing$  10x38 mm - 10 PCS**  
500V 25A



HOONVED 28118

## Gaskets and seals

**3186172 ASBESTOS FREE FLAT GASKET  $\varnothing$  15x9x2 mm**



HOONVED H460528

HOONVED 460528

**3186257 GASKET DUBO  $\varnothing$  8x16 mm**  
internal  $\varnothing$  8 mm - external  $\varnothing$  16 mm



HOONVED H160805


HOONVED 34192

**5032480 GASKET FLAT 100x100x3 mm**  
central hole  $\varnothing$  76 mm



HOONVED H200448

**3786655 GASKET FOR BOILER 90x45 mm**



HOONVED H200932

HOONVED 200932



# HOONVED



Suitable for:

**3786654 GASKET FOR RINSE ARM**  
external  $\varnothing$  43 mm - internal  $\varnothing$  36 mm



HOONVED H200495

HOONVED 200495

Suitable for:

**3186139 INLET OUTLET GASKET**  
internal  $\varnothing$  57 mm



HOONVED 200913

**3243090 QUICK RELEASE GASKET**



HOONVED H200419

**3243463 SHORE GASKET 45/50**



HOONVED H200463

HOONVED 200463

## Gears

**5007634 CHAIN COUPLING 1/2"**



HOONVED H410903

**5007633 CHAIN LINK 1/2"**



HOONVED H410902

**5019245 PINION FOLLE NE Z.7 P.60**  
hole internal  $\varnothing$  36 mm  $\varnothing$  external 155 mm



HOONVED H170447

**3243821 SUPPORT FOR CONVEYOR COMPLETE**



HOONVED H620144

HOONVED 620144

HOONVED 620648

## Guides

**3189003 PEG SLIDEWAY SUPPORT**  
dimensions 100x45x28 mm



HOONVED H190145

HOONVED 190145

**3189008 SLIDEWAY SUPPORT RETAINER**



HOONVED H190146

HOONVED 190146



Suitable for:

# HOONVED



**3189002 SLIDEWAY**



HOONVED H191051

HOONVED 191051

Suitable for:

**5020910 SLIDEWAY KIT W/BRAKE FOR INSULATED DOORS**  
dimensions 712x30 mm  
for DISHWASHER ACS-ACRS



HOONVED H180630  
HOONVED 180651/R

HOONVED H180651/R

HOONVED 180630

**3189004 SLIDEWAY SUPPORT INTERNAL**  
dimensions 91x45x114 mm




HOONVED H170325

**3189005 SLIDEWAY RETAINER CENTRAL**  
dimensions 81x45x58 mm



HOONVED H170313

**3189006 SLIDEWAY SUPPORT EXTERNAL ANGLE**  
dimensions 130x45x110 mm



HOONVED H170326

**5026722 SLIDEWAYS FOR COVER**  
dimensions 28x31x615 mm



HOONVED H180642

HOONVED 180642

**5034995 ADHESIVE GASKET FOR SLIDEWAYS**  
profile dimension 29x3 mm  
length 640 mm




HOONVED H200957

HOONVED 200957

## Handles

**3242103 DOOR STRIKE**



HOONVED 191013

HOONVED 33438

**3242025 HANDLE ARTICULATION FLANGE**  
dimensions 55x15x25 mm



HOONVED 191014

HOONVED 33439



**3242381 FIXING DOOR CLAMP**



HOONVED H341016

HOONVED 341016

**3242100 ROLLING CLEVIS FOR HANDLE**



HOONVED 190637

HOONVED 33446

**3242101 HANDLE COLLAR  $\varnothing$  22x31.5 mm**



HOONVED 190638

HOONVED 33448

**3242373 SAFETY HOOK FOR DOOR**



HOONVED H331116

HOONVED 331116

**3242067 2 BUTTON HANDLE  
length 480 mm**



HOONVED H170806

HOONVED 170806

## Heating elements

**3755060 COVER FOR HEATING ELEMENT / PLASTIC**  
for heating elements with flange  $\varnothing$  72 mm  
 $\varnothing$  61 mm - height 53.5 mm  
distance between fastening holes 68.5 mm



HOONVED 161102

HOONVED 33401

**3755948 COVER FOR HEATING ELEMENT PLASTIC LOW**  
for heating element with flange  $\varnothing$  72 mm  
 $\varnothing$  61 mm - height 42 mm  
distance between fastening holes 68.5 mm



HOONVED H161123

HOONVED 161123

**3455396 HEATING ELEMENT BOILER 14000W 230/400V**  
immersed depth 625 mm  
flange external  $\varnothing$  72 mm - with bulbholder sheathin  
with O-ring  $\varnothing$  67 mm (3186014)  
nut on request (3528233) and washer (3528238)



HOONVED H110386

HOONVED 110386



Suitable for:

**3355183 HEATING ELEMENT BOILER 2400W 220V**  
immersed depth 300 mm  
flange external  $\varnothing$  55 mm  
complete with O-ring  $\varnothing$  48 mm (3186001)



HOONVED 25353

Suitable for:

**3186001 O-RING 06150 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



HOONVED 25249

HOONVED 29938

**3355262 HEATING ELEMENT BOILER 2800W 230V**  
immersed depth 310 mm  
flange external  $\varnothing$  55 mm  
complete with O-ring  $\varnothing$  48 mm (3186001)



HOONVED 25360

HOONVED 30008

**3186001 O-RING 06150 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



HOONVED 25249

HOONVED 29938

**3355104 HEATING ELEMENT BOILER 3000W 230/380V**  
immersed depth 325 mm  
flange external  $\varnothing$  72 mm - with bulbholder sheathin  
complete with O-ring  $\varnothing$  67 mm (3186014)



HOONVED H110226

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



HOONVED H200815

HOONVED 200815

HOONVED 33402

**3355184 HEATING ELEMENT BOILER 3000W 230V**  
immersed depth 300 mm  
flange external  $\varnothing$  55 mm  
complete with O-ring  $\varnothing$  48 mm (3186001)



HOONVED 25356

HOONVED 30008

**3186001 O-RING 06150 EPDM**  
ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



HOONVED 25249

HOONVED 29938

**3755058 HEATING ELEMENT BOILER 3000W 230V**  
immersed depth 330 mm  
flange external  $\varnothing$  72 mm - with bulbholder sheathin  
complete with O-ring  $\varnothing$  67 mm (3186014)



HOONVED H110363



Suitable for:

Suitable for:

**3355185 HEATING ELEMENT BOILER 4000W 220V**  
 immersed depth 300 mm  
 flange external  $\varnothing$  55 mm  
 complete with O-ring  $\varnothing$  48 mm (3186001)

**3186001 O-RING 06150 EPDM**  
 ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



HOONVED 25357

HOONVED 25358

HOONVED 25249

HOONVED 29938

**3355178 HEATING ELEMENT BOILER 6000W 230/400V**  
 immersed depth 420 mm  
 flange external  $\varnothing$  55 mm  
 complete with O-ring  $\varnothing$  48 mm (3186001)

**3186001 O-RING 06150 EPDM**  
 ring thickness 5.34 mm - internal  $\varnothing$  37.47 mm



HOONVED 25361

HOONVED 25249

HOONVED 29938

**3455398 HEATING ELEMENT BOILER 6000W 240/415V**  
 immersed depth 410 mm  
 flange external  $\varnothing$  72 mm - with bulbholder sheathin  
 with O-ring  $\varnothing$  67 mm (3186014)  
 nut on request (3528233) and washer (3528238)



HOONVED H110383

HOONVED 110383

**3355463 HEATING ELEMENT BOILER 8000/9000W 240/45**  
 immersed depth 480 mm  
 flange external  $\varnothing$  72 mm - with bulbholder sheathin  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut on request (3528233) and washer (3528238)

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



HOONVED H110343

HOONVED 110343

HOONVED H200815

HOONVED 200815

HOONVED 33402



Suitable for:

# HOONVED



Suitable for:

**3355461 HEATING ELEMENT FINNED 1000W 220V**  
 for drying  
 immersed depth 430 mm - width 50 mm  
 length of finned part 335 mm  
 connections  $\varnothing$  14 mm  
 nut (3528232) and washer (3528238) on request



HOONVED H110704

HOONVED 110704

**3355108 HEATING ELEMENT FOR BOILER 12500W 230/38**  
 immersed length 620 mm  
 flange external  $\varnothing$  72 mm - bulbholder sheathing  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut (3528232) and washer (3528238) on request



HOONVED H110367

HOONVED H110382

HOONVED 110367

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



HOONVED H200815

HOONVED 200815

HOONVED 33402

**3355371 HEATING ELEMENT FOR TANK 2400W 230V**  
 immersed length 395 mm  
 flange 80x27 mm - complete with gasket



HOONVED H110373

**3755993 HEATING ELEMENT TANK ADHESIVE 500W 230V**  
 dimensions 380x75 mm



HOONVED H110285

**3355253 HEATING ELEMENT TANK 2000W 220V**  
 immersed depth 320 mm  
 connection  $\varnothing$  1" (33 mm)  
 complete with gasket  $\varnothing$  45 mm (3186009)



HOONVED 25370

**3186009 ASBESTOS FREE FLAT GASKET  $\varnothing$  45x33x2 mm**



HOONVED 25261

**3355261 HEATING ELEMENT TANK 2000W 230V**  
 immersed depth 305 mm  
 width 90 mm - fittings  $\varnothing$  12 mm



HOONVED 30443

HOONVED 31380

HOONVED 35162

Suitable for:

Suitable for:

**3355570 HEATING ELEMENT TANK 2000W 230V**  
 immersed depth 290 mm  
 width 150 mm - fittings  $\varnothing$  12 mm

**3060000 DUTRAL SEAL 18.5x10x3 mm**



HOONVED 35230

HOONVED H200415

HOONVED 200415

**3355605 HEATING ELEMENT 10000W 230/400V**  
 immersed length 480 mm  
 flange external  $\varnothing$  72 mm - bulbholder sheathing  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut (3528232) and washer (3528238) on request

**3355121 HEATING ELEMENT 1800W 230V**  
 immersed depth 220 mm  
 width 110 mm - fittings  $\varnothing$  10 mm



HOONVED H110388

HOONVED 110388

HOONVED 27298

HOONVED H110235

**3355101 HEATING ELEMENT 3000W 220/380V**  
 immersed length 410 mm  
 width 60 mm - flange 80x27 mm



HOONVED 33339

**3355522 HEATING ELEMENT 3200W 230V**  
 immersed depth 235 mm  
 flange external  $\varnothing$  63 mm - with bulbholder sheathin  
 complete with O-ring  $\varnothing$  58 mm (3186013)

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



HOONVED H110397

HOONVED 110397

HOONVED 38495

HOONVED H200820

HOONVED 200820

HOONVED 8662

**3355668 HEATING ELEMENT 3200W 230V**  
 immersed depth 305 mm  
 flange external  $\varnothing$  63 mm  
 complete with O-ring  $\varnothing$  58 mm (3186013)



HOONVED 35484



Suitable for:

**3355105 HEATING ELEMENT 4200W 230/380V**  
 for boiler and wash tank  
 immersed depth 340 mm  
 flange external  $\varnothing$  72 mm - with bulb-sheathing  
 complete with O-ring  $\varnothing$  67 mm (3186014)



HOONVED H110331

HOONVED 110331

Suitable for:

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



HOONVED H200815

HOONVED 200815

HOONVED 33402

**3455471 HEATING ELEMENT 6000W 230/400V**  
 for boiler  
 immersed depth 390 mm  
 flange external  $\varnothing$  72 mm - with bulb-sheathing  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut on request (3528233) and washer (3528238)



HOONVED H110249  
HOONVED 31007

HOONVED H110349  
HOONVED 33400

HOONVED 110249

**3355107 HEATING ELEMENT 9000W 230/380V**  
 for tank and boiler  
 immersed depth 485 mm  
 flange external  $\varnothing$  72 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 nut (3528232) and washer (3528238) on request



HOONVED H110362

HOONVED 110362

**3186014 O-RING 06225 EPDM  $\varnothing$  67 mm**  
 ring thickness 5.34 mm - internal  $\varnothing$  56.52 mm



HOONVED H200815

HOONVED 200815

HOONVED 33402

## Hinges, catches and accessories

**5060892 DOOR HINGE WITH PIN RH  $\varnothing$  11 mm**



HOONVED 324188

**3250185 DOOR RETAINER SPRING**  
 for DISHWASHER ST43E-DP35E



HOONVED 190685  
HOONVED 37339

HOONVED 324170  
HOONVED 450250

HOONVED 324170+450250+...



# HOONVED



Suitable for:

**3053184 DOOR STOPPING ROD**



HOONVED 18069

Suitable for:

**3186755 RUBBER PIECE FOR DOOR ARM 11.5x31.5 mm**



HOONVED 30007

**3053138 DOOR TIE ROD RETAINER**



HOONVED H190644

**5060690 HINGE FOR DOOR WITH PIN LH  $\phi$  11 mm**



HOONVED 324187

**5018967 PIN DOOR 55 mm**



HOONVED 15568

HOONVED 342087

**3398028 DOOR CATCH SPRING**  
for DISHWASHER models UNIR-UNIRD



HOONVED 30438

HOONVED 450234

**3528138 SELF-LOCKING HEXAGON NUT M4**  
stainless steel - with nylon built-in ring  
UNI 7474 - DIN 985 - ISO 10511



HOONVED 260418

**5060893 SPRING TIE ROD**



HOONVED 330242

**5057555 CABLE STEEL  $\phi$  1.5x345 mm**



HOONVED 37440

HOONVED 390308

**3250186 DOOR BALANCE SPRING WITH PLATES**



HOONVED 37675

HOONVED 450290



Suitable for:

# HOONVED



**5022731 TIE ROD DOOR  $\varnothing$  5x236 mm**



HOONVED 34144

**1186192 FLAT WASHER M5**  
internal/external  $\varnothing$  5.3/10 mm – thickness 1 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



HOONVED 25744

HOONVED 260503

**3053187 PIN FOR STOPPING ROD**



HOONVED 34143

**3053136 TIE ROD PIN RING  $\varnothing$  7 mm**



HOONVED H160836

HOONVED 160836

**3053139 TIE ROD PLATE**



HOONVED H331461

**3053185 TIE ROD FOR DOOR  $\varnothing$  4,5x333 mm**



HOONVED 34440

Suitable for:

**3053201 DOOR TIE ROD RETAINER**



HOONVED H190619

HOONVED 190619

**3243009 O-RING 0106 EPDM**  
ring thickness 1.78 mm – internal  $\varnothing$  6.75 mm




HOONVED H200818

HOONVED 200818

HOONVED 31014


**3528139 SELF-LOCKING HEXAGON NUT M5**  
stainless steel - with nylon built-in ring  
UNI 7474 - DIN 985 - ISO 10511



HOONVED 25791

HOONVED 260414

**3053156 TIE ROD PIN WASHER**



HOONVED H160838

HOONVED 160838

**3053137 DOOR TIE ROD**



HOONVED H160909

HOONVED 160909





Suitable for:

**3053201 DOOR TIE ROD RETAINER**



HOONVED H190619

HOONVED 190619

**3186443 GASKET FOR DOOR TIE ROD BLOCK**  
dimensions 35x14 mm - hole  $\varnothing$  6 mm



HOONVED H160837

HOONVED 160837

**3053187 PIN FOR STOPPING ROD**



HOONVED 34143

## HOONVED

Suitable for:

**1186192 FLAT WASHER M5**

internal/external  $\varnothing$  5.3/10 mm - thickness 1 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



HOONVED 25744

HOONVED 260503

**3528049 LARGE PAN HEAD SCREW M5x8**  
stainless steel - slotted



HOONVED 31910

**3053136 TIE ROD PIN RING  $\varnothing$  7 mm**



HOONVED H160836

HOONVED 160836

## Hose-end fittings

**3315032 DOUBLE T-HOSE END FITTING  $\varnothing$  13 mm**



HOONVED H180415

HOONVED 180415

**3243782 HOSE END FITTING FOR FIXED RINSE**  
thread  $\varnothing$  14 mm



HOONVED 25036

**3243278 EXTERNAL RINSE ARM CONNECTOR**



HOONVED 190315

HOONVED 33474

**3186246 GASKET FLAT EPDM  $\varnothing$  17x13x1 mm**



HOONVED 25257





Suitable for:

**3186247 O-RING 03112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  28.25 mm



HOONVED 25239

# HOONVED



Suitable for:

**3243783 SPACER FOR HOSE END FITTING**



HOONVED 17933

**5007638 HOSE END FITTING 90° 1/2"x  $\varnothing$  12 mm**



HOONVED 510403

**3243277 RINSE ARM CONNECTOR**



HOONVED H190311

HOONVED 190311

**3315102 T HOSE END FITTING 11.5 mm**



HOONVED 180413

HOONVED 33276

**3243804 T-FITTING FOR RINSE ARM ASSEMBLY**



HOONVED 31659

**3243803 FITTING LOCKING NUT**



HOONVED 30433

**1186626 O-RING 0114 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  11.11 mm



HOONVED 30473

**3186253 O-RING 0130 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  22.22 mm



HOONVED 25238

**3315103 T-HOSE END FITTING FOR BYPASS**



HOONVED 180411

**5022384 NUT FOR FITTING 1/4"**



HOONVED H180130

Suitable for:

Suitable for:

**3315101 T-HOSE END FITTING GREY**  
 ø 12-8.5-12 mm



HOONVED 180408

HOONVED 33817

## Hydraulic piping

**3010132 HOSE POLYETHYLENE BLACK LLDPE JG**  
 ø 6.35x4.35 mm  
 sold per linear meter



HOONVED H160117

HOONVED 160117

**3450636 HOSE PRESSURE SWITCH ø 5x9 mm - 100 mt**  
 external ø 9 mm  
 internal ø 5 mm



HOONVED H160121

HOONVED 00181

HOONVED 160121

**3349487 HOSE RUBBER CANVAS ø 50/60 mm**  
 internal ø 50 mm - external ø 60 mm  
 temperature -40°+100°C  
 sold per meter



HOONVED H200105

**5005343 RINSE HOSE ø 8 mm**  
 length 300 mm



HOONVED 332526

**3450180 RINSE PIPE ø 12x8 mm**  
 meterware



HOONVED H160113

HOONVED 160113

**3450197 RUBBER HOSE ø 11x19 mm - 45 mt**  
 temperature -30°+110°C  
 operating pressure 10 bar  
 burst pressure 40 bar  
 non-toxic rubber hose  
 external ø 19 mm  
 internal ø 11 mm  
 45 m bundles  
 for 5-m bundles see 3450297



HOONVED 00182



Suitable for:

# HOONVED



**3450297 RUBBER HOSE  $\varnothing$  11x19 mm - 5 mt**  
 temperature  $-30^{\circ}+110^{\circ}\text{C}$   
 operating pressure 10 bar  
 burst pressure 40 bar  
 non-toxic rubber hose  
 external  $\varnothing$  19 mm  
 internal  $\varnothing$  11 mm  
 5-m bundles  
 for 50-m bundles see 3450197



HOONVED 00182

Suitable for:

**3450209 RUBBER HOSE  $\varnothing$  13x20 mm - 40 mt**  
 operating temperature  $-40+100^{\circ}\text{C}$



HOONVED H200113

HOONVED 00183

**3450118 RUBBER HOSE 8x15 mm INDUSTRIA 10**  
 sold per meter



HOONVED H200117

HOONVED 200117

## Indicator lights

**3221398 GREEN LED LAMP 250V**  
 $\varnothing$  head 7 mm -  $\varnothing$  hole 6 mm -  $120^{\circ}\text{C}$   
 application to the board



HOONVED H130188+H130707

**5007773 LAMP CAP FLAT TRANSPARENT SU2**  
 mounting hole  $\varnothing$  6 mm - head  $\varnothing$  7 mm



HOONVED H130707

**3221082 INDICATOR LIGHT GREEN 24V**  
 hole  $\varnothing$  11.5 mm - head  $\varnothing$  18 mm  
 max temperature  $120^{\circ}\text{C}$



HOONVED H130170

HOONVED H130711

**3221083 INDICATOR LIGHT RED 24V**  
 hole  $\varnothing$  11.5 mm - head  $\varnothing$  18 mm  
 max temperature  $120^{\circ}\text{C}$



HOONVED H130170

HOONVED H130710

**3221499 INDICATOR LIGHT GREEN 250V**  
 head  $\varnothing$  14 mm - hole  $\varnothing$  13 mm



HOONVED

**5029789 INDICATOR LIGHT GREEN 5Vdc**  
 $\varnothing$  head 7 mm -  $\varnothing$  hole 6 mm -  $120^{\circ}\text{C}$   
 application to the board



HOONVED H130182

Suitable for:

**3221194 INDICATOR LIGHT NEON GREEN 220V**  
 ø head 8 mm



HOONVED 32892

**3221196 LAMP CAP CLEAR**  
 ø 12 mm



HOONVED 32867

HOONVED 34248

**3221192 LAMP SUPPORT**



HOONVED 32891

**3319219 SUPPORT FOR DARK GREY PUSH-BUTTON**  
 mounting hole 16x16 mm - for push-button ø 12 mm



HOONVED 33247

**3221024 INDICATOR LIGHT RED 230V**  
 head ø 15 mm - hole ø 13 mm - 120°C  
 faston M 6.3x0.8 mm  
 universal application



HOONVED 25478

Suitable for:

**3221197 GREY CAP ø 12 mm**



HOONVED 32916

**3221195 LAMP CAP GREEN ø 12 mm**  
 ø 12 mm



HOONVED 32868

**3221193 ORANGE LAMP CAP**  
 ø 12 mm



HOONVED 32869

**3221101 INDICATOR LIGHT GREEN 230V**  
 head ø 15 mm - ø hole 13 mm - 120°C  
 M faston 6.3x0.8 mm  
 universal application



HOONVED 30844



Suitable for:

**3221025 INDICATOR LIGHT ORANGE 230V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



HOONVED 25479

HOONVED 25480

# HOONVED



Suitable for:

**3221026 INDICATOR LIGHT WHITE 230V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



HOONVED 25480

**3221128 LAMP RECEPTACLE GREEN**  
head 14x14 mm -  $\varnothing$  hole 11 mm



HOONVED 34605

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



HOONVED 28870

**3221126 INDICATOR LIGHT NEUTRAL 24V**  
head  $\varnothing$  8 mm - 120°C



HOONVED 33186

**3221127 ORANGE LAMP RECEPTACLE**  
head 14x14 mm - hole  $\varnothing$  11 mm



HOONVED 34604

**3221097 INDICATOR LIGHT NEUTRAL 220V**  
head  $\varnothing$  8 mm - 120°C



HOONVED 28870

**3221126 INDICATOR LIGHT NEUTRAL 24V**  
head  $\varnothing$  8 mm - 120°C



HOONVED 33186



## Interference suppression filters

**3160099 INTERFERENCE SUPPRES. FILTER F3CF71112F**  
0.47μF



HOONVED H631209

HOONVED 31324

HOONVED 631209

## Ironmongery (screws,nuts,washers)

**1528013 BLIND HEXAGONAL NUT M6**  
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



HOONVED 25787

HOONVED 260426

**1528631 CYLINDER HEAD SCREW M4x8**  
stainless steel - cross recessed  
UNI 7687 - DIN 7985 - ISO 7045



HOONVED 25700

**5007493 ELASTIC CLASP ø 6x30 mm**  
st./steel - UNI 6873 - DIN 1481 - ISO 8752



HOONVED H451121

HOONVED 451121

**1528630 HEXAGON HEAD SCREW M5x10**  
stainless steel - UNI 5739 - DIN 933 - ISO 4017



HOONVED 25708

**3528142 HEXAGON NUT M4 BLIND**  
stainless steel - height 8.5 mm - UNI 5721 - DIN 1



HOONVED 29594

**3528019 SCREW NUT**



HOONVED 160542

HOONVED 28880

**5010319 SELF-TAPPING SCREW ø 2.9x16 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOONVED 29535

**5048426 SELF-TAPPING SCREW ø 2.9x9.5 mm**  
stainless steel - countersunk flat head  
cross recessed - C type end  
UNI 6955 - DIN 7982 - ISO 7050



HOONVED 33277



Suitable for:

# HOONVED



## 5003525 SELF-TAPPING SCREW $\varnothing$ 3.5x16 mm

stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOONVED 25714

Suitable for:

## 5024124 SPIRAL SPRING WASHER M5

internal/external  $\varnothing$  5.3/8.9 mm - thickness 2.4 mm  
stainless steel - UNI 1751 - DIN 127 B



HOONVED H260511

## 3389013 STAINLESS STEEL PIN $\varnothing$ 2x12 mm

UNI 1336 - DIN 94 - ISO 1234  
for DISHWASHER AC  
for RIMINI ELE26



HOONVED H451002

## 5033871 WASHER FOR PROBE CAP LOCK $\varnothing$ 40 mm

for DISHWASHER APS43-APS48-APS48B-APS53-APS60



HOONVED 33836

## Knobs

### 3241096 BLACK KNOB $\varnothing$ 45 mm

square hole 5x5 mm  
for selector switch



HOONVED H180111

HOONVED 180111

### 3241080 KNOB $\varnothing$ 43 mm

D-shaped hole 6x4.6 mm  
for DISHWASHER



HOONVED

HOONVED 26668

HOONVED 25097

HOONVED 26669

HOONVED 25098

### 5034961 KNOB BLUE $\varnothing$ 45 mm

square hole 5x5 mm screw fastening (not included)



HOONVED H180152

## Labels for control panels

### 3244009 CONTROL PLATE C43



HOONVED 33713

HOONVED 34205

### 5022593 STICKER OVERLAY SILK-SCREEN PRINTED

dimensions 400x35 mm



HOONVED 36134


HOONVED 463298






## Level probes

**3341005 DETERGENT 60° CURVED PROBE**



HOONVED 32311

**3186297 GASKET FLAT  $\phi$  18x10x2 mm**



HOONVED 200870

HOONVED 25266

**3341008 PROBE FASTENING NUT**



HOONVED 160789

HOONVED 27155

**3341030 LEVEL PROBE**



HOONVED 25042

**3186756 FLAT GASKET OF RUBBER  $\phi$  31x21x2 mm**



HOONVED 25267

**3341031 NUT 1/2"**



HOONVED 26651


**3341009 TANK LEVEL PROBE**



HOONVED 33431

HOONVED 35361

**3186297 GASKET FLAT  $\phi$  18x10x2 mm**



HOONVED 200870

HOONVED 25266

**3341008 PROBE FASTENING NUT**



HOONVED 160789

HOONVED 27155



Suitable for:

# HOONVED



Suitable for:

## Level regulators

**3341006 WATER LEVEL REGULATOR**  
type: NRLHS301003R31SC  
1/2HP(10K) 230V 50/60Hz 2A



HOONVED 27434

**3341007 BASE FOR WATER LEVEL CONTROLLER**



HOONVED 27193

## Lip seals

**3786657 LIP SEAL DE175 VITON**  
ø 45x35.5x7 mm



HOONVED H200950

HOONVED 200950

## Magnets


**3240202 MAGNET HOLDER PIN M10**  
ø 16x75 mm



HOONVED H191019

## Manifolds for dishwashers

**5004074 COUNTERFLANGE 130x70x9 mm**



HOONVED H180204



## Manifolds for dishwashers

**3160503 DRAIN PUMP SUCTION CASE COMPLETE**  
top external  $\varnothing$  130 mm  
hose end fittings  $\varnothing$  50 mm



HOONVED H180248  
HOONVED 180248+180249

HOONVED H180249  
HOONVED 180249

HOONVED 180248

**3061016 O-RING 04437 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  110.70 mm



HOONVED H200807

HOONVED 200873

**5026601 HOSE WASHING OUTLET**



HOONVED 200611

HOONVED 36295

**3743308 MANIFOLD CAP**  
for collector group



HOONVED H160709

HOONVED 160709

**5012167 MANIFOLD SET 2 SOLENOID VALVES**



HOONVED H620121

## Microswitches, magnetic

**3240139 MAGNETIC MICROSWITCH STEM E510 1V**  
1-NO 0.04A 250V  
with cable length 530 mm - head 32x13x8 mm



HOONVED 33188

**3240173 MAGNETIC SWITCH**  
 $\varnothing$  15x88 mm



HOONVED H120317

**3186169 O-RING 02100 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  25.12 mm



HOONVED H200817

HOONVED 200817



Suitable for:

# HOONVED



Suitable for:

## Microswitches, mechanical

**3240465 LEVEL MICROSENSOR FOR BOILER**  
contact NA



HOONVED H120358


HOONVED 120358

**3240189 MICRO SWITCH M1DX20 10A 250V**




HOONVED 25553

**3240180 MICROSWITCH ROLD**  
contact capacity 16A 250V  
terminals 6.3x0.8 mm



HOONVED 25552

**3240170 MICROSWITCH 2-POLE FOR CYCLE**  
contact capacity 16A 250V  
6.35x0.8 terminal



HOONVED H120329

HOONVED 123328

HOONVED H123328

HOONVED 120329

## Non-return and expansion valves

**1526503 NON-RETURN VALVE  $\varnothing$  40 mm**  
ballcock - outlets  $\varnothing$  12 mm  
stainless steel cap



HOONVED H620535

HOONVED 33506

HOONVED 620535


## O-Ring and ORM gaskets

**1786286 O-RING R4 EPDM**  
ring thickness 1.9 mm - internal  $\varnothing$  4.9 mm



HOONVED 25248

**3186248 O-RING 03268 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  67.95 mm



HOONVED 31386

**1186625 O-RING 03281 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  71.12 mm



HOONVED 25245

**5015751 O-RING 03350 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  88.57 mm



HOONVED 31784



Suitable for:

**1186480 O-RING 04112 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  28.17 mm



HOONVED 30944

Suitable for:

**3186137 O-RING 04387 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  98.02 mm



HOONVED H200803

**5010533 O-RING 2118**  
ring thickness 1.78 mm - internal  $\varnothing$  29.87 mm



HOONVED 25244

**5006513 O-RING 223**  
ring thickness 7.00 mm - internal  $\varnothing$  155.60 mm



HOONVED 25255

**3243270 ORM GASKET 0060-30 EPDM**  
ring thickness 3.0 mm - internal  $\varnothing$  6.0 mm



HOONVED H200854

## Pegs

**3389019 CENTRAL FINGER FOR LIMIT SWITCH NE/2**



HOONVED H170238

**3389014 PEG GUIDE PIN**  
 $\varnothing$  8x39 mm



HOONVED H340479

**5020952 PEG STAINLESS STEEL**



HOONVED H510425

HOONVED 510425

**5020953 PIN SILDEWAYS PEG ST. STEEL  $\varnothing$  8x30 mm**



HOONVED H342020

HOONVED 342020



Suitable for:

# HOONVED



Suitable for:

## Pins

**5053581 PIN DOOR HINGE M6**  
dimensions 60x6 mm



HOONVED H341927

HOONVED 341927

**5028210 PIN FOR RINSE ARM FC2006**



HOONVED H342790

HOONVED 342790

HOONVED 342790/1

**3243780 RING FOR SPINDLE NUT**



HOONVED 25055

## Position switches

**3240444 LIMIT MICROSWITCH PIZZATO FD502-K11**  
3A 400V



HOONVED H120305

HOONVED H120326

**3240426 LIMIT MICROSWITCH PIZZATO FD503**  
3A 400V



HOONVED H870129

HOONVED 33435

HOONVED 870129

**3240422 LIMIT MICROSWITCH PIZZATO FD538**  
3A 400V  
WITH lever with roller ø 20 mm VFL31



HOONVED H120320

HOONVED 120320

## Pressure gauges

**3245018 PRESSURE GAUGE ø 52 mm**  
fitting ø 1/4" M  
scale 0-4 bar



HOONVED H870072

HOONVED 870072



## Pressure reducers

### 3350080 PRESSURE REDUCER 1/2" 4ATM



HOONVED H281102

HOONVED 281102

## Pressure switches

### 3320018 PRESSURE SWITCH 1 LEVEL calibration 45/25 mm 250V 16A max operating temperature 85°C



HOONVED H130621

HOONVED 130621

### 3320029 PRESSURE SWITCH 1 LEVEL calibration 40/20 mm 250V 16A max operating temperature 85°C



HOONVED 25433

### 3320039 PRESSURE SWITCH 1 LEVEL calibration 28/12 mm 250V 16(4)A



HOONVED 31171

### 3320061 PRESSURE SWITCH 1 LEVEL calibration 60/40 mm 250V 16A max operating temperature 85°C for old series



HOONVED 25432

### 3320063 PRESSURE SWITCH 1 LEVEL calibration 110/70 mm 250V 16A max operating temperature 85°C



HOONVED H130609

HOONVED 130624

### 3320148 PRESSURE SWITCH 1 LEVEL calibration 75/45 mm 250V 16A



HOONVED H130632

HOONVED 130632



Suitable for:

# HOONVED



**7104557 PRESSURE SWITCH 1 LEVEL**  
calibration 190/40 mm  
250V 16A



HOONVED H130635

HOONVED 130635

Suitable for:

**3320037 PRESSURE SWITCH 3 LEVELS**  
1st level calibration 50/30 mm  
2nd level calibration 50/30 mm  
3rd level calibration 145/80 mm  
250V 16(4)A



HOONVED H130620

HOONVED 130620

## Probes

**3397108 PROBE PT100**  
probe length 80 mm - bulb  $\varnothing$  6x59 mm  
fastening fitting  $\varnothing$  1/2" - cable 6500 mm



HOONVED H120910

**5020955 PROBE WITH BOARD BLOCK C-G**  
overall length 300 mm



HOONVED H120960

HOONVED 34945

HOONVED 120960

HOONVED 35567

HOONVED 33174

HOONVED 35945

## Reducers mechanical

**7112476 ADAPTOR VF49L1F1-60P71B5B3**



HOONVED 410607

**7112475 MOTOR 3-PHASES FIR 3553 FLANGE B5**  
400V 50/60Hz 0,18/0,09KW 0,8/0,65A



HOONVED 100133

## Relays

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



HOONVED 120495

HOONVED 34312

HOONVED 29839

HOONVED 33324

**1351001 POWER RELAY FINDER 62.83.8.024.0000**  
24Vac 50/60Hz  
3 changeover contacts 16A



HOONVED H120445



**5025249 RELAY POWER FINDER 40.61.8.024.0000**  
24Vac - 50/60Hz - 1 changeover contact 16A



HOONVED H120476

HOONVED 120476

## Rinse aid pumps and accessories

**3090174 DETERGENT DISP. PERISTALTIC PUMP G300**  
flow rate 3 L/h thermoplastic hose  
230V 50/60Hz 4W  
time/pause setting




HOONVED H440632

**3090065 DETERGENT DISP. PERISTALTIC PUMP LP120**  
230V - 50/60Hz - IP65  
variable flow rate from 0.72 to 7.2 L/h  
ON-OFF switch  
this KIT for DISHWASHERS includes: foot filter,  
bracket for wall mounting  
inlet connector for tank 4x6 mm,  
PVC hose  $\varnothing$  4x6 mm - length 4 m,  
dimensions 106x90x94 mm



HOONVED 32570

**3090088 SANTOPRENE PERISTALTIC TUBE**



HOONVED 32579

**3090112 DETERGENT DISP. PERISTALTIC PUMP PR-7**  
230V 50/60Hz 5W  
variable flow rate 1 - 7 L/h pressure 0.1 bar  
santoprene tube  
with assembly kit



HOONVED 38127

HOONVED 440637

**3090217 DOSING PUMP FOR RINSE AID**



HOONVED 35388

HOONVED 620736



Suitable for:

**3090001 HYDRAULIC RINSE AID INJECTOR**  
for rinse aid




HOONVED H620120

HOONVED 620120

Suitable for:

**3090002 DIAPHRAGM FOR RINSE AID INJECTOR**



HOONVED H630614

HOONVED 630614

**3090010 HOSE END FITTING FOR DISPENSER**



HOONVED

**3090003 INLET VALVE FOR RINSE AID INJECTOR**



HOONVED 25211

**3090012 HYDRAULIC RINSE AID INJECTOR**  
for rinse aid



HOONVED  
HOONVED 21951

HOONVED 20008  
HOONVED 22060

HOONVED 21729

**3090218 YELLOW RINSE AID DISPENSER**



HOONVED 35991

HOONVED 620736V01

## Ropes, cords and strings

**3714001 CABLE OF STEEL  $\varnothing$  1.5x275 mm**



HOONVED 37441

HOONVED 390307

## Salt containers and accessories

**3067003 PLUG FOR SALT CONTAINER**  
complete with retaining nut  
for B-BC-BHC-BR-FC-LF



HOONVED H160755

HOONVED 160755

**3067004 GASKET**



HOONVED H200489

HOONVED 200489

Suitable for:

**3067001 SALT CONTAINER**



HOONVED 20151

HOONVED 25051

**3067007 SALT CONTAINER CAP**



HOONVED 25034

Suitable for:

**3067002 FLAT GASKET EPDM  $\varnothing$  82x64x3 mm**  
for salt container



HOONVED H200454

**3067005 SALT CONTAINER RING NUT**



HOONVED 25033

## Scale removers for dishwashers

**3094005 4 COLUMN SCALE REMOVER**  
width 165 mm - length 390 mm



HOONVED H640209

HOONVED 25030

## Selector switches


**3059014 SELECTOR SWITCH 0-1 POSITIONS 16A 690V**  
square pin 5x5 mm



HOONVED H120712


HOONVED 120712

**3057052 SELECTOR SWITCH 0-2 POSITIONS 16A 380V**  
square pin 5x5 mm



HOONVED 120722

**3059060 SELECTOR SWITCH 3-POLE 16A 250V**  
square pin 5x5 mm



HOONVED H110805

HOONVED 110805

**3057325 4-POLE SWITCH 16A 380V**



HOONVED H120744

HOONVED 120744



Suitable for:

# HOONVED



Suitable for:

## Solenoid valves

**3120026 COIL ELBI 24Vac**  
for solenoid valves 101-102-254-261 old type



HOONVED H630967

HOONVED 630967

**3120222 PARKER COIL RT14 220V 14W**  
50/60Hz



HOONVED 630990


**3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



HOONVED H120145

HOONVED 120145

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



HOONVED 26629

**3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



HOONVED LF-3120530

**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



HOONVED 26631

**3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**  
24V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



HOONVED

**5026275 SOLENOID VALVE BURKERT 3/4" 230V 50Hz**



HOONVED 27132

**3120541 SOLENOID VALVE L140B5 ø 1/2" FF 24V**  
for water  
normally closed  
max. temperature 100°C  
max. differential pressure 10 bar  
coil 24V 50/60Hz



HOONVED H120125

HOONVED H120141

HOONVED H120191

**3120610 SOLENOID VALVE L145R2 1/2" FF 24V**  
for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. differential pressure 12 bar  
coil 24V 50Hz



HOONVED H120161

HOONVED 120141

Suitable for:

**5017088 SOLENOID VALVE L153D07 1/2"FF 24V 50Hz**  
for steam  
NC  
max. temperature 100°C  
maximum differential pressure 16 bar



HOONVED H120164

Suitable for:

**3120510 SOLENOID VALVE L153D07 3/4" FF 24V**  
for steam  
NC  
max. temperature 175°C  
max. pressure differential 12 bar  
coil 24V 50Hz



HOONVED H120165

**3120057 SOLENOID VALVE L182B01 ø 1/2" FF 230V**  
EX L180  
for water  
NC  
max. temperature 100°C  
max. pressure differential 16 bar  
coil 230V 50/60Hz



HOONVED H120174

HOONVED 120174

**3120557 SOLENOID VALVE L182B01 1/2"FF 24V**  
EX L180  
for water  
NC  
max temperature 100°C  
max differential pressure 16 bar  
coil 24V 50/60Hz



HOONVED H120131

HOONVED 120131


**3120558 SOLENOID VALVE L182B17 3/4"FF 24V**  
EX L180  
for water  
NC  
max. temperature 100°C  
max. differential pressure 16 bar  
coil 24V 50/60Hz



HOONVED H120122

HOONVED 120122

**3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°**  
12V 50/60Hz - max temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm  
operating pressure from 0.2 to 10 bar



HOONVED

**3120404 SOLENOID VALVE T&P 1 WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" con riduttore di portata 10 L/min  
outlet ø 10.5 mm



HOONVED 30933

**3120413 SOLENOID VALVE T&P 3-WAY 90°**  
230V 50/60Hz - max. temperature 90°C  
inlet 3/4" with flowrate adjuster 10 L/min  
three ø 10.5 mm outlets



HOONVED 26632



Suitable for:

# HOONVED



Suitable for:

## Spare parts for pumps

**3125005 IMPELLER CLOSED LGB ZF140LH ø 80 mm**



HOONVED 35495

## Springs

**3250184 DOOR LEVER SPRING**  
for DISHWASHER ST43E-DP35E



HOONVED 450250

**3053144 DOOR SPRING**  
external ø 22x210 mm



HOONVED 450237

**5034951 DOOR SPRING ø 13x68 mm**



HOONVED 36860

HOONVED 450298

**3250102 DOOR SPRING ø 17x97 mm**



HOONVED 34773

**3528010 FLAT WASHER M6**  
ø internal/external 6.4/12 mm - thickness 1.6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



HOONVED 25745

HOONVED 260504

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



HOONVED 25775

HOONVED 25781

**3528230 NUT HEXAGONAL HIGH M6**  
stainless steel - UNI 5587 - ISO 4033




HOONVED 260416



Suitable for:

**3528140 SELF-LOCKING HEXAGON NUT M6**  
stainless steel - with nylon built-in ring  
UNI 7474 - DIN 985 - ISO 10511




HOONVED 260412

**3250157 DOOR SPRING  $\varnothing$  22x190 mm**



HOONVED 34927

**3250043 DOOR SPRING 40 mm**  
load capacity: kg 5



HOONVED H391331

HOONVED 391331


**3250044 LOWER DOOR SAFETY SPRING**  
external  $\varnothing$  14x193 mm  
for GL



HOONVED H450222

HOONVED 450222

**3250061 SPRING FOR DOOR**  
carrying capacity: kg 4.5



HOONVED H391318

HOONVED 391318

# HOONVED




Suitable for:

**3250103 THREADED SPRING CONNECTING ROD  $\varnothing$  6x80 mm**



HOONVED 34774


**3242150 DOOR SPRING MODEL BBSR46**  
carrying capacity 4 kg



HOONVED H391309

HOONVED 391309

**3250161 DOOR SPRING 40 mm**  
flowrate 5.5 kg  
for COMENDA AC-NE-NG  
for HOONVED C98-EDT85-EDT100-EDT140-EDT170-EDT200



HOONVED H391332

HOONVED 391332

**3250183 SPRING FITTING BUSHING FOR DOOR LEVER**  
for DISHWASHER ST43E-DP35E



HOONVED 190685

**3250059 SPRING FOR DOOR SAFETY**  
dimensions  $\varnothing$  12x167 mm  
for G65-G115



HOONVED H450217



Suitable for:

**3250158 SPRING FOR DOOR**  $\varnothing$  13x67 mm  
for C6-C60E



HOONVED 36625

Suitable for:

**5033020 FIXING BRACKET DOOR SPRING**



HOONVED 350993

HOONVED 36626

**3250058 SPRING FOR HOOD LIFTING**  
dimensions  $\varnothing$  37x910 mm



HOONVED 33522

HOONVED 391316

**3250057 BUSHING FOR SPRING**



HOONVED 190607

HOONVED 33519

**5015694 SPRING FOR LIMIT SWITCH NE**  
 $\varnothing$  12 mm overall length 110 mm



HOONVED H450229

## Supports for wash and rinse arms

**3743159 ARM ASSEMBLY SUPPORT**



HOONVED 25719  
HOONVED 38715

HOONVED 33471  
HOONVED 38715+35943+...

HOONVED 35943

**3243282 FITTING RINSE INTERNAL  $\varnothing$  3/8"-1/4"**



HOONVED 280118

HOONVED 33477

**5017144 FITTING WATER OUTLET FOR RINSE 1/4"**



HOONVED 33476

**3243067 WASH ARM ASSEMBLY SPINDLE**



HOONVED 33460





Suitable for:

Suitable for:

**3243807 ELBOW FITTING**



HOONVED H180407

HOONVED 180407

**3186452 GASKET FLAT NEOTEN 100x100x3 mm**  
central hole  $\varnothing$  40 mm



HOONVED H200428

HOONVED 200428

**3243770 LOWER CENTER SUPPORT**



HOONVED 32350

**3243890 BUSHING FOR CENTER BOSS**



HOONVED 32887

**3243775 HOSE END FITTING  $\varnothing$  1/2"**  
external  $\varnothing$  31 mm



HOONVED 18691

HOONVED 33544

**3243772 LOWER RINSE SHAFT**  
dimensions:  $\varnothing$  14x147 mm




HOONVED 17913

**3243785 SPACING RING FOR TURBINE**



HOONVED 18345

**3743742 BUSHING FOR BOTTOM ASSEMBLY**



HOONVED 32357

HOONVED 32981

**3243774 CENTER SUPPORT WASHER**



HOONVED 33346

**3243773 HOSE END FITTING CON.  $\varnothing$  1/4" OUTLET  $\varnothing$  12mm**



HOONVED 32352

HOONVED 34816+34817

HOONVED 37667+34426

**3186245 O-RING 03200 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  50.47 mm



HOONVED 32310




Suitable for:

# HOONVED



Suitable for:

## 3243787 LOWER SUPPORT TURBO COMPLETE



HOONVED 21035

## 3243055 NICKEL-PLATED WASH ARM ASSEMBLY SUPPORT



HOONVED H510238  
HOONVED 35943  
HOONVED 38714+35943+...

HOONVED 25719  
HOONVED 38714  
HOONVED 510238

HOONVED 33470  
HOONVED 38714+

## 3243282 FITTING RINSE INTERNAL $\varnothing$ 3/8"-1/4"



HOONVED 280118

HOONVED 33477

## 3786040 FLAT GASKET NEOPRENE $\varnothing$ 50x36x4 mm for water outlet



HOONVED 200482


HOONVED 33453

## 3243067 WASH ARM ASSEMBLY SPINDLE



HOONVED 33460

## 5026600 SUPPORT FOR WASH ASSEMBLY UPPER ST.STEEL



HOONVED 190942

HOONVED 35509

## 5042380 HEXAGON HEAD SCREW M6x20 stainless steel- UNI 5739 - DIN 933 - ISO 4017



HOONVED 25716

HOONVED 260105

## 3186013 O-RING 06187 EPDM $\varnothing$ 58 mm ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



HOONVED H200820

HOONVED 200820

HOONVED 8662

## 3060000 DUTRAL SEAL 18.5x10x3 mm



HOONVED H200415

HOONVED 200415

## 1528030 MID HEXAGONAL NUT M6 stainless steel - UNI 5588 - DIN 934 - ISO 4032



HOONVED 25775

HOONVED 25781

## 1186444 SPIRAL WASHER ELASTIC M6 internal/external $\varnothing$ 6.4/11.4 mm - thickness 3.2 mm in zinc plated iron alloy - UNI 1751 - DIN 127 B



HOONVED 25750

HOONVED 260512



Suitable for:

Suitable for:

**3243926 WASH SUPPORT FASTENING SCREW**



HOONVED H261005

HOONVED 261005

**5026599 SUPPORT LOWER ARM ASSEMBLY STAINL. STEEL**



HOONVED 190941

HOONVED 36280

**5032698 SPACER RINSE SHAFT**  
misure 18x12x12 mm



HOONVED 191103

HOONVED 35539

**5050017 SUPPORT LOWER WASH ARM ASSEMBLY**



HOONVED H190223

HOONVED 190223

**5050132 SUPPORT IMPELLER LOWER**



HOONVED H191083

HOONVED 191083

**3243808 T-FITTING**



HOONVED H180406

HOONVED 180406

**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



HOONVED H200820

HOONVED 200820

HOONVED 8662

**3186013 O-RING 06187 EPDM ø 58 mm**  
ring thickness 5.34 mm - internal ø 47.00 mm



HOONVED H200820

HOONVED 200820

HOONVED 8662

**3186452 GASKET FLAT NEOTEN 100x100x3 mm**  
central hole ø 40 mm



HOONVED H200428

HOONVED 200428



Suitable for:

# HOONVED



**3243801 T-FITTING FOR RINSE ARM ASSEMBLY**



HOONVED 30431

**3243802 HOSE END FITTING OF BRASS**




HOONVED 17564

**3186253 O-RING 0130 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  22.22 mm



HOONVED 25238

**3243763 T-FITTING FOR WASH ARM ASSEMBLY**



HOONVED 30434

**3186244 O-RING 03125 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  31.42 mm



HOONVED 31639

**3743063 UPPER ARM ASSY SUPPORT**



HOONVED 34314

Suitable for:

**3243803 FITTING LOCKING NUT**



HOONVED 30433

**1186626 O-RING 0114 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  11.11 mm



HOONVED 30473

**1186223 O-RING 02056 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  14.00 mm



HOONVED H200826

HOONVED 200826

HOONVED 25243

**3243764 NUT**



HOONVED 30436

**3243934 ARM ASSEMBLY SUPPORTING NUT 1/2"**



HOONVED H160769

HOONVED 160769



Suitable for:

**3528112 HEXAGONAL HEAD SCREW M6x16**  
st./steel - UNI 5739 - DIN 933 - ISO 4017



HOONVED 25715

**1186591 O-RING 0128 VITON**  
ring thickness 2.62 mm - internal  $\varnothing$  20.63 mm



HOONVED 200821


HOONVED 34332

**5005186 PIN RINSE ARM ASSEMBLY 38 mm LH**



HOONVED 34384

**3743064 RING NUT  $\varnothing$  30 mm LH**  
 $\varnothing$  internal 8.5 mm



HOONVED 34382

**1186444 SPIRAL WASHER ELASTIC M6**  
internal/external  $\varnothing$  6.4/11.4 mm - thickness 3.2 mm  
in zinc plated iron alloy - UNI 1751 - DIN 127 B



HOONVED 25750

HOONVED 260512

**5089914 UPPER PIPE AP/E**



HOONVED 190949

# HOONVED



Suitable for:

**3528230 NUT HEXAGONAL HIGH M6**  
stainless steel - UNI 5587 - ISO 4033



HOONVED 260416

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



HOONVED H200820

HOONVED 200820


HOONVED 8662

**3743744 RH RINSE ARM ASSEMBLY PIN**



HOONVED 34997

**5038111 RING NUT RINSE ARM ASSEMBLY RH**



HOONVED 34998

**5086946 ASSEMBLY SUPPORT UPPER/LOWER AP E**



HOONVED 37611



Suitable for:

**5042380 HEXAGON HEAD SCREW M6x20**  
stainless steel- UNI 5739 - DIN 933 - ISO 4017



HOONVED 25716

HOONVED 260105

**3316031 O-RING 0155 EPDM**  
ring thickness 3.53 mm - internal  $\varnothing$  50.80 mm  
connection  $\varnothing$  1"1/2



HOONVED H200808

HOONVED 200808

**3528235 WASHER FLAT WIDE M6**  
internal/external  $\varnothing$  6.4/18 mm - thickness 1.6 mm  
stainless steel - UNI 6593 - DIN 9021 - ISO 7093



HOONVED 25746

HOONVED 260538

**3243795 UPPER WASH ARM ASSEMBLY SUPPORT**



HOONVED 31470

**3243799 BUSHING FOR ARM**



HOONVED 30483

HOONVED 35959

# HOONVED



Suitable for:

**3528230 NUT HEXAGONAL HIGH M6**  
stainless steel - UNI 5587 - ISO 4033



HOONVED 260416

**1186444 SPIRAL WASHER ELASTIC M6**  
internal/external  $\varnothing$  6.4/11.4 mm - thickness 3.2 mm  
in zinc plated iron alloy - UNI 1751 - DIN 127 B



HOONVED 25750

HOONVED 260512

**3743741 BEARING FOR TOP WASH SPINDLE**



HOONVED 17972

**3186249 ORM GASKET 0918-28 NBR**  
ring thickness 2.8 mm - internal  $\varnothing$  91.8 mm  
for wash-arm support assembly



HOONVED 31057



Suitable for:

**3243789 RING FOR SPINDLE NUT**  
internal hole  $\varnothing$  14 mm



HOONVED 17565

# HOONVED




Suitable for:

**3243790 WASHER  $\varnothing$  34x22x0.5 mm**



HOONVED 31281

**3243814 UPPER WASH ARM ASSEMBLY SUPPORT**



HOONVED H190209

HOONVED 190209


**1186591 O-RING 0128 VITON**  
ring thickness 2.62 mm - internal  $\varnothing$  20.63 mm



HOONVED 200821

HOONVED 34332

**3243934 ARM ASSEMBLY SUPPORTING NUT 1/2"**



HOONVED H160769

HOONVED 160769

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



HOONVED H200820

HOONVED 200820

HOONVED 8662

**3743193 WASH ARM ASSEMBLY C/LC 2001 SUPPORT**



HOONVED H190227

HOONVED 190227

**3786652 GASKET FLAT 70x60 mm**  
central hole  $\varnothing$  36 mm - for rinse assembly



HOONVED H200955

HOONVED 200955

**5047249 BUSHING REDUCTION WASHPIPE**  
external  $\varnothing$  35/32 mm - hole  $\varnothing$  18 mm  
height 20 mm



HOONVED H190674

HOONVED 190674

**3743729 RINSE MANIFOLD UNIT**



HOONVED H191100

HOONVED 191100

**3743373 WASH FITTING LOWER**



HOONVED H190232

HOONVED 190232

**3743374 WASH FITTING UPPER**



HOONVED H190231



Suitable for:

# HOONVED



Suitable for:

## Switch-disconnectors

**5007746 KNOB FOR SELECTOR SWITCH ABB**  
base 65x65 mm



HOONVED H450330

HOONVED 450330


## Switches

**3319222 BIPOLAR SWITCH 16A 250V**



HOONVED 32870

**3319220 PUSH-BUTTON ROUND GREY ø 12 mm**



HOONVED 32890

**3319219 SUPPORT FOR DARK GREY PUSH-BUTTON**  
mounting hole 16x16 mm - for push-button ø 12 mm



HOONVED 33247

**3319058 BIPOLAR SWITCH 250V 5A**  
mod.ATL - contact capacity 5(3)A 250V  
with indicator light receptacle - without bulb



HOONVED 25457

**3319648 BLACK BIPOLAR CHANGE OVER SWITCH "LINEA"**  
mounting hole 28x28 mm



HOONVED 28786

**3319168 BIPOLAR SWITCH 16A 250V**




HOONVED 32873



Suitable for:

**3319223 CYCLE SWITCH ROLD**  
16(4)A/250V 6 contacts  
mounting hole 28x28 mm




HOONVED H130459

HOONVED 130459

Suitable for:

**3319617 DOUBLE CONTACT SWITCH 16A 250V**



HOONVED 32928


**3319080 HOUSING FOR PUSH-BUTTON GREY**  
mounting hole 28x28 mm - for push-button  $\varnothing$  23 mm



HOONVED H190140

HOONVED 190140

**3319627 DOUBLE CHANGE OVER SWITCH 16A 250V**



HOONVED 33596

**3319411 EMERGENCY MUSHROOM**



HOONVED H130453

HOONVED 130453

**5023745 EMERGENCY PUSH-BUTTON CEMA P9MER4RN**  
with block - mounting hole  $\varnothing$  22 mm



HOONVED H130476

**5014426 CONTACT CEMA P9B10VN 10A**  
1 contact NO



HOONVED H130478

**3319614 FIX BUTTON BLACK 23x23 mm**



HOONVED 34649

**3319224 MAIN SWITCH ROLD**  
16(4)A/250V 6 contacts  
mounting hole 28x28 mm



HOONVED H130460

HOONVED 130460

**3319168 BIPOLAR SWITCH 16A 250V**



HOONVED 32873



Suitable for:

**3319080 HOUSING FOR PUSH-BUTTON GREY**  
mounting hole 28x28 mm - for push-button  $\varnothing$  23 mm



HOONVED H190140

HOONVED 190140

# HOONVED



Suitable for:

**3319216 MONOPOLAR CHANGE OVER SWITCH**  
16(4)A/250V  
mounting hole 28x28 mm



HOONVED 29009

**3319217 MONOPOLAR SWITCH**  
16(4)A/250V  
mounting hole 28x28 mm



HOONVED 29010

**3319082 PUSH-BUTTON ROUND GREY  $\varnothing$  23 mm**



HOONVED


**3319040 PUSH-BUTTON CHANGE OV. ORANGE "CYCLE STAR"**  
16(4)A 250V - max. temperature 125°C  
with indicator light - silk screen print cycle sta  
mounting hole 25x27 mm



HOONVED H130421

HOONVED 130421

**5033478 PUSH-BUTTON 1-POLE START**  
mounting hole 28x28 mm - 16A 250V



HOONVED 34623

**1319082 SINGLE-POLE PUSH BUTTON 16A 250V**



HOONVED H130449

HOONVED 130449

HOONVED 29529

Suitable for:

**3319336 START PUSH-BUTTON GREEN ABB MP1-20G**  
mounting hole  $\varnothing$  22 mm



HOONVED H130413

Suitable for:


**3319739 START CONTACT ABB MCB-10**  
contact NO



HOONVED H130411

HOONVED H130411+H130413

**3319738 STOP CONTACT ABB MCB-01**  
contact NC



HOONVED H130410

HOONVED H130410+H130413

**3319218 SWITCH 16(4)A 250V**



HOONVED 32872

**3319220 PUSH-BUTTON ROUND GREY  $\varnothing$  12 mm**



HOONVED 32890

**3319219 SUPPORT FOR DARK GREY PUSH-BUTTON**  
mounting hole 16x16 mm - for push-button  $\varnothing$  12 mm



HOONVED 33247

## Telethermometers

**3441008 TELE-THERMOMETER BLACK  $\varnothing$  52 mm 0-120°C**  
plastic case  
PVC covered capillary 1500 mm  
bulb  $\varnothing$  6.5x2.6 mm



HOONVED H450905

HOONVED 450905

**3441048 TELE-THERMOMETER WHITE  $\varnothing$  52 mm 0-120°C**  
plastic case  
capillary 1500 mm  
bulb  $\varnothing$  6x40 mm



HOONVED H450905



Suitable for:



Suitable for:


**3441033 TELE-THERMOMETER 56x25 mm 0-120°C**  
 plastic body  
 white dial  
 PVC covered capillary length 3000 mm  
 bulb with spring  $\varnothing$  6x20 mm



HOONVED 26236

## Thermostats

**3444705 DOUBLE BRACKET FOR THERMOSTATS**



HOONVED 17955


**3444012 KNOB BLACK  $\varnothing$  41 mm SILK-SCREEN PRINTED**  
 D-shaped hole 6x4.6 mm  
 for thermostat IMIT



HOONVED 25092

HOONVED 25094

**3444013 RING NUT  $\varnothing$  55 mm**  
 chrome-plated metal  
 for thermostat knob IMIT



HOONVED H191040

HOONVED 191040

**3744100 SAFETY THERMOSTAT SINGLE-PHASE 56°C**



HOONVED 25421

**3444520 SECURITY THERMOSTAT LM8P2047**



HOONVED 120526

HOONVED 120536

HOONVED 33906

**5018562 THERMOSTAT KIT FOR FIRST SERIES "C"**  
 kit including: thermostat operations 0-90°C;  
 safety thermostat 105°C fixing bracket



HOONVED 34534

**3444282 THERMOSTAT SINGLE-PHASE 90-110°C**  
 with manual reset  
 covered capillary 1500 mm  
 bulb  $\varnothing$  6.5x95 mm  
 15A 250V



HOONVED 33745

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6.5x95 mm



HOONVED H120501

HOONVED 120501

Suitable for:

Suitable for:

**3444227 THERMOSTAT SINGLE-PHASE 0-90°C**

covered capillary 1000 mm  
bulb  $\varnothing$  6.5x95 mm  
16A 250V contact NO-NC




HOONVED H120515

HOONVED 120515

**3444151 THERMOSTAT SINGLE-PHASE 115°C**

with manual reset  
capillary 1000 mm  
bulb  $\varnothing$  5x120 mm  
15A 250V



HOONVED H120519

HOONVED 120519


**3444721 BOX FOR THERMOSTAT**  
dimensions 98x70x40 mm



HOONVED H161127

HOONVED 161127

**3444710 GASKET FOR THERMOSTAT BOX**




HOONVED H200491

HOONVED 200491

**3744114 THERMOSTAT SINGLE-PHASE 115°C**

with manual reset  
capillary 1000 mm  
bulb  $\varnothing$  5x120 mm  
15A 250V



HOONVED H120519

HOONVED H120520

HOONVED H161127

HOONVED 120520

**3444133 THERMOSTAT SINGLE-PHASE 30-90°C**


covered capillary 2200 mm  
bulb  $\varnothing$  6.5x95 mm  
15A 250V  
D shaft  $\varnothing$  6x4.6 mm



HOONVED 25417

**3444826 THERMOSTAT SINGLE-PHASE 49/87°C 39/78°C**

covered capillary 920 mm  
bulb  $\varnothing$  6,5x90 mm  
D-shaped pin  $\varnothing$  6x4,6 mm



HOONVED 38071

**3444229 THERMOSTAT SINGLE-PHASE 90°C**

covered capillary 1000 mm  
bulb  $\varnothing$  9x40 mm  
15A 250V  
D shaft  $\varnothing$  6x4.6 mm



HOONVED H120522

HOONVED 120522



Suitable for:

Suitable for:

**3444228 THERMOSTAT 2 TEMPERATURES 40-78-47-85°C**

**5007039 THERMOSTAT 50°-90°C WITH BOX**

2 adjustment ranges:  
1st stage 40÷78°C  
2°stage 47-85°C  
covered capillary 1000 mm  
bulb ø 6.5x95 mm  
16A 250V  
D shaft ø 6x4.6 mm



HOONVED H120525

HOONVED 120525

HOONVED H120501

HOONVED H120512

HOONVED H161127

HOONVED 120512

## Timers

**3446048 TIMER S48/704 230V 50/60Hz**  
8 pin - dimensions 48x48x100 mm  
mounting hole 44x44 mm




HOONVED 25408

## Tubing and hoses

**5008841 DRAIN HOSE ELBOW-SHAPED**  
internal ø 30 mm and ø 40 mm

**5025708 HOSE FOR OUTLET 370 mm**  
external ø 62 mm - internal ø 52 mm



HOONVED 201033

HOONVED 31612

HOONVED 201108

HOONVED 35020

**5026900 HOSE OUTLET 450 mm**  
internal ø 50 mm

**5033611 INLET HOSE FOR DRAIN PUMP**  
internal ø 29 mm  
for DISHWASHER COMENDA BHC25-BHC30-BHC433-LF700  
LB200-LB215-LB260-LB275-LF321-LF322-LF324-LF325  
for DISHWASHER HOONVED C43-C46



HOONVED 32984

HOONVED H201066

HOONVED 201066

Suitable for:

Suitable for:

**3248012 INLET PIPE**  
 internal  $\varnothing$  40 and 44 mm  
 external  $\varnothing$  50 and 54 mm  
 overall length 155 mm



HOONVED 26907

**3248013 OUTLET HOSE**  
 internal  $\varnothing$  38/45 mm  
 overall length 240 mm



HOONVED 28421

**3248014 INLET PIPE**  
 internal  $\varnothing$  60 mm  
 overall length 310 mm



HOONVED 29532

**3248015 PUMP OUTLET HOSE**  
 internal  $\varnothing$  50 mm



HOONVED 25227

**3248199 INLET PIPE  $\varnothing$  60/63 mm**



HOONVED H200767

HOONVED 200767

**3248028 INLET PIPE FOR PUMP**  
 internal  $\varnothing$  45 mm and 39 mm



HOONVED 26909

**5012484 INLET PIPE FOR PUMP**  
 internal  $\varnothing$  48 and 44 mm



HOONVED 200612

**3248118 INLET PIPE FOR RINSE PUMP**



HOONVED H201017

HOONVED 201017

**3248047 OUTLET HOSE**  
 $\varnothing$  internal 51 mm.  
 length 95 mm.



HOONVED 33455

**3450063 INLET PIPE**  
 internal  $\varnothing$  60 and 62 mm  
 length 350 mm



HOONVED 33454



# HOONVED



Suitable for:

**3248075 OUTLET HOSE**  
internal  $\varnothing$  50 mm 47 mm and 36 mm



HOONVED 200768

Suitable for:

**3248137 OUTLET HOSE**  
internal  $\varnothing$  25 and 14 mm - length 620 mm



HOONVED H200759

HOONVED 200759

**3248010 PUMP OUTLET HOSE**  
internal  $\varnothing$  40 mm and 30 mm



HOONVED 25221

**3248011 INLET PIPE FOR PUMP**  
internal  $\varnothing$  40 mm and 30 mm



HOONVED 25218

**3248200 SLEEVE FOR BOILER/AIR CHAMBER**  
internal  $\varnothing$  26 mm



HOONVED 201070

HOONVED 36028

**3248046 WASH OUTLET HOSE**



HOONVED 33583

**3248198 WASH OUTLET SLEEVE**  
external  $\varnothing$  65 mm - internal  $\varnothing$  52 mm



HOONVED H201004

HOONVED 201004

## Vibration insulators for motors

**5012181 SHOCK ABSORBER FOR PUMP SE/1**  
rubber  $\varnothing$  40 mm height 41 mm  
threads MA8x22 mm



HOONVED 441104





## Wash and rinse arms for warewashers

**3243759 BOTTOM RINSE ARM ASSEMBLY 350 mm**



HOONVED 21863

**3501056 RINSE NOZZLE BLACK**



HOONVED 29695

**3243785 SPACING RING FOR TURBINE**



HOONVED 18345

**3243757 THREADED CLOSING CAP**



HOONVED 32359

**3243760 BOTTOM WASH ARM ASSEMBLY 350 mm**



HOONVED 21866

**3243772 LOWER RINSE SHAFT**  
dimensions:  $\varnothing$  14x147 mm



HOONVED 17913

**5018567 SELF-TAPPING SCREW  $\varnothing$  2.9x9.5 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOONVED 25684

**3743062 STAINLESS STEEL RETURN PIN**



HOONVED 17917

HOONVED 34351

**3243742 THREADED END CAP**



HOONVED 30516

**3243772 LOWER RINSE SHAFT**  
dimensions:  $\varnothing$  14x147 mm



HOONVED 17913



Suitable for:

**5018567 SELF-TAPPING SCREW  $\varnothing$  2.9x9.5 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOO NVED 25684

**3243742 THREADED END CAP**



HOO NVED 30516

**3243744 WASH JET**



HOO NVED 29156

**3243743 BOTTOM WASH ARM ASSEMBLY 415 mm**



HOO NVED 21867

**5018567 SELF-TAPPING SCREW  $\varnothing$  2.9x9.5 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOO NVED 25684

# HOO NVED



Suitable for:

**3743062 STAINLESS STEEL RETURN PIN**



HOO NVED 17917

**3243889 THREADED RING NUT FOR WASH ARM ASSEMBLY**

HOO NVED 34351



HOO NVED 32282

**3243772 LOWER RINSE SHAFT**  
dimensions:  $\varnothing$  14x147 mm



HOO NVED 17913

**3243785 SPACING RING FOR TURBINE**



HOO NVED 18345



Suitable for:

**3743062 STAINLESS STEEL RETURN PIN**



HOONVED 17917

HOONVED 34351

**3243889 THREADED RING NUT FOR WASH ARM ASSEMBLY**



HOONVED 32282

**3743735 CAP FOR WASH ARM**



HOONVED H160780

**3743746 CAP FOR WASH MANIFOLD**



HOONVED H160781

HOONVED 160781

**3243816 COMPLETE WASH ARM ASSEMBLY 505 mm**  
complete with hub, nut and bushings



HOONVED H420548

HOONVED 420548

**3243062 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190617

HOONVED 190617

# HOONVED



Suitable for:

**3243742 THREADED END CAP**



HOONVED 30516

**3243744 WASH JET**



HOONVED 29156

**3743736 GASKET FOR MANIFOLD CAP**



HOONVED H200959

**5012243 ORM GASKET 0240-40 EPDM**  
ring thickness 4.0 mm - internal  $\varnothing$  24.0 mm  
for manifold caps



HOONVED H200933

**3243818 DRUM LOCKING NUT**



HOONVED H191070

HOONVED 191070

**3243817 WASH ARM ASSEMBLY DRUM**



HOONVED H191069

HOONVED 191069



Suitable for:

**3243822 COMPLETE WASH ARM ASSEMBLY 530 mm**  
complete with hub and ring nut



HOONVED H420553

HOONVED 17085

HOONVED 420553

**3743157 BUSHING OF STAINLESS STEEL**



HOONVED 35977

HOONVED 36188

**3243285 LOCKING NUT FOR WASH ARM ASSEMBLY**



HOONVED H280409

HOONVED 33478

HOONVED 36006

**3243067 WASH ARM ASSEMBLY SPINDLE**



HOONVED 33460

**3243048 COMPLETE WASH/RINSE ARM ASSEMBLY 500 mm**  
in plastic



HOONVED H420526

HOONVED 420526

**3243069 O-RING 02068 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  17.17 mm



HOONVED 200812

HOONVED 27050


Suitable for:

**5001909 BUSHING  $\varnothing$  23x20x20 mm**



HOONVED 36187

**3743743 BUSHING TYPE H370 2023-21**  
external  $\varnothing$  30/23 mm - hole  $\varnothing$  20 mm - height 21 mm



HOONVED 35968

**3743158 STAINLESS STEEL RING NUT**



HOONVED 33469

HOONVED 36011

**3743061 WASH ARM ASSY BUSH**



HOONVED 33468

**3243933 LONG BUSHING**  
internal  $\varnothing$  12x24 mm



HOONVED 190645

**1186255 O-RING 0109 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.13 mm



HOONVED 200845



Suitable for:

**1186803 O-RING 02037 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



HOONVED 200844

HOONVED 33790

**3243268 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190624  
HOONVED 190624

HOONVED H190641  
HOONVED 190641

HOONVED H190649  
HOONVED 190649

**3243074 RINSE JET**



HOONVED H170946

HOONVED 170946

HOONVED 33791

**3243013 WASH ARM ASSEMBLY LOCKING NUT**



HOONVED H261009

HOONVED 261009

**3243072 WASH JET**



HOONVED H170947

HOONVED 170947

**3243781 LONG SPINDLE NUT FOR WASH ARM ASSEMBLY**



HOONVED 25056

# HOONVED



Suitable for:

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



HOONVED H200824  
HOONVED 200843

HOONVED H200843  
HOONVED 29670

HOONVED 200824

**3243070 RINSE ARM END CAP**



HOONVED 160734

HOONVED 33793


**7106806 SELF-TAPPING SCREW  $\varnothing$  4.2x13 mm**  
stainless steel - countersunk flat head  
cross recessed - C type end  
UNI 6955 - DIN 7982 - ISO 7050



HOONVED 25693

HOONVED 260711

**3243068 WASH ARM END CAP**



HOONVED H160736

HOONVED 160736

**5034768 RING NUT FOR RINSING ARM M10**



HOONVED H280419

HOONVED 280419

HOONVED 280419/1



Suitable for:

# HOONVED



**3743216 RINSE ARM**



HOONVED H430343

**3186448 ORM GASKET 0070-10 EPDM**  
ring thickness 1.0 mm - internal  $\varnothing$  7.0 mm



HOONVED 34360

**3743868 RINSE JET COMPLETE**



HOONVED H170963

HOONVED

**3243319 RINSE ARM ASSEMBLY 335 mm**  
lower/upper



HOONVED 20096

**3501037 RINSE JET**  
with premounted propeller



HOONVED 22155

HOONVED 25062

HOONVED 25136

**3501054 RINSE JET FITTING**



HOONVED 25059

HOONVED 31314

Suitable for:

**3250040 ARM ASSEMBLY SCREW FASTENING SPRING**



HOONVED H450218

HOONVED 450218

**3243268 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190624

HOONVED 190624

HOONVED H190641

HOONVED 190641

HOONVED H190649

HOONVED 190649

**3243013 WASH ARM ASSEMBLY LOCKING NUT**



HOONVED H261009

HOONVED 261009

**3528164 FINNED NUT M6**  
stainless steel - UNI 5448 - DIN 315



HOONVED 25179

HOONVED 25789

**3501055 RINSE JET CLAMP**



HOONVED 25060

HOONVED 31313



# HOONVED



Suitable for:

**3243320 RINSE ARM ASSEMBLY 410 mm**  
lower



HOONVED 20097

**3501037 RINSE JET**  
with premounted propeller



HOONVED 22155

HOONVED 25062

HOONVED 25136

**3501054 RINSE JET FITTING**



HOONVED 25059

HOONVED 31314

**3243776 RINSE ARM ASSEMBLY 480 mm**



HOONVED 20098

**3501037 RINSE JET**  
with premounted propeller



HOONVED 22155

HOONVED 25062

HOONVED 25136

**3501054 RINSE JET FITTING**



HOONVED 25059

HOONVED 31314

Suitable for:

**3528164 FINNED NUT M6**  
stainless steel - UNI 5448 - DIN 315



HOONVED 25179

HOONVED 25789

**3501055 RINSE JET CLAMP**



HOONVED 25060

HOONVED 31313

**3528164 FINNED NUT M6**  
stainless steel - UNI 5448 - DIN 315



HOONVED 25179

HOONVED 25789

**3501055 RINSE JET CLAMP**



HOONVED 25060

HOONVED 31313

**3243742 THREADED END CAP**



HOONVED 30516



Suitable for:

**3243276 RINSE ARM ASSEMBLY 490 mm**



HOONVED 33892

HOONVED 430316

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



HOONVED H200809

HOONVED 30475

**3243269 RINSE JET**



HOONVED H380314

HOONVED 380314

**3243049 RINSE ARM ASSEMBLY 500 mm**



HOONVED 33479

**3243064 CENTER RINSE JET**



HOONVED H170929

HOONVED 170929

**3243009 O-RING 0106 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  6.75 mm



HOONVED H200818

HOONVED 200818

HOONVED 31014

Suitable for:

**3250040 ARM ASSEMBLY SCREW FASTENING SPRING**



HOONVED H450218

HOONVED 450218

**3243268 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190624

HOONVED 190624

HOONVED H190641

HOONVED 190641

HOONVED H190649

HOONVED 190649

**3243013 WASH ARM ASSEMBLY LOCKING NUT**



HOONVED H261009

HOONVED 261009

**3243066 BLANK RINSE JET**



HOONVED H170930

HOONVED 170930

**3528215 HEXAGONAL NUT LOW M4**  
st./steel - UNI 5589 - DIN 936 - ISO 4035



HOONVED 25773

**3243083 RINSE ARM ASSEMBLY BOSS**



HOONVED H191030

HOONVED 191030





Suitable for:

**3243062 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190617

HOONVED 190617

**3743853 RINSE JET CENTRAL COMPLETE**



HOONVED 170929

**3243013 WASH ARM ASSEMBLY LOCKING NUT**



HOONVED H261009

HOONVED 261009

**3243778 RINSE ARM ASSEMBLY 515 mm**



HOONVED 20099

**3501037 RINSE JET with premounted propeller**



HOONVED 22155

HOONVED 25062

HOONVED 25136

**3501054 RINSE JET FITTING**



HOONVED 25059

HOONVED 31314

# HOONVED



Suitable for:

**3243008 RINSE ARM END CAP**



HOONVED H160718

HOONVED 160718

**3743866 RINSE JET COMPLETE**



HOONVED H170704

HOONVED H170911

HOONVED 170911

HOONVED 170704

**3528164 FINNED NUT M6 stainless steel - UNI 5448 - DIN 315**



HOONVED 25179

HOONVED 25789

**3501055 RINSE JET CLAMP**



HOONVED 25060

HOONVED 31313

**3243742 THREADED END CAP**



HOONVED 30516



Suitable for:

# HOONVED



**5026276 RINSE ARM LOWER**



HOONVED 33794

**3243232 GASKET FLAT 60x24 mm**  
central hole  $\varnothing$  12.5 mm - for rinse arm



HOONVED 33784

**1186304 O-RING 0112 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.92 mm



HOONVED 33792


**3243070 RINSE ARM END CAP**



HOONVED 160734

HOONVED 33793

**3528139 SELF-LOCKING HEXAGON NUT M5**  
stainless steel - with nylon built-in ring  
UNI 7474 - DIN 985 - ISO 10511



HOONVED 25791

HOONVED 260414

Suitable for:

**1186192 FLAT WASHER M5**  
internal/external  $\varnothing$  5.3/10 mm - thickness 1 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



HOONVED 25744

HOONVED 260503

**3528106 HEXAGONAL HEAD SCREW M5x16**  
st./steel - UNI 5739 - DIN 933 - ISO 4017



HOONVED H260126

HOONVED 25705

HOONVED 260126

**1186803 O-RING 02037 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



HOONVED 200844

HOONVED 33790

**3243074 RINSE JET**



HOONVED H170946

HOONVED 170946

HOONVED 33791



# HOONVED



Suitable for:

**3243922 RINSE ARM NOZZLE**



HOONVED H170954

HOONVED 170954

Suitable for:

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



HOONVED H200824  
HOONVED 200843

HOONVED H200843  
HOONVED 29670

HOONVED 200824

**3243052 RINSE ARM 490 mm**



HOONVED H430136

HOONVED 430136

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



HOONVED H200809

HOONVED 30475

**5019526 RINSE ARM 526 mm**



HOONVED H430185

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



HOONVED H200809

HOONVED 30475

**3743738 RINSE ARM 550 mm**



HOONVED H430134

HOONVED 430134

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



HOONVED H200809

HOONVED 30475

**5022092 RINSE ARM 615 mm**



HOONVED H430214

**1186411 O-RING 02031 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  7.66 mm



HOONVED H200809

HOONVED 30475

**3243741 TOP RINSE ARM ASSEMBLY 280 mm**



HOONVED 20095

**3501056 RINSE NOZZLE BLACK**



HOONVED 29695



Suitable for:

**3243742** **THREADED END CAP**



HOO NVED 30516

**3243761** **TOP WASH ARM ASSEMBLY 295 mm**



HOO NVED 21899

**3743062** **STAINLESS STEEL RETURN PIN**



HOO NVED 17917

HOO NVED 34351

**3243889** **THREADED RING NUT FOR WASH ARM ASSEMBLY**



HOO NVED 32282

**3743739** **TOP/BOTTOM WASH ARM ASSEMBLY**  
length 480 mm



HOO NVED 33586

**3243768** **CENTER BUSHING FOR WASH ARM ASSEMBLY**  
height 32 mm  
for STS43-ST548-ST553-ST560



HOO NVED 18703

# HOO NVED

Suitable for:



**5018567** **SELF-TAPPING SCREW  $\varnothing$  2.9x9.5 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOO NVED 25684

**3243742** **THREADED END CAP**



HOO NVED 30516

**3243744** **WASH JET**



HOO NVED 29156

**3743741** **BEARING FOR TOP WASH SPINDLE**



HOO NVED 17972

**3243789** **RING FOR SPINDLE NUT**  
internal hole  $\varnothing$  14 mm



HOO NVED 17565



Suitable for:

**3243790 WASHER  $\varnothing$  34x22x0.5 mm**



HOONVED 31281

# HOONVED



Suitable for:

**3243273 WASH AND RINSE ARM ASSEMBLY 410 mm**



HOONVED H420531

HOONVED 33957

HOONVED 420531

**1186255 O-RING 0109 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.13 mm



HOONVED 200845

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



HOONVED H200824

HOONVED H200843

HOONVED 200824

HOONVED 200843

HOONVED 29670

**3243070 RINSE ARM END CAP**



HOONVED 160734

HOONVED 33793

**3243069 O-RING OR 02068 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  17.17 mm



HOONVED 200812

HOONVED 27050

**1186803 O-RING 02037 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



HOONVED 200844

HOONVED 33790

**3243268 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190624

HOONVED H190641

HOONVED H190649

HOONVED 190624

HOONVED 190641

HOONVED 190649

**3243074 RINSE JET**



HOONVED H170946

HOONVED 170946

HOONVED 33791




Suitable for:

**5013787 SELF-TAPPING SCREW  $\varnothing$  4.2x13 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOONVED H260702

**3243068 WASH ARM END CAP**



HOONVED H160736

HOONVED 160736

**3243468 WASH AND RINSE ARM ASSEMBLY 410x410 mm**



HOONVED H420551

HOONVED 420551

**1186255 O-RING 0109 EPDM**  
ring thickness 2.62 mm - internal  $\varnothing$  9.13 mm



HOONVED 200845

**1186352 O-RING 02050 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  12.42 mm



HOONVED H200824

HOONVED 200843

HOONVED H200843

HOONVED 29670

HOONVED 200824

# HOONVED



Suitable for:

**3243013 WASH ARM ASSEMBLY LOCKING NUT**



HOONVED H261009

HOONVED 261009

**3243286 WASH JET**



HOONVED H170956

HOONVED 170956

**3243069 O-RING OR 02068 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  17.17 mm



HOONVED 200812

HOONVED 27050

**1186803 O-RING 02037 EPDM**  
ring thickness 1.78 mm - internal  $\varnothing$  9.25 mm



HOONVED 200844

HOONVED 33790

**3243268 RINSE ARM ASSEMBLY BUSHING**



HOONVED H190624

HOONVED 190624

HOONVED H190641

HOONVED 190641


HOONVED H190649

HOONVED 190649



Suitable for:

**3243070 RINSE ARM END CAP**



HOONVED 160734

HOONVED 33793


**7106806 SELF-TAPPING SCREW  $\varnothing$  4.2x13 mm**  
stainless steel - countersunk flat head  
cross recessed - C type end  
UNI 6955 - DIN 7982 - ISO 7050



HOONVED 25693

HOONVED 260711

**3243068 WASH ARM END CAP**



HOONVED H160736

HOONVED 160736

**3243324 WASH ARM ASSEMBLY**



HOONVED 20106

**3243762 RING NUT  $\varnothing$  1"1/2**



HOONVED 25007

**3501041 WASH JET**



HOONVED 25073

# HOONVED



Suitable for:

**3243074 RINSE JET**



HOONVED H170946

HOONVED 170946

HOONVED 33791

**3243013 WASH ARM ASSEMBLY LOCKING NUT**



HOONVED H261009

HOONVED 261009

**3243286 WASH JET**



HOONVED H170956

HOONVED 170956

**3186243 GASKET FLAT EPDM  $\varnothing$  61x47x3 mm**



HOONVED 25259

**3448160 SELF-TAPPING SCREW  $\varnothing$  3.9x13 mm**  
stainless steel - cylinder head  
cross recessed - C type end  
UNI 6954 - DIN 7981 - ISO 7049



HOONVED 25697

HOONVED 34815



Suitable for:

# HOONVED



**3243765 WASH ARM ASSEMBLY 380 mm**



HOONVED 17974

HOONVED 21036

**3243767 CENTER BUSHING FOR WASH ARM ASSEMBLY**  
internal hole  $\varnothing$  22 mm



HOONVED 17971

**3186013 O-RING 06187 EPDM  $\varnothing$  58 mm**  
ring thickness 5.34 mm - internal  $\varnothing$  47.00 mm



HOONVED H200820

HOONVED 200820

HOONVED 8662

**3243769 WASH ARM ASSEMBLY 415 mm**



HOONVED 17975

HOONVED 21290

**3243768 CENTER BUSHING FOR WASH ARM ASSEMBLY**  
height 32 mm  
for STS43-ST548-ST553-ST560



HOONVED 18703

**3243790 WASHER  $\varnothing$  34x22x0.5 mm**



HOONVED 31281

Suitable for:

**3743740 CENTER BUSHING FOR TOP WASH ARM ASSEMBLY**  
height 28 mm



HOONVED 34262

**3243768 CENTER BUSHING FOR WASH ARM ASSEMBLY**  
height 32 mm  
for STS43-ST548-ST553-ST560



HOONVED 18703

**3243766 WASHER FOR WASH ARM ASSEMBLY**



HOONVED 25122

**3743741 BEARING FOR TOP WASH SPINDLE**



HOONVED 17972

**3243789 RING FOR SPINDLE NUT**  
internal hole  $\varnothing$  14 mm



HOONVED 17565

**3243766 WASHER FOR WASH ARM ASSEMBLY**



HOONVED 25122





# HOONVED



Suitable for:

**3243077 WASH ARM END CAP**



HOONVED H160754

Suitable for:

**3243221 WASH ARM END CAP**



HOONVED 33796

**3243458 WASH ARM END CAP**



HOONVED H160724

HOONVED 160724

**3743887 WASH ARM W.R.I.S. 525x75 mm**  
stainless steel - with quick release



HOONVED 420592

**3243227 WASH JET**  
for CR



HOONVED 33802

**3243226 WASH JET NOZZLE**  
for CR



HOONVED 33801

**3243089 WASH/RINSE ARM ASSEMBLY BOSS**



HOONVED H191022

HOONVED 191022

## Wash jets and accessories

**5063671 CLIP WASH JET**



HOONVED 34263

**3186448 ORM GASKET 0070-10 EPDM**  
ring thickness 1.0 mm - internal  $\varnothing$  7.0 mm



HOONVED 34360

**3501188 RINSE JET SPRING**



HOONVED 34293

HOONVED 450236



# HOONVED



Suitable for:

Suitable for:

**3501042 OPENABLE WASH JET**

**3743863 RH COMPLETE WASH JET**



HOONVED 25074

HOONVED H180213

HOONVED 180213

**3501057 RINSE JET**

**3501058 WASH COUPLING JET**



HOONVED 31383

HOONVED 30390

**3243228 WASH JET**

**3501038 WASH JET**



HOONVED 33799

HOONVED 25069

**3501039 WASH JET**

**3501040 WASH PROPELLER**



HOONVED 25070

HOONVED 25135

HOONVED 25072

**3743851 WASH JET COMPLETE**

**3743852 WASH JET LH COMPLETE**



HOONVED 33801

HOONVED 33802

HOONVED H180213

HOONVED 180213

**3243078 WASH JET SUPPORT**




HOONVED H170926

HOONVED 170926



## Washing baskets and accessories

**3055030 ALL-PURPOSE RACK 500x500x100 mm**  
in plastic  
useful internal height when stacked 75 mm



HOONVED 26683

**3055054 CUTLERY INSERT RACK 105x105x131 mm**  
plastic



HOONVED H660503

HOONVED 35430

HOONVED 660503

**3055055 CUTLERY RACK 500x235x131 mm**  
of plastic



HOONVED H660508

HOONVED 660508

**3055080 GLASS BASKET  $\varnothing$  350x190 mm**  
in plastic covered wire  
 $\varnothing$  350 mm  
height 190 mm  
bottom ring  $\varnothing$  280 mm



HOONVED 15412

**3055502 GLASS RACK  $\varnothing$  360x130 mm**  
made of plastic  
bottom ring  $\varnothing$  280 mm



HOONVED 25132


**3055058 GLASS RACK  $\varnothing$  380x160 mm**  
upper  $\varnothing$  380 mm  
lower  $\varnothing$  365 mm  
height 160 mm  
in plastic



HOONVED H660703


HOONVED 660703

**3055049 GLASS RACK  $\varnothing$  400x160 mm**  
in plastic covered wire  
 $\varnothing$  400 mm  
height 160 mm  
bottom ring  $\varnothing$  280 mm



HOONVED 15414

**3055081 GLASS RACK  $\varnothing$  455x170 mm**  
in plastic covered wire  
 $\varnothing$  455 mm  
height 170 mm  
bottom ring  $\varnothing$  390 mm



HOONVED 15417




Suitable for:

# HOONVED



Suitable for:

**3055047 PLATE RACK 500x500x100 mm**  
 for 12 SOUP PLATES  
 for 18 DINNER PLATES  
 in plastic



HOONVED 26686

**3055241 ROTATING SUPPORT DRUM  $\varnothing$  19.5x63 mm**  
 internal hole  $\varnothing$  15 mm



HOONVED 15233

**3186287 O-RING 0123 EPDM**  
 ring thickness 2.62 mm - internal  $\varnothing$  17.86 mm



HOONVED 200878

HOONVED 25242

**3055060 SAUCER RACK 350x100x72 mm**  
 made of plasticized wire - for 17 saucers  
 for rack  $\varnothing$  380 mm  
 for rack 400x400 mm



HOONVED 15462

**3055083 SUPPORT FOR ROTATING RACK  $\varnothing$  292 mm**  
 height 65 mm  
 for basket with  $\varnothing$  smaller than 280 mm



HOONVED 20071

HOONVED 20071/R

HOONVED 25053

**3055085 ROTATING SUPPORT SPINDLE  $\varnothing$  15x113 mm**  
 total height 113 mm  
 with bearings



HOONVED 20140

**3055056 TRAY RACK 500x500x105 mm**  
 for 7 TRAYS without insert  
 in plastic  
 tray length max 535 mm



HOONVED H660410

HOONVED 660410

**3055057 TRAY RACK 500x500x105 mm**  
 for 10 TRAYS with plastic covered insert  
 in plastic  
 tray length max 535 mm



HOONVED H660403

HOONVED 660403



**HOONVED**



Suitable for:

Suitable for:

---

**Watertight seals and rings**

---

**9186057 SEALING RING 35x20x7 mm**



HOONVED H440407

HOONVED 440407

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)