



# Spare parts for the professional sector: Warewashing equipment



Suitable for:

# SAMMIC



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*





Suitable for:

# SAMMIC



Suitable for:

## Air traps

**3060098 AIR CHAMBER COMPLETE  $\varnothing$  44x117 mm**  
 hose end fitting  $\varnothing$  6.5 mm  
 complete with mounting kit  
 for Dishwasher (SAMMIC) SP-290 - SP-350 - SP-550  
 SP-550B  
 for Pan/utensilwashing machines (SAMMIC) SU-600  
 SU-750



SAMMIC 2309200

**3060099 AIR CHAMBER COMPLETE  $\varnothing$  44x50 mm**  
 hose end fitting  $\varnothing$  6.5 mm  
 complete with mounting kit  
 for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19




SAMMIC 2313131

**3060106 AIR CHAMBER COMPLETE  $\varnothing$  44x78 mm**  
 hose end fitting  $\varnothing$  5 mm  
 complete with mounting kit  
 for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
 S-550 - S-750 - S-750A - SB-290 - SB-350  
 SB-550 - SB-750 - SB-750A - SP-23 - SP-23B  
 SP-290 - SP-350 - SP-550 - SP-550B - SP-800  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1100  
 LV-1200 - SC-1100 - SC-1200  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-19  
 S-20 - S-21 - S-23 - SB-22 - SB-23 - SV-19  
 SV-20 - SV-21 - SV-21B



SAMMIC 2309693


**3060017 AIR CHAMBER COMPLETE 52x32x130 mm**  
 hose end fitting  $\varnothing$  6 mm  
 complete with O-ring gasket and fastening nut



SAMMIC 00002180

## Bearings

**D063051 BEARING 6203-2RS SKF**  
 single box packaging



SAMMIC SL0131

## Boilers

**3024014 COMPLETE BOILER  $\varnothing$  160x450 mm**



SAMMIC 00010500

**3090081 FITTING "T" FOR BOILER INJECTOR**  
 thread connections 1/2"/1/4" M  
 hose-end fittings  $\varnothing$  13 mm



SAMMIC 00010502

SAMMIC 00220440



Suitable for:

**3090080 NON-RETURN VALVE F1/4"**

**SAMMIC**

Suitable for:



SAMMIC 00220419

**3024044 COMPLETE BOILER  $\varnothing$  170x560 mm**  
for Pan/utensilwashing machines (SAMMIC) SU-600  
SU-750



SAMMIC 2319037

## Bulb sheathes

**3187011 SHEATHING  $\varnothing$  3/8" 21 mm**  
of stainless steel with nut and gasket



SAMMIC 00003410

## Bumpers

**5023081 RUBBER SHOCK ABSORBER  $\varnothing$  15 mm**



SAMMIC 00013782

## Cable glands

**3050143 CABLE GLAND PG13.5**



SAMMIC 2059118

SAMMIC 2313453



Suitable for:

# SAMMIC



Suitable for:

## Clamps

**3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS**  
for hoses  $\varnothing$  7÷7.5 mm



SAMMIC 05110001

**3168002 HOSE CLAMP 70-90**  
for pipes  $\varnothing$  70÷90 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



SAMMIC 05100008

## Contact thermostats

**3444607 CONTACT THERMOSTAT 110°C**  
with manual reset  
for Pan/utensilwashing machines (SAMMIC) SU600S



SAMMIC 2302852

SAMMIC 2319230

**3444608 CONTACT THERMOSTAT 60°C**  
automatic reset - for wash tank  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2309043

## Contactors

**3454042 CONTACTOR ABB AF09-30-01-13**  
9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



SAMMIC 2059435

SAMMIC 2600121

**3454046 CONTACTOR ABB AF16-40-00-13**  
30A - coil 100/250V 50/60Hz  
4 normally open contacts



SAMMIC 2300135

SAMMIC 2319447

**3454045 CONTACTOR ABB A9-40-00**  
9A 400V 4Kw - coil 230V 50/60Hz  
4 normally open contacts



SAMMIC 2600123

SAMMIC 2600124

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



SAMMIC 4038058

SAMMIC 00006280





Suitable for:


**7151262 CONTACTOR SCHNEIDER LC1D18M7**  
 18A 400V 7,5Kw - coil 220V 50/60Hz  
 3 contacts NO  
 1 auxiliary contact NO  
 1 auxiliary contact NC



SAMMIC 00006270

Suitable for:

**3351033 THERMAL RELAY ABB TA25DU**  
 6÷8.5A  
 1 normally open contact  
 1 normally closed contact  
 for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2141175

**3351019 THERMAL RELAY ABB TF42**  
 7.6÷10A  
 1 normally open contact  
 1 normally closed contact  
 for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2141177

## Controllers and changeover switches


**3322277 CONTROLLER 11803F1 3 CAMS**  
 120 second cycle  
 230V 50/60Hz  
 for Glasswasher/Cupwasher (SAMMIC) SL-18  
 for Glasswasher/Cupwasher (SAMMIC) SV18



SAMMIC 2310451


SAMMIC 2319219

**3322289 CONTROLLER 11804F1 4 CAMS**  
 216 second cycle  
 230V 50/60Hz  
 for Dishwasher (SAMMIC) SL-290BS  
 for Dishwasher (SAMMIC) SP-290BS



SAMMIC 2310456

**3322315 CONTROLLER 4902F1 2 CAMS**  
 180 seconds cycle  
 230V 50/60Hz  
 for Dishwasher (SAMMIC) S-550 - S-750 - SB-550  
 SB-750  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1080



SAMMIC 2309206

**3241796 KNOB KIT RED AND BLACK ø 40 mm**  
 square hole 6x6 mm  
 for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
 S-550 - S-750 - S-750A - SB-290 - SB-350  
 SB-550 - SB-750 - SB-750A  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1080  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - S-23  
 SB-23



SAMMIC 2309024

SAMMIC 2309580



Suitable for:

**3241797 SELECTOR SWITCH BLACK KNOB**

for Dishwasher (SAMMIC) S-290 - S-350 - S-550  
S-750 - S-750A - SB-290 - SB-350 - SB-550  
SB-750 - SB-750A  
for Glasswasher/Cupwasher (SAMMIC) S-23 - SB-22  
SB-23



SAMMIC 2309580


# SAMMIC



Suitable for:

**3322314 CONTROLLER 4903F1 3 CAMS**


240 seconds cycle  
230V 50/60Hz  
for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
SB-290 - SB-350  
for Glasswasher/Cupwasher (SAMMIC) E-19 - S-23  
SB-23



SAMMIC 2309694

**3322166 CONTROLLER 4904DV 4 CAMS**

1st cycle 2 minutes  
2nd cycle 7.5 minutes  
230V 50/60Hz



SAMMIC 2610022

**3322079 CONTROLLER 7803F1 3 CAMS**


120 seconds cycle  
230V 50/60Hz  
for Glasswasher/Cupwasher (SAMMIC) SB-22 - SV-20  
SV-21



SAMMIC 2309737

**3322260 CONTROLLER 7805DV 5 CAMS**

1st cycle 6 seconds  
2nd cycle 180 seconds  
230V 50Hz  
without pin



SAMMIC 2306348

**3322288 TIMER 11804F1 4 CAMS**

cycle 180 seconds  
230V 50/60Hz  
for Glasswasher/Cupwasher (SAMMIC) SL-20 - SL-21




SAMMIC 2310454

SAMMIC 2319396

**3322290 TIMER 7807DV 7 CAMS**

1st cycle 180 seconds  
2nd cycle 6 seconds  
230V 50Hz  
for Dishwasher (SAMMIC) SL-800B



SAMMIC 2310458



## Door catches

### 3398004 DOOR CATCH

for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
 S-550 - S-750 - S-750A - SB-290 - SB-350  
 SB-550 - SB-750 - SB-750A - SP-23 - SP-23B  
 SP-290 - SP-350 - SP-550 - SP-550B - SP-800  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-19  
 S-20 - S-21 - S-23 - SB-22 - SB-23 - SL-20  
 SL-21 - SL-21B - SV-19 - SV-20 - SV-21  
 SV-21B



SAMMIC 2309122

## Drain assembly

### 3316129 DRAIN HOSE-END ELBOW FITTING




SAMMIC 00012701

## Drain hoses

### 3450026 DRAIN HOSE $\varnothing$ 28x1500 mm

elbow hose internal  $\varnothing$  28 mm external  $\varnothing$  33 mm  
 straight hose internal  $\varnothing$  24 mm external  $\varnothing$  28 mm  
 max temperature 90°C



SAMMIC 2305114

### 3450028

### DRAIN HOSE $\varnothing$ 29x1500 mm

muffs internal  $\varnothing$  24 and 28 mm  
 max temperature 90°C  
 for Dishwasher (SAMMIC) SP-350  
 for Dishwasher (SAMMIC) SP350



SAMMIC 2305113

### 3450155 DRAIN HOSE $\varnothing$ 35x2000 mm

sleeves internal  $\varnothing$  32 mm  
 sleeves external  $\varnothing$  40 mm



SAMMIC 07130158



Suitable for:


# SAMMIC



Suitable for:

## Drain plugs

**3448270 OVERFLOW PIPE  $\varnothing$  26x105 mm**  
in plastic  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2306557

SAMMIC 2319218

**3448298 OVERFLOW PIPE  $\varnothing$  40x145 mm**  
of plastic  
total length 157 mm  
for Dishwasher (SAMMIC) SP-350 - SP-550



SAMMIC 2310332

**3316156 DRAIN ASSEMBLY ELBOW**  
for Dishwasher (SAMMIC) SP-290 - SP-350 - SP-550  
SP-550B



SAMMIC 2310692

**3448269 OVERFLOW PIPE  $\varnothing$  40x185 mm**  
in plastic  
for Glasswasher/Cupwasher (SAMMIC) SL-20 - SL-21



SAMMIC 2313206

SAMMIC 2319251

**3316157 DRAIN ASSEMBLY**  
for Dishwasher (SAMMIC) SL-23 - SP-290 - SP-350  
SP-550 - SP-550B  
for Dishwasher hood type (SAMMIC) SC-1100  
for Glasswasher/Cupwasher (SAMMIC) SV-20 - SV-21  
for Dishwasher (SAMMIC) X-50



SAMMIC 2310242

SAMMIC 2310419

**3316158 DRAIN ASSEMBLY WITH FILTER**  
for Dishwasher (SAMMIC) SP-290 - SP-350 - SP-550  
SP-550B  
for Dishwasher hood type (SAMMIC) SC-1100



SAMMIC 2310241

SAMMIC 2319263

**7104363 OVERFLOW PIPE  $\varnothing$  40x193 mm**  
for Dishwasher (SAMMIC) P-50 - S-50 - S-60  
SL-290 - SL-290B - SL-350 - SL-350B - SL-550  
SL-550B - SL-800 - SL-800B - X-45 - X-50  
X-60 - X-80



SAMMIC 2313207

SAMMIC 2319307

Suitable for:

Suitable for:


**7106087 OVERFLOW PIPE  $\varnothing$  40x298 mm**  
 for Dishwasher hood type (SAMMIC) P-100 - S-100  
 S-120 - X-100 - X-120  
 for Dishwasher hood type (SAMMIC) SL-1100  
 SL-1100B - SL-1200 - SL-1200B - SL-900  
 SL-900B



SAMMIC 2313208

SAMMIC 2319440

**3448213 OVERFLOW PIPE  $\varnothing$  43x350 mm**  
 in plastic



SAMMIC 0006554

**3160475 WASH PUMP FILTER**



SAMMIC 0006570

**3186268 LIP SEAL DE175 EPDM**  
 $\varnothing$  45x35.5x7 mm - 80 SH



SAMMIC 06160041

## Drain pumps

**3122181 DRAIN PUMP 100W 230V 50Hz**  
 inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  23 mm



SAMMIC 4309102-OLD

**3122483 DRAIN PUMP 150W 230V 50Hz**  
 inlet external  $\varnothing$  24 mm - outlet external  $\varnothing$  24 mm  
 for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2310784

SAMMIC 2319439

## Electric pumps

**3122509 ELECTRIC PUMP AP 1010 0.25HP**  
 inlet external  $\varnothing$  30 mm - outlet external  $\varnothing$  30 mm  
 0.25HP 230V 50Hz 1.5A - Rpm 2800  
 capacitor 10  $\mu$ f - flow rate 138 L/min



SAMMIC 2305484

**3068016 CAPACITOR DUCATI ENERGIA 10 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85 $^{\circ}$ C  
 lead connector 6.35x0.8 mm  
 $\varnothing$  36xh58 mm



SAMMIC 2050610





Suitable for:

**3068080 CAPACITOR ELECTRICAL 10µF**  
450V 50/60Hz - ø 30xh71 mm



SAMMIC 2050610

# SAMMIC



Suitable for:

**3122473 ELECTRIC PUMP FIR 1226SX 2HP**  
inlet external ø 63 mm - outlet external ø 48 mm  
2HP 220/400V 50Hz 5.9/3.4A - Rpm 2800  
for Dishwasher hood type (SAMMIC) SL-1200B



SAMMIC 2310641

**3122474 ELECTRIC PUMP FIR 1227SX 3HP**  
inlet external ø 63 mm - outlet external ø 48 mm  
3HP 220/400V 50Hz 7/4A - Rpm 2800  
for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2311177

**3122475 ELECTRIC PUMP FIR 1243DX 3.20HP**  
inlet external ø 63 mm - outlet external ø 54 mm  
3.20HP 220/400V 50Hz 9/5.2A - Rpm 2800  
for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2310969

SAMMIC 2319084

**3122482 ELECTRIC PUMP FIR 2211DX 0.10HP**  
inlet external ø 28 mm - outlet external ø 28 mm  
0.10HP 230V 50Hz 1.1A - Rpm 2800  
capacitor 5 µF  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 4301828

**5050462 ELECTRIC PUMP FIR 2222RH 0.30HP**  
inlet external ø 28 mm - outlet external ø 28 mm  
0.30HP 230V 50Hz - capacitor 5 µF  
for Dishwasher (SAMMIC) SL-20D - SL-21BD - SL-21D



SAMMIC 2305483

SAMMIC 2319255

**3122476 ELECTRIC PUMP FIR 2233SX 1.20HP**  
inlet external ø 60 mm - outlet external ø 50 mm  
1.20HP 230V 50Hz 6A - Rpm 2800  
capacitor 16 µF  
for Dishwasher hood type (SAMMIC) SL-1100B



SAMMIC 2307820

**3068024 CAPACITOR DUCATI ENERGIA 16µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh70 mm



SAMMIC 6054512

**3068083 CAPACITOR ELECTRICAL 16µF**  
450V 50/60Hz - ø 35xh71 mm



SAMMIC 2319381

SAMMIC 6054512



**3122481 ELECTRIC PUMP FIR 2240SX 0.33HP**  
inlet external ø 30 mm - outlet external ø 30 mm  
brass hose end fitting ø 10 mm  
0.33HP 230V 50Hz 1.7A - rpm 2700  
capacitor 10 µF  
for Glasswasher/Cupwasher (SAMMIC) S-23 - SB-23  
SL-20 - SL-21 - SV-20 - SV-21



SAMMIC 2307070

SAMMIC 2309686

SAMMIC 2319271

**3068016 CAPACITOR DUCATI ENERGIA 10µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh58 mm



SAMMIC 2050610

**3068080 CAPACITOR ELECTRICAL 10µF**  
450V 50/60Hz - ø 30xh71 mm



SAMMIC 2050610

**3122477 ELECTRIC PUMP FIR 2256VSX 1HP**  
inlet external ø 45 mm - outlet external ø 40 mm  
1HP 230V 50Hz 4.5A - Rpm 2750  
capacitor 16 µF  
for Dishwasher (SAMMIC) SL-650CS



SAMMIC 2304290

SAMMIC 2319385

**3068024 CAPACITOR DUCATI ENERGIA 16µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 36xh70 mm



SAMMIC 6054512

**3068083 CAPACITOR ELECTRICAL 16µF**  
450V 50/60Hz - ø 35xh71 mm



SAMMIC 2319381

SAMMIC 6054512



Suitable for:

# SAMMIC



**3122479 ELECTRIC PUMP FIR 3911SX 0.75HP**  
 inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm  
 0.75HP 230V 50Hz 4A - Rpm 2800  
 capacitor 12.5  $\mu$ F  
 for Dishwasher (SAMMIC) SL-290BS



SAMMIC 2305057

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  35xh71 mm



SAMMIC 2302620

**3122478 ELECTRIC PUMP FIR 3983SX 0.50HP**  
 inlet external  $\varnothing$  45 mm - outlet external  $\varnothing$  40 mm  
 0.50HP 230V 50Hz 2.5A - Rpm 2800  
 capacitor 12.5  $\mu$ F  
 for Dishwasher (SAMMIC) SL-290BS



SAMMIC 2305895

**3068081 CAPACITOR ELECTRICAL 12.5 $\mu$ F**  
 450V 50/60Hz -  $\varnothing$  35xh71 mm



SAMMIC 2302620

**3122801 ELECTRIC PUMP LAFERT AMEE-90L-CA2 3HP**  
 inlet external  $\varnothing$  70 mm - outlet external  $\varnothing$  68 mm  
 3HP 220/400V 50/60Hz 9.5/5.5A  
 Rpm 2860/3420  
 for Pan/utensilwashing machines (SAMMIC) LU60



SAMMIC 00047159

Suitable for:

**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



SAMMIC 2302620

**3068019 CAPACITOR DUCATI ENERGIA 12,5 $\mu$ F**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 $\varnothing$  36xh70 mm



SAMMIC 2302620

**3453027 MECHANICAL SEAL FOR SHAFT  $\varnothing$  20 mm**  
 metal seal internal  $\varnothing$  19 mm - external  $\varnothing$  42 mm  
 height 15.5 mm  
 back. element internal  $\varnothing$  26 mm - external  $\varnothing$  45 mm  
 height 10 mm




SAMMIC 06150002



## Electric pumps for pressure increase

- 5007992 ELECTRIC PUMP VOLUMETRIC LGB PPL46DX**  
 0,32kW/0.43HP 230V 50Hz capacitor 8 $\mu$ F  
 hose-end fitting inlet-outlet  $\varnothing$  12 mm  
 for Dishwasher (SAMMIC) SP-290 - SP-290B - SP-350  
 SP-350B - SP-550 - SP-550B  
 for Dishwasher hood type (SAMMIC) SC-1100  
 SC-1200  
 for Pan/utensilwashing machines (SAMMIC) SU-600  
 SU-750




SAMMIC 2304293

SAMMIC 2319400

## Electrical cables


- 3050150 POWER SUPPLY CABLE 3x1.5 mm<sup>2</sup>**  
 with plug SCHUKO  
 overall length 2500 mm



SAMMIC SL1671

## Electronic boards

- 3390244 CONTROL BOARD**  
 dimensions 140x100 mm  
 for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2319053

## Feet

- 3313040 ADJUSTABLE S/ST. FOOT  $\varnothing$  1"1/2 x h 95 mm**  
 with fixed screw M10x25 mm  
 adjustable height 95÷150 mm



SAMMIC 2310659

- 3313088 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 185 mm**  
 with fixed screw M10x22 mm  
 adjustable height 185÷290 mm



SAMMIC 00018071



Suitable for:

# SAMMIC



Suitable for:

## Filters

**3160350 IMPURITIES FILTER**  
for Dishwasher (SAMMIC) SL-23 - SL-23B - SL-23BP  
for Glasswasher/Cupwasher (SAMMIC) SL-24



SAMMIC 2313200

SAMMIC 2319262


**5057958 SUCTION FILTER**  
external  $\varnothing$  101 mm - overall height 130 mm  
for Dishwasher (SAMMIC) P-50 - S-50 - S-60  
SL-290 - SL-290B - SL-300 - SL-350 - SL-350B  
SL-550 - SL-550B - SL-650C - SL-800 - SL-800B  
X-45 - X-50 - X-60 - X-80  
for Glasswasher/Cupwasher (SAMMIC) P-40 - S-41  
SL-20 - SL-21 - SL-21B - SL-23 - SL-23B - X-40  
X-41



SAMMIC 2313201


SAMMIC 2319259

**3160466 SURFACE FILTER 275x240H14 mm**



SAMMIC 00011230

**3160483 SURFACE FILTER 320x250 mm**



SAMMIC 00065523

**3160007 WATER FILTER  $\varnothing$  3/4"FF**



SAMMIC 2311738

## Fuses

**3049013 DELAY FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 1A



SAMMIC 2149131

## Guides

**7100245 DOOR SLIDEWAY 564x34x25 mm**  
for DISHWASHER ELFRAMO LP61H



SAMMIC 00065677





## Handles

### 3242686 HANDLE SUPPORT



SAMMIC 00065595

## Heating elements

### 3455321 HEAT.ELEM.F/TANK 3000W 230V

immersed length 380 mm  
flange 80 x 27 mm  
for Dishwasher (SAMMIC) S-750 - S-750A - SB-750  
SB-750A  
for Dishwasher hood type (SAMMIC) LV-1100  
SC-1100 - SC-1200



SAMMIC 2309094

### 3455315 HEATING ELEMENT FOR BOILER 2500W 230V

immersed length 260 mm  
external  $\varnothing$  flange 70 mm - with probe receptacle  
for Dishwasher (SAMMIC) E-300 - SP-23 - SP-23B  
SP-290  
for Glasswasher/Cupwasher (SAMMIC) LVT-19 - S-20  
S-21 - S-23 - SB-22 - SB-23 - SV-19 - SV-20  
SV-21 - SV-21B



SAMMIC 2309696

### 3355171 HEATING ELEMENT FOR BOILER 9800W 230V

immersed length 320 mm  
flange 90x75 mm - with bulbholder sheathing  
complete with gasket 3186004  
nut (3528232) and washer (3528238) on request



SAMMIC 00003349

### 5029388 ORM GASKET 0520-80 EPDM

ring thickness 8.0 mm - internal  $\varnothing$  52.0 mm  
2 pieces pack  
for Dishwasher (SAMMIC) SL-290 - SL-290B - SL-350  
SL-350B - SL-550 - SL-550B  
for Dishwasher hood type (SAMMIC) E-1000 - LV-1100  
LV-1200 - SC-1100 - SC-1200  
for Glasswasher/Cupwasher (SAMMIC) S-21 - S-23  
SB-22 - SB-23 - SL-18 - SL-19 - SL-20 - SL-21  
for Pan/utensilwashing machines (SAMMIC) SU-600  
SU-750



SAMMIC 2309051

### 3186004 GASKET FLAT RUBBER 87x70x5

central hole  $\varnothing$  50 mm



SAMMIC 00003430



Suitable for:

# SAMMIC



Suitable for:

**3455314 HEATING ELEMENT FOR TANK 1500W 230V**  
 immersed length 190 mm  
 width 117 mm - connections  $\varnothing$  12 mm  
 for Dishwasher (SAMMIC) E-300 - S-290 - SB-290  
 SP-23 - SP-23B  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-19  
 S-20 - S-21 - S-23 - SB-22 - SB-23 - SV-19  
 SV-20 - SV-21 - SV-21B




SAMMIC 2309746

**3355168 HEATING ELEMENT TANK 5700W 220/240V**  
 immersed length 310 mm  
 width 85 mm - fitting  $\varnothing$  1"1/4 (43 mm)  
 complete with gasket  $\varnothing$  54 mm (3186010)



SAMMIC 00003270

**3455011 HEATING ELEMENT 1500W 230V**  
 immersed length 195 mm  
 width 115 mm - flange 50x27 mm  
 for Glasswasher/Cupwasher (SAMMIC) SL-19 - SL-20



SAMMIC 2313119

**3355585 HEATING ELEMENT 2000W 220V**  
 immersed length 250 mm  
 width 65 mm - flange 80x27 mm  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-18  
 LVT-18A - LVT-18H



SAMMIC 2302830

**3455012 HEATING ELEMENT 2000W 230V**  
 immersed length 265 mm  
 external  $\varnothing$  flange 55 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  48 mm (3186001)  
 for Glasswasher/Cupwasher (SAMMIC) SL-18



SAMMIC 2313132

**3455015 HEATING ELEMENT 2500W 230V**  
 immersed length 385 mm  
 width 105 mm - flange 80x27 mm  
 for Dishwasher (SAMMIC) SP-290BS



SAMMIC 2313408

SAMMIC 2313465

**3455017 HEATING ELEMENT 2500W 230V**  
 immersed length 375 mm  
 width 65 mm - flange 80x27 mm  
 for Dishwasher (SAMMIC) S-350 - S-550 - SB-350  
 SB-550 - SL-650C - SP-800  
 for Dishwasher hood type (SAMMIC) E-1000 - SC-1100



SAMMIC 2309092



Suitable for:

**3455016 HEATING ELEMENT 2800W 230V**  
 immersed length 300 mm  
 external  $\varnothing$  flange 70 mm - with probe receptacle  
 for Glasswasher/Cupwasher (SAMMIC) SL-19



SAMMIC 2319070

**3455013 HEATING ELEMENT 3000W 230V**  
 immersed length 305 mm  
 external  $\varnothing$  flange 70 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 complete with fastening rod and contact protection  
 for Dishwasher (SAMMIC) S-290 - S-350 - SB-290  
 SB-350 - SL-290BS - SP-350



SAMMIC 2309778

**3455008 HEATING ELEMENT 6000W 230V**  
 immersed length 270 mm  
 external  $\varnothing$  flange 70 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2319039

Suitable for:

**5029388 ORM GASKET 0520-80 EPDM**  
 ring thickness 8.0 mm - internal  $\varnothing$  52.0 mm  
 2 pieces pack  
 for Dishwasher (SAMMIC) SL-290 - SL-290B - SL-350  
 SL-350B - SL-550 - SL-550B  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1100  
 LV-1200 - SC-1100 - SC-1200  
 for Glasswasher/Cupwasher (SAMMIC) S-21 - S-23  
 SB-22 - SB-23 - SL-18 - SL-19 - SL-20 - SL-21  
 for Pan/utensilwashing machines (SAMMIC) SU-600  
 SU-750



SAMMIC 2309051

**3455014 HEATING ELEMENT 4500W 230V**  
 immersed length 370 mm  
 external  $\varnothing$  flange 70 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 for Dishwasher (SAMMIC) S-550 - SB-550 - SL-290BS  
 SP-550 - SP-550B



SAMMIC 2309100

**3455009 HEATING ELEMENT 6000W 230V**  
 immersed length 455 mm  
 external  $\varnothing$  flange 70 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 for Dishwasher (SAMMIC) S-750 - S-750A - SB-750  
 SB-750A - SP-800  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1100  
 SC-1100  
 for Pan/utensilwashing machines (SAMMIC) SU-600S  
 for Dishwasher (SAMMIC) SL1200



SAMMIC 2309098



Suitable for:

# SAMMIC



**3355170 HEATING ELEMENT 8300/9000/10100W**  
 230/240/254V - for boiler  
 immersed depth 320 mm  
 flange 90x75 mm - with probe receptacle  
 complete with gasket 3186004  
 nut (3528232) and washer (3528238) on request



SAMMIC 00002471

SAMMIC 00003334

Suitable for:

**3186004 GASKET FLAT RUBBER 87x70x5**  
 central hole  $\varnothing$  50 mm



SAMMIC 00003430


**3455010 HEATING ELEMENT 9000W 230V**  
 immersed length 520 mm  
 external  $\varnothing$  flange 70 mm - with probe receptacle  
 complete with O-ring  $\varnothing$  67 mm (3186014)  
 complete with fastening rod and contact protection  
 for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2309858

## Hinges, catches and accessories

**3053203 DOOR HINGE**



SAMMIC 00065309

**3053373 DOOR TIRE ROD ASSEMBLY  $\varnothing$  4x320 mm**  
 for Dishwasher (SAMMIC) SL-23 - SL-23B - SL-23PB  
 for Glasswasher/Cupwasher (SAMMIC) SL-24



SAMMIC 2309224

**3053374 DOOR TIRE ROD RETAINER WITH PLATE**  
 for Dishwasher (SAMMIC) SL-23 - SL-23B - SL-23PB  
 for Glasswasher/Cupwasher (SAMMIC) SL-24



SAMMIC 2309566




## Hose-end fittings

3315100 "T" HOSE-END FITTING  $\varnothing$  13 mm



SAMMIC 2309583

3315037 4- WAYS HOSE-END FITTING  $\varnothing$  12 mm



SAMMIC 4309192

## Hydraulic piping

3743019 RINSE TUBE MR800/MRC800  
length 400 mm



SAMMIC 00005080

3450209 RUBBER PIPE  $\varnothing$  13x20 mm - 40 m  
operating temperature -40+100°C



SAMMIC 00013411

## Indicator lights

3221094 INDICATOR LIGHT ORANGE 230V  
 $\varnothing$  head 14 mm -  $\varnothing$  hole 11.5 mm - 120°C



SAMMIC 28100011

3221024 INDICATOR LIGHT RED 230V  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



SAMMIC 2309960

3319770 INDICATOR LIGHT WHITE 10A 250V  
mounting hole 25x27 mm



SAMMIC 2306539

3221447 INDICATOR LIGHT WHITE 230V  
mounting hole 22x30 mm  
for Dishwasher hood type (SAMMIC) SC-1100



SAMMIC 2310401

SAMMIC 2319316





Suitable for:

# SAMMIC



Suitable for:

## Inlet hoses

**3449001 INLET ELBOW HOSE  $\varnothing$  3/4" FF 1500 mm**  
thermoplastic hose  $\varnothing$  10x16 mm  
nylon fittings  $\varnothing$  3/4" with gaskets  
max temperature 90°C  
max pressure 10 bar



SAMMIC 2309745

**3449055 INLET ELBOW HOSE  $\varnothing$  3/4" FF 1500 mm**  
thermoplastic hose  $\varnothing$  13x19 mm  
brass fittings  $\varnothing$  3/4" F with gaskets  
max temperature 90°C  
max pressure 10 bar  
with WRAS approval



SAMMIC 2309745


**3449318 INLET ELBOW HOSE  $\varnothing$  3/4" FF 1500 mm**  
suitable for TECHNICAL water  
hose  $\varnothing$  10x14.5 mm  
nylon fittings  $\varnothing$  3/4" F with gaskets  
max temperature 25°C  
max pressure 20 bar



SAMMIC 07130001

## Interference suppression filters

**3160368 INTERFER.SUPPR.FILTER D.E.M. FLCB501561F**  
0,1 $\mu$ F 250V 50/60Hz 10A



SAMMIC 2310793

SAMMIC 2319236

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47 $\mu$ F



SAMMIC 24100100

## Ironmongery (screws,nuts,washers)

**9742007 FEATHER KEY ST. STEEL C40 5x5x20 mm**  
UNI 6604/A - DIN 6685/A



SAMMIC SL0010

**3528212 WIDE FLAT WASHER M12**  
internal/external  $\varnothing$  13/36 mm - thickness 3 mm  
stainless steel - UNI 6593 - DIN 9021 - ISO 7093



SAMMIC 02120040



## Level probes

**3341057 LEVEL REGULATOR 0.6A 240V**  
for Dishwasher (SAMMIC) SL-23



SAMMIC 2310475

## Magnets

**7105989 MAGNETIC UNIT STEM M370**  
45x18x10.5 mm  
for Dishwasher pull-through (SAMMIC) - Series ST



SAMMIC 2311812

**3240974 MICROSWITCH MAGNET 63x19x7 mm**  
for Dishwasher (SAMMIC) SL-800B - SP-23 - SP-23B  
SP-290 - SP-350 - SP-550 - SP-550B - SP-800  
for Glasswasher/Cupwasher (SAMMIC) SV-19



SAMMIC 2310470

**3240884 RECTANGULAR MAGNET 63x19x7 mm**



SAMMIC 2319222

## Manifolds for dishwashers


**3743378 FILTER MANIFOLD**  
for Dishwasher (SAMMIC)



SAMMIC 2313203

SAMMIC 2319265

**5065775 NUT FOR DRAIN ASSEMBLY**  
for Dishwasher (SAMMIC) P-50 - S-50 - S-60  
SL-290 - SL-290B - SL-300 - SL-350 - SL-350B  
SL-550 - SL-550B - SL-650C - SL-800 - SL-800B  
X-45 - X-50 - X-60 - X-80  
for Glasswasher/Cupwasher (SAMMIC) P-41 - S-41  
SL-20 - SL-21 - SL-21B - SL-22 - SL-23  
SL-23B - X-40 - X-41



SAMMIC 2313202

SAMMIC 2319264



Suitable for:

# SAMMIC



Suitable for:

## Microswitches, magnetic

**3240141 MAGNETIC MICROSWITCH E5101V**  
0.04A 250V - NO contact - head 32x13 mm  
with magnet 63x19x11 mm  
with cable length 900 mm



SAMMIC 25110113

**3240216 MAGNETIC MICROSWITCH E5221V**  
0.04A 250V - contact NO - head 40x13x8 mm  
with cable length 1900 mm  
for Dishwasher (SAMMIC) SP-23 - SP-23B - SP-290  
SP-350 - SP-550 - SP-550B  
for Glasswasher/Cupwasher (SAMMIC) LV-19



SAMMIC 2009205

SAMMIC 2050705

SAMMIC 2059013


**3240138 MAGNETIC MICROSWITCH STEM E530 1C**  
1-NO 250V 0.4A 100W  
cable length 3000 mm



SAMMIC 19410213

## Microswitches, mechanical

**3240820 MICROSWITCH ELETTRICA NR48W5**  
1NO + 1NC 16A 250V



SAMMIC 6420114

**3803001 MICROSWITCH SAIA-BURGESS**  
mod. XGC2-88-J24H  
16A 230V  
for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
S-550 - S-750 - S-750A - SB-290 - SB-350  
SB-550 - SB-750 - SB-750A  
for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-18  
LVT-18A - LVT-18H - S-20 - S-21 - S-23 - SB-22  
SB-23



SAMMIC 4309250

## Non-return and expansion valves

**1526503 NON-RETURN VALVE ø 40 mm**  
ballcock - outlets ø 12 mm  
stainless steel cap




SAMMIC 23180203



## O-Ring and ORM gaskets

- 1186880 O-RING 04287 NEUTRAL SILICONE**  
ring thickness 3.53 mm - internal  $\varnothing$  72.62 mm  
for shower head



SAMMIC 6.201.902.001

## Pressure switches

- 3320023 PRESSURE SWITCH 1 LEVEL**  
calibration 60/20 mm  
250V 16A  
max operating temperature 85°C



SAMMIC 27100001

- 3320117 PRESSURE SWITCH 1 LEVEL**  
calibration 40/15 mm  
250V 16A  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2302815

SAMMIC 2319212

- 3320175 PRESSURE SWITCH 1 LEVEL**  
calibration 130/40 mm  
250V 16A  
max operating temperature 85°C  
for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2302816

SAMMIC 2319354

## Probes

- 3445273 TEMPERATURE PROBE NTC**  
cable length 1000 mm - bulb  $\varnothing$  6x55 mm  
connection  $\varnothing$  1/8"  
for Pan/utensilwashing machines (SAMMIC) SU-600S



SAMMIC 2310459

SAMMIC 2311663



Suitable for:

# SAMMIC



Suitable for:

## Relays

**3351901 POWER RELAY FINDER 60.62.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 10A



SAMMIC 25130102

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



SAMMIC 19620103

**3351034 POWER RELAY HF105F-4 30A 220Vac**  
for Dishwasher (SAMMIC) SL-23  
for Glasswasher/Cupwasher (SAMMIC) SL-24



SAMMIC 2310410

SAMMIC 2319225

SAMMIC 2319314

**1351006 POWER RELAY SCHRACK RM705730**  
230V 16A  
for Dishwasher (SAMMIC) SL-290B



SAMMIC 2310415

**3351035 POWER RELAY WEIDMÜLLER RPW205730**  
2 exchange contacts 16A - coil 230Vac 50/60Hz  
for Dishwasher (SAMMIC) SL-23 - SL-290/B  
SL-350/B - SL-550/B



SAMMIC 4301854

## Rinse aid pumps and accessories

**3090213 DETERGENT DISP. PERISTALTIC PUMP NBR-3**  
220/240V 50/60Hz 8W  
flow rate 3 L/h 0.1 bar  
santoprene hose  
time-break adjustment  
protection IP 56  
complete with assembly kit



SAMMIC 20155100

SAMMIC 20155111

**3090302 DETERGENT DISP. PERISTALTIC PUMP PG-1.5**  
230V 50/60Hz 8W  
fixed flow rate: 1.5 L/h pressure: 0.1 bar  
santoprene hose  
complete with mounting kit




SAMMIC 2310293



Suitable for:

**3090360 ELBOW FITTING FOR HOSE 4x6**  
stainless steel  
for ELFRAMO LV



SAMMIC 20155102

Suitable for:

**3090150 HYDRAULIC RINSE AID DISPENSER**  
ex mod.2000/VNR/D/1  
flow rate max 6.6 cc  
valves and silicone diaphragm



SAMMIC

**3090049 PERISTALTIC PUMP RINSE AID NBM-0.4**  
model NBM-0.4 - 230V 50/60Hz 8W  
sekobril tube 0.4 L/h  
time-break adjustment  
This KIT for DISHWASHER includes:  
bracket, hose, connection cables, foot filter with  
stainless steel counterweight



SAMMIC 00220401

**3090163 RINSE AID HYDRAULIC DISPENSER**  
for Dishwasher hood type (SAMMIC) LV-1100  
LV-1200 - LV-750



SAMMIC 2305055

**3090158 RINSE AID PERISTALTIC DISPENSER G82B**  
230V 50/60Hz 4W  
flowrate 0.6 L/h silicone hose  
for Dishwasher (SAMMIC) SL-650C



SAMMIC 2319005


## Solenoid valves

**3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 10.5 mm



SAMMIC 23120021

**3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - two outlets ø 10.5 mm



SAMMIC 8100265



Suitable for:

**3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°**  
220/240V 50/60Hz - max. temperature 90°C  
inlet 3/4" - outlet ø 13.5 mm



SAMMIC 2304941

Suitable for:

**3120610 SOLENOID VALVE L145R2 1/2"FF 24V**  
for steam  
normally closed (ex L142 M2)  
max. temperature 175°C  
max. differential pressure 12 bar  
coil 24V 50Hz



SAMMIC 23150001

## Spare parts for pumps

**3786485 GASKET FOR PUMP LAFERT AM90S**



SAMMIC 00002920

## Springs

**3250216 DOOR SPRING SR17**



SAMMIC 00079730

**3189046 DOOR SLIDEWAY LP60 460x35 mm**



SAMMIC 00065245

**3250181 HOOD LIFTING SPRING ø 38x505 mm**  
for SAMMIC DISHWASHER SL1100B



SAMMIC 2310609

**3053375 SPRING HOOK**  
for Dishwasher hood type (SAMMIC) SL-1100B



SAMMIC 2310608

SAMMIC 2319431

## Supports for wash and rinse arms

**3743502 WASH ARM ASSY UPPER SUPPORT**  
for Glasswasher/Cupwasher (SAMMIC) SL-20 - SL-21




SAMMIC 2319062




## Switches

**3319201 BIPOLAR CHANGE OVER SWITCH 1 POSITION**  
16(4)A/250V  
mounting hole 28x28 mm



SAMMIC 28160024

**3319088 BIPOLAR SWITCH ORANGE 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light and push-button cap  
mounting hole 22x30 mm  
for Dishwasher (SAMMIC) E-300  
for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-18  
LVT-18A - LVT-18H - S-20



SAMMIC 2306538

**1319210 BIPOLAR SWITCH WHITE 16A 250V**  
with indicator light  
silk-screen print 0-1  
max. temperature 120°C  
mounting hole 22x30 mm




SAMMIC 2310416

**3319462 BLACK BIPOLAR SWITCH 12A 250V**  
mounting hole 22x30 mm  
for Dishwasher (SAMMIC) SL-800B



SAMMIC 2310402

**1319248 BLACK PLUG**  
mounting hole 22x30 mm  
for Dishwasher (SAMMIC) SP-350



SAMMIC 2310405

**9319066 BLACK SINGLE-POLE SWITCH 10A 250V**  
with push-button cap  
mounting hole 13x20 mm



SAMMIC 2052736

**3319226 PUSH-BUTTON REGENERATION CYCLE 16A 250V**  
16(4)A 250V - max temperature 125°C  
with indicator light - mounting hole 25x27 mm  
for Glasswasher/Cupwasher (SAMMIC) LVT-18  
LVT-18A - LVT-18H - S-20 - S-21 - SB-22



SAMMIC 4301649

**9319068 PUSH-BUTTON 1-POLE BLACK 10A 250V**  
max. temperature 100°C  
mounting hole 13x20 mm



SAMMIC 2052737



Suitable for:

# SAMMIC




**3319181 START SWITCH DOMINO**  
mounting hole 28x28 mm



SAMMIC 28160020

Suitable for:

**3319670 SWITCH BIPOLAR WHITE 16A 250V**  
with indicator light - 2 contacts NO  
mounting hole 22x30 mm  
for Dishwasher (SAMMIC) SP-23 - SP-23B - SP-290  
SP-350 - SP-550 - SP-550B - SP-800  
for Dishwasher hood type (SAMMIC) SC-1100  
SC-1200  
for Glasswasher/Cupwasher (SAMMIC) SV-19 - SV-20  
SV-21 - SV-21B



SAMMIC 2310403


SAMMIC 2319215

**9319060 SWITCH 2 POLE ORANGE 12A 250V**  
mounting hole 13x20 mm



SAMMIC 2052735

**3319716 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 125°C  
with indicator light - silk screen printing ON  
mounting hole 25x27 mm  
for Glasswasher/Cupwasher (SAMMIC) LVT-19 - S-21




SAMMIC 2306536

**3319191 TRIPLE SWITCH BLOCK DOMINO**



SAMMIC 28160023

**3319671 WHITE MONOPOLAR PUSH-BUTTON 16A 250V**  
with indicator light  
mounting holes 22x30 mm  
for Dishwasher (SAMMIC) SP-23 - SP-23B - SP-290  
SP-350 - SP-550 - SP-550B - SP-800  
for Glasswasher/Cupwasher (SAMMIC) SV-19 - SV-20  
SV-21 - SV-21B



SAMMIC 2310404

SAMMIC 2319208

## Thermostats

**5062841 SINGLE-PHASE THERMOSTAT TR2 0-86°C**  
D shaped pin  $\varnothing$  6x4.6 mm  
capillary length 930 mm - 15A 250V  
bulb  $\varnothing$  6.5x98 mm



SAMMIC 2302850

**3444243 SINGLE-PHASE THERMOSTAT 35-93°C**  
covered capillary 1000 mm  
bulb  $\varnothing$  6x125 mm  
D-shaped pin  $\varnothing$  6x4.6 mm  
for boiler setting



SAMMIC 22180004

Suitable for:

**3444213 SINGLE-PHASE THERMOSTAT 55°C**  
 automatic reset  
 capillary length covered 610 mm - 15A 250V  
 button bulb  $\varnothing$  9.5x47 mm  
 thread fitting  $\varnothing$  16.5 mm



SAMMIC 00057151


Suitable for:

**3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6.5x95 mm  
 for Dishwasher (SAMMIC)  
 for Glasswasher/Cupwasher (SAMMIC)




SAMMIC 2309068

**5006382 THERMOSTAT 1-POLE FIXED 60°C**  
 with automatic reset - 15A 250V  
 length of capillary covered 610 mm  
 button bulb  $\varnothing$  11x46 mm  
 threaded connection  $\varnothing$  16 mm  
 complete with gasket and bulb fixing ring nut



SAMMIC 00057151

**3444242 THREE-PHASE THERMOSTAT +107°C**  
 with manual reset  
 covered capillary 850 mm  
 bulb  $\varnothing$  6x80 mm  
 for boiler safety



SAMMIC 2210002

## Tubing and hoses

**3248059 INLET HOSE**  
 internal  $\varnothing$  70 mm  
 length 260 mm



SAMMIC 00052901

**3349470 INLET PIPE FOR PUMP**  
 $\varnothing$  internal 64/69 mm  
 overall length 325 mm



SAMMIC 00065281

**3248034 PUMP OUTLET HOSE**  
 internal  $\varnothing$  70/50 mm  
 total length 190 mm



SAMMIC 00004070



Suitable for:

# SAMMIC



Suitable for:

## Wash and rinse arms for warewashers


**3743492 ARM ASSEMBLY WASH/RINSE 400 mm**  
for Glasswasher/Cupwasher (SAMMIC) SL-20 - SL-21



SAMMIC 2313178

SAMMIC 2319252

**3743496 KIT RINSE JET ASSEMBLY AND CAPS**  
12 jets - 12 springs  
16 gaskets - 4 jet caps  
for Dishwasher (SAMMIC)



SAMMIC 2313125

**3743497 WASH ARM ASSEMBLY END CUPS 4 PCS**



SAMMIC 2313126

**5035489 RINSE ARM ASSEMBLY ST. STEEL 664 m**



SAMMIC 00065294

**3743027 RINSE ARM ASSY BLOCKING PIN**



SAMMIC 00018076

**5058385 KIT COLLECTOR LOWER**  
for Dishwasher (SAMMIC) P-50 - SL-290 - SL-290B  
SL-300 - SL-350 - SL-350B - SL-360 - SL-550  
SL-550B - SL-560 - SL-800 - X-45  
for Glasswasher/Cupwasher (SAMMIC) SL-21 - SL-21B  
SL-23 - SL-23B - X-41



SAMMIC 2319061

**3743499 PIN FOR WASH ARM ASSEMBLY**  
for Glasswasher/Cupwasher (SAMMIC) SL-18



SAMMIC 2313219


SAMMIC 2319206

**3743498 WASH/RINSE ARM ASSEMBLY BOSS**  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2313211

**3743023 RINSE ANTI-FRICTION BUSHER**  
ø external 24 mm.  
ø internal 12 mm.



SAMMIC 00018106

**3501072 STAINLESS STEEL RINSE JET M5x1**




SAMMIC 00018083





Suitable for:

**3743024** **THREADED BUSHER M10**



SAMMIC 00018228

# SAMMIC

Suitable for:



**3743491** **RINSE ARM ASSEMBLY 360 mm**  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2313224


SAMMIC 2319203

**3743495** **RINSE ARM ASSEMBLY BOSS**  
for Dishwasher (SAMMIC) SL-1100 - SL-1200  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19  
SL-20



SAMMIC 2313117

**3743496** **KIT RINSE JET ASSEMBLY AND CAPS**  
12 jets - 12 springs  
16 gaskets - 4 jet caps  
for Dishwasher (SAMMIC)



SAMMIC 2313125

**7101770** **RINSE ARM ASSEMBLY 502 mm**  
for Dishwasher hood type (SAMMIC) S-120 - SL-1200  
X-120



SAMMIC 2313471


SAMMIC 2319458

**3743495** **RINSE ARM ASSEMBLY BOSS**  
for Dishwasher (SAMMIC) SL-1100 - SL-1200  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19  
SL-20



SAMMIC 2313117

**3743496** **KIT RINSE JET ASSEMBLY AND CAPS**  
12 jets - 12 springs  
16 gaskets - 4 jet caps  
for Dishwasher (SAMMIC)



SAMMIC 2313125



Suitable for:

**5022495 STAINLESS STEEL RINSE UNIT LP60 550 mm**




SAMMIC 00065625

**3743027 RINSE ARM ASSY BLOCKING PIN**



SAMMIC 00018076

**3743024 THREADED BUSHER M10**




SAMMIC 00018228

**5042463 WASH ARM ASSEMBLY**  
for Glasswasher/Cupwasher (SAMMIC) E-18 - E-19  
LVT-18 - LVT-18A - LVT-18H - S-20 - SV-18  
SV-18H



SAMMIC 4301864

**3743626 WASH ARM ASSEMBLY 657 mm**



SAMMIC 00052010

Suitable for:

**3743023 RINSE ANTIFRICTION BUSHER**  
ø external 24 mm.  
ø internal 12 mm.



SAMMIC 00018106

**3501072 STAINLESS STEEL RINSE JET M5x1**



SAMMIC 00018083

**5015248 WASH ARM ASSEMBLY BOSS**



SAMMIC 00065336

Suitable for:

**7104750 WASH/RINSE ARM ASSEMBLY**  
with bushings internal  $\varnothing$  16 mm  
for Dishwasher hood type (SAMMIC) S-100 - S-120  
SL-1100 - SL-1100B - SL-1200 - SL-1200B  
SL-900 - X-100 - X-120



SAMMIC 2313419

Suitable for:

**3743501 WASH/RINSE ARM ASSEMBLY BOSS**  
for Glasswasher/Cupwasher (SAMMIC) SL-21



SAMMIC 2319060

**3743494 WASH/RINSE ARM ASSEMBLY 360 mm**  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2313223

SAMMIC 2319204

**3743496 KIT RINSE JET ASSEMBLY AND CAPS**  
12 jets - 12 springs  
16 gaskets - 4 jet caps  
for Dishwasher (SAMMIC)



SAMMIC 2313125

**3743499 PIN FOR WASH ARM ASSEMBLY**  
for Glasswasher/Cupwasher (SAMMIC) SL-18



SAMMIC 2313219

SAMMIC 2319206

**3743497 WASH ARM ASSEMBLY END CUPS 4 PCS**



SAMMIC 2313126

**3743498 WASH/RINSE ARM ASSEMBLY BOSS**  
for Glasswasher/Cupwasher (SAMMIC) SL-18 - SL-19



SAMMIC 2313211



Suitable for:

# SAMMIC



**3743647 WASH/RINSE ARM ASSEMBLY 510 mm**  
 for Dishwasher (SAMMIC) E-300  
 for Dishwasher hood type (SAMMIC) SC-1100  
 for Dishwasher (SAMMIC) LV900F



SAMMIC 2304847

**3743544 KIT RINSE NOZZLES**  
 for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
 S-550 - S-750 - S-750A - SB-290 - SB-350  
 SB-550 - SB-750 - SB-750A - SP-23 - SP-23B  
 SP-290 - SP-350 - SP-550 - SP-550B  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1080  
 LV-1100 - LV-1200 - SC-1100 - SC-1200  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-18  
 LVT-18A - LVT-18H - S-20 - S-21 - S-23 - SB-22  
 SB-23 - SV-19 - SV-20 - SV-21 - SV-21B



SAMMIC 2309080


Suitable for:

**3743653 CAP FOR WASH ARM**  
 4 pieces pack  
 for Dishwasher (SAMMIC) E-300 - S-290 - S-350  
 S-550 - S-750 - S-750A - SB-290 - SB-350  
 SB-550 - SB-750 - SB-750A - SP-23 - SP-23B  
 SP-290 - SP-350 - SP-550 - SP-550B - SP-800  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1100  
 SC-1100  
 for Glasswasher/Cupwasher (SAMMIC) E-19 - LVT-18  
 LVT-18A - LVT-18H - S-20 - S-21 - S-23 - SB-22  
 SB-23 - SV-19 - SV-20 - SV-21 - SV-21B



SAMMIC 2309076

**5029380 KIT WASH NOZZLES**  
 for Dishwasher (SAMMIC) S-290 - S-350 - S-550  
 S-750 - SB-290 - SB-350 - SB-550 - SB-7550  
 SP-23 - SP-23B  
 for Dishwasher hood type (SAMMIC) E-1000 - LV-1100  
 for Glasswasher/Cupwasher (SAMMIC) E-18 - E-19  
 S-20 - S-21



SAMMIC 2309218

## Wash jets and accessories

**3501238 RINSE JET M10 0.5 L/min**  
 for Dishwasher (SAMMIC)



SAMMIC 2311569

## Washing baskets and accessories

**3055555 ALL PURPOSE RACK 500x500x100 mm**  
 large meshed  
 made of plastic  
 useful internal height when stacked 76 mm



SAMMIC 5300105

**3055556 ALL PURPOSE RACK 500x500x100 mm**  
 bottom with small holes  
 in plastic  
 useful internal height when stacked 76 mm



SAMMIC 5300130



# SAMMIC



Suitable for:


**3055053 CUTLERY INSERT RACK 113x113x130 mm**  
plastic



SAMMIC 2302615

Suitable for:

**3055078 CUTLERY INSERT RACK 130x55x100 mm**  
with 2 compartments in mopen




SAMMIC 2302617

**3055567 CUTLERY RACK 390x210x150 mm**  
of plastic



SAMMIC 5300125

**3055230 GLASS RACK 350x350x115 mm**  
in plastic covered wire



SAMMIC 4301923

**3055478 GLASS RACK 350x350x150 mm**



SAMMIC 2302612

**3055238 GLASS RACK 400x400x135 mm**  
in plastic covered wire



SAMMIC 2309733

**3055476 GLASS RACK 400x400x150 mm**  
of plastic




SAMMIC 2305468

**3055324 GLASS RACK 450x450x170 mm**



SAMMIC 2307320

**3055562 GLASS RACK 500x500x100 mm**  
for 16 GLASSES  $\varnothing$  112 mm  
in plastic  
glass height max 100 mm  
useful internal height when stacked 78 mm



SAMMIC 5300174

**3055563 GLASS RACK 500x500x100 mm**  
for 25 GLASSES  $\varnothing$  89 mm  
in plastic  
glass height max 100 mm  
useful internal height when stacked 78 mm



SAMMIC 5300159



Suitable for:

# SAMMIC



**3055564 GLASS RACK 500x500x100 mm**  
for 36 GLASSES  $\varnothing$  74 mm  
made of plastic  
glass max. height 100 mm  
useful internal height when stacked 78 mm



SAMMIC 5300184

Suitable for:

**3055565 GLASS RACK 500x500x100 mm**  
for 49 GLASSES  $\varnothing$  63 mm  
made of plastic  
glass max. height 100 mm  
useful internal height when stacked 78 mm



SAMMIC 5300194

**3055569 OPEN RISER 500x500x45 mm**  
in plastic  
useful internal height 41 mm



SAMMIC 5300200

**3055557 PLATE RACK 500x500x100 mm**  
in plastic



SAMMIC 5300112

**3055571 STANDARD RISER 500x500x45 mm**  
riser for 16 GLASSES  $\varnothing$  112 mm  
in plastic  
useful internal height 41 mm



SAMMIC 5300215

**3055573 STANDARD RISER 500x500x45 mm**  
riser for 36 GLASSES  $\varnothing$  74 mm  
in plastic  
useful internal height 41 mm



SAMMIC 5300210

**3055574 STANDARD RISER 500x500x45 mm**  
riser for 49 GLASSES  $\varnothing$  63 mm  
in plastic  
useful internal height 41 mm



SAMMIC 5300220

**3055558 TRAY RACK 500x500x100 mm**  
for 7 TRAYS without insert  
in plastic  
tray length max 535 mm



SAMMIC 5300120





## Water softeners and accessories

- 3010061 MANUAL WATER SOFTENER 12 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 12 L  
connections 3/4"  
dimensions: height 500 mm -  $\varnothing$  185 mm  
resin content 9 L  
regeneration salt(NaCl-table salt)1.5 Kg



SAMMIC 5320010

- 3010062 MANUAL WATER SOFTENER 16 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 16 L  
connections 3/4"  
dimensions: height 600 mm -  $\varnothing$  185 mm  
resin content 12 L  
regeneration salt(NaCl-table salt)2 Kg



SAMMIC 5320015

- 3010063 MANUAL WATER SOFTENER 20 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 20 L  
connections 3/4"  
dimensions: height 900 mm -  $\varnothing$  185 mm  
resin content 15 L  
regeneration salt(NaCl-table salt)3 Kg



SAMMIC 5320020

- 3010060 MANUAL WATER SOFTENER 8 L  $\varnothing$  3/4"**  
for water treatment for TECHNICAL purposes  
STAINLESS STEEL cylinder capacity 8 L  
connections 3/4"  
dimensions: height 400 mm -  $\varnothing$  185 mm  
resin content 5.8 L  
regeneration salt(NaCl-table salt)1 Kg



SAMMIC 5320005

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)