



Spare parts for the professional sector: Warewashing equipment



Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ZANUSSI



Suitable for:

Air traps

3060011 AIR CHAMBER $\varnothing$ 42x113 mm
hose end fitting $\varnothing$ 7 mm
for Dishwasher (ZANUSSI) CF314 - LS360 - LS365
LS365F - LS505 - LS510 - ZLS510 - ZLS520
ZLS521
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - LS10 - LS12
for Dishwasher pull-through (ZANUSSI) CT142
CT190 - CT191



ZANUSSI 0H2542

ZANUSSI 046631

1186255 O-RING 0109 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 9.13 mm



ZANUSSI 068573

3060601 AIR CHAMBER COMPLETE 85x20x80 mm
with two O-ring gaskets, bajo bolt and
hose end fitting $\varnothing$ 5 mm
for Glasswasher/Cupwasher (ZANUSSI) CRYSTAL11
CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 069515

1186318 O-RING 03043 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 10.78 mm



ZANUSSI 069644

3528238 FLAT WASHER M4
internal/external $\varnothing$ 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ZANUSSI 067930

3060602 HOSE-END FITTING FOR AIR CHAMBER
hose end fitting $\varnothing$ 6 mm



ZANUSSI 069670



Suitable for:

Suitable for:

- 3060034 AIR CHAMBER FOR BOILER 60x230 mm**
hose end fitting ø 6 mm
for Dishwasher (ZANUSSI) LS6AH - WT30H



ZANUSSI 0L0098

ZANUSSI 049628

- 3060035 AIR CHAMBER 200x260 mm**
closed window
for Dishwasher (ZANUSSI) ECOTEMP5 - LS6E



ZANUSSI 049459

- 3060038 O-RING 03212 EPDM**
ring thickness 2.62 mm - internal ø 53.65 mm
for Dishwasher (ZANUSSI)



ZANUSSI 049460

- 3060037 AIR CHAMBER RING NUT**
for Dishwasher (ZANUSSI)



ZANUSSI 049480

- 40L2435 AIR CHAMBER 200x260 mm**
open window
for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - EUCAI
EUCAICL - EUCAIDP - EUCAIG - EUCA1DP - LS6EA
LS6EAH - LV6EA - LV6EADP - NUCAIG - ZUCAI
ZUCAIDP - ZUCAIG - ZUCA1 - ZUCA3
for Dishwasher hood type (ZANUSSI) EHTA - EHTAI
EHTAID - EHTAIG - EHT8I - EHT8IG
for Pan/utensilwashing machines (ZANUSSI) LV200M
PW2MG - PW2M60 - PW200M - WT850M



ZANUSSI 0L2435

ZANUSSI 049481

- 3060038 O-RING 03212 EPDM**
ring thickness 2.62 mm - internal ø 53.65 mm
for Dishwasher (ZANUSSI)



ZANUSSI 049460

- 3060037 AIR CHAMBER RING NUT**
for Dishwasher (ZANUSSI)



ZANUSSI 049480



Suitable for:

ZANUSSI



3060012 AIR CHAMBER 60x27x47 mm

hose end fitting $\varnothing$ 7 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 048308

3186860 O-RING 03056 EPDM

ring thickness 2.62 mm - internal $\varnothing$ 13.95 mm
EX OR 0118
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9




ZANUSSI 0KK400

ZANUSSI 068642

3060001 AIR CHAMBER 65x65x150 mm

hose end fitting $\varnothing$ 5 mm
for Dishwasher (ZANUSSI) ALS540 - LS50 - LS500
LS501 - LS52 - LS540 - LS541 - LS96
for Dishwasher hood type (ZANUSSI) LS1080 - LS75
LS860
for Pan/utensilwashing machines (ZANUSSI) L0480
PLO480



ZANUSSI 045459

4048853 BREATHER STRIKE

for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - AUCI
EUCAI - EUCAIDP - EUCAIG - EUCI - EUCIM - EUC1
EUC1DP - EUC3 - EUC3DP - NUC1 - NUC1DP - NUC3
NUC3DP - ZUCA1 - ZUCA3
for Dishwasher hood type (ZANUSSI) EHT - EHTA
EHTAI - EHTAID - EHTAIG - KHT - NHT
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB1WS
LB2 - LB2WS - WT1 - WT1TOP - WT1WS - WT2
WT2TOP - WT2WS



ZANUSSI 048853

Suitable for:

3060088 NUT M14 FOR AIR CHAMBER


for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 049268

3060088 NUT M14 FOR AIR CHAMBER

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 049268



Suitable for:

ZANUSSI



3186860 O-RING 03056 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 13.95 mm
EX OR 0118
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS510 - LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS9



ZANUSSI 0KK400

ZANUSSI 068642

Suitable for:

Axial motor fans

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANUSSI 0C1478

ZANUSSI 0E2261

ZANUSSI 058855

ZANUSSI 0C4106

ZANUSSI 002656

ZANUSSI 087945

ZANUSSI 0C4423

ZANUSSI 002690

3340104 MOTOR FAN S2E200-CE31-10
58W 230V 50/60Hz 2750 rpm
for Dishwasher conveyor type (ZANUSSI) FT36 - FT50
FT72 - LN34 - LN46 - LN72 - WT730 - WT760
for Dishwasher pull-through (ZANUSSI) D530ESD
D580ESD - D680EDS - RT100 - RT140 - RT142
RT1800 - RT190 - RT2500 - RT270 - RT3400
RT4800 - WT100 - WT150 - WT190 - WT200 - WT270
WT790 - WT95



ZANUSSI 0K7494

Baffles

3316017 WASTE FUNNEL
upper external $\varnothing$ 282 mm
upper internal $\varnothing$ 195 mm
lower external $\varnothing$ 230 mm
lower internal $\varnothing$ 180 mm
height 93 mm



ZANUSSI 069318



Suitable for:

ZANUSSI



Suitable for:

Ball valves and accessories

3356169 WATER BALL VALVE $\varnothing$ 3/8"FF

ball valve
PN 40 full flow heavy series
DIN - DVGW approved
aluminium lever



ZANUSSI 056843

3525017 CAP FOR BALLCOCK VALVE $\varnothing$ 25x22 mm

hole $\varnothing$ 10x7 mm



ZANUSSI 0A2563

3525019 EXTENSION FOR BALLCOCK VALVE $\varnothing$ 10x8 mm



ZANUSSI 0A2135

3526691 WATER VALVE $\varnothing$ 1/2"MF

ball valve
heavy series with PN 25 total passage
aluminium lever



ZANUSSI 004486

3526693 WATER VALVE $\varnothing$ 1"MF

ball valve
heavy series with PN 25 total passage
aluminium lever



ZANUSSI 056617

3526184 WATER VALVE 3/8"MF

ballcock valve
heavy series with complete pass-through PN 40
aluminium lever



ZANUSSI 0A5258

Bearings

3063118 BEARING 6002 DDU NSK


external $\varnothing$ 32mm - internal $\varnothing$ 15mm - thickness 9mm



ZANUSSI 0U0582

9063012 BEARING 6004 DDU NSK

external $\varnothing$ 42mm - internal $\varnothing$ 20mm - thickness 12mm



ZANUSSI 0K4559

ZANUSSI 089921



Suitable for:

9063007 BEARING 6005 DDU NSK
external $\varnothing$ 47mm - internal $\varnothing$ 25mm - thickness 12mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW S03100



ZANUSSI 0KQ350

Suitable for:

3063171 BEARING 6006-2RS1 SKF
external $\varnothing$ 55 mm - internal $\varnothing$ 30 mm - thickness 13



ZANUSSI 0KT993

5009467 BEARING 6007 DDUCM NSK
external $\varnothing$ 62 mm - internal $\varnothing$ 35 mm - thickness 14




ZANUSSI 0HD046

3063018 BEARING 6200 DDU NSK
external $\varnothing$ 30mm - internal $\varnothing$ 10mm - thickness 9mm



ZANUSSI 072018


D063049 BEARING 6201-2RS SKF
 $\varnothing$ extern 32 mm - $\varnothing$ intern 12mm - thickness 10mm
single box packaging



ZANUSSI 0D7113

ZANUSSI 0D7339

3063005 BEARING 6202 DDU NSK
external $\varnothing$ 35mm - internal $\varnothing$ 15mm - thickness 11mm
for Dishwasher (ZANUSSI) LS4 - LS50 - LS500



ZANUSSI 0D0035

ZANUSSI 072751


D063050 BEARING 6202-2RS SKF
single box packaging



ZANUSSI 0D0035

ZANUSSI 072751

D063051 BEARING 6203-2RS SKF
single box packaging




ZANUSSI 0D0821

ZANUSSI 0KJ007


ZANUSSI 089918

D063040 BEARING 6203-2Z SKF
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm
single box packaging



ZANUSSI 0KC263

D063052 BEARING 6204-2RS SKF
single box packaging



ZANUSSI 0H2694
ZANUSSI 065048

ZANUSSI 0KQ395

ZANUSSI 045726



Suitable for:

ZANUSSI



Suitable for:

9063001 BEARING 6206 DDU NSK
external $\varnothing$ 62mm - internal $\varnothing$ 30mm - thickness 16mm



ZANUSSI 0D0006

ZANUSSI 0KK225

Belts

3062011 TOOTHED BELT T10-610 0702
for transmission pulley
for models RT100-RT140-RT190-RT270
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5050

ZANUSSI 0E5188

Boilers

3024085 BOILER $\varnothing$ 145x405 mm
for Dishwasher (ZANUSSI) FL5 - FL5DP - LS5 - LV5
LV5DP - WT4D - WT46



ZANUSSI 049958

3024024 BOILER $\varnothing$ 145x430 mm
for Dishwasher (ZANUSSI) LS32 - LS33



ZANUSSI 049336

3024018 BOILER $\varnothing$ 200x365 mm
3 holes for heating element
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - WT60



ZANUSSI 049632



Suitable for:

3024008 BOILER $\varnothing$ 200x410 mm
for Dishwasher (ZANUSSI) ECOTEMP5 - FL610 - FL700
HYDRA700 - LS10F - LS61 - LS7 - LS7F - LS8D
LS8F - LV70
for Dishwasher hood type (ZANUSSI) HT1000 - HT800
HYDRA1000 - HYDRA800 - LS10 - LS8 - Z80



ZANUSSI 048548

Suitable for:

4048447 BOILER INSULATION 670x330x13 mm
for DISHWASHER LS7-LV70-FL700-HYDRA700-Z70



ZANUSSI 048447

3024021 COMPLETE BOILER $\varnothing$ 200x410 mm
2 holes for heating element
for Dishwasher (ZANUSSI) FL620 - FL630 - LS12D
LS62 - LS62D - LS63 - LS63D - LS7 - Z62 - Z63
Z64
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - Z120



ZANUSSI 0L1639

ZANUSSI 048484

4048447 BOILER INSULATION 670x330x13 mm
for DISHWASHER LS7-LV70-FL700-HYDRA700-Z70



ZANUSSI 048447

Bumpers

3186136 LOWER BUMPER 36x14 mm
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 048710

Caps

5023357 CAP CHROME-PLATED BRASS M1/8"



ZANUSSI 0E2887

40E5524 GASKET FLAT FIBRE $\varnothing$ 16x10x1.5 mm
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT
for Pan/utensilwashing machines (ZANUSSI) L0250E
L0480E - L0480V



ZANUSSI 0E5524

ZANUSSI 075646



Suitable for:

ZANUSSI



Suitable for:

Castors, rollers and accessories

- 3346024 COVER LIFTING ROLLER**
external $\varnothing$ 49 mm
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - WT60



ZANUSSI 048260

- 3346025 ROLLER PIN**
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12 - WT60



ZANUSSI 048259

- 3346019 COVER SLIDE ROLLER $\varnothing$ 34 mm**
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS10 - LS12 - LS14 - LS8 - WT50
WT60 - WT65 - Z80



ZANUSSI 048657

- 3324005 HOOD ROLLER PIN**
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 048635

- 3346020 ROLLER PIN**
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 048656

- 3346036 HANDLE SLIDE**
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS10
LS12 - LS14 - LS8 - WT60 - WT65 - Z80



ZANUSSI 049597

- 3346037 HANDLE SLIDE BUSHING**
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 049598

- 3346017 ROLLER $\varnothing$ 32x33 mm**
for conveyor area
for Dishwasher pull-through (ZANUSSI) CT140
CT141 - CT142 - CT190 - CT191 - CT192 - CT240
CT241 - CT92



ZANUSSI 046841

- 3346206 ROLLER SET $\varnothing$ 50x71 mm**



ZANUSSI 0K8640

Suitable for:

Suitable for:

3346007 SLIDING ROLLER
external $\varnothing$ 39 mm
internal $\varnothing$ 15 mm



ZANUSSI 0E5046

ZANUSSI 0K7281

ZANUSSI 0L2443

3346021 SPACER ROLLER $\varnothing$ 15x13 mm
for lifting cover lever



ZANUSSI 048654

3346022 SPACER ROLLER BUSHING



ZANUSSI 048653

3346023 SPACER ROLLER PIN



ZANUSSI 048652

3346004 TRANSMISSION SHAFT BUSHING
 $\varnothing$ 20x40 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5043

ZANUSSI 0K8236

Clamps

3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS
for hoses $\varnothing$ 9.8÷10.4 mm



ZANUSSI 0E5993

ZANUSSI 0L0815

3449451 HOSE CLAMP 10-16
for pipes $\varnothing$ 10÷16 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) NUC1DPWS



ZANUSSI 0L0266



Suitable for:

ZANUSSI



3449466 HOSE CLAMP 16-27
for pipes $\varnothing$ 16÷27 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



ZANUSSI 0E5120

ZANUSSI 0E900

3449464 HOSE CLAMP 20-32
for pipes $\varnothing$ 20÷32 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0E1166

3449456 HOSE CLAMP 50-70
for pipes $\varnothing$ 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0E1358

ZANUSSI 0K8983

ZANUSSI 046855

3449457 HOSE CLAMP 60-80
for pipes $\varnothing$ 60÷80 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0E0992

ZANUSSI 046853

3449461 HOSE CLAMP 8-12
for pipes $\varnothing$ 8÷12 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 046946

ZANUSSI 048224

D168010 HOSE-CLAMP $\varnothing$ 90-110 mm
height 9 mm - zinc plated steel



ZANUSSI 0E5558

Column faucets

3359682 COLUMN FAUCET 84319
oil reserve valve assembly
nozzle $\varnothing$ 20x240 mm
mounting hole $\varnothing$ 27 mm
connection $\varnothing$ 1/2" M
overall height 555 mm
rod length 435 mm



ZANUSSI 206158

ZANUSSI 216036



Contact thermostats

3443058 BRACKET FOR CONTACT THERMOSTAT
for Dishwasher (ZANUSSI) - Series LS
for Glasswasher/Cupwasher (ZANUSSI) - Series LB



ZANUSSI 048987

3444607 CONTACT THERMOSTAT 110°C
with manual reset
for Dishwasher (ZANUSSI) LS3 - LS62 - LS63 - LS64
LS7
for Dishwasher hood type (ZANUSSI) LS12 - LS8
for Pan/utensilwashing machines (ZANUSSI) L010



ZANUSSI 048287

ZANUSSI 048887

3443015 GASKET THERMOSTAT ø 49 mm
internal hole ø 18 mm - height 14 mm




ZANUSSI 066717

3443028 SAFETY THERMOSTAT 120°C
with manual reset
per BOILER



ZANUSSI 006155

3444393 THERMOSTAT CONTACT FOR TANK 60°C
16A 250V 3 contacts
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 048804

3443016 YELLOW/BROWN CONTACT THERMOSTAT
NO contact operating temperature 35÷46°C
NC contact operating temperature 52-60°C
16A 250V
for Dishwasher (ZANUSSI) LS521 - LS7
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8



ZANUSSI 045495

ZANUSSI 047508

ZANUSSI 048487

Contactors

3454070 CONTACTOR ABB AF09-30-10-11
9A 400V 4Kw - coil 24/60V 50/60Hz
3 NO contacts
1 NO auxiliary contact



ZANUSSI 0D2044

3454048 CONTACTOR ABB AF09-30-10-13
9A 400V 4Kw - coil 100/250V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 033108




ZANUSSI



Suitable for:

Suitable for:

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



ZANUSSI 004159

3351214 CONTACTOR AEG LS4K 9A 400V 4Kw
coil 400V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0KQ380

40C7622 CONTACTOR BENEDIKT/JAGER K3-10NA00-40
10A 400V 4Kw - coil 230V 50/60Hz
4 normally open contacts



ZANUSSI 0C7622

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



ZANUSSI 0E3757

ZANUSSI 0L0285

ZANUSSI 047048

ZANUSSI 048825

ZANUSSI 072319

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
10A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact
for Dishwasher (ZANUSSI)



ZANUSSI 0HN519

ZANUSSI 082986

ZANUSSI 088477

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995



Suitable for:

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
14A 400V 5.5Kw - coil 24V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0E0020
ZANUSSI 0L0360

ZANUSSI 0E1291
ZANUSSI 046994

ZANUSSI 0K3968

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10
18A 400V 7.5Kw - coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 003598

ZANUSSI 006879

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

40L0355 CONTACTOR BENEDIKT/JAGER K3-24A00 230
220/240V 50Hz - 240/264V 60Hz
for OVEN AOS series
for DISHWASHER RT10-RT180-WT90-ET90



ZANUSSI 0L0355

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 003027


ZANUSSI 004206

3446552 CONTACTOR LOVATO BG0610A
coil 6A 230V 50/60Hz 2.2Kw
3 normally open contacts
1 normally open auxiliary contact




ZANUSSI 086215

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ZANUSSI 086169

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 054544


ZANUSSI 075796



Suitable for:

5009239 CONTACTOR SCHNEIDER LC1K0910P7

9A 4Kw coil 220V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 0KQ438

Suitable for:

3351019 THERMAL RELAY ABB TF42

7.6÷10A
1 normally open contact
1 normally closed contact




ZANUSSI 0U0199

Controllers and changeover switches

3322609 CONTROLLER 11803F1 3 CAMS

150-second cycle
230V 50/60Hz
without pin
former model 600/636/5200 - PWE5
for Glasswasher/Cupwasher (ZANUSSI) CRYSTAL11
CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 069419

ZANUSSI 069669

ZANUSSI 069926

3322034 CONTROLLER 11903F1 3 CAMS

120 seconds cycle
rinse 15 seconds
220/240V 50/60Hz
clockwise rotation
D-shaped pin $\varnothing$ 6x4.6 mm



ZANUSSI 070310

3322194 CONTROLLER 11903F1 3 CAMS


240 seconds cycle
rinse 18 seconds
220/240V 50/60Hz
D-shaped pin $\varnothing$ 6x4.6 mm
for rinse



ZANUSSI 0R0015

3322171 CONTROLLER 4905DV 5 CAMS

1st cycle 180 seconds
2nd cycle 6 seconds
230V 50/60Hz
for Dishwasher (ZANUSSI) LS7 - WT40




ZANUSSI 0L3642

ZANUSSI 048303

3322173 CONTROLLER 4905DV 5 CAMS

1st cycle 120 seconds
2nd cycle 6 seconds
230V 50/60Hz
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 0L3674

ZANUSSI 048647

3322174 CONTROLLER 4906DV 6 CAMS

1st cycle 120 seconds
2nd cycle 6 seconds
230V 50/60Hz
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 0L3673

ZANUSSI 048264

ZANUSSI 048591




Suitable for:

ZANUSSI



3322238 CONTROLLER 4907DV 7 CAMS
1st cycle 6 seconds
2nd cycle 360 seconds
230V 50/60Hz
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2




ZANUSSI 0L3675

ZANUSSI 049054

Suitable for:

3322353 CONTROLLER 4907DV 7 CAMS
1st cycle 6 seconds
2nd cycle 360 seconds
230V 50/60Hz
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 0L3420

ZANUSSI 049256

Curtains

3443332 CENTRAL CURTAIN 530x305 mm
for versions before 1986
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT192 - CT92 - CT95



ZANUSSI 046883

3324030 CURTAIN SHAFT ø 6x545 mm
for Dishwasher pull-through (ZANUSSI) WT100
WT150



ZANUSSI 0E5487

3443331 CURTAIN 545x445 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT192 - CT95 - RT100 - RT140 - RT190
RT270 - WT100 - WT150 - WT90



ZANUSSI 0E5029

ZANUSSI 0E5277

3443059 CURTAIN 550x355 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT192 - CT95 - Series RT - WT100
WT150 - WT90



ZANUSSI 0E5038

3443021 CURTAIN 550x460 mm
for Dishwasher pull-through (ZANUSSI) WT100
WT150



ZANUSSI 0E2728

40E5826 CURTAIN SHAFT ø 6x580 mm
for Dishwasher pull-through (ZANUSSI) WT44 - WT66



ZANUSSI 0E5826




Suitable for:

3443027 CURTAIN 550x300 mm
for Dishwasher pull-through (ZANUSSI) WT100
WT150



ZANUSSI OE2729

3456025 CURTAIN 580x480 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT142 - RT190 - RT270 - RT340 - RT480



ZANUSSI OE6006

3443300 LATERAL CURTAIN 575x420 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90



ZANUSSI 046882

ZANUSSI



Suitable for:

40E5826 CURTAIN SHAFT ø 6x580 mm
for Dishwasher pull-through (ZANUSSI) WT44 - WT66



ZANUSSI OE5826

Detergents

40S0659 DETERGENT LIQUID TRUMP 5 L
for dishwashers
please see the attached documentation for use



ZANUSSI OS0659

3092214 DETERGENT STAINLESS STEEL SPRAY 500 ml
to restore stainless steel surfaces
protects and polishes surfaces
please see the attached documentation for use



ZANUSSI OS0314

ZANUSSI OS0995

40S1196 SCALE REMOVER EXTRA LIME AWAY 5 L
specific for professional dishwashers and ovens
to remove limescale from boilers, hydraulic
circuits and heat exchangers.
please see the attached documentation for use




ZANUSSI OS0840

ZANUSSI OS1196

Door catches

- 3398001 DOOR CATCH**
for Dishwasher (ZANUSSI) CRISTAL50 - CRISTAL51
CRISTAL52 - CRISTAL52B - LS36 - LS4 - LS5DS
LS505 - LS510 - LS520 - LS521 - 5CF50B - 5CF51
5CF51B



ZANUSSI 0A6111

ZANUSSI 047491

- 3398002 SPRING FOR DOOR CATCH**
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - CRYSTAL52B - LS36 - LS4 - LS5DS
LS505 - LS510 - LS520 - LS521 - 5CF50B - 5CF51
5CF51B - 5CF52B



ZANUSSI 047492

- 3398072 DOOR CATCH**
for Dishwasher pull-through (ZANUSSI) - Series RT




ZANUSSI 0E5157

- 3398017 DOOR CATCH 70 mm**
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049271


- 3398015 STEEL STRIKE 35x12 mm**
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049536

Door gaskets for dishwashers

- 3786550 "U" SHAPED GASKET 700 mm**
profile dimensions 10x5 mm
for mod. LS6-7-61-62-63-64
for Dishwasher (ZANUSSI) LS6 - LS61 - LS62 - LS63
LS64 - LS7



ZANUSSI 0E5559

ZANUSSI 047513

- 3189015 ADHESIVE SPONGE GASKET 25x4 mm**
sold per meter



ZANUSSI 0K9154



ZANUSSI




Suitable for:

Suitable for:

3186470 ADHESIVE SPONGE GASKET 4750 mm
profile dimensions 10x2 mm
for Dishwasher (ZANUSSI) LS4
for Glasswasher/Cupwasher (ZANUSSI) C50

3187013 DOOR GASKET 1500 mm
profile dimensions 24x10x6 mm



ZANUSSI 046583

ZANUSSI 0L3483

3186108 DOOR GASKET 435 mm
profile 30x4 mm
for Dishwasher hood type (ZANUSSI) LS8 - Z80
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2

40L0021 DOOR GASKET 590 mm
profile 24x6mm




ZANUSSI 049017

ZANUSSI 0L0021

3186300 DOOR GASKET 600 mm
black color
for Dishwasher (ZANUSSI) LS360 - LS365 - LS365F
LS367


4049016 GASKET 1000 mm
profile dimensions 9x4 mm
for Glasswasher/Cupwasher (ZANUSSI) - Series GWT1
Series GWT2 - Series LB1 - Series LB2 - Series WT1
Series WT2



ZANUSSI 046394

ZANUSSI 049016

3186301 GASKET 310x565x310 mm
grey colour
for Dishwasher (ZANUSSI) ECOTEMP5 - LS6 - LS61
LS62 - LS63 - LS64 - LS7



ZANUSSI 0L2561
ZANUSSI 049892

ZANUSSI 048306

ZANUSSI 049248

Door labyrinths

3222002 PLASTIC FRAME FOR DOOR

for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS4 - LS5DS - LS510 - LS520
LS521 - 5CF50B - 5CF51B - 5CF52



ZANUSSI 047483

3186302 LEFT-HAND GASKET 310x260 mm

for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS4 - LS5DS - LS510 - LS520
LS521 - ZLS510 - ZLS520 - ZLS521



ZANUSSI 047454

3186303 RIGHT-HAND GASKET 310x260 mm


for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS4 - LS510 - LS521



ZANUSSI 047455

3222001 RETAINING GASKET F/PLASTIC FRAME 69x69mm

for Dishwasher (ZANUSSI) LS500 - LS501 - LS540
LS541 - 5CF07B - 5CF08B - 5CF09B



ZANUSSI 045836

Drain assembly

3316143 DRAIN ASSEMBLY ø 1 1/2

for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 075624

3448108 GASKET DRAIN ASSY

for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066088

3448107 RING FOR DRAIN ASSEMBLY

for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066079



Suitable for:

ZANUSSI



Suitable for:

Drain hoses

- 3450119 DRAIN HOSE ø 24x2000 mm**
elbow hose internal ø 28 mm
straight hose internal ø 18 mm
for Dishwasher (ZANUSSI) LS521




ZANUSSI 047558

- 4049831 DRAIN HOSE ø 27x2100 mm**
elbow tubing internal ø 29 mm
straight tubing internal ø 21 mm
overflow pipe 600 mm internal ø 8 mm
for Dishwasher hood type (ZANUSSI) EHT - EHTG
EHTM - EHTM60 - EHT60 - NHT - NHTD - NHTG
NHT60




ZANUSSI 049831

- 3450026 DRAIN HOSE ø 28x1500 mm**
elbow hose internal ø 28 mm external ø 33 mm
straight hose internal ø 24 mm external ø 28 mm
max temperature 90°C



ZANUSSI 0L3438

- 3450034 DRAIN HOSE ø 40x1100 mm**
sleeves internal ø 35 and 40 mm
max temperature 90°C
for Dishwasher (ZANUSSI) LS4 - LS5



ZANUSSI 0S0149

ZANUSSI 047465

- 3450022 DRAIN HOSE ø 47x1000 mm**
tubing internal ø 58 mm
max. temperature 90°C
for Dishwasher (ZANUSSI) LS500 - LS540 - 5CF09B
5CF10B
for Dishwasher hood type (ZANUSSI) LSE720 - LSE721



ZANUSSI 0S0148

ZANUSSI 047894

- 3450130 DRAIN PIPE ø 23x2000 mm**
elbow hose internal ø 28 mm
straight hose internal ø 18 mm
overflow pipe 680 mm internal ø 6 mm
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63
WT302 - WT303
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS12
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 048845

- 3450131 DRAIN PIPE ø 27x2000 mm**
elbow hose internal ø 28 mm
straight hose internal ø 20 mm
overflow pipe 800 mm internal ø 8 mm



ZANUSSI 049878

Drain plugs

3448316 OVERFLOW PIPE ø 24x160 mm
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049195

1186356 O-RING 03075 EPDM
ring thickness 2.62 mm - internal ø 18.72 mm



ZANUSSI 049036

3448158 OVERFLOW PIPE ø 24x187 mm
made of plastic
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049194

1186356 O-RING 03075 EPDM
ring thickness 2.62 mm - internal ø 18.72 mm



ZANUSSI 049036

3160602 OVERFLOW PIPE ø 25x215 mm - GREY



ZANUSSI 069526

1186327 O-RING 03081 EPDM
ring thickness 2.62 mm - internal ø 20.24 mm



ZANUSSI 069527

3448193 OVERFLOW PIPE ø 25x90 mm
for Glasswasher/Cupwasher (ZANUSSI) LB035R
LB040Q
for Glasswasher/Cupwasher (ZANUSSI) LB035Q



ZANUSSI 070313

3448103 OVERFLOW PIPE ø 26x277 mm
in plastic
for Dishwasher (ZANUSSI) LS63 - LS64 - LS7/DP
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048842

1186833 O-RING 03100 EPDM
ring thickness 2.62 mm - internal ø 25.07 mm
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS61 - LS63 - LS64 - LS7 - WT32 - WT40 - Z62
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046799

ZANUSSI 086280



ZANUSSI



Suitable for:

3448102 OVERFLOW PIPE $\varnothing$ 26x280 mm
in plastic
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS60 - LS61 - LS62 - LS7 - WT32 - WT40 - Z62



ZANUSSI 048323

Suitable for:

1186833 O-RING 03100 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 25.07 mm
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS61 - LS63 - LS64 - LS7 - WT32 - WT40 - Z62
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046799

ZANUSSI 086280

3448100 OVERFLOW PIPE $\varnothing$ 30x210 mm
in plastic
for Dishwasher (ZANUSSI) LS510 - LS520 - LS521



ZANUSSI 047460

1186833 O-RING 03100 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 25.07 mm
for Dishwasher (ZANUSSI) FL610 - FL620 - LS3
LS61 - LS63 - LS64 - LS7 - WT32 - WT40 - Z62
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046799

ZANUSSI 086280

3448105 OVERFLOW PIPE $\varnothing$ 40x270 mm
in chrome plated brass
for Dishwasher pull-through (ZANUSSI) CT140
CT141 - CT142 - CT190 - CT191 - CT241 - CT92



ZANUSSI 047116

3448106 DRAIN ASSEMBLY
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 046875

3448108 GASKET DRAIN ASSY
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066088

3448107 RING FOR DRAIN ASSEMBLY
for Dishwasher pull-through (ZANUSSI) CT140
CT142 - CT92



ZANUSSI 066079

Suitable for:

3448109 OVERFLOW PIPE $\varnothing$ 40x415 mm
in plastic
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - LS9P
WT55P - WT60 - WT65



ZANUSSI 048250

Suitable for:

3448258 OVERFLOW PIPE $\varnothing$ 40x418 mm
made of plastic
for Dishwasher hood type (ZANUSSI) LS14
for Pan/utensilwashing machines (ZANUSSI) L010
SH55




ZANUSSI 049140

3448232 OVERFLOW PIPE $\varnothing$ 40x435 mm



ZANUSSI 049675

3448257 OVERFLOW PIPE $\varnothing$ 40x80 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5149

3316120 COMPLETE DRAIN ASSEMBLY 1"1/2
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E0141

ZANUSSI 0E9141

ZANUSSI 0L1863

3186247 O-RING 03112 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 28.25 mm



ZANUSSI 0E5062

ZANUSSI 0K7516

3186339 O-RING 06175 EPDM
ring thickness 5.34 mm - internal $\varnothing$ 43.82 mm



ZANUSSI 0E0010

Drain pumps

3122262 DRAIN PUMP ASKOLL M87
inlet external $\varnothing$ 35 mm - outlet external $\varnothing$ 30 mm
230V 50Hz 30W
for Dishwasher (ZANUSSI) LB1WSDP - LS5 - LS63
LS64
for Dishwasher (ZANUSSI) LS5 - LV1/WSDP



ZANUSSI 0L0692

ZANUSSI 048844

D422061 DRAIN PUMP BOSCH BALAY
inlet $\varnothing$ ext. 25 mm - outlet $\varnothing$ ext. 22.5 mm
100W 220/240V 50Hz



ZANUSSI 046847

ZANUSSI 047562



Suitable for:

Suitable for:

3122407 DRAIN PUMP 34W 230V 50Hz
inlet external $\varnothing$ 35 mm - outlet external $\varnothing$ 30 mm



ZANUSSI 0L0692

Electric pumps

3122532 ELECTRIC PUMP AP 1021 1HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1HP 230V 50Hz 4A - Rpm 2850
capacitor 12 μ f - flow rate 320 L/min



ZANUSSI

3122537 ELECTRIC PUMP AP 1022SX 1.20HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1.20HP 230V 50Hz 6A - rpm 2850
capacitor 12 μ f - flow rate 400 L/min



ZANUSSI

3122558 ELECTRIC PUMP AP 2701 2HP
inlet external $\varnothing$ 72 mm - outlet external $\varnothing$ 61 mm
2HP 230/400V 50Hz 5.8/3.4A - Rpm 2800
flow rate 500 L/min
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm




ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

3122311 ELECTRIC PUMP AP 3100 1HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1HP 230/400V 50Hz 2.8/1.6A - Rpm 2830
for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS6
LS7 - WT30 - WT40
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 048304

3122524 GASKET FOR PUMP HOUSING AP



ZANUSSI 048984



Suitable for:

3122386 IMPELLER AP ø 102 mm OLD TYPE
threaded connection ø 7 mm



ZANUSSI 048982

ZANUSSI 049451

3122024 SEAL MECHANICAL FOR SHAFT ø 12 mm
metal seal internal ø 11 mm - ø external 24 mm
height 15.5 mm
back. element internal ø 14 mm - ø external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 0L0340

ZANUSSI 048983

ZANUSSI 049171

3122695 ELECTRIC PUMP AP 42133 0.15HP
inlet external ø 28 mm - outlet external ø 28 mm
0.15HP 230V 50Hz - capacitor 6.3 µf
for Dishwasher (ZANUSSI) LS6
for Dishwasher hood type (ZANUSSI) LS9



ZANUSSI

3122310 ELECTRIC PUMP AP 5800/2013 1HP
inlet external ø 45 mm - outlet external ø 40 mm
1HP 230V 50Hz 4A - Rpm 2850
capacitor 16 µf - flow rate 340 L/min
for Dishwasher (ZANUSSI) LS3 - LS6 - LS61 - LS62
LS63 - LS64 - LS7 - WT30 - WT40
for Dishwasher hood type (ZANUSSI) LS8 - WT50



ZANUSSI 048885

ZANUSSI



Suitable for:

3122538 PUMP HOUSING AP
inlet external ø 45 mm - outlet external ø 40 mm



ZANUSSI 048981

ZANUSSI 049526

3068024 CAPACITOR DUCATI ENERGIA 16µF
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
ø 36xh70 mm



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812



Suitable for:

3068083 CAPACITOR ELECTRICAL 16 μ F
450V 50/60Hz - $\varnothing$ 35xh71 mm



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

3122386 IMPELLER AP $\varnothing$ 102 mm OLD TYPE
threaded connection $\varnothing$ 7 mm



ZANUSSI 048982

ZANUSSI 049451

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 0L0340

ZANUSSI 048983

ZANUSSI 049171

3122015 ELECTRIC PUMP AP 5803 0.75HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
0.75HP 230V 4A - Rpm 2850
capacitor 12 μ f - flow rate 270 L/min
for old model SOLE
for Dishwasher (ZANUSSI) LS360



ZANUSSI 046370

ZANUSSI



Suitable for:

3122524 GASKET FOR PUMP HOUSING AP



ZANUSSI 048984

3122538 PUMP HOUSING AP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm



ZANUSSI 048981

ZANUSSI 049526

Suitable for:

3122391 ELECTRIC PUMP AP 6300 0.38HP
inlet external $\varnothing$ 32 mm - outlet external $\varnothing$ 32 mm
280W 230V 50Hz - Rpm 2850
capacitor 6.3 μ f
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 0L0406

ZANUSSI 049057

3068097 CAPACITOR ELECTRICAL 6.3 μ F
450V 50/60Hz - $\varnothing$ 30xh51 mm




ZANUSSI 049260

3122238 ELECTRIC PUMP FIR B256SX 1HP
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
1HP 220/380V 50Hz 2,8/1,6A - Rpm 2800
for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS6
LS7 - WT30 - WT40
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 048304

3122297 PUMP HOUSING GASKET FIR 4217/4247



ZANUSSI 048630

Suitable for:

3068010 CAPACITOR DUCATI ENERGIA 6,3 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 $\varnothing$ 32xh55 mm



ZANUSSI 049260

3122315 PUMP HOUSING FIR
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
for models B256/B257SX



ZANUSSI 049180

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983



Suitable for:

ZANUSSI



Suitable for:

3122362 ELECTRIC PUMP FIR B257SX 1HP

inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 42 mm
1HP 230V 3.5A - Rpm 2800
capacitor 16 μ F
for Dishwasher (ZANUSSI) LS5 - LS6



ZANUSSI 0L3395

ZANUSSI 049876

3122185 ELECTRIC PUMP FIR 1204DX 2HP

inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 54 mm
2HP 220/400V 50Hz 5.9/3.4A - Rpm 2800
flow rate 500 L/min



ZANUSSI 0K7245

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm

metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 0L0340

ZANUSSI 048983

ZANUSSI 049171

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626

3046028 VIBRATION BUFFER $\varnothing$ 25x20 M6



ZANUSSI 0K1589

3122028 ELECTRIC PUMP FIR 1211SX 0.75HP

inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
0.75HP 220/415V 50Hz 2.1/1.2A - Rpm 2800
flow rate 360 L/min
for Dishwasher (ZANUSSI) LS540
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI 046346

ZANUSSI 047195

ZANUSSI 068710

3122025 IMPELLER FIR $\varnothing$ 103 mm

for models 1211/1214/1293SX



ZANUSSI 048464

ZANUSSI 049174

ZANUSSI 069170



Suitable for:

3122027 PUMP HOUSING FIR
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm



ZANUSSI 0L0305

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 0L0340

ZANUSSI 048983

3122023 ELECTRIC PUMP FIR 1214SX 0.75HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
0.75HP 220/415V 50Hz 2.1/1.2A - Rpm 2800
flow rate 360 L/min
for Dishwasher (ZANUSSI) LS540
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI 046574

3122027 PUMP HOUSING FIR
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm



ZANUSSI 0L0305

ZANUSSI



Suitable for:

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626

3122025 IMPELLER FIR $\varnothing$ 103 mm
for models 1211/1214/1293SX



ZANUSSI 048464

ZANUSSI 049174

ZANUSSI 069170

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626



Suitable for:

ZANUSSI



Suitable for:

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

3122761 ELECTRIC PUMP FIR 1246RH 0.10HP
inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 28 mm
0.1HP 230V 50Hz - capacitor 5 μ f
for Dishwasher pull-through (ZANUSSI) D530ESD
D580ESD - D680ESD - RT100 - RT140 - RT190
RT270



ZANUSSI 0K7482

3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - $\varnothing$ 30xh51 mm



ZANUSSI 0K9108

ZANUSSI 037268

3122765 ELECTRIC PUMP FIR 1293SX 0.75HP
inlet external $\varnothing$ 63 mm outlet external $\varnothing$ 48 mm
0.75HP 220/415V 50Hz
complete w/ bracket, 2 hoses and 4 shock absorbers
for Dishwasher pull-through (ZANUSSI) RT190
RT270



ZANUSSI 0L0581

3122027 PUMP HOUSING FIR
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm



ZANUSSI 0L0305

3122025 IMPELLER FIR $\varnothing$ 103 mm
for models 1211/1214/1293SX



ZANUSSI 048464

ZANUSSI 049174

ZANUSSI 069170

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626



Suitable for:

ZANUSSI



3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

Suitable for:

3122312 ELECTRIC PUMP FIR 2254/SSX 2HP
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm
2HP 220/400V 50Hz 5.9/3.4A - Rpm 2800
flow rate 500 L/min
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12
for Dishwasher (ZANUSSI) WT60/EMF 504030



ZANUSSI 048216

3122313 IMPELLER FIR $\varnothing$ 100 mm
for models 2254SX



ZANUSSI 048624

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626

3315040 HOSE-END FITTING F. ELECTRIC PUMP $\varnothing$ 12mm
threaded fitting M12 - internal fitting M8x1.25



ZANUSSI 049561

3122314 PUMP HOUSING FIR
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm



ZANUSSI 0L0496

ZANUSSI 049177

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983



ZANUSSI



Suitable for:

3122022 ELECTRIC PUMP FIR 2254SX 1.50HP
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm
1.50HP 220/400V 50Hz 4.8/2.8A - Rpm 2800
flow rate 550 L/min
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 047708

3122314 PUMP HOUSING FIR
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm



ZANUSSI 0L0496

ZANUSSI 049177

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 0L0340

ZANUSSI 048983

ZANUSSI 049171

40L0027 ELECTRIC PUMP FIR 2254SX 2HP
external inlet $\varnothing$ 70 mm - ext. outlet $\varnothing$ 61 mm
220-240/380-415V 50Hz - 5.5/3.2A 2800rpm
hose end fitting $\varnothing$ 12 mm



ZANUSSI 0L0027


3122313 IMPELLER FIR $\varnothing$ 100 mm
for models 2254SX



ZANUSSI 048624

Suitable for:

3122313 IMPELLER FIR $\varnothing$ 100 mm
for models 2254SX



ZANUSSI 048624

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626

3315040 HOSE-END FITTING F. ELECTRIC PUMP $\varnothing$ 12mm
threaded fitting M12 - internal fitting M8x1.25



ZANUSSI 049561

3122314 PUMP HOUSING FIR
inlet external $\varnothing$ 70 mm - outlet external $\varnothing$ 61 mm



ZANUSSI 0L0496

ZANUSSI 049177



Suitable for:

3122026 PUMP HOUSING GASKET FIR



ZANUSSI 033694

ZANUSSI 048626

ZANUSSI



Suitable for:

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

3122719 ELECTRIC PUMP FIR 2275SX 3.60HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 63 mm
3.60HP 220/400V 50Hz 10/5.8A - Rpm 2800



ZANUSSI 049669

3122174 IMPELLER FIR $\varnothing$ 135 mm
for models 2250/2275SX



ZANUSSI 0E1305

3122316 ELECTRIC PUMP FIR 4213DX 0.37HP
inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 28 mm
0.37HP 230V 50Hz 1.5A - Rpm 2800
capacitor 6.3 μ F
for Dishwasher (ZANUSSI) LS6
for Dishwasher hood type (ZANUSSI) LS9
for Dishwasher (ZANUSSI) LS10 504158



ZANUSSI 049310

3068010 CAPACITOR DUCATI ENERGIA 6,3 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 $\varnothing$ 32xh55 mm



ZANUSSI 049260

3068097 CAPACITOR ELECTRICAL 6.3 μ F
450V 50/60Hz - $\varnothing$ 30xh51 mm



ZANUSSI 049260



Suitable for:

3122764 ELECTRIC PUMP FIR 4290LH 2HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 63 mm
2HP 220/400V 50Hz
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT142 - RT190 - RT270



ZANUSSI OE5355

ZANUSSI 0L0437

3453026 MECHANICAL SEAL FOR SHAFT $\varnothing$ 17 mm
metal seal internal $\varnothing$ 16 mm - external $\varnothing$ 39 mm
height 15 mm
back. element internal $\varnothing$ 21 mm - external $\varnothing$ 42 mm
height 8 mm
for electropumps FIR models 2274 e 2275



ZANUSSI 049764


Suitable for:

2112019 IMPELLER FIR $\varnothing$ 120 mm
for models 4290SX



ZANUSSI 0L0255

3786468 PUMP HOUSING GASKET FIR 2275 3.6HP



ZANUSSI 049769

3122762 ELECTRIC PUMP FIR 4290SX 2HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 63 mm
2HP 220/400V 50Hz - Rpm 2800
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0L0039

3453026 MECHANICAL SEAL FOR SHAFT $\varnothing$ 17 mm
metal seal internal $\varnothing$ 16 mm - external $\varnothing$ 39 mm
height 15 mm
back. element internal $\varnothing$ 21 mm - external $\varnothing$ 42 mm
height 8 mm
for electropumps FIR models 2274 e 2275



ZANUSSI 049764

2112019 IMPELLER FIR $\varnothing$ 120 mm
for models 4290SX



ZANUSSI 0L0255

3786468 PUMP HOUSING GASKET FIR 2275 3.6HP



ZANUSSI 049769

Suitable for:

40L1640 ELECTRIC PUMP FIR 5213DX 0.30HP
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 28 mm
0.22kW 230V 50Hz - Rpm 2800
capacitor 5 μ f
for Dishwasher (ZANUSSI) EUCAI



ZANUSSI 0L1079

ZANUSSI 0L1640

Suitable for:

3068008 CAPACITOR DUCATI ENERGIA 5 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 $\varnothing$ 28xh55 mm



ZANUSSI 0K9108

ZANUSSI 037268

3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - $\varnothing$ 30xh51 mm



ZANUSSI 0K9108

ZANUSSI 037268

3122763 ELECTRIC PUMP FIR 5213DX 0.30HP KIT
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 28 mm
0.30HP 230V 50Hz - Rpm 2800
complete w/ bracket, hoses, fittings, small parts
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E2746

ZANUSSI 0L0149

3449453 HOSE CLAMP 25-40
for pipes $\varnothing$ 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 047578

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

4049773 RUBBER HOSE



ZANUSSI 049773

3168108 WHITE CLAMP 3.6x290 mm - 100 PCS



ZANUSSI 0L0145



Suitable for:

ZANUSSI



Suitable for:

- 3122854 ELECTRIC PUMP LGB ZFCI121DX 0.47HP**
inlet external $\varnothing$ 28 mm - outlet external $\varnothing$ 26 mm
0.35kW 230V 50Hz - capacitor 6.3 μ f
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2
for Glasswasher/Cupwasher (ZANUSSI) LV1WSDP



ZANUSSI 0L0571

- 3122856 ELECTRIC PUMP LGB ZF340SX 0.94HP**
inlet external $\varnothing$ 45 mm - outlet external $\varnothing$ 40 mm
0.70kW 230V 50Hz - capacitor 12.5 μ f
complete with fastening bracket
for Dishwasher (ZANUSSI) LS3 - LS6 - LS61 - LS62
LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8
for Dishwasher (ZANUSSI) LV5 LV5DP



ZANUSSI 0L0126

- 2101781 GASKET FOR PUMP HOUSING LGB**
round section $\varnothing$ 3,6 mm - epdm 60 shore



ZANUSSI 0L0331

- 3122841 ELECTRIC PUMP LGB ZF522VSX 0.94HP**
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 48 mm
0.71kW 230V 50Hz - Rpm 2800
capacitor 16 μ f
for Dishwasher (ZANUSSI) LU7PDP



ZANUSSI 0L0092

- 3068019 CAPACITOR DUCATI ENERGIA 12,5 μ F**
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 $\varnothing$ 36xh70 mm



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

- 3068024 CAPACITOR DUCATI ENERGIA 16 μ F**
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
 $\varnothing$ 36xh70 mm



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812



Suitable for:

3068083 CAPACITOR ELECTRICAL 16 μ F
450V 50/60Hz - $\varnothing$ 35xh71 mm



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

ZANUSSI



Suitable for:

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

40L1914 ELECTRIC PUMP LGB ZF522VSX 1HP
inlet $\varnothing$ external 63 mm - outlet $\varnothing$ external 48 mm
0.76kW 230V 50Hz - capacitor 16 μ F
for Dishwasher hood type (ZANUSSI) EHT - EHTA
EHTAI - EHTAID - KHT - NHT - NHTD - NHTG
NHTM - NHTP - ZHTA - ZHTAI - ZHTAID



ZANUSSI 0L1914

3068083 CAPACITOR ELECTRICAL 16 μ F
450V 50/60Hz - $\varnothing$ 35xh71 mm



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

3068024 CAPACITOR DUCATI ENERGIA 16 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connector 6.35x0.8 mm
 $\varnothing$ 36xh70 mm



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

3122853 ELECTRIC PUMP LGB ZF523VSX 1.34HP
inlet external $\varnothing$ 63 mm - outlet external $\varnothing$ 49 mm
1kW 220/400V 50Hz
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HT900 - LS10EA - LS14EA - LS9P - WT55 - WT60



ZANUSSI 0L0060

ZANUSSI 0L0564

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333
ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983



ZANUSSI



Suitable for:

3122264 ELECTRIC PUMP OP T.7 0.70HP
inlet external $\varnothing$ 50 mm - outlet external $\varnothing$ 30 mm
additional outlet external $\varnothing$ 30 mm
0.70HP 230V 50Hz 3.2A - Rpm 2750
capacitor 12.5 μ F



ZANUSSI 0L3045

3068081 CAPACITOR ELECTRICAL 12.5 μ F
450V 50/60Hz - $\varnothing$ 35xh71 mm



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

Suitable for:

3068019 CAPACITOR DUCATI ENERGIA 12,5 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 $\varnothing$ 36xh70 mm



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

3122024 SEAL MECHANICAL FOR SHAFT $\varnothing$ 12 mm
metal seal internal $\varnothing$ 11 mm - $\varnothing$ external 24 mm
height 15.5 mm
back. element internal $\varnothing$ 14 mm - $\varnothing$ external 26 mm
height 8 mm



ZANUSSI 0L0333

ZANUSSI 049171

ZANUSSI 0L0340

ZANUSSI 048983

Electric pumps for pressure increase

3122805 ELECTRIC PUMP LGB PS45DX 0.40HP
inlet $\varnothing$ 3/8"F - outlet $\varnothing$ 3/8"F
0.40HP 230V 50Hz 2.2A - Rpm 2800
capacitor 8 μ f
for pressure increase



ZANUSSI 049229

3349347 NICHEL-PL.HOSE-END FITTING $\varnothing$ 3/8"M $\varnothing$ 12




ZANUSSI 0PRG27

3068079 CAPACITOR ELECTRICAL 8 μ F
450V 50/60Hz - $\varnothing$ 30xh71 mm



ZANUSSI 049126

3122153 ELECTRIC PUMP TM61E 0.45HP
 inlet $\varnothing$ 1" F - outlet $\varnothing$ 1" F
 0.45HP 230V 50Hz 2.3A - rpm 2900
 capacitor 10 μ F - flow rate 38 L/min
 max pressure 6 ATM max temperature 90°C
 for pressure increase



ZANUSSI 048437

ZANUSSI 048668

Electrical capacitors

3068002 CAPACITOR DUCATI ENERGIA 2,5 μ F
 450V 50/60Hz
 operating temperature -25 + 85°C
 lead connection 6.35x0.8 mm
 $\varnothing$ 28xh55 mm



ZANUSSI 0E0174

3240552 CAPACITOR DUCATI ENERGIA 5 μ F WITH CABLE
 450V 50/60Hz
 operating temperature -25 + 85°C
 1-pole cables L=150 mm
 $\varnothing$ 32xh55 mm



ZANUSSI 083406

3068093 CAPACITOR ELECTRICAL 2.5 μ F
 450V 50/60Hz - $\varnothing$ 30xh51 mm



ZANUSSI 0E0174

3068078 CAPACITOR ELECTRICAL 6 μ F
 450V 50/60Hz - $\varnothing$ 30xh51 mm



ZANUSSI 0KQ378

Electronic boards

3390019 ELECTRONIC CIRCUIT BOARD 185x90 mm
 for Dishwasher (ZANUSSI) LS3 - WT303



ZANUSSI 049412



Suitable for:


ZANUSSI



Suitable for:

Electronic boards

- 3390014 ELECTRONIC CIRCUIT BOARD 260x130 mm**
for Dishwasher (ZANUSSI) LS5 - LS6
for Dishwasher hood type (ZANUSSI) ECOTEMP12
HT1000 - HT1200 - LS10 - LS14 - LS9 - WT60
WT65
for Dishwasher (ZANUSSI) NUC3




ZANUSSI 0L0045
ZANUSSI 0L0705
ZANUSSI 0L1972

ZANUSSI 0L0261
ZANUSSI 0L1412
ZANUSSI 0L2583

ZANUSSI 0L0541
ZANUSSI 0L1811
ZANUSSI 049910

- 3390376 ELECTRONIC CIRCUIT BOARD**
for Dishwasher (ZANUSSI) LS5



ZANUSSI 0L0046
ZANUSSI 0L1236
ZANUSSI 0L2582

ZANUSSI 0L0547
ZANUSSI 0L1410

ZANUSSI 0L0706
ZANUSSI 0L1810

- 3397110 BOILER TEMPERATURE PROBE**
NTC - bulb $\varnothing$ 6x50 mm
for Dishwasher (ZANUSSI) LS5 - LS6 - WT30 - WT4
for Dishwasher hood type (ZANUSSI) LS14 - LS9
WT55



ZANUSSI 049884

ZANUSSI 149884

- 1186422 O-RING 0108 EPDM**
ring thickness 1.78 mm - internal $\varnothing$ 8.73 mm



ZANUSSI 0L0555
ZANUSSI 058904

ZANUSSI 0L2341

ZANUSSI 0Q0002

- 3243139 O-RING 02025 EPDM**
ring thickness 1.78 mm - internal $\varnothing$ 6.07 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109

- 3444215 STUFFING GLAND FOR THERMOSTAT M12x1**
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899

- 1186803 O-RING 02037 EPDM**
ring thickness 1.78 mm - internal $\varnothing$ 9.25 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365



ZANUSSI 046376

- 40L0280 STUFFING GLAND M16**



ZANUSSI 0L0280



Suitable for:


3397004 TEMPERATURE PROBE NTC -10+100°C
bulb $\varnothing$ 10x30 mm - faston connections 6.3x0.8 mm
for Dishwasher (ZANUSSI) LS5 - LS6 - WT30 - WT4
for Dishwasher hood type (ZANUSSI) LS14 - LS9
WT55



ZANUSSI 049643

ZANUSSI 049666

3390375 USER INTERFACE CONTROL BOARD
for Dishwasher (ZANUSSI) - Series HT - LS5 - LS6
for Dishwasher hood type (ZANUSSI) LS10 - LS9



ZANUSSI 0L0548

ZANUSSI 0L0708

ZANUSSI 0L0709

ZANUSSI 0L1237

ZANUSSI 0L1240

ZANUSSI 0L1627

ZANUSSI 0L1973

ZANUSSI 0L2482

ZANUSSI 0L3876

ZANUSSI 049623

ZANUSSI 049754

ZANUSSI 049998

3390209 USER INTERFACE CONTROL BOARD
dimensions 340x44 mm
for Dishwasher (ZANUSSI) LS6



ZANUSSI 0L0279

ZANUSSI 0L0538

ZANUSSI 0L0707

ZANUSSI 0L1242

ZANUSSI 0L1579

ZANUSSI 049897

3390434 USER INTERFACE CONTROL BOARD




ZANUSSI 0L3875

ZANUSSI



Suitable for:

3390374 USER INTERFACE CONTROL BOARD
board replaced by 3390434
For dishwasher with serial number lower than
71810004 use the interference suppression filter
code 3160544
for Dishwasher (ZANUSSI) - Series ECOTEMP
Series HT - LS5 - LS6 - Series WT
for Dishwasher hood type (ZANUSSI) LS10 - LS9
for Dishwasher (ZANUSSI) NUC3DP 400146



ZANUSSI 0L0726

ZANUSSI 0L1567

ZANUSSI 0L1241

ZANUSSI 0L1626

ZANUSSI 0L1565

3390373 USER INTERFACE CONTROL BOARD
dimensions 195x80 mm
for Dishwasher hood type (ZANUSSI) LS9



ZANUSSI 0L0061

ZANUSSI 0L1235

ZANUSSI 0L0550

ZANUSSI 0L0710

3160544 FILTER RFI (FERRITE)



ZANUSSI 0L3881



Suitable for:

ZANUSSI



Suitable for:

Electronic controllers

7104861 DIGITAL THERMOMETER ELIWELL EM300 NTC

power supply 230V
thermometer setting range $-50+110^{\circ}\text{C}$
room temperature $-5+55^{\circ}\text{C}$
NTC type probe (not included)
connections with screw terminal box
front dimensions 76x35x70 mm
mounting hole 71x29mm



ZANUSSI 0S0790

3445028 PROBE NTC PVC 4000 mm

temperature field $-30+80^{\circ}\text{C}$
bulb $\varnothing$ 6x20 mm



ZANUSSI 087832

ZANUSSI 092176

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



ZANUSSI 0A2269

ZANUSSI 004120

ZANUSSI 082378

ZANUSSI 083833

3394354 ELECTRONIC THERMOMETER LAE LTS12PTI-2

complete with 2-wire probe length 3000 mm
multiprobe: PT100($-100+600^{\circ}\text{C}$) - PTC($-50+150^{\circ}\text{C}$)
power supply 24Vac/dc 3W
mounting hole distance 70x28 mm
for Dishwasher (ZANUSSI) - Series WT



ZANUSSI 0E5030

ZANUSSI 049943

3394355 ELECTRONIC THERMOMETER LAE LTS12PTI-2

complete with 2-wire probe length 5000 mm
multiprobe: PT100($-100+600^{\circ}\text{C}$) - PTC($-50+150^{\circ}\text{C}$)
power supply 24 Vac 3W
mounting hole distance 70x28 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 049944

Faucets and mixers

3359474 HORIZONTAL TAP
 spout $\varnothing$ 18x300 mm
 flow rate 22 L/min by 3 bar
 connection $\varnothing$ 1/2" M
 mounting hole $\varnothing$ 22 mm



ZANUSSI 0C3108

3359195 MAXI SINGLE-LEVER MIXER
 mounting hole $\varnothing$ 50 mm
 flowrate 80L/min



ZANUSSI 0S0130

ZANUSSI 008000

3359163 SINK HOLE TAP STYL-K3
 spout $\varnothing$ 20x300h150 mm
 mixer connection 3/4" h 50 mm
 power source nickel plate copper $\varnothing$ 1/2"



ZANUSSI 0S0862

3759244 SINK HOLE TAP STYL-K3e
 spout $\varnothing$ 20x350h150 mm
 mixer connection 3/4" h 50 mm
 power source nickel plate copper $\varnothing$ 1/2"



ZANUSSI LF-2111309

3359186 TWO-HOLE STRAIGHT COUNTER STYL-K3
 valves $\varnothing$ 3/4"
 spout $\varnothing$ 20 x 250 h 120 mm
 distance between holes 155 mm
 connections $\varnothing$ 3/4" h 50 mm



ZANUSSI 033125

ZANUSSI 069964

3359165 WALL MOUNTED HORIZONTAL TAP
 spout: $\varnothing$ 20 x 300 mm
 connection $\varnothing$ 1/2" M



ZANUSSI 0S0103


Feet

3313003 ADJUSTABLE S/STEEL FOOT $\varnothing$ 2" x h 130 mm
 with rectangular flange 100x90 mm
 adjustable height 130÷190 mm



ZANUSSI 057536

3313058 ADJUSTABLE S/STEEL FOOT $\varnothing$ 2" x h 140 MM
 with fixed screw M10x25 mm
 adjustable height 140÷240 mm



ZANUSSI 0C0204



Suitable for:

Suitable for:

3313001 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm



ZANUSSI 053792

Filters

3160395 FILTER BASKET
for Dishwasher hood type (ZANUSSI) LS10 - LS10D
LS12



ZANUSSI 048252

3160331 FILTER OF STAINLESS STEEL $\varnothing$ 102 mm
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5186

3160605 INTERNAL FILTER $\varnothing$ 136x75 mm - GREY



ZANUSSI 069529

3160518 PUMP FILTER
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS14 - LS9



ZANUSSI 049810

3160187 PUMP FILTER $\varnothing$ 124 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2 - LB
LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 0L2757

ZANUSSI 049032

3186466 O-RING 04475 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 120.20 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049033

3160189 DRAIN MANIFOLD
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049035

3160188 RING NUT FOR FILTER
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049034



ZANUSSI



Suitable for:

Suitable for:

3160215 SUCTION CONNECTION $\varnothing$ 1"1/4



ZANUSSI 070328

3160236

SUCTION FILTER

plastic made - external $\varnothing$ 155 mm - height 70 mm



ZANUSSI 0L3526

3160400 TANK BOTTOM FILTER

for Dishwasher hood type (ZANUSSI) LS14EA



ZANUSSI 048251

ZANUSSI 049846

3160190

TANK FILTER $\varnothing$ 495x485 mm

for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS61
LS62 - LS63 - LS7

for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048331

ZANUSSI 049537

ZANUSSI 048332

ZANUSSI 048584

3160112 TANK FILTER 460x460 mm

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS510 - LS520 - LS521 - ZLS510 - ZLS520
ZLS521



ZANUSSI 0A6158

ZANUSSI 047544

3160002

WATER FILTER

for Dishwasher (ZANUSSI) LS500 - LS501 - LS540
LS541

for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS860 - LS861



ZANUSSI 045476

ZANUSSI 068713

3160462 WATER FILTER $\varnothing$ 1/2"FF



ZANUSSI 054450

ZANUSSI 067392

3160007

WATER FILTER $\varnothing$ 3/4"FF



ZANUSSI 0C4113

ZANUSSI 068121

ZANUSSI 0KL216

ZANUSSI 0W2538

3160111 WATER FILTER $\varnothing$ 89 mm

for Dishwasher (ZANUSSI) HYDRA700 - LS3 - LS6
LS61 - LS62 - LS63 - LS64 - LS7 - Z62 - Z63
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 048324

3160109

WATER INLET FILTER

fittings $\varnothing$ 3/4"MF

for Dishwasher hood type (ZANUSSI) HT1200 - LC120
LS10 - LS12



ZANUSSI 048746



Suitable for:


ZANUSSI



Suitable for:

Fittings

1349104 FITTING $\varnothing$ 1/2"M-1/2"M



ZANUSSI 0K9022

1349115 FITTING $\varnothing$ 1/2"M-3/4"M




ZANUSSI 0E5431

3349590 FITTING WITH RING NUT



ZANUSSI 049652

40E3080 HOSE-END FITTING T-SHAPED BRASS
thread 1/8"F - hose-end fitting $\varnothing$ 14 mm
for Dishwasher conveyor type (ZANUSSI) FT36ED
FT36ES - FT36VD - FT36VS - FT50ED - FT50ES
FT72ED - FT72ES
for Dishwasher pull-through (ZANUSSI) RTCS180ELB
RTCS180ERB - RT10EL - RT10ER - WT100SLM
WT100SRM - WT150SLM - WT150SRM



ZANUSSI 0E3080

3349346 NICHEL-PL.HOSE-END FITTING $\varnothing$ 1/4"M $\varnothing$ 12



ZANUSSI 0C1626

3349319 NICHEL-PLATED FITTING $\varnothing$ 1/4"M-1/4"M



ZANUSSI 006350

3090616 T-FITTING FOR BOILER



ZANUSSI 069459

Fuses

3049003 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 100mA



ZANUSSI 086338

3049005 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 160mA



ZANUSSI 002820



Suitable for:

3049012 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 800mA



ZANUSSI 0C2301

Suitable for:

3049068 QUICK ACTING FUSE $\varnothing$ 10x38 mm - 10 PCS
500V 1A



ZANUSSI 048995

ZANUSSI 048995_10PZ

3049040 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 250mA



3049041 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 315mA



ZANUSSI 002920

ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032

3049042 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 400mA



3049044 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 630mA



ZANUSSI 002750

ZANUSSI 0W5452

ZANUSSI 058871

3049046 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 1A



3049049 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 2A



ZANUSSI 0W5451

ZANUSSI 0A8438

3049052 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 4A



3049127 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 16A



ZANUSSI 057783

ZANUSSI 005136



Suitable for:

ZANUSSI



Suitable for:

Gaskets and seals

3186468 CONTROL PANEL GASKET



ZANUSSI 048274

40K7354 GASKET BOILER

ø external 141 mm - ø internal 108 mm
for Pan/utensilwashing machines (ZANUSSI) ET850M
LV200M - PW2MG - PW2SMG - PW200M - WT850M
for Pan/utensilwashing machines conveyor type
(ZANUSSI) EFT1 - EFT2 - EFT3 - EFT4 - FT36ED
FT36ES - FT50ED - FT50ES - FT72ED - FT72ES



ZANUSSI 0K7354

3186578 GASKET FLAT EPDM ø 14x12x2 mm



ZANUSSI 046584

3315009 GASKET FLAT EPDM ø 25x13x3 mm

for Dishwasher (ZANUSSI) LS500 - LS540 - LS541
for Dishwasher hood type (ZANUSSI) LSE720 - LSE721
652120Z



ZANUSSI 061488

3786480 GASKET FOR BOTTOM MANIFOLD for Dishwasher hood type (ZANUSSI) LS1080 - LS720 LS861



ZANUSSI 047928

40E0112 GASKET FOR DRAIN ELBOW ø 104 mm mounting distance 65 mm for Dishwasher hood type (ZANUSSI) D48 for Dishwasher pull-through (ZANUSSI) D530 - D580 D680



ZANUSSI 0E0112

Gearmotors

3340102 GEARMOTOR DP71 4-6 0.27/0.16Kw 380/420V 50/60Hz for Dishwasher pull-through (ZANUSSI) RT190 RT270 - RT3400 - RT4800 - WT100 - WT150 - Z340 Z480



ZANUSSI 0E5352


Guides

40L0084 SIDEWAYS COVER 650x30x32 mm
for Dishwasher hood type (ZANUSSI) EHT - EHTG
EHTM - EHTM60 - EHT60 - HT900 - LD900 - LS9P
LS9PDD - LS9P60 - LV900P - NHT - NHTD - NHTG
NHT60 - WT55ADG1 - WT55P - WT55PM50 - WT55PM60
WT55P60



ZANUSSI 0L0084

40L0099 SLIDE FOR COVER 49x18x6.5 mm
for Dishwasher hood type (ZANUSSI) EHT - EHTG
EHTM - EHTM60 - EHT60 - HT900 - LD900 - LS9P
LS9PDD - LS9P60 - LV900P - NHT - NHTD - NHTG
NHT60 - WT55ADG1 - WT55P - WT55PM50 - WT55PM60
WT55P60



ZANUSSI 0L0099

Handles

3242060 COMPLETE DOOR HANDLE
for Dishwasher (ZANUSSI) LS500 - LS540



ZANUSSI 046355

3242061 HANDLE CAP
for Dishwasher (ZANUSSI) LS500 - LS540



ZANUSSI 081727

3242024 DOOR HANDLE 550x75 mm
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63 - LS64



ZANUSSI 048811

3242062 HANDLE GREY 170 mm
mounting distance 130 mm
for Dishwasher (ZANUSSI) LS505 - LS510 - LS520




ZANUSSI 047481

3242197 HANDLE SIDE PANEL



ZANUSSI 047479

3242023 HANDLE ROLLER ø 65 mm
for Dishwasher hood type (ZANUSSI) ECOTEMP12
LS10 - LS12



ZANUSSI 048348

3243918 ROLLER PIN ø 6x77 mm
for Dishwasher hood type (ZANUSSI) ECOTEMP12
LS10 - LS12



ZANUSSI 048349



Suitable for:

ZANUSSI



Suitable for:

Heating elements

6467002 COVER FOR HEATING ELEMENT BOILER ø 68 mm - height 40 mm



ZANUSSI 069551

3355478 HEATING ELEMENT BOILER 4500W 220/380V immersed depth 370 mm flange external ø 63 mm with bulbholder sheathing ø 7 mm complete with O-ring ø 58 mm (3186013)



ZANUSSI 0L3590

ZANUSSI 002524

ZANUSSI 026453

ZANUSSI 049307

ZANUSSI 057698

3186013 O-RING 06187 EPDM ø 58 mm ring thickness 5.34 mm - internal ø 47.00 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

4065560 COVER FOR HEATING ELEMENT ø 55 mm - height 60 mm distance between fastening holes 60 mm



ZANUSSI 065560

7102660 HEATING ELEMENT CHROME-PLATED 4500W 230V immersion depth 335 mm flange ø external 72 mm for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - AUCI EUCAI - EUCAIDD - EUCAIDP - EUCAIG - EUCI EUCIM - NUCAIG - ZUCAI - ZUCAID - ZUCAIDP ZUCAIG - ZUCI - ZUCID



ZANUSSI 0L2107

ZANUSSI 0L2651

ZANUSSI 049899

40L2725 HEATING ELEMENT CHROME-PLATED 6000W 230V immersion depth 335 mm flange ø external 72 mm for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - AUCAIG AUCI - EUCAI - EUCAIG - EUCI - EUCIM - NUCAIG ZUCAI - ZUCAID - ZUCAIDP - ZUCAIG - ZUCI ZUCID



ZANUSSI 0L2108

ZANUSSI 0L2725

ZANUSSI 049898

3755057 HEATING ELEMENT FOR BOILER 10000W 230V
 immersed length 460 mm
 flange ø external 72 mm - with probe receptacle
 complete with O-ring ø 67 mm (3186014)
 for Dishwasher pull-through (ZANUSSI) - Series RT
 RT10 - RT100 - RT190 - RT270 - Series WT



ZANUSSI 0E5066

ZANUSSI 0L1836

Suitable for:

3455428 HEATING ELEMENT FOR BOILER 12000W 230V
 immersed length 440 mm
 flange ø external 72 mm
 complete with O-ring ø 67 mm (3186014)
 for Dishwasher pull-through (ZANUSSI) RT100
 RT140 - RT142 - RT190 - RT270 - RT340



ZANUSSI 0E5162

ZANUSSI 0L1861

3755054 HEATING ELEMENT FOR BOILER 2000W 230V
 immersed length 325 mm - width 65 mm
 flange 80x27 mm
 for Dishwasher hood type (ZANUSSI) LS10 - LS12
 WT60
 for Pan/utensilwashing machines (ZANUSSI) PW1



ZANUSSI 049613

ZANUSSI 049755

3355601 HEATING ELEMENT FOR BOILER 2400W 220V
 immersed length 200 mm
 external ø flange 63 mm - with probe receptacle
 complete with O-ring ø 58 mm (3186013)



ZANUSSI 069455

ZANUSSI 069672

3186013 O-RING 06187 EPDM ø 58 mm
 ring thickness 5.34 mm - internal ø 47.00 mm



ZANUSSI 0L2765

ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3355377 HEATING ELEMENT FOR BOILER 2400W 230V
 immersed depth 260 mm
 oval flange 96x58 mm - dist. between fast. holes 7
 complete with gasket ø 52 mm (3186191)



ZANUSSI 070307

3186191 GASKET FLAT VITON ø 52x41x6 mm
 for HEATING ELEMENT



ZANUSSI 060009

ZANUSSI 070308



ZANUSSI



Suitable for:

Suitable for:

3355314 HEATING ELEMENT FOR BOILER 2800W 230V
immersed length 385 mm
flange ø external 63 mm
complete with O-ring ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS5 - WT4



ZANUSSI 049980

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3755055 HEATING ELEMENT FOR BOILER 2800W 230V
immersed length 320 mm
flange ø external 63 mm
complete with O-ring ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049371

40C5347 HEATING ELEMENT FOR BOILER 3000W 220V
immersed length 255 mm
flange ø external 63 mm
complete with O-ring ø 58 mm (3186013)
for Dishwasher (ZANUSSI) C51 - C52 - LS510 - LS520
LS520D - LS520F - LS520K - LS520M



ZANUSSI 0C5347

ZANUSSI 047505

3355295 HEATING ELEMENT FOR BOILER 3000W 230/400
immersed length 170 mm
flange ø external 63 mm
complete with O-ring ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64



ZANUSSI 0L1634

ZANUSSI 048489

ZANUSSI 048927

3186013 O-RING 06187 EPDM ø 58 mm
ring thickness 5.34 mm - internal ø 47.00 mm



ZANUSSI 0L2765

ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755052 HEATING ELEMENT FOR BOILER 3000W 230V
immersed length 310 mm - width 65 mm
flange 80x27 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60



ZANUSSI 049614

ZANUSSI 049756

3755053 HEATING ELEMENT FOR BOILER 3500W 230V
immersed length 310 mm - width 65 mm
flange 80x27 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60
for Pan/utensilwashing machines (ZANUSSI) PW1



ZANUSSI 049615

ZANUSSI 049757

3455335 HEATING ELEMENT FOR BOILER 4000W 230V
 immersed length 465 mm
 flange ø external 63 mm
 with probe receptacle
 complete with O-ring ø 58 mm (3186013)
 for Dishwasher pull-through (ZANUSSI) - Series RT
 Series WT



ZANUSSI 0E5115

ZANUSSI 0K8250

ZANUSSI 0L1833

3355293 HEATING ELEMENT FOR BOILER 4500W 230/400
 immersed length 370 mm
 flange external ø 63 mm
 complete with O-ring ø 58 mm (3186013)
 for Dishwasher hood type (ZANUSSI) LSE720 - LS1080
 LS720 - LS860



ZANUSSI 048284

3186013 O-RING 06187 EPDM ø 58 mm
 ring thickness 5.34 mm - internal ø 47.00 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3755600 HEATING ELEMENT FOR BOILER 4500W 230V
 immersed length 225 mm
 flange ø external 63 mm
 complete with O-ring ø 58 mm (3186013)
 for Dishwasher (ZANUSSI) FL610 - LS61 - LS7
 for Dishwasher hood type (ZANUSSI) LS10 - LS1080
 LS720 - LS8 - LS860



ZANUSSI 048928

4065560 COVER FOR HEATING ELEMENT
 ø 55 mm - height 60 mm
 distance between fastening holes 60 mm



ZANUSSI 065560

3355312 HEATING ELEMENT FOR BOILER 6000W 230/380
 immersed length 455 mm
 flange ø external 72 mm
 complete with O-ring ø 67 mm (3186014)
 for Dishwasher conveyor type (ZANUSSI) WT730
 WT760



ZANUSSI 0E5114

ZANUSSI 0K8249

ZANUSSI 0L1834



Suitable for:

3355294 HEATING ELEMENT FOR BOILER 6000W 230/400
immersed length 370 mm
flange ø external 63 mm
complete with O-ring ø 58 mm (3186013)
for Dishwasher (ZANUSSI) LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048221

ZANUSSI 048513

3186013 O-RING 06187 EPDM ø 58 mm
ring thickness 5.34 mm - internal ø 47.00 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

Suitable for:

4065560 COVER FOR HEATING ELEMENT
ø 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3455426 HEATING ELEMENT FOR BOILER 8000W 230V
immersed length 465 mm
flange external ø72 mm - with probe receptable
complete with O-ring ø 67 mm (3186014)
latches included
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT180 - RT190 - RT250 - RT270 - RT340
RT480



ZANUSSI 0E5113

ZANUSSI 0L1835

3355604 HEATING ELEMENT FOR TANK 2000W 220V
immersed length 275 mm
width 120 mm - connection ø 10 mm



ZANUSSI 069437

ZANUSSI 069671

3355027 HEATING ELEMENT TANK 1800W 220V
immersed length 410 mm - width 85 mm
fittings ø 14 mm
for Dishwasher (ZANUSSI) LS365 - LS480 - LS500
LS540 - LS750
for Dishwasher hood type (ZANUSSI) LS860



ZANUSSI

3355030 HEATING ELEMENT TANK 2000W 220V
immersed length 370 - width 100 mm
fittings ø 14 mm
for Dishwasher conveyor type (ZANUSSI) LSE22
LSE31 - LSE40



ZANUSSI 067610



Suitable for:

3455429 HEATING ELEMENT TANK 2000W 230V
immersed length 365 mm - width 72 mm
flange 51x28 mm
for Dishwasher (ZANUSSI) LS5 - LS6



ZANUSSI 0L2109

ZANUSSI 049954

Suitable for:

3755049 HEATING ELEMENT TANK 2000W 230V
immersed depth 240 mm
width 34 mm
fittings ø 10 mm



ZANUSSI 0HA117

3355028 HEATING ELEMENT TANK 2200W 220V
immersed length 410 mm - width 130 mm
fittings ø 14 mm
for Dishwasher (ZANUSSI) LS365 - LS480 - LS500
LS540 - LS750
for Dishwasher hood type (ZANUSSI) LS860



ZANUSSI 047484


ZANUSSI 047506

ZANUSSI 047848

3355290 HEATING ELEMENT TANK 2200W 230V
immersed length 340 mm - width 75 mm
flange 51x28 mm
complete with gasket (3186190)
for Dishwasher (ZANUSSI) LS3 - LS6 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



3186190 GASKET FOR ELEMENT 23x46 mm
in rubber



ZANUSSI 0L2340

ZANUSSI 048228

ZANUSSI 048924

ZANUSSI 048483

3355291 HEATING ELEMENT TANK 2200W 230V
immersed length 325 mm - width 80 mm
fittings ø 14 mm
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS860



ZANUSSI 046404

ZANUSSI 048000

ZANUSSI 048086

ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

1186223 O-RING 02056 EPDM
ring thickness 1.78 mm - internal ø 14.00 mm





Suitable for:

ZANUSSI



3355485 HEATING ELEMENT TANK 2700W 230V

immersed depth 350 mm
width 42 mm - flange 61x26 mm
complete with gasket



ZANUSSI 0L3669

Suitable for:

3455336 HEATING ELEMENT TANK 3x5000W 230V

immersed length 445 mm
flange ø external 72 mm
with O-ring ø 67 (3186014)
for Dishwasher conveyor type (ZANUSSI) WTF2 - WTF3
WTF4



ZANUSSI 0K8505

3455425 HEATING ELEMENT TANK 7500W 230V

immersed length 325 mm
flange ø external 72 mm - with probe receptacle
with O-ring ø 67 (3186014)
for Pan/utensilwashing machines (ZANUSSI) LV100M
LV200M



ZANUSSI 0H2277

3755056 HEATING ELEMENT TANK 7500W 230V

immersed length 460 mm
flange ø external 72 mm
complete with O-ring ø 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher pull-through (ZANUSSI) RT10 - RT100
RT190 - RT270



ZANUSSI 0E5161

ZANUSSI 0L1859

3355670 FLANGE FOR HEATING ELEMENT

external ø 100 mm - internal ø 57 mm - 5 holes
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5492

3755051 HEATING ELEMENT TANK 800W 230V

immersed length 155 mm - width 34 mm
flange 51x28 mm - complete with gasket
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049059

3355348 HEATING ELEMENT 10500W 230V

immersed length 340 mm
flange ø external 72 mm
complete with O-ring ø 67 (3186014)
for Dishwasher hood type (ZANUSSI) ECOTEMP12
HT1000 - HT1200 - LS10 - LS14



ZANUSSI 0L1772

ZANUSSI 0L2727

ZANUSSI 049997

3755964 HEATING ELEMENT 10500W 230V
 immersed length 380 mm
 flange ø external 63 mm - with probe receptacle
 complete with O-ring ø 58 mm (3186013)
 for Dishwasher pull-through (ZANUSSI) RT10



ZANUSSI 0E5953

ZANUSSI 0L1852

3755952 HEATING ELEMENT 12000W 220V
 immersed depth 460 mm
 flange external ø 72 mm - with bulbholder sheathin
 complete with O-ring ø 67 mm (3186014)
 for Dishwasher conveyor type (ZANUSSI) WTF3
 for Dishwasher pull-through (ZANUSSI) RT100
 RT140 - RT142 - RT190 - RT270



ZANUSSI 0E5116

ZANUSSI 0E5213

ZANUSSI 0K7530

ZANUSSI 0L1837

3186014 O-RING 06225 EPDM ø 67 mm
 ring thickness 5.34 mm - internal ø 56.52 mm
 for Dishwasher (ZANUSSI) LS62/F
 for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 0E5037

ZANUSSI 007029

ZANUSSI 047156

ZANUSSI 049909

3355289 HEATING ELEMENT 1375W 230V
 depth 170 mm - width 370 mm
 for Dishwasher conveyor type (ZANUSSI) - Series WT
 for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5126

ZANUSSI 0E5253

3186073 GASKET 14x14 mm FOR HEATING ELEMENT
 hole ø 8 mm



ZANUSSI 0G7656

ZANUSSI 0K7154

3755171 HEATING ELEMENT 17000W 230V
 immersed length 590 mm
 flange external ø 63 mm - with bulb-sheathing
 complete with O-ring ø 58 mm (3186013)




ZANUSSI 0C5336

ZANUSSI 058995

ZANUSSI 059003

3755572 BRACKET FOR HEATING ELEMENT
 external ø 90 mm - internal ø 50 mm
 thickness 2.5 mm



ZANUSSI 003362

ZANUSSI 065558



Suitable for:

ZANUSSI



Suitable for:

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3355018 HEATING ELEMENT 1800W 220V
immersed length 360 mm - width 50 mm
flange 66x30 mm
for Dishwasher (ZANUSSI) LS32 - LS4 - LS50



ZANUSSI 060715

3186007 GASKET 14x14 mm HEAT.ELEMENT PIN
hole $\varnothing$ 8 mm



ZANUSSI 060717

3186008 GASKET FLAT RUBBER $\varnothing$ 48x42x5 mm
for HEATING ELEMENT



ZANUSSI 060716

3355250 SHAFT FOR HEATING ELEMENT



ZANUSSI 060718

3755273 HEATING ELEMENT 1800W 220V
immersed length 330 mm - width 90 mm
fittings $\varnothing$ 1/4" (13 mm)
for Dishwasher (ZANUSSI) LS4 - LS510 - LS521



ZANUSSI 047507

40E2326 HEATING ELEMENT 2000W 220V
immersed length 350 mm
flange 60x26 mm with gasket



ZANUSSI 0E2326

3355024 HEATING ELEMENT 3000W 220/380V
for wash tank and boiler
immersed length 260 mm
flange external $\varnothing$ 63 mm
complete with O-ring $\varnothing$ 58 mm (3186013)



ZANUSSI 066109

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

Suitable for:

3355022 HEATING ELEMENT 3000W 220V
for tank and boiler
immersed length 380 mm - width 65 mm
connections $\varnothing$ 14 mm
for Dishwasher conveyor type (ZANUSSI) - Series LN
Series LSE



ZANUSSI 067608

Suitable for:

3355313 HEATING ELEMENT 3000W 230V
immersed length 355 mm - width 75 mm
flange 51x28 mm
for Dishwasher hood type (ZANUSSI) HT900 - LS9



ZANUSSI 0L1870

ZANUSSI 048491

3355033 HEATING ELEMENT 4200W 220/380V
for tank and boiler
immersed length 335 mm
flange external $\varnothing$ 63 mm - with probe receptacle
complete with O-ring $\varnothing$ 58 mm (3186013)
for Dishwasher hood type (ZANUSSI) LSE720



ZANUSSI 046622

ZANUSSI 046623

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

3355025 HEATING ELEMENT 4500W 220/380V
for tank and boiler
immersed length 395 mm
flange external $\varnothing$ 63 mm
complete with O-ring $\varnothing$ 58 mm (3186013)
for Dishwasher (ZANUSSI) LS360
for Dishwasher hood type (ZANUSSI) LS860



ZANUSSI 002523

ZANUSSI 065557

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

4065560 COVER FOR HEATING ELEMENT
 $\varnothing$ 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560



ZANUSSI



Suitable for:

Suitable for:

3355292 HEATING ELEMENT 4500W 220/380V
immersed length 300 mm
flange $\varnothing$ external 63 mm - with probe receptacle
complete with O-ring $\varnothing$ 58 mm (3186013)
for Dishwasher (ZANUSSI) LS4 - LS6
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 047847

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755211 HEATING ELEMENT 4500W 230V
immersed length 320 mm
flange external $\varnothing$ 63 mm - with probe receptacle
complete with O-ring $\varnothing$ 58 mm (3186013)
for Dishwasher hood type (ZANUSSI) LSE720 - LS860



ZANUSSI 046627

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3755951 HEATING ELEMENT 4500W 230V
immersed length 265 mm
flange $\varnothing$ external 63 mm
with O-ring $\varnothing$ 58 (3186013)
for Dishwasher (ZANUSSI) EUC1 - EUC3 - LS5 - WT4



ZANUSSI 0L2129

ZANUSSI 0L2652

ZANUSSI 049955

4065560 COVER FOR HEATING ELEMENT
 $\varnothing$ 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560

3355026 HEATING ELEMENT 6000W 220/380V
for tank and boiler
immersed length 495 mm
flange external $\varnothing$ 63 mm
complete with O-ring $\varnothing$ 58 mm (3186013)



ZANUSSI 058012

ZANUSSI 066110

ZANUSSI 076035

4065560 COVER FOR HEATING ELEMENT
 $\varnothing$ 55 mm - height 60 mm
distance between fastening holes 60 mm



ZANUSSI 065560



Suitable for:

ZANUSSI



3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

Suitable for:

3355046 HEATING ELEMENT 6000W 220/380V
immersed length 490 mm
flange $\varnothing$ external 63 mm - with probe receptacle
complete with O-ring $\varnothing$ 58 mm (3186013)
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 051632

3186013 O-RING 06187 EPDM $\varnothing$ 58 mm
ring thickness 5.34 mm - internal $\varnothing$ 47.00 mm



ZANUSSI 0L2765
ZANUSSI 069456

ZANUSSI 046213

ZANUSSI 067620

3355106 HEATING ELEMENT 6000W 230/400V
for boiler and tank
immersed length 350 mm
flange external $\varnothing$ 72 mm - with bulb-sheathing
with O-ring $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher (ZANUSSI) LS62/F
for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 049898

3186014 O-RING 06225 EPDM $\varnothing$ 67 mm
ring thickness 5.34 mm - internal $\varnothing$ 56.52 mm
for Dishwasher (ZANUSSI) LS62/F
for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 0E5037
ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

3755963 HEATING ELEMENT 6000W 230V
immersed length 300 mm
flange $\varnothing$ external 63 mm
complete with O-ring $\varnothing$ 58 (3186013)
for Pan/utensilwashing machines (ZANUSSI)



ZANUSSI 0L1878

ZANUSSI 049116



ZANUSSI



Suitable for:

40L1006 HEATING ELEMENT 6000W 230V

immersed length 335 mm
flange external $\varnothing$ 72 mm



ZANUSSI 0L1006

Suitable for:

3186014 O-RING 06225 EPDM $\varnothing$ 67 mm

ring thickness 5.34 mm - internal $\varnothing$ 56.52 mm
for Dishwasher (ZANUSSI) LS62/F
for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 0E5037

ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

40L2766 HEATING ELEMENT 7000W 230V

for tank
immersed length 315 mm
flange $\varnothing$ ext. 72 mm
complete with O-ring $\varnothing$ 67 mm (3186014)



ZANUSSI 0L0203

ZANUSSI 0L2246

ZANUSSI 0L2766

3355307 HEATING ELEMENT 9000W 230V

immersed length 440 mm
flange $\varnothing$ external 72 mm
complete with O-ring $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5163

ZANUSSI 0L1860

3355670 FLANGE FOR HEATING ELEMENT

external $\varnothing$ 100 mm - internal $\varnothing$ 57 mm - 5 holes
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5492

3755270 HEATING ELEMENT 9000W 230V

immersed length 345 mm
flange $\varnothing$ external 72 mm
complete with O-ring $\varnothing$ 67 (3186014)
for Dishwasher (ZANUSSI) LU7
for Dishwasher hood type (ZANUSSI) HT1200 - LS10E
LS14ROW - LS9 - WT55



ZANUSSI 0L1630

ZANUSSI 0L2653

ZANUSSI 049992

Suitable for:

Suitable for:

40L1853 KIT HEATING ELEMENT 12000W 230V
 immersed length 460 mm
 flange external $\varnothing 63$ mm - with probe receptable
 complete with O-ring $\varnothing 58$ mm (3186013)
 latches included
 for Dishwasher pull-through (ZANUSSI) RT10 - RT100
 RT140 - RT142 - RT180 - RT1800 - RT190
 RT2500 - WT100 - WT150 - WT190 - WT200 - WT270
 WT90 - WT95



ZANUSSI 0E5956

ZANUSSI 0L1853

3186013 O-RING 06187 EPDM $\varnothing 58$ mm
 ring thickness 5.34 mm - internal $\varnothing 47.00$ mm



ZANUSSI 0L2765

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

40L1877 KIT HEATING ELEMENT 6000W 230V
 immersed length 490 mm
 flange external $\varnothing 63$ mm - with probe receptable
 complete with O-ring $\varnothing 58$ mm (3186013)
 latches and contact protections included
 for Dishwasher (ZANUSSI)



ZANUSSI 0L1877

ZANUSSI 003410

4065560 COVER FOR HEATING ELEMENT
 $\varnothing 55$ mm - height 60 mm
 distance between fastening holes 60 mm



ZANUSSI 065560

Hinges, catches and accessories

3053324 DOOR TIE ROD $\varnothing 12 \times 605$ mm
 for Pan/utensilwashing machines (ZANUSSI)
 Series PW - Series WT



ZANUSSI 049730

3053325 DOOR LEVER
 for Pan/utensilwashing machines (ZANUSSI)
 Series PW - Series WT



ZANUSSI 049731

3053239 LEFT DOOR LOCK
 for Pan/utensilwashing machines (ZANUSSI) PW1
 PW100 - PW2 - PW200 - WT830



ZANUSSI 0L0036

ZANUSSI 049711

3053241 RIGHT DOOR LOCK
 for Pan/utensilwashing machines (ZANUSSI) PW1
 PW100 - PW2 - PW200 - WT830



ZANUSSI 049693




Suitable for:

ZANUSSI



3053240 TIE-ROD GUIDE PIN

for Pan/utensilwashing machines (ZANUSSI) PW1
PW100 - PW2 - PW200 - WT830



ZANUSSI 049685

Suitable for:

3053210 DOOR TIE ROD 255 mm

for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32



ZANUSSI 049282

3398018 DOOR LOCKING PLATE 64x16 mm


for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32
for Dishwasher (ZANUSSI) LS5/DP3



ZANUSSI 049285

3053208 TIE ROD PIN

for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32



ZANUSSI 049283

3053058 HINGE RH-LH

for Dishwasher (ZANUSSI) - Series LS



ZANUSSI 048161

1348817

CIRCLIP RADIAL ø 4 mm

stainless steel- outer ø 9.3 mm - thickness 0.7 mm
UNI 7434 - DIN 6799



ZANUSSI 049284

3053209

DOOR TIE ROD RETAINER

for Dishwasher (ZANUSSI) C32 - C33 - C55 - FL32
FL33 - FL5 - LS32 - LS33 - LS5 - LV32 - LV5
WT302 - WT303 - WT4 - Z32
for Dishwasher (ZANUSSI) LS5/DP3



ZANUSSI 049286

Suitable for:

3053133 LEFTHAND HINGE
for Dishwasher (ZANUSSI) LS7



ZANUSSI 048583

3053079 PIN FOR HINGE SPRING ø 11x280 mm
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500



ZANUSSI 048581

4049802 LEVER FOR DOOR
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - NGW - NGWDD - NGWDPDD - WT1 - WT2
Z1 - Z2



ZANUSSI 049802

3250068 DOOR SPRING ø 16x198 mm
for Glasswasher/Cupwasher (ZANUSSI) GW2 - LB2 - Z2



ZANUSSI 049086

3053062 LEVER FOR HINGE LH
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 0L0718

ZANUSSI 048814

Suitable for:

3053049 CLASP ø 4.5x24 mm
stainless steel - UNI 6873 - DIN 1481 - ISO 8752
for Dishwasher (ZANUSSI) LS50 - LS51 - LS52



ZANUSSI 045446

3053052 SPRING FOR LEFTHAND DOOR HINGE
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500



ZANUSSI 046268

3250052 DOOR SPRING ø 16x186 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - LB1
WT1 - WT2 - Z1



ZANUSSI 049200

3053063 BUSHING FOR LEVER
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048812



Suitable for:

ZANUSSI



Suitable for:

3053064 RETURN-SPRING FOR DOOR
ø 12x160 mm
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048815

3053061 LEVER FOR RIGHTHAND DOOR HINGE
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 0L0717

ZANUSSI 048813

3053064 RETURN-SPRING FOR DOOR
ø 12x160 mm
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



3053063 BUSHING FOR LEVER
for Dishwasher (ZANUSSI) ECOTEMP5 - LS62 - LS63
LS64



ZANUSSI 048812

ZANUSSI 048815

3053130 RIGHTHAND HINGE
for Dishwasher (ZANUSSI) LS7



ZANUSSI 048582

3053079 PIN FOR HINGE SPRING ø 11x280 mm
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500



ZANUSSI 048581

3053049 CLASP ø 4.5x24 mm
stainless steel - UNI 6873 - DIN 1481 - ISO 8752
for Dishwasher (ZANUSSI) LS50 - LS51 - LS52



ZANUSSI 045446

3053053 SPRING FOR RIGHTHAND DOOR HINGE
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500



ZANUSSI 046269

Hose reels

- 3359553 WASHING UNIT MINIREEL**
stainless steel case aisi 304
with automatic retractor
EPDM hose $\varnothing$ 13 mm
pull-out hose length 1.6 meters
complete with shower ECO/F
for fixing to any equipment



ZANUSSI 0T1747

ZANUSSI 006696

- 3359610 BLACK SHOWER HEAD ECO $\varnothing$ 1/2" M**
with coupling 3/8" M x 1/2" M



ZANUSSI 003175

Hose-end fittings

- 3315023 Y-SHAPED FITTING**
fittings outer $\varnothing$ 14 mm
for Dishwasher (ZANUSSI) LS5 - LS6 - LS7
for Dishwasher hood type (ZANUSSI) LS14



ZANUSSI 0L0365

- 3315106 3-WAY HOSE END RUBBER FITTING $\varnothing$ 10 mm**



ZANUSSI 047431

- 3315107 3-WAYS HOSE END RUBBER FITTING $\varnothing$ 12**



ZANUSSI 048195

- 3315017 4-WAYS HOSE END FITTING $\varnothing$ 12 mm**



ZANUSSI 070305

Hydraulic piping

- 3450113 FLEXIBLE HOSE CR $\varnothing$ 6/12mm -5°+60°C - 5m**
pressure 20÷60 bar
food safe



ZANUSSI 0L1082

- 4049287 PIPE 25x430 mm**
for Dishwasher (ZANUSSI) AUCAI - AUCAIDP - ZUCAI
ZUCAIDP - ZUCAIG
for Dishwasher hood type (ZANUSSI) AHTA - AHTAI
EHTA - EHTAI - EHTAID - EHTAIG



ZANUSSI 049287



Suitable for:

3450736 PRESSURE SWITCH PIPE $\varnothing$ 4x8.5 mm - 10 m
made of black rubber
external $\varnothing$ 8.5 mm
internal $\varnothing$ 4 mm



ZANUSSI 072393

Suitable for:

3450336 PRESSURE SWITCH PIPE $\varnothing$ 4x8.5 mm - 100 m
made of black rubber
external $\varnothing$ 8.5 mm
internal $\varnothing$ 4 mm



ZANUSSI 072393

3450622 PRESSURE SWITCH PIPE $\varnothing$ 5x13 mm - 5 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 13 mm
internal $\varnothing$ 5 mm
5-m bundles
for 50-m bundles see 3450652



ZANUSSI 048225

ZANUSSI 048226

ZANUSSI 048883

3450652 PRESSURE SWITCH PIPE $\varnothing$ 5x13 mm - 50 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 13 mm
internal $\varnothing$ 5 mm
50-m bundles
for 5-m bundles see 3450622



ZANUSSI 048225

ZANUSSI 048226

ZANUSSI 048883

3450176 PVC $\varnothing$ 4x7 mm - 150 m



ZANUSSI 069480

3450115 PVC PIPE $\varnothing$ 6/9 mm - 10 m
alimentary



ZANUSSI 0C2309

3450197 RUBBER HOSE $\varnothing$ 11x19 mm - 45 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 19 mm
internal $\varnothing$ 11 mm
45 m bundles
for 5-m bundles see 3450297



ZANUSSI 0E5121

ZANUSSI 0K8670

ZANUSSI 048531

3450297 RUBBER HOSE $\varnothing$ 11x19 mm - 5 m
temperature $-30^{\circ}+110^{\circ}\text{C}$
operating pressure 10 bar
burst pressure 40 bar
non-toxic rubber hose
external $\varnothing$ 19 mm
internal $\varnothing$ 11 mm
5-m bundles
for 50-m bundles see 3450197



ZANUSSI 0E5121

ZANUSSI 0K8670

ZANUSSI 048531

Suitable for:

Suitable for:

3450651 RUBBER PIPE 110°C. ø 10x16 mm - 40 m
 temperature -30°+110°C
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external ø 16 mm
 internal ø 10 mm
 40-m rolls
 for 5-m rolls see 3450621



ZANUSSI 0C3165
 ZANUSSI 086085

ZANUSSI 0C4158

ZANUSSI 002707

3450621 RUBBER PIPE 110°C. ø 10x16 mm - 5 m
 temperature -30°+110°C
 operating pressure 10 bar
 burst pressure 40 bar
 non-toxic rubber hose
 external ø 16 mm
 internal ø 10 mm
 for 40 m rolls see 3450651



ZANUSSI 0C3165
 ZANUSSI 086085

ZANUSSI 0C4158

ZANUSSI 002707

Indicator lights

3221008 GREEN LAMP RECEPTACLE
 head ø 15 mm - hole ø 12 mm
 universal application
 for Dishwasher (ZANUSSI) - Series LS
 for Dishwasher pull-through (ZANUSSI) - Series CT



ZANUSSI 075096

3221097 INDICATOR LIGHT NEUTRAL 220V
 head ø 8 mm - 120°C



ZANUSSI 004895
 ZANUSSI 048832

ZANUSSI 046241

ZANUSSI 048488

3221126 INDICATOR LIGHT NEUTRAL 24V
 head ø 8 mm - 120°C



ZANUSSI 075110

3221085 INDICATOR LIGHT GREEN 230V
 ø head 18 mm - ø hole 12 mm - 120°C



ZANUSSI 003531

3221132 INDICATOR LIGHT GREEN 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



ZANUSSI 004169

ZANUSSI 058544



ZANUSSI



Suitable for:

Suitable for:

3221164 INDICATOR LIGHT GREEN 230V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
dashboard mounting



ZANUSSI 054150

ZANUSSI 054150+054151

ZANUSSI 054151

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole $\varnothing$ 6 mm - head $\varnothing$ 7 mm



ZANUSSI 054151

3221034 INDICATOR LIGHT GREEN 400V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 004157

3221112 INDICATOR LIGHT ORANGE 220V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
application to the board



ZANUSSI 053811

ZANUSSI 053811+053812

ZANUSSI 053812

3221011 INDICATOR LIGHT ORANGE 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2225

3221032 INDICATOR LIGHT GREEN 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221033 INDICATOR LIGHT RED 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221094 INDICATOR LIGHT ORANGE 230V
 $\varnothing$ head 14 mm - $\varnothing$ hole 11.5 mm - 120°C



ZANUSSI 0H6618

3221095 INDICATOR LIGHT ORANGE 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



ZANUSSI 005215

ZANUSSI 058522

Suitable for:

Suitable for:

3221009 INDICATOR LIGHT RED 220V
head 17x17 mm - $\varnothing$ hole 13 mm - 120°C
universal application



ZANUSSI 057294

3221004 INDICATOR LIGHT RED 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 053153

3221005 INDICATOR LIGHT GREEN 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221006 INDICATOR LIGHT ORANGE 400V
head 16x16 mm - hole $\varnothing$ 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

3221593 INDICATOR LIGHT WHITE 24V
 $\varnothing$ hole 12 mm - $\varnothing$ head 15 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5134

3221605 INDICATOR LIGHT YELLOW 24V
 $\varnothing$ hole 12 mm - $\varnothing$ head 15 mm
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5195

1221075 LAMP CAP FLAT ORANGE SU2
mounting hole $\varnothing$ 6 mm - head $\varnothing$ 7 mm



ZANUSSI 053812

3221358 LAMP RECEPTACLE CLEAR
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm



ZANUSSI 046289



ZANUSSI



Suitable for:

Suitable for:

- 3221378 LAMP RECEPTACLE GREEN 230V SIEMENS**
mounting hole $\varnothing$ 22 mm
for Pan/utensilwashing machines (ZANUSSI) L0250



ZANUSSI 075605

- 3221007 LAMP RECEPTACLE ORANGE**
head $\varnothing$ 15 mm - hole $\varnothing$ 12 mm
universal application
for Dishwasher (ZANUSSI) - Series LS
for Dishwasher pull-through (ZANUSSI) - Series CT



ZANUSSI 075095

- 3221097 INDICATOR LIGHT NEUTRAL 220V**
head $\varnothing$ 8 mm - 120°C



ZANUSSI 004895
ZANUSSI 048832

ZANUSSI 046241

ZANUSSI 048488

- 3221126 INDICATOR LIGHT NEUTRAL 24V**
head $\varnothing$ 8 mm - 120°C



ZANUSSI 075110

- 3221098 LIGHT RECEPTACLE GREEN**
 $\varnothing$ hole 10 mm - head 12x12 mm



ZANUSSI 0HA054

Inlet hoses

- 3449034 FLEX HOSE $\varnothing$ 3/4" Fp x CFp 1500 mm**
EPDM hose covered in stainless steel
hose external $\varnothing$ 17 mm - internal $\varnothing$ 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ZANUSSI 0S0151

ZANUSSI 069571

- 3449035 FLEX HOSE $\varnothing$ 3/4" Fp x CFp 2000 mm**
EPDM hose covered in stainless steel
hose external $\varnothing$ 17 mm - hose internal $\varnothing$ 12 mm
max temperature 90°C
max pressure 20 bar
WRAS approved



ZANUSSI 049540



Suitable for:

Suitable for:

3449001 INLET ELBOW HOSE $\varnothing$ 3/4" FF 1500 mm
thermoplastic hose $\varnothing$ 10x16 mm
nylon fittings $\varnothing$ 3/4" with gaskets
max temperature 90°C
max pressure 10 bar



ZANUSSI 0C5562
ZANUSSI 053789

ZANUSSI 0C8316


ZANUSSI 0S0150

3449025 FILTERST. STEEL FOR INLET HOSE $\varnothing$ 3/4"
for all models



ZANUSSI 0C4096

3449026 FLAT EPDM GASKET $\varnothing$ 24x12x2 mm
for pipes $\varnothing$ 3/4"



ZANUSSI 046925

3449055 INLET ELBOW HOSE $\varnothing$ 3/4" FF 1500 mm
thermoplastic hose $\varnothing$ 13x19 mm
brass fittings $\varnothing$ 3/4" F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



ZANUSSI 0S0153

ZANUSSI 047605


ZANUSSI 066463

3449025 FILTERST. STEEL FOR INLET HOSE $\varnothing$ 3/4"
for all models



ZANUSSI 0C4096

3449026 FLAT EPDM GASKET $\varnothing$ 24x12x2 mm
for pipes $\varnothing$ 3/4"



ZANUSSI 046925



ZANUSSI



Suitable for:

3449056 INLET ELBOW HOSE ø 3/4" FF 2000 mm
thermoplastic hose ø 13x19 mm
brass fittings ø 3/4"F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



ZANUSSI 0L1887

ZANUSSI 048816

Suitable for:

3449059 STRAIGHT ELBOW HOSE ø 3/4" FF 1500 mm
thermoplastic hose ø 13x19 mm
brass fittings ø 3/4"F with gaskets
max temperature 90°C
max pressure 10 bar
with WRAS approval



ZANUSSI 0S0152

ZANUSSI 060933


Interference suppression filters

4049901 INTERFER.SUPPRE.FILTER PROCOND411141410D
for DISHWASHER LS6EP-LS6EA-LS6SANA-LSEAH-LV6EA-
LS6MCD-LV6EP-H3300-ET5E-ET5ED




ZANUSSI 049901

3160394 INTERFERENCE SUP.FILTER D.E.M F3CF70112
0,47 µF



ZANUSSI 046226

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112F
0.47µF



ZANUSSI 046217

Ironmongery (screws,nuts,washers)

1528013 BLIND HEXAGONAL NUT M6
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



ZANUSSI 0K1297

3528206 CYLINDER HEAD SCREW M5x20
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ZANUSSI 0D0502

3528207 CYLINDER HEAD SCREW M6x25
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ZANUSSI 0D2248

9742007 FEATHER KEY ST. STEEL C40 5x5x20 mm
UNI 6604/A - DIN 6685/A



ZANUSSI 0HD008

ZANUSSI 037264



Suitable for:

3528094 **HEXAGONAL HEAD SCREW M8x12**
st./steel - UNI 5739 - DIN 933 - ISO 4017



ZANUSSI 0KE147

Suitable for:

3528128 **LARGE PAN HEAD SCREW M6x20**
stainless steel - slotted




ZANUSSI 0U0237

1349504 **NUT $\varnothing$ 1/2" KEY 25x6 mm**



ZANUSSI 003035

5063268 **SHAFT KEY OF STEEL C40 6x6x20 mm**
UNI 6604/A - DIN 6685/A



ZANUSSI 0KQ488

ZANUSSI 0K7846

Knobs

3241204 **KNOB $\varnothing$ 40 mm**
D-shaped hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS521



ZANUSSI 048153

3241206 **KNOB $\varnothing$ 40 mm**
D-shaped hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS7



ZANUSSI 047849

ZANUSSI 048340+047846

3241202 **KNOB $\varnothing$ 42 mm**
D-shaped hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS360 - LS365



ZANUSSI 047693

3241201 **SCREW NO HEAD WITH HEXAGON SOCKET M4X6**
stainless steel - cone end
UNI 5927 - DIN 914 - ISO 4027



ZANUSSI 046258

ZANUSSI 047846

3241338 **KNOB BLACK $\varnothing$ 42 mm**
D-shaped hole 6x4.6 mm



ZANUSSI 0E3019



Suitable for:

ZANUSSI



Suitable for:

Labels for control panels

3399076 CONTROL PANEL WT30 560 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS65
WT32 - WT33 - WT34 - WT35



ZANUSSI 048905

3399077 CONTROL PLATE LS3 IN ABS 560 mm



ZANUSSI 049313

3399005 CONTROL PLATE 435x65 mm
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049061

3399018 CONTROL PLATE 560x75 mm
for Dishwasher (ZANUSSI) LS6 - LS60 - LS61 - LS62



ZANUSSI 048827

ZANUSSI 049128

3399016 CONTROL PLATE 590x70 mm
for Dishwasher (ZANUSSI) LS7



ZANUSSI 048339

3399017 CONTROL PLATE 590x70 mm
for Dishwasher (ZANUSSI) LS520



ZANUSSI 047545

ZANUSSI 047561

ZANUSSI 047633

Lever mixers

3259008 SINGLE LEVER MIXER
spout $\varnothing$ 22x250 mm
flow rate 18 l/min at 3 bar
connection $\varnothing$ 1/2" F
mounting hole 32 mm



ZANUSSI 037616

3359356 SINGLE-HOLE LEVER MIXER
with extractable shower
mounting hole $\varnothing$ 52 mm
hoses $\varnothing$ 12 mm
hose length 1475 mm



ZANUSSI KL1S.2930.80.81

3359178 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V090 $\varnothing$ 40
gray lever 220 mm
pipe $\varnothing$ 20 x 300 mm
power $\varnothing$ 1/2"



ZANUSSI 0S1244

3359181 TWO-HOLE SINGLE LEVER MIXER
connections $\varnothing$ 3/4" MM
distance between holes 155 mm
spout 250 mm



ZANUSSI 0S1457

ZANUSSI 069965

ZANUSSI 850021



Suitable for:

Suitable for:

3359443 TWO-HOLE SINGLE LEVER MIXER

spout 250 mm
fittings $\varnothing$ 3/4"MM
distance between holes 155 mm
flow rate 20 L/min 3 bar
mounting hole $\varnothing$ 27 mm



ZANUSSI 0S0341

Lip seals

3786683 GASKET FOR WASH OUTLET 78x50x10 mm for Dishwasher pull-through (ZANUSSI) RT100 RT190 - RT270 - RT340 - RT480



ZANUSSI 0E6005

Magnets

3240471 MAGNET FOR MICROSWITCH 23x16x18 mm for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E0102

ZANUSSI 088361

3240246 MAGNET 17x14x12 mm



ZANUSSI 003622

7105989 MAGNETIC UNIT STEM M370 45x18x10.5 mm



ZANUSSI 087533

3240884 RECTANGULAR MAGNET 63x19x7 mm



ZANUSSI 0L2534



Suitable for:

ZANUSSI



Suitable for:

Manifolds for dishwashers

40L0081 DRAIN MANIFOLD

drain pump outlet closed
for Dishwasher hood type (ZANUSSI) HT900ADG1
HYDRA1000 - HYDRA1200 - LC12 - LSCE10 - LSCE12
LS10 - LS10D - LS10F - LS12 - LS12D - LS12F
LV1000 - WT55ADG1 - WT55P - WT65ROW
for Pan/utensilwashing machines (ZANUSSI) LO10
LU7ADP - LU7PDP - LU700ADP - LU700PDP - SH55
WTU40ADP - WTU40PDP



ZANUSSI 0L0081

3061023 CAP GASKET

for Dishwasher (ZANUSSI)



ZANUSSI 048230

3786181 O-RING 0150 EPDM

ring thickness 3.53 mm - internal $\varnothing$ 46.04 mm



ZANUSSI 048229

3743370 HOSE OUTLET

for Dishwasher hood type (ZANUSSI) HT1200 - LS10
LS14 - LS14AH - LS14W - LS9 - LV1200 - WT55
WT65 - WT65WS
for Dishwasher hood type (ZANUSSI) LV1000



ZANUSSI 0I0556

ZANUSSI 0L0556

ZANUSSI 049595

3061022 CAP FOR MANIFOLD

for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048231

3449454 HOSE CLAMP 32-50

for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

3786685 O-RING 06287 EPDM

ring thickness 5.34 mm - internal $\varnothing$ 72.39 mm
for Dishwasher hood type (ZANUSSI) HT1200 - LS14
LV1200 - WT65



ZANUSSI 049593



Suitable for:

ZANUSSI



- 3450161 RING NUT FOR WASH OUTLET PIPE**
for Dishwasher hood type (ZANUSSI) HT1200 - LS14
LV1200 - WT65



ZANUSSI 0L0557

ZANUSSI 049596

- 3061019 KIT DRAIN MANIFOLD**
for Dishwasher (ZANUSSI) CRISTAL50 - CRISTAL51
CRISTAL52 - LS360 - LS4 - LS520 - LS54 - LS540
LS550



ZANUSSI 0L1638

ZANUSSI 047456

ZANUSSI 047457

- 3061012 KIT FOR FILTERHOLDER MANIFOLD COMPLETE**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L1629

ZANUSSI 048325

- 3061015 CAP GASKET**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046595

- 3449454 HOSE CLAMP 32-50**
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

Suitable for:

- 3061014 CAP FOR MANIFOLD**
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046596

- 3786686 GASKET FLAT EPDM $\varnothing$ 58x50x1.5 mm**



ZANUSSI 049828

- 3061016 O-RING 04437 EPDM**
ring thickness 3.53 mm - internal $\varnothing$ 110.70 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046827



Suitable for:

4049894 ORM GASKET 1100-40 EPDM


ring thickness 4.0 mm - internal ø 110.0 mm
for DISHWASHER LS6EP-LS6EA-LV6EP
for Dishwasher (ZANUSSI) AUCAI - AUCAIG - AUCI
ET5E - ET5ED - EUCAI - EUCAIDP - EUCAIG - EUCI
EUCIM - FL620EA - FL620EP - H3300 - LD5
LS5/1 - LS5/3 - LS6EA - LS6EADD - LS6EAH
LS6EP - LV5 - LV6EA - LV6EADP - LV6EP - ZUCAI
for Dishwasher hood type (ZANUSSI) EHT8 - EHT8I
EHT8IG - EHT8ILG - ZHT8I - ZHT8IELG - ZHT8IG



ZANUSSI 049894

3061017 UPPER RING NUT FOR MANIFOLD

for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048326

3061021 MANIFOLD FILTERHOLDER

drain pump outlet closed
hose-end fitting ø external 11.5 mm - ø int.5,5 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048430

ZANUSSI 049600

3061023 CAP GASKET for Dishwasher (ZANUSSI)



ZANUSSI 048230

ZANUSSI



Suitable for:

3450042 OUTLET HOSE

rubber hose with textile reinforcement
external ø 55 mm
internal ø 45 mm
length 285 mm
for tank pump inlet hose
for Dishwasher (ZANUSSI) LS4 - LS500 - LS521



ZANUSSI 045768


3061022 CAP FOR MANIFOLD

for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048231

3450031 DRAIN HOSE ø 38x1500 mm muffs internal ø 31 and 40 mm max temperature 90°C




ZANUSSI 048818

ZANUSSI 049856



Suitable for:

3450032 DRAIN HOSE $\varnothing$ 38x2000 mm
muffs internal $\varnothing$ 31 and 40 mm
max temperature 90°C



ZANUSSI 049748

3786181 O-RING 0150 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 46.04 mm



ZANUSSI 048229

3061026 MANIFOLD OUTLET



ZANUSSI 046594

3061008 CAP GASKET



ZANUSSI 046593

3061007 O-RING 04362 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 91.67 mm



ZANUSSI 045462

ZANUSSI



Suitable for:

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

3061014 CAP FOR MANIFOLD
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046596

3061015 CAP GASKET
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046595



ZANUSSI



Suitable for:

Suitable for:

3450041 NOZZLE SUPPORT CONNECTING PIPE
length 650 mm
for Dishwasher (ZANUSSI) ECOTEMP5 - FL620 - LS6
LS6E - LS62 - LS62HD - LS63 - LS64 - WT30



ZANUSSI 0L0095

3243204 SUPPORT GASKET FOR WASH A.ASSEMBLY LOWER
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - WT302 - WT303 - WT4



ZANUSSI 048823

3243205 WASH ARM ASSEMBLY RING NUT
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - WT302 - WT303 - WT4



ZANUSSI 048824

3450040 PUMP OUTLET HOSE
plastic pipe with rubber muffs
internal ø 45 mm
connecting pump and wash jet connection
for Dishwasher (ZANUSSI) LS500
for Dishwasher hood type (ZANUSSI) LS720



ZANUSSI 046372

3450047 PUMP OUTLET HOSE
plastic pipe with rubber muffs
internal ø 60 mm
connecting pump and wash jets
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 046542

3450100 WASH OUTLET TUBE
overall height 700 mm
for Dishwasher (ZANUSSI) FL5 - LB5G - LS5/1
LS5/3 - WT302 - WT303 - WT4



ZANUSSI 0L0125

ZANUSSI 049291

3243205 WASH ARM ASSEMBLY RING NUT
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - WT302 - WT303 - WT4




ZANUSSI 048824

3243204 SUPPORT GASKET FOR WASH A.ASSEMBLY LOWER
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - WT302 - WT303 - WT4



ZANUSSI 048823

3243136 WASHER
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 047282



Suitable for:

3061013 WASH PUMP FILTER MANIFOLD
for Dishwasher (ZANUSSI) LS505



ZANUSSI 047554

3061011 O-RING SEAL 04375 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 94.84 mm
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL51
CRYSTAL52 - LS36 - LS4 - LS505 - LS510 - LS520
LS54



ZANUSSI 047458

3743369 WASHING COLUMN
for Glasswasher/Cupwasher (ZANUSSI) GW2 - LB2
WT2 - Z2



ZANUSSI 049087


ZANUSSI 049946

3243884 LOCKING RING NUT



ZANUSSI 049039

3743849 WASHING COLUMN
for Glasswasher/Cupwasher (ZANUSSI) GW1 - LB1
WT1 - Z1



ZANUSSI 049945

Suitable for:

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

3186433 GASKET FLAT $\varnothing$ 50x38x1.85 mm



ZANUSSI 049038

3186433 GASKET FLAT $\varnothing$ 50x38x1.85 mm



ZANUSSI 049038



Suitable for:

ZANUSSI



Suitable for:

3243884 LOCKING RING NUT



ZANUSSI 049039

Measuring tools

3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F

watertight and shockproof
battery powered and auto power off
measurement unit selectable in degrees °C/°F
resolution 0.1°C - accuracy $\pm 1^\circ\text{C}/\pm 2^\circ\text{F}$
memory button - ON/OFF button
complete with case



ZANUSSI 0S2040

Microswitches, magnetic

3240467 MAGNETIC MICROSWITCH

for rinsing area
1400 mm cable
bulb $\varnothing 9 \times 30$ mm
contacts normally closed
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190



ZANUSSI 0E0006

ZANUSSI 0E2321

ZANUSSI 049970

3240463 MAGNETIC MICROSWITCH $\varnothing 6 \times 30$ mm

0.01A 250V - contact NO
with cable length 290 mm
for Dishwasher (ZANUSSI) LS61 - LS62 - LS63 - LS64
Z62 - Z63 - Z64
for Dishwasher hood type (ZANUSSI) LS10 - LS8



ZANUSSI 048831

3240464

MICROSWITCH MAGNET $\varnothing 6 \times 29$ mm

for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12 - LS8
Z100 - Z120



ZANUSSI 048667

Suitable for:

3240466 MAGNETIC MICROSWITCH ø 6x30 mm
 0.5A 250V - contact NO
 with cable length 460 mm
 for Dishwasher hood type (ZANUSSI) ECOTEMP12
 HT1000 - HT1200 - HT800 - HYDRA1000
 HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
 for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
 LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 048268

ZANUSSI 048486


Suitable for:

3240137 MAGNET PROTECTION
 for Dishwasher hood type (ZANUSSI) ECOTEMP12
 HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 049535

3240462 MAGNETIC MICROSWITCH E5111B
 0.01A 250V - contact NO - head 32x13x8 mm
 with cable length 290 mm
 for Dishwasher (ZANUSSI) LS3 - LS6



ZANUSSI 049226

3240468 MAGNETIC MICROSWITCH E590-1U
 230V 3A 60W
 1600 mm cable
 for Dishwasher conveyor type (ZANUSSI) LN
 for Dishwasher hood type (ZANUSSI) D48 - D480
 for Dishwasher pull-through (ZANUSSI) D530 - D580
 D680 - RT10 - RT100 - RT140 - RT180 - RT190
 RT250 - RT270 - RT340 - RT480
 for Pan/utensilwashing machines (ZANUSSI) D820
 D840



ZANUSSI 0E0003
 ZANUSSI 049966

ZANUSSI 0E5185

ZANUSSI 0K7171

3240098 MAGNETIC MICROSWITCH E590PU
 3A 230V 60W - polarized NC contact
 head 36x26x13 mm - with cable length 2500 mm
 ferrule terminals
 for Dishwasher pull-through (ZANUSSI) RT10



ZANUSSI 0E5854

ZANUSSI 049969

3240461 MICRO SWITCH MAGNETIC
 bulb ø 6x30 mm - cable 350 mm
 for Dishwasher (ZANUSSI)
 since 1/01/94
 till 1/01/94 LS7 - WT40



ZANUSSI 048893

3240469 MICROSWITCH MAGNETIC STEM E710-1B
 50VA 250V - NO contact - head 50x19 mm
 for Dishwasher hood type (ZANUSSI) LS10 - LS12
 WT60
 for Pan/utensilwashing machines (ZANUSSI)
 since 1/01/99
 till 1/01/99 PW1M - PW2M



ZANUSSI 049621

3240148 MAGNET 63x19x11 mm
 for Dishwasher hood type (ZANUSSI) LS10 - LS12




ZANUSSI 049627



Suitable for:

Suitable for:

40L1871 **SENSOR KIT REED E710-1V**
0,04A 250V contact NO - dimensions 50x19x14 mm



ZANUSSI 0L1871

Microswitches, mechanical

40E5835 **ACTOVATOR FOR MICROSWITCH**
for DISHWASHER RT10-RT180-Z18-WT90




ZANUSSI 0E5835

3240218 **DOOR MICROSWITCH**
double microswitch 16A 250V



ZANUSSI 0HA094

3240605 **DOOR MICROSWITCH M1AX20 10A 250V**



ZANUSSI 002785

ZANUSSI 046063


3240465 **LEVEL MICROSENSOR FOR BOILER**
contact NA
for Dishwasher hood type (ZANUSSI) LS10 - LS8



ZANUSSI 049309

ZANUSSI 049478

3240167 **LEVER FOR MICROSWITCH**
for Dishwasher (ZANUSSI) LS365 - LS367 - LS540
LS541 - 5CF06B - 5CF09B



ZANUSSI 046279

3240217 **MICROSWITCH BITRON N16**
contact capacity 16(4)A 250V




ZANUSSI 0HA093

3240601 **MICROSWITCH BITRON N16**
contact capacity 16A 250V
for Glasswasher/Cupwasher (ZANUSSI) LTB12



ZANUSSI


3240144 **MICROSWITCH BITRON TYPE S16**
16A 250V



ZANUSSI 0W2466

Suitable for:

3240820 MICROSWITCH ELECTRICA NR48W 5
1NO + 1NC 16A 250V
for Dishwasher (ZANUSSI) CF314 - CRYSTAL50
CRYSTAL52 - LS360 - LS4 - LS500 - LS510
LS520 - LS521 - LS540
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E0209
ZANUSSI 046286

ZANUSSI 0KB678
ZANUSSI 047485

ZANUSSI 004904
ZANUSSI 053671

3240473 GASKET FOR BUSHING



ZANUSSI 047490

3240153 ROD FOR MICROSWITCH
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL52
LS360 - LS4 - LS510 - LS520 - LS521



ZANUSSI 047488

3240407 MICROSWITCH KIT 16A 250V
2 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ZANUSSI 069484

3240410 MICROSWITCH 16(4)A 250V



ZANUSSI


Suitable for:

3240152 BUSHING FOR MICROSWITCH
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL52
LS360 - LS4 - LS510 - LS520 - LS521



ZANUSSI 047487

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm
for Dishwasher (ZANUSSI) LS365 - LS367 - LS540
LS541



ZANUSSI 045404

ZANUSSI 45404

3240154 SPRING FOR MICROSWITCH ROD
for Dishwasher (ZANUSSI) CRYSTAL50 - CRYSTAL52
LS360 - LS4 - LS510 - LS520 - LS521



ZANUSSI 047489

3240406 MICROSWITCH SAIA-BURGESS
model XGK2-88-S20Z1
10(4)A 250V



ZANUSSI 0H6597

3240332 MICROSWITCH 16A 250V



ZANUSSI 0D6615

ZANUSSI 0KQ309



ZANUSSI



Suitable for:

3240156 MICROSWITCH 5A 250V
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 046322

Suitable for:

3240177 LEVER FOR MICROSWITCH
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 075626

3240178 SPRING FOR LEVER
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT90
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 075633

Motors

3340103 MOTOR AM90L BAG 1.7HP 230/400V
shaft $\varnothing$ 24x50 mm - feather 8x40 mm
for Dishwasher pull-through (ZANUSSI) WTM140ERA
for Dishwasher conveyor type (ZANUSSI) RT140EL



ZANUSSI 0E5616

ZANUSSI 0E5798

3240014 MOTOR F.604130 130W



ZANUSSI 057437

3340109 MOTOR K21R 71K4 0.4HP 230/400V
shaft $\varnothing$ 14x30 mm - feather 5x15 mm
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0K8531

3340108 MOTOR LAFERT AM717 AA4 0.25/0.29Kw
220-240V/380-415V 50/60Hz
shaft $\varnothing$ 14x30 mm - feather 5x20 mm
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0E5800

Non-return and expansion valves

3526500 NON-RETURN VALVE

for Dishwasher (ZANUSSI) C51 - C52 - LS510 - LS520
LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 0L3240

ZANUSSI 048191

1526503 NON-RETURN VALVE ø 40 mm

ballcock - outlets ø 12 mm
stainless steel cap



ZANUSSI 0L1892

ZANUSSI 005762

ZANUSSI 049332

1186805

O-RING 0115 EPDM

ring thickness 2.62 mm - internal ø 11.91 mm



ZANUSSI 067292

O-Ring and ORM gaskets

1186230 O-RING 0164 EPDM

ring thickness 3.53 mm - internal ø 60.33 mm



ZANUSSI 068799

1186014

O-RING 02015 EPDM

ring thickness 1.78 mm - internal ø 3.69 mm



ZANUSSI 059293

1786087 O-RING 02037 RED SILICONE

ring thickness 1.78 mm - internal ø 9.25 mm



ZANUSSI 0L2303

6456074

O-RING 02325 EPDM

ring thickness 1.78 mm - internal ø 82.27 mm
for pump housing



ZANUSSI 0KM820

4052206 O-RING 03206 EPDM

ring thickness 2.62 mm - internal ø 52.07 mm



ZANUSSI 052206

1186625

O-RING 03281 EPDM

ring thickness 2.62 mm - internal ø 71.12 mm



ZANUSSI 0KM818



Suitable for:

3786202 O-RING 03850 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 215.57 mm



ZANUSSI 0KV753

Suitable for:

1186506 O-RING 04125 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 31.34 mm



ZANUSSI 002874

1786210 O-RING 04131 RED SILICONE
ring thickness 3.53 mm - internal $\varnothing$ 32.93 mm



ZANUSSI 0C6800

1186990 O-RING 04137 RED SILICONE
ring thickness 3.53 mm - internal $\varnothing$ 34.52 mm



ZANUSSI

1186693 O-RING 04325 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 82.14 mm



ZANUSSI 0KM726

5018795 O-RING 06150 VITON
ring thickness 5.34 mm - internal $\varnothing$ 37.47 mm



ZANUSSI 055323

3186314 O-RING 06225 SILICONE $\varnothing$ 67 mm
ring thickness 5.34 mm - internal $\varnothing$ 56.52 mm



ZANUSSI 0L2304

3786047 ORM GASKET 0290-30 EPDM
ring thickness 3.0 mm - internal $\varnothing$ 29.0 mm
for Dishwasher hood type (ZANUSSI) D48 - D480
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E0142

Outlet siphons

3395026 PIPE SIPHON $\varnothing$ 1"1/2
fitting for 1 assembly $\varnothing$ 1"1/2
made of thermoplastic material



ZANUSSI 069404

Outlet solenoid valves and accessories

5052472 SOLENOID VALVE FOR WATER OUTLET MDB-C-55

NO - 24V 50/60Hz 1.27/1.58A
 ø 55 mm inlet - 1"1/2 outlet
 ø 38 mm overflow hose fitting



ZANUSSI 0L0950

ZANUSSI 0L2506

Pegs

3389005 CONVEYOR FINGER


for Dishwasher conveyor type (ZANUSSI) - Series FT
 Series WT



ZANUSSI 0K8238

3389011 CONVEYOR FINGER

for Dishwasher pull-through (ZANUSSI) RT100
 RT140 - RT190 - RT270



ZANUSSI 0E5007

ZANUSSI 0K8166

40K7068 CONVEYOR FINGER FOR DISHES

for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
 LN72



ZANUSSI 0K7068

3389010 CONVEYOR FINGER 71 mm

for corner conveyor
 for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E2896

ZANUSSI 0K8637

ZANUSSI 046842

3389012 CONVEYOR FINGER FASTENING SCREW

ø 6 mm
 for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0K8636

ZANUSSI 046843

40K6667 FITTING SUPPORT INTERMEDIARY

for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
 LN72



ZANUSSI 0K6667

40K8142 PEG FOR INSULATED TRAYS

for Dishwasher conveyor type (ZANUSSI) EFT1 - EFT2
 EFT3 - EFT4 - FT36 - FT50 - FT72 - LN34 - LN46
 LN72 - WT730 - WT760 - WT790



ZANUSSI 0E1607

ZANUSSI 0K8142




ZANUSSI



Suitable for:

Suitable for:

3389016 PIN GUIDE for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5006

Pins

3053078 SAFETY PIN 95 mm



ZANUSSI 048297

3250047 SAFETY SPRING $\varnothing$ 9x26 mm for LS8-LS10-HT1000-HT1200-HYDRA 1200-LS12-HT800- HYDRA 800-HYDRA 1000



ZANUSSI 048298

3250046 SPRING FOR HOOD LIFTING dimensions $\varnothing$ 38.5x380 mm for Dishwasher hood type (ZANUSSI) HT800 HYDRA800 - LS8



ZANUSSI 048655

3250048 SPRING FOR HOOD LIFTING dimensions $\varnothing$ 39x495 mm for LS10-WT60-LS12-HT1000-HT1200-HYDRA 1000- HYDRA 1200-Z100-Z120



ZANUSSI 048258


3243131 SPINDLE FOR WASH ARM ASSEMBLY for Dishwasher (ZANUSSI) LS360 - LS365 - LS540 for Dishwasher hood type (ZANUSSI) LSE720



ZANUSSI 046363

Position switches

3240155 LIMIT MICROSWITCH PIZZATO FR530-A 1NO-1NC 4A 250V for Dishwasher pull-through (ZANUSSI) CT140 CT190 - CT192 - CT92



ZANUSSI 046884



Suitable for:

ZANUSSI



Suitable for:

Pre-rinse units

3359028 SHOWER HEAD BLUE NEW TYPE ø 1/2"M



ZANUSSI 069973

3359148 SINGLE-HOLE LEVER SHOWER STYL cartridge with ceramic discs ø 70 mm gray clinical lever 220 mm spout ø 25x225 mm nichel plated copper fittings ø 1/2" basin connection ø 3/4" with non-return valves



ZANUSSI 0S0874

3359209 SINGLE-HOLE PREWASH SET STYL

with pre-wash set
mixer with basin connections
with retention valves
connection ø 3/4"M



ZANUSSI 0S1036

3359456 SINGLE-HOLE SHOWER MIXER SKY

with pre-washing set
connection ø 1/2"F
flow rate 17 L/min at 3 bar
mounting hole ø 30 mm



ZANUSSI 069968

3359237 SHOWER SPRING



ZANUSSI 0S0349

ZANUSSI 0S1086

ZANUSSI 069975

3359198 STEEL HOSE ø 1/2"FF 1060 mm temperature max 90°C for shower units with hose spout



ZANUSSI 0KC217

ZANUSSI 0L0641



Suitable for:

ZANUSSI



Suitable for:

- 3359455 TWO-HOLE SINGLE LEVER MIXER**
with pre-wash unit
with upstanding single lever mixer
connections $\varnothing$ 3/4"MM
spout 250 mm
flow rate 22L/min by 4 bar
distance between holes 155 mm
mounting hole $\varnothing$ 27/28 mm



ZANUSSI 0S0342

Pressure switches

- 3320003 "Y" CONNECTOR**
for fitting with two pressure switches



ZANUSSI 069195

- 3320016 PRESSURE SWITCH 1 LEVEL**
calibration 240/130 mm
250V 16A
max operating temperature 85°C
for Dishwasher hood type (ZANUSSI) LS10 - LS12



ZANUSSI 048267

- 3320019 PRESSURE SWITCH 1 LEVEL**
calibration 55/35 mm
250V 16A
max operating temperature 85°C
for Glasswasher/Cupwasher (ZANUSSI) LTB11 - LTB12
LTB22



ZANUSSI 069434

- 3320022 PRESSURE SWITCH 1 LEVEL**
calibration 50/10 mm
250V 16A
max operating temperature 85°C



ZANUSSI 046444

- 3320023 PRESSURE SWITCH 1 LEVEL**
calibration 60/20 mm
250V 16A
max operating temperature 85°C
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS32 - LS36 - LS360 - LS365 - LS4 - LS45
LS500 - LS510 - LS520 - LS54 - LS540
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 046352

ZANUSSI 048723

ZANUSSI 049305

ZANUSSI 049485

ZANUSSI 065545

- 3320025 PRESSURE SWITCH 1 LEVEL**
calibration 105/60 mm
250V 16A
max operating temperature 85°C
for Dishwasher hood type (ZANUSSI) LS1020 - LS720
LS860



ZANUSSI 046601



Suitable for:

3320026 PRESSURE SWITCH 1 LEVEL
calibration 160/80 mm
250V 16A
max operating temperature 85°C
for Dishwasher hood type (ZANUSSI) LS75 - LS95
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 046653

Suitable for:

3320029 PRESSURE SWITCH 1 LEVEL
calibration 40/20 mm
250V 16A
max operating temperature 85°C



ZANUSSI 070324

3320043 PRESSURE SWITCH 1 LEVEL
calibration 310/180 mm
16(4)A 250V
for Pan/utensilwashing machines (ZANUSSI) L0250E
L0480E



ZANUSSI 075660

3320091 PRESSURE SWITCH 1 LEVEL
calibration 46/26 mm
250V 16(4)A



ZANUSSI 046503

3320092 PRESSURE SWITCH 1 LEVEL
calibration 250/130 mm
250V 16(4)A
for new versions
for Dishwasher hood type (ZANUSSI) LS10 - LS12
WT60
for Pan/utensilwashing machines (ZANUSSI) PW1



ZANUSSI 049620

3320093 PRESSURE SWITCH 1 LEVEL
calibration 110/55 mm
250V 16(4)A
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049058

3320240 PRESSURE SWITCH 1 LEVEL
calibration 60/35 mm



ZANUSSI 0KZ786

3320242 PRESSURE SWITCH 1 LEVEL
calibration 60/20-110 mm - 16A 250
for Dishwasher (ZANUSSI) EUCA1 - EUC1 - EUC3
NUC1 - NUC3



ZANUSSI 049881



Suitable for:

ZANUSSI



3320060 PRESSURE SWITCH 2 LEVELS
1st level calibration 110/80 mm
2nd level calibration 60/20 mm
250V 16A
max operating temperature 85°C
for DISHWASHER



ZANUSSI 048826

Suitable for:

3320094 PRESSURE SWITCH 2 LEVELS
1st level calibration 165/135 mm
2nd level calibration 110/55 mm
250V 16(4)A
for Dishwasher (ZANUSSI) LV1/WSDP
for Glasswasher/Cupwasher (ZANUSSI) LB1/TOP
LB1WSDP - LB2/TOP - LB2/WS
for Dishwasher (ZANUSSI) LV1/WSDP



ZANUSSI 049081

3320095 PRESSURE SWITCH 2 LEVELS
1st level calibration 40/15 mm
2nd level calibration 55/35 mm
250V 16(4)A
for Dishwasher pull-through (ZANUSSI) - Series RT




ZANUSSI 0E0014

ZANUSSI 0E2501

ZANUSSI 0E3731

ZANUSSI 0K8562

3320150 PRESSURE SWITCH 2 LEVELS
1st level calibration 110/80 mm
2nd level calibration 60/20 mm
for Dishwasher (ZANUSSI) LS32 - LS33



ZANUSSI 0L0508

ZANUSSI 049361

Probes

D397012 TEMPERATURE PROBE NTC -10+100°C
bulb ø 10x30 mm



ZANUSSI 0L2874

40K7575 THERMISTOR PT1000 8000 mm
for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
LN72
for Dishwasher pull-through (ZANUSSI) WT100SLM
WT100SRM - WT150SLM - WT150SRM



ZANUSSI 0K7575


Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles



ZANUSSI 053912

3351158 BASE UNDECAL FINDER 90.83.3
11 poles - 10A 400V



ZANUSSI 049236



Suitable for:

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A



ZANUSSI 0E5849

Suitable for:

3351004 POWER RELAY FINDER 56.32.8.230.0040
230V 50/60Hz
2 changeover contacts 12A
for Dishwasher (ZANUSSI) LS7 - LV70 - Z70
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 048438

3351005 POWER RELAY FINDER 56.34.8.230.0040
230V 50/60Hz
4 changeover contacts 12A
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048611

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



ZANUSSI 0D0013
ZANUSSI 083215

ZANUSSI 058857

ZANUSSI 069882

3351010 POWER RELAY FINDER 62.33.8.024.0000
24Vac 50/60Hz
3 changeover contacts 16A
for coupling on socket (faston 4.8 mm)
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5170

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ZANUSSI 0PE302

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ZANUSSI 0A9596
ZANUSSI 088197

ZANUSSI 005033

ZANUSSI 005034

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



ZANUSSI 085647



ZANUSSI



Suitable for:

Suitable for:

3351001 POWER RELAY ITALIANA RELÉ B1-2
2 NO contacts - contact capacity 16A
coil 230V 50/60Hz



ZANUSSI LF-3351020

3351601 POWER RELAY ITALIANA RELÉ B1-3
3 NO contacts - contact capacity 16A
coil 230V 50/60Hz



ZANUSSI 046380

3351900 POWER RELAY ITALIANA RELÉ B2-3
3 exchange contacts - contact capacity 16A
coil 230V 50/60Hz
for Dishwasher (ZANUSSI) LS360 - LS540
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 046001

ZANUSSI 054543

ZANUSSI 085092

3351003 RELAY A9230AA 230V 16A
contact capacity 16A
coil 250V
for Dishwasher (ZANUSSI) FL610 - FL620 - FL630
LS6 - LS62 - LS63 - LS64



ZANUSSI 048888

5025249 RELAY POWER FINDER 40.61.8.024.0000
24Vac - 50/60Hz - 1 changeover contact 16A



ZANUSSI 0E5172

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



ZANUSSI 056446

ZANUSSI 085296


ZANUSSI 056466

ZANUSSI 086214

ZANUSSI 056510

Rinse aid containers and spare parts

3066001 RINSE AID CONTAINER
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047549

3066003 CONTAINER FRONT COVER
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047547



Suitable for:

3066002 CONTAINER LID
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047551

3528040 NUT FOR TRAY
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047550

3066004 RINSE AID PIPE
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047548

3066049 RINSE AID CONTAINER
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049024

3066050 HOSE END FOR CONTAINER ø 3/8"
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049026

ZANUSSI



Suitable for:

3066006 FLAT GASKET ø 55x42x3 mm
for tray
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 030186

3066005 RINSE AID INLET TUBE
for Dishwasher (ZANUSSI) LS3 - LS5DS - LS510
LS520 - LS521 - LS61 - LS62 - LS63 - LS64
LV62 - LV63 - LV64



ZANUSSI 047552

3786684 GASKET FLAT EPDM ø 26x16x3 mm



ZANUSSI 049201



Suitable for:

ZANUSSI



Suitable for:

3066051 RINSE AID CONTAINER
for Dishwasher (ZANUSSI) LS32 - LS33 - LS5



ZANUSSI 049975

Rinse aid pumps and accessories

3090039 COIL 220/240V 50Hz



ZANUSSI

5050303 DETERGENT DISP. PERISTALTIC PUMP
adjustable flow rate 0-3 L/h
220/240V 50/60Hz 8W
time/stand-by adjustment



ZANUSSI 0L3346

3090300 DETERGENT DISP. PERISTALTIC PUMP PG-3
230V 50/60Hz 3W
fixed flow rate: 3 L/h pressure 0..1 bar
santoprene tube
complete with assembly kit



ZANUSSI 0S0705

ZANUSSI 049312

ZANUSSI 049624

3090351 SANTOPRENE TUBE ø 6x10 mm
black hose end fittings ø 5 mm with ring nut
overall length 185 mm
for detergent



ZANUSSI 049419

3090303 DETERGENT DISP. PERISTALTIC PUMP PR-4
230V 50/60Hz 3W
adjustable flow rate: 0.6÷4 L/h pressure: 0.1 bar
santoprene hose
complete with mounting kit



ZANUSSI 0S0669

Suitable for:

Suitable for:

3090190 DETERGENT DISP. PERISTALTIC PUMP REGO®
REGO PLUS PS20RN - 230V 50Hz - IP42
flow rate 3 L/h
norprene tube for detergent
Ext.size. 160x80x85 mm



ZANUSSI

3090154 FOOT FILTER WITH 4 m PVC PIPE



ZANUSSI 049359

3090064 ELECTRIC RINSE AID DISPENSER



ZANUSSI 048223

ZANUSSI 048498

ZANUSSI 048580

3090203 GREY HOSE 2660 mm
external ø 6 mm - internal ø 4 mm



ZANUSSI 0L1163

ZANUSSI 049360

3090022 HYDRAULIC DISPENSER TYPE 1000
for rinse aid
delivery connector for boiler. olive connection.
pipe ø 4x6 mm
stainless steel ball
stainless steel spring for diaphragm. wire ø 1 mm
silicone valve
silicone diaphragm
pump connection fitting. olive connection.
pipe ø 6x8 mm
inlet fitting with connection
for flexible pipe ø 4x6 mm




ZANUSSI

3090055 DIAPHRAGM MOD. DA 1011



ZANUSSI

3090025 HYDRAULIC DISPENSER TYPE 1000
for rinse aid
delivery connector for boiler. olive connection.
pipe ø 4x6 mm
PTFE ball
stainless steel spring for diaphragm. wire ø 1 mm
silicone valve
silicone diaphragm
pump connection fitting. olive connection.
pipe ø 6x8 mm
inlet fitting with connection
for flexible pipe ø 4x6 mm



ZANUSSI 0HA055

3090055 DIAPHRAGM MOD. DA 1011



ZANUSSI



Suitable for:

3090016 HYDRAULIC DISPENSER TYPE 3000
for rinse aid - flow rate max 3.6 cc
with inspectionable filter - silicone valves
neoprene/nylon diaphragm



ZANUSSI 0HA056

Suitable for:

3090356 NON-RETURN VALVE AISI 316 STAINL.STEEL
stainless steel aisi 316
for rinse aid injection 1/8" G.M.
(FPM valve)



ZANUSSI 049358

3090029 PERISTALTIC DETERGENT PUMP G200
230V 50/60Hz 4W
detergent flow rate 0.777 gr per second
max flow rate 2 l/hour (equivalent to 2000 cm³)
for DISHWASHER (500 DISHES PER HOUR)



ZANUSSI 0U1032

3090301 PERISTALTIC RINSE AID PUMP PG-0.4
230V 50/60Hz 8W
fixed flow rate: 0.4 L/h pressure: 3 bar
sekobril hose
complete with mounting kit



ZANUSSI 0L0697

ZANUSSI 049625

ZANUSSI 0S0704

ZANUSSI 049311

3090085 RINSE AID DOSING PUMP N6 E 05 W4G4Z
with EPDM diaphragm
minimum pressure 0.5 bar
inlet side elbow fitting
pped with: hose with filter and pressure hose
with screws



ZANUSSI 048496

3090084 RINSE AID DOSING PUMP N6 W4W4
with EPDM diaphragm
minimum pressure 0.5 bar
inlet side hose fitting 4 mm
pressure side hose fitting 4 mm



ZANUSSI

3090130 RINSE AID HYDRAULIC DISPENSER
setting from 0 to 3 cm³/cycle



ZANUSSI 0L3200

ZANUSSI 048715

ZANUSSI 049484

Salt containers and accessories

3067603 CAP FOR SALT CONTAINER



ZANUSSI 069472

3067604 RETAINING NUT FOR CAP



ZANUSSI 069552

3067002 FLAT GASKET EPDM ø 82x64x3 mm for salt container



ZANUSSI 069470

3067001 SALT CONTAINER



ZANUSSI 010370

3067002 FLAT GASKET EPDM ø 82x64x3 mm for salt container



ZANUSSI 069470

3067602 SALT CONTAINER ASSEMBLY 85x100 mm new model



ZANUSSI 069680

3067300 SALT CONTAINER GROUP ASSY total height 125 mm - external ø 122 mm for MACH DISHWASHER MB520K-MB530K-930K for COMENDA DISHWASHER BC-BHC for JEMI DISHWASHER GS2-GS3-GS4/2-GS4/2AF-GS6 GS6AF-GS7-GS8/2-GS9-GS18-GS19-GS20



ZANUSSI 049075

Scale removers for dishwashers

3094005 4 COLUMN SCALE REMOVER width 165 mm - length 390 mm for Glasswasher/Cupwasher (ZANUSSI) CRYSTAL11 CRYSTAL22 - LTB11 - LTB12 - LTB22



ZANUSSI 0L3653

ZANUSSI 069476



Suitable for:

ZANUSSI




Suitable for:

Selector switches

3059055 CYCLE SELECTOR SWITCH

D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI) LS60 - LS61 - LS62 - LS63
LS64



ZANUSSI 048829

3241205 KNOB $\varnothing$ 44 mm

D-shaped hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS60 - LS61 - LS62 - LS63
LS64



ZANUSSI 048830

3059058 CYCLE SELECTOR SWITCH 16A 250V

D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher hood type (ZANUSSI) HYDRA800 - LS8



ZANUSSI 0L3145

ZANUSSI 048524

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm

for Dishwasher (ZANUSSI) ALS540
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
WT50
for Pan/utensilwashing machines (ZANUSSI) LO10
SH55



ZANUSSI 046360

3241207 KNOB $\varnothing$ 44 mm


D-shaped hole 6x4.6 mm
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8



ZANUSSI 048402

3059057 SELECTOR SWITCH 0-1 POSITIONS

ON-OFF-START
16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI) HYDRA700 - LS7



ZANUSSI 048271

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm

for Dishwasher (ZANUSSI) ALS540
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
WT50
for Pan/utensilwashing machines (ZANUSSI) LO10
SH55



ZANUSSI 046360




Suitable for:

ZANUSSI



3059059 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher (ZANUSSI) LS500 - LS540 - LS541



ZANUSSI 046350


3241208 KNOB $\varnothing$ 40 mm
D-shaped hole 6x4.6 mm
for Dishwasher (ZANUSSI) LS500 - LS540 - LS541



ZANUSSI 046356


ZANUSSI 048340

3057291 SELECTOR SWITCH 0-5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Dishwasher hood type (ZANUSSI) HT1200
HYDRA1200 - LS12 - WT60



ZANUSSI 048286

3057049 SELECTOR SWITCH 4-POLE 16A 250V
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5131


Suitable for:

4046360 GASKET FOR SELECTOR SWITCH 47x18 mm
for Dishwasher (ZANUSSI) ALS540
for Dishwasher hood type (ZANUSSI) HYDRA1000
HYDRA1200 - HYDRA800 - LS10 - LS12 - LS8
WT50
for Pan/utensilwashing machines (ZANUSSI) L010
SH55



ZANUSSI 046360

3057048 SELECTOR SWITCH 3-POLES AND BUTTON
16A 250V
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5132

3057046 SELECTOR SWITCH 6-POLES
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT190 - RT270



ZANUSSI 0E5222

ZANUSSI 0K8266



Suitable for:

ZANUSSI



Suitable for:

Solenoid valves

3120004 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0A2064
ZANUSSI 047531

ZANUSSI 0KM766
ZANUSSI 055350

ZANUSSI 002613

3120104 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 048817

ZANUSSI 049626

ZANUSSI 088194

3120564 SOLEN. VALVE ELBITYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
flow rate 5.5 L/min
for Dishwasher (ZANUSSI) LS6
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS14



ZANUSSI 0L3443

ZANUSSI 049452

3120005 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0L3335
ZANUSSI 048894

ZANUSSI 002753
ZANUSSI 055132

ZANUSSI 047756
ZANUSSI 086014

3120505 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 058996

3120562 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 0E1575

3120006 SOLEN. VALVE ELBITYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 055444

ZANUSSI 056872

3120007 SOLEN. VALVE ELBITYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 0K5389
ZANUSSI 046427

ZANUSSI 0L3028
ZANUSSI 047536

ZANUSSI 045631
ZANUSSI 069463

Suitable for:

3120507 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 046796

ZANUSSI 048180

Suitable for:

3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 047529

ZANUSSI 048898

ZANUSSI 047532

ZANUSSI 069179

ZANUSSI 048178


3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 0H2513

ZANUSSI 0L0175

3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 072282

3120512 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ZANUSSI 0E5070

3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 049056

3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 069262


ZANUSSI 072364

3120514 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm




ZANUSSI 0KZ810

3120255 SOLEN. VALVE T&P 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with red adjuster 0.5 L/min



ZANUSSI 047579

3120407 SOLEN. VALVE T&P 2 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 0M2265



Suitable for:


3120406 SOLEN. VALVE T&P 2 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ZANUSSI 069295

Suitable for:

3120563 SOLENOID VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L0566

ZANUSSI 0L0568

ZANUSSI 0L3446

3120288 SOLENOID VALVE ELBI TYPE 349 2-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ZANUSSI 0E1373

3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



ZANUSSI 047539

ZANUSSI 047540

ZANUSSI 049077

3120555 SOLENOID VALVE ELBI TYPE 369 2-WAY 180°
230V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
1 outlet with red adjuster 0.5 L/min



ZANUSSI 069464

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



ZANUSSI 0E0330

ZANUSSI 047538

3120400 SOLENOID VALVE INVENSYS 1-WAY 90°
12Vac/dc 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar
flow rate 1.2 m3/h



ZANUSSI

3120111 SOLENOID VALVE L145R4 ø 3/4" FF 230V
for steam
NC (ex L142 M2)
max. temperature 175°C
max. pressure differential 12 bar
coil 220V 50Hz



ZANUSSI 065297

Suitable for:

3120210 SOLENOID VALVE L153D07 ø 3/4" FF 230V
for steam
NC
coil 220V 50Hz
max. temperature 175°C
max. pressure differential 12 bar



ZANUSSI 0E5974


Suitable for:

3120510 SOLENOID VALVE L153D07 3/4" FF 24V
for steam
NC
max. temperature 175°C
max. pressure differential 12 bar
coil 24V 50Hz



ZANUSSI 0E2200

3120057 SOLENOID VALVE L182B01 ø 1/2" FF 230V
EX L180
for water
NC
max. temperature 100°C
max. pressure differential 16 bar
coil 230V 50/60Hz



ZANUSSI 0H2412

ZANUSSI 067356

3120042 COIL SIRAI Z610A 230V 50/60Hz 6W
width 25 mm - height 33 mm
length 33 mm



ZANUSSI 0KG317

ZANUSSI 067609

3120557 SOLENOID VALVE L182B01 1/2" FF 24V
EX L180
for water
NC
max temperature 100°C
max differential pressure 16 bar
coil 24V 50/60Hz




ZANUSSI 068464

3120261 SOLENOID VALVE MÜLLER 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ZANUSSI 0G2196

3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
12V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar



ZANUSSI

6240020 SOLENOID VALVE SWITCHOVER 3-WAY
230V 50/60Hz - max. temperature 90°C
3 outlets ø 10.5 mm



ZANUSSI 0L3630



ZANUSSI



Suitable for:

3120404 SOLENOID VALVE T&P 1 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" con riduttore di portata 10 L/min
outlet ø 10.5 mm



ZANUSSI 0C0688

ZANUSSI 0C4984

ZANUSSI 056350

Suitable for:

3120289 SOLENOID VALVE 3-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 13.5 mm
1 outlet with dark brown adjuster 5.5 L/min



ZANUSSI 0E1372

3120231 SOLENOID VALVE 7321BAN00 1/2"FF
for water - NC
coil 220/240V 50/60Hz 9W
NBR seal - orifice ø 13 mm



ZANUSSI 047137

3120732 SOLENOID VALVE 7321BCN00 3/4"FF
for water - NC
coil 24V ac 50/60Hz 9W
NBR seal - orifice ø 20 mm



ZANUSSI 046900

ZANUSSI 075736

Spare parts for pumps

3122396 IMPELLER FIR ø 91 mm
for models B257SX



ZANUSSI 049525

3122855 IMPELLER LGB ZF523VSX ø 110 mm



ZANUSSI 0L0819

ZANUSSI 0L1978

ZANUSSI 0L1987

Splash guards

3315050 SPLASH GUARD 595 Mm
for Dishwasher (ZANUSSI) LS500 - LS501 - 5CF07B
5CF08B



ZANUSSI 047453

ZANUSSI 047855

3315051 GASKET ADHESIVE FOR SPLASH GUARD
length 2000 mm - profile 16x3 mm



ZANUSSI 046256

Springs

3250100 LIFTING SPRING
 overall length 360 mm
 body ø 51 mm
 for DISHWASHER 750/1080 WITH HOOD



ZANUSSI 066398

5047761 RETURN-SPRING FOR DOOR 240 mm



ZANUSSI 0L3525

3250050 SPRING FOR DOOR LIFTING
 external ø 45x26 mm
 for CONVEYOR DISHWASHER series RT



ZANUSSI 0E5158

ZANUSSI 0K8168

3250030 SPRING PULLEY
 external ø 30 mm
 internal ø 11 mm
 for models RT



ZANUSSI 0E5001

ZANUSSI 0K8167

3250051 SPRING FOR DOOR LIFTING
 external ø 45x39 mm
 for CONVEYOR DISHWASHER series RT



ZANUSSI 0E5167

3250093 SPACER FOR SPRING
 for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5454

ZANUSSI 0K7600

3250094 SPRING LOCK



ZANUSSI 0E2898

3250030 SPRING PULLEY
 external ø 30 mm
 internal ø 11 mm
 for models RT



ZANUSSI 0E5001

ZANUSSI 0K8167



Suitable for:

ZANUSSI



3250049 SPRING FOR HOOD LIFTING
dimensions $\varnothing$ 39x755 mm
for LS10-LS12-WT60 (versions from 1999 on)



ZANUSSI 049582

Suitable for:

40L0057 SPRING FOR HOOD LIFTING 770 mm
for Dishwasher hood type (ZANUSSI) EHT - HT900
HT900ADG1 - H2500 - KHT - LD900 - LS9P
LS9PDD - LV900P - NHT - NHTD - NHTG - NHTP
WT55ADG1 - WT55P - ZHT7 - ZHT76



ZANUSSI 0L0057

Supports

3391015 LONG ROLLER SUPPORT
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0E3530

4049594 SPRING SUPPORT
for Dishwasher hood type (ZANUSSI) EHT - EHTA
EHTAI - EHTAID - EHTAIG - EHTA60 - EHTG
HT900 - H2500 - KHT - LD900 - LS9P - LS9PDD
LS9P60 - LV900P - NHT - NHTD - NHTG - NHTM
NHTP



ZANUSSI 049594

Supports for wash and rinse arms

3743368 ARM COUPLING SLEEVE
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E5507

ZANUSSI 0KL044

3743114 BOTTOM ARM ASSEMBLY SUPPORT
for Glasswasher/Cupwasher (ZANUSSI) G400 - LB040Q



ZANUSSI 070341

3186290 O-RING 04187 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 47.22 mm



ZANUSSI 0HA075

3743124 BOTTOM ARM ASSEMBLY SUPPORT
for Glasswasher/Cupwasher (ZANUSSI) G350 - G350C
LB035C




ZANUSSI 070334

3743847 BOTTOM JET SUPPORT
for Dishwasher (ZANUSSI) C32 - C33 - C55A - FL5
LS32 - LS33 - LS5/1 - LS5/3 - LV32 - LV33
WT302 - WT303 - WT4



ZANUSSI 049290

3243194 LOCKING NUT
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) LS8 - LS8HD



ZANUSSI 048330

3243165 LOWER WASH ARM ASSEMBLY SUPPORT
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 048145

3243195 GASKET $\varnothing$ 100x16x3 mm
for jet support
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD
WT60



ZANUSSI 048236

3243193 SHUTTER FOR ARM
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS8HD



ZANUSSI 048820

3243069 O-RING OR 02068 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 17.17 mm



ZANUSSI 047987



Suitable for:

1186803 O-RING 02037 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 9.25 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365




ZANUSSI 046376

3243166 O-RING 03237 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 60.00 mm



ZANUSSI 047462

3243136 WASHER
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 047282

3243192 LOWER WASH ARM ASSEMBLY SUPPORT
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
LS7HD
for Dishwasher hood type (ZANUSSI) LS8 - LS8HD



ZANUSSI 0L1628

ZANUSSI 048329

ZANUSSI 048819

ZANUSSI



Suitable for:

1186352 O-RING 02050 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 12.42 mm



ZANUSSI 047986

3061007 O-RING 04362 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 91.67 mm



ZANUSSI 045462

3243195 GASKET $\varnothing$ 100x16x3 mm
for jet support
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD
WT60




ZANUSSI 048236



Suitable for:

3243194 LOCKING NUT

for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) LS8 - LS8HD



ZANUSSI 048330

ZANUSSI



Suitable for:

3243193 SHUTTER FOR ARM

for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS8 - LS8HD



ZANUSSI 048820

3243199 LOWER WASH ARM ASSEMBLY SUPPORT

for Dishwasher hood type (ZANUSSI) LS10 - LS10HD
LS12 - LS12HD



ZANUSSI 048235

3243195 GASKET $\varnothing$ 100x16x3 mm

for jet support
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS5/3
LS62 - LS63 - LS64 - LS7 - LS7HD - WT302
WT303 - WT4
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD
WT60



ZANUSSI 048236

3243197 SPACER

for Dishwasher hood type (ZANUSSI) LS10HD - LS12HD
LS8



ZANUSSI 048238

ZANUSSI 048645

ZANUSSI 048931

3243202 SUPPORT LOCKING NUT

for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - WT60



ZANUSSI 048237

3243145 SUPPORT FOR ARM

for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 046547

3243159 HOSE-END ELBOW M1/4"

hose-end fittings $\varnothing$ 12 mm
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 046375



ZANUSSI



Suitable for:

Suitable for:

3243158 SUPPORT FOR ARM
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS360 - LS505 - LS510 - LS520 - LS521 - LS540
LS7 - LS7HD
for Dishwasher hood type (ZANUSSI) LS8 - LS8HD



ZANUSSI 0L0695

ZANUSSI 046368

1186641 O-RING 0176 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 73.03 mm



ZANUSSI 046366

3243119 UPPER RING NUT
for Dishwasher (ZANUSSI) LS7 - WT40
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048650

3743673 TOP WASH ARM ASSEMBLY SUPPORT
for Dishwasher hood type (ZANUSSI) LS9 - WT55



ZANUSSI 0L0051

3743042 UPPER IMPELLER SUPPORT ASSY
for Glasswasher/Cupwasher (ZANUSSI) LBIOEQ014



ZANUSSI 0R0046

3186290 O-RING 04187 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 47.22 mm



ZANUSSI 0HA075

3743205 UPPER JETS SUPPORT
for Dishwasher (ZANUSSI) LS360 - LS365 - LS540
for Dishwasher hood type (ZANUSSI) LSE720



ZANUSSI 0L0901

1186422 O-RING 0108 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 8.73 mm



ZANUSSI 0L0555
ZANUSSI 058904

ZANUSSI 0L2341

ZANUSSI 0Q0002



Suitable for:

1186641 O-RING 0176 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 73.03 mm




ZANUSSI 046366

ZANUSSI




Suitable for:

3243136 WASHER
for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 047282

3243479 UPPER-LOWER WASH ARM ASSEMBLY SUPPORT
without spindle



ZANUSSI 0L3340

3186014 O-RING 06225 EPDM $\varnothing$ 67 mm
ring thickness 5.34 mm - internal $\varnothing$ 56.52 mm
for Dishwasher (ZANUSSI) LS62/F
for Dishwasher (ZANUSSI) LS62/F



ZANUSSI 0E5037

ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

3243169 WASH MANIFOLD
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 047461

3243171 DELIVERY TUBE



ZANUSSI 047467

3449454 HOSE CLAMP 32-50
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry
for Dishwasher (ZANUSSI) LS63 - LS64



ZANUSSI 0KB302

ZANUSSI 046878

3243069 O-RING OR 02068 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 17.17 mm



ZANUSSI 047987

3243166 O-RING 03237 EPDM
ring thickness 2.62 mm - internal $\varnothing$ 60.00 mm



ZANUSSI 047462

3061007 O-RING 04362 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 91.67 mm



ZANUSSI 045462



Suitable for:

3020082 OLIVE FOR PIPE $\varnothing$ 12 mm
for model PEL 22-24-25



ZANUSSI 004374

ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

ZANUSSI



Suitable for:

Switch-disconnectors


5007746 KNOB FOR SELECTOR SWITCH ABB
base 65x65 mm



ZANUSSI 010698


Switches

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print O - I



ZANUSSI 053810

3319013 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print I - II



ZANUSSI 053837

3319928 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole $\varnothing$ 25 mm



ZANUSSI 054518

ZANUSSI 082337

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
for push-buttons with mounting hole $\varnothing$ 25 mm




ZANUSSI 053979

3319944 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing O - I
mounting hole 22x30 mm



ZANUSSI 056703

3319088 BIPOLAR SWITCH ORANGE 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm



ZANUSSI 056878

ZANUSSI 056879

ZANUSSI 056880



Suitable for:

3319256 BIPOLAR SWITCH WHITE 16A 250V
16(4)A 250V - max. temperature 120°C
silk screen printing 0 - I
mounting hole 22x30 mm



ZANUSSI


Suitable for:

3319175 CHANGEOVER SWITCH 2 POLE GREEN 16A 24V
16(4)A 24V - max. temperature 120°C
with indicator light - mounting hole 22x30 mm



ZANUSSI 004158

3319627 DOUBLE CHANGE OVER SWITCH 16A 250V



ZANUSSI 003766

3319151 SWITCH PROTECTION CAP
ø external 34 mm
for push-buttons with mounting hole ø 25 mm



ZANUSSI 053979

3319749 EMERGENCY BUTTON
for Dishwasher pull-through (ZANUSSI)



ZANUSSI 0E5305

ZANUSSI 0K8450

5025082 MUSHROOM PUSH-BUTTON RED SCHNEIDER
mounting hole ø 22 mm
for Dishwasher conveyor type (ZANUSSI) LN34 - LN46
LN72




ZANUSSI 0E2208

7102854 PUSH BUTTON RED BLOCKING 3A 240V
SCHNEIDER - 1 contact NC
with button cap
mounting hole ø 22 mm



ZANUSSI 0KQ646

3319011 PUSH-BUTTON BIPOLAR RED 16A 250V
16(4)A 250V - max. temperature 120°C
NC
with indicator light and push-button cap
mounting hole 22x30 mm



ZANUSSI 054547

ZANUSSI 055014

3319015 PUSH-BUTTON BIPOLAR RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



ZANUSSI 005899




ZANUSSI



Suitable for:

3319145 PUSH-BUTTON ORANGE SIEMENS
mounting hole $\varnothing$ 22 mm
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 0L1243

ZANUSSI 075600

ZANUSSI 075656

Suitable for:

3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V
1 contact NO



ZANUSSI 0L0616

3221057 INDICATOR LIGHT Ba9s 2W 30V
dimensions $\varnothing$ 10x28 mm
for Pan/utensilwashing machines (ZANUSSI) L0250



ZANUSSI 075026

3221089 LAMP RECEPTACLE SIEMENS 3SB3400-1A
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 0L1244

ZANUSSI 075602

3057332 SELECTOR SWITCH SHINY GREEN 2 POSITIONS
MOELLER-EATON - 1 NO contact
with led indicator light 12/30
mounting hole $\varnothing$ 22 mm



ZANUSSI 005079

ZANUSSI 059051

3319299 SWITCH BUTTON SQUARE BLACK 23x23mm "0-1"
with control window



ZANUSSI 0A8691

3319211 SWITCH 16(4)A 250V
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049063

3319212 PUSH-BUTTON ROUND GREY $\varnothing$ 23 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049062

3319213 SWITCH 16(4)A 250V
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049068

3319215 PUSH-BUTTON ROUND GREEN $\varnothing$ 23 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049091



Suitable for:

ZANUSSI



3319214 PUSH-BUTTON ROUND YELLOW ø 23 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - Z1 - Z2



ZANUSSI 049065


3319951 SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 125°C
with indicator light - mounting hole 25x27 mm
lead connector 6.35x0.8 mm



ZANUSSI 085987


ZANUSSI 099274

3319127 THREE-POLE SWITCH
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049316

3319129 PUSH-BUTTON
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049315

3319143 PUSH-BUTTON ROUND GREY ø 23 mm
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049317

3319570 PUSH-BUTTON ROUND GREY ø 23 mm "DRAIN"



ZANUSSI 049325

3319138 PUSH-BUTTON ROUND YELLOW ø 23 mm
silk screen printed
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049318

3319128 THREE-POLE SWITCH
for Dishwasher (ZANUSSI) LS3



ZANUSSI 049326



Suitable for:

ZANUSSI



Suitable for:

Telethermometers

3441006 TELE-THERMOMETER WHITE ø 52 mm 0-120°C

metal case
PVC covered capillary 1500 mm
spring bulb ø 8x32 mm
bulb fitting M10x1



ZANUSSI 032085

ZANUSSI 034075

3441013 TELE-THERMOMETER WHITE 56x25 mm 0-110°C

plastic case
PVC covered capillary 2000 mm
bulb with seal ø 8.4 mm
with swivel fitting ø 14x1 mm
for Dishwasher (ZANUSSI) LC100 - LC1000
for Dishwasher hood type (ZANUSSI) LS10 - LS1080
LS12



ZANUSSI 046553

ZANUSSI 048084

ZANUSSI 048272

ZANUSSI 066350

ZANUSSI 067336

3186135 THERMOMETER GASKET 60x30 mm



ZANUSSI 048070

3441015 TELE-THERMOMETER WHITE 56x25 mm 0-120°C

plastic case
PVC covered capillary 3000 mm
spring bulb ø 8.4 mm
fitting ø M10x1 mm
for Dishwasher (ZANUSSI) LC100
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - LS10 - LS12



ZANUSSI 047211

ZANUSSI 047784

ZANUSSI 048065

ZANUSSI 075671

ZANUSSI 076048

3441033 TELE-THERMOMETER 56x25 mm 0-120°C

plastic body
white dial
PVC covered capillary length 3000 mm
bulb with spring ø 6x20 mm
for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 048544

Suitable for:

3441043 THERMOMETER 0-120°C 48x48 mm
covered capillary 2900 mm
bulb ø 6x36 mm
for Dishwasher (ZANUSSI) LS65 - WT35



ZANUSSI 0E5545

ZANUSSI 048525

Suitable for:

3441044 WHITE THERMOMETER ø 52 mm 0-120°C
plastic case
covered capillary 2500 mm
bulb ø 6x36 mm
for Dishwasher (ZANUSSI) FL700 - HYDRA700 - LS7
LV70 - Z70



ZANUSSI 048564

Terminal blocks

3247039 MAIN TERMINAL BLOCK 145x145 mm
7 poles
for Dishwasher (ZANUSSI) LB5G - LS5 - LS5WS - LS6
LS6AH - LS6WS - WT30WS - WT37 - WT38 - WT4
WT4G - WT4WS - WT5S
for Dishwasher hood type (ZANUSSI) LS10 - LS12
LS14 - LS14AH - LS14WS - LS9 - WT60 - WT65
WT65WS



ZANUSSI 0L0111

ZANUSSI 049618

3247015 TERMINAL BLOCK 12-POLES OF PLASTIC
for cable 0.75-4 mm²
operating temperature 150°C
nominal voltage 450V



ZANUSSI 0W3543

3247018 TERMINAL BLOCK 2-POLES FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 0C9052

ZANUSSI 058873

3247006 TERMINAL BLOCK 2-POLES OF CERAMIC
for cable 2.5-10 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 23.5x20.5x19.5 mm



ZANUSSI 053805

3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 046357

3247005 TERMINAL BLOCK 4-POLES OF CERAMIC
for cable 1-4 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 45x18x16 mm



ZANUSSI 054042




Suitable for:

ZANUSSI



Suitable for:

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 0E0994

ZANUSSI 005420

ZANUSSI 032669

ZANUSSI 046347

ZANUSSI 058613

ZANUSSI 088165

Thermostats

3444579 BULB HOLDING CLIP ø 8.5 mm
for heating element thermostat




ZANUSSI 052262

3444072 SAFETY THERMOSTAT 126°C
manual reset
covered capillary 1730 mm
bulb ø 6x129 mm
16A 250V
for Dishwasher pull-through (ZANUSSI) - Series RT




ZANUSSI 0E5086

3444604 SET TEMPERATURE THERMOSTAT F/TANK 53°C
preset temperature
covered capillary 600 mm
button bulb ø 14x31 mm
16A 250V



ZANUSSI 069423

3444014 SINGLE-PHASE THERMOSTAT 30-90°C
capillary 1250 mm
bulb ø 6x110 mm
16A 250V
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS96
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS75 - LS860



ZANUSSI 0L1633

ZANUSSI 048266

ZANUSSI 049243

ZANUSSI 068012

ZANUSSI 068582

3243139 O-RING 02025 EPDM
ring thickness 1.78 mm - internal ø 6.07 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109



Suitable for:

ZANUSSI



- 3444215 STUFFING GLAND FOR THERMOSTAT M12x1**
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899

- 3444018 SINGLE-PHASE THERMOSTAT 30-90°C**
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1000 mm - 16A 250V
bulb $\varnothing$ 6x175 mm



ZANUSSI 051142

- 3444395 SINGLE-PHASE THERMOSTAT 83°C**
capillary 900 mm
bulb $\varnothing$ 6x115 mm
15A 400V
for Glasswasher/Cupwasher (ZANUSSI) WT1 - WT2



ZANUSSI 0L2122

ZANUSSI 049255

- 3444215 STUFFING GLAND FOR THERMOSTAT M12x1**
hole $\varnothing$ 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899

Suitable for:

- 3243139 O-RING 02025 EPDM**
ring thickness 1.78 mm - internal $\varnothing$ 6.07 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109




ZANUSSI



Suitable for:

Suitable for:


3444331 THERMOSTAT THREE-PHASE 140°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb ø 6x88 mm
for boiler



ZANUSSI 004862

ZANUSSI 059079

3444065 THERMOSTAT 30°-110°C
for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5032

ZANUSSI 0K7035

3444330 THREE-PHASE THERMOSTAT 0-90°C
for tank
covered capillary 1000 mm
bulb ø 6x220 mm
10A 400V
with adjusting screw
for Glasswasher/Cupwasher (ZANUSSI) LB1 - LB2



ZANUSSI 049191

3243139 O-RING 02025 EPDM
ring thickness 1.78 mm - internal ø 6.07 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109

3444215 STUFFING GLAND FOR THERMOSTAT M12x1
hole ø 6.3 mm
for Dishwasher (ZANUSSI) LS50 - LS500 - LS52
LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067899

3444221 THREE-PHASE THERMOSTAT 140°C
with manual reset
covered capillary length 1000 mm - 10A 400V
bulb ø 6x175 mm
for Dishwasher (ZANUSSI) LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS860



ZANUSSI 051644

3444016 THREE-PHASE THERMOSTAT 30-90°C
capillary 900 mm
bulb ø 6x215 mm
10A 400V
with temperature adjusting screw
for Dishwasher (ZANUSSI) LS360 - LS365 - LS4
LS510 - LS520 - LS521



ZANUSSI 0C5345

ZANUSSI 045169

Timers

- 3446040** **TIMER T23 24V 50Hz**
 electronic multiscale timer
 programmable time scale 120h-12h-
 120'-12'-120"-12"
 2 changeover relays contact capacity 6(4)A 250V
 for Pan/utensilwashing machines (ZANUSSI) LO/E250
 LO/E480 - LOPE25 - LOPE48 - PLO250E - PLO480/E



ZANUSSI 075659

Tubing and hoses

- 3450124** **DRAIN PIPE 720 mm**
 external $\varnothing$ 40 mm - internal $\varnothing$ 30 mm



ZANUSSI 056888

- 5062799** **HOSE $\varnothing$ 40x50x50 mm**



ZANUSSI 0C1344

- 3248186** **INLET PIPE**
 internal $\varnothing$ 46 mm
 length 210 mm



ZANUSSI 0E5204

- 3450103** **INLET PIPE**
 internal $\varnothing$ 63 mm - length 70 mm
 for Dishwasher pull-through (ZANUSSI) RT



ZANUSSI 0E5023

- 3450104** **OUTLET HOSE**
 $\varnothing$ internal 53 mm
 $\varnothing$ external 66/63 mm
 length 200 mm



ZANUSSI 0E2970



ZANUSSI



Suitable for:

Suitable for:

3248605 PUMP OUTLET HOSE

internal $\varnothing$ 33 mm



ZANUSSI 069442

3450048 PUMP OUTLET PIPE

for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 048241

3450065 INLET PIPE

external $\varnothing$ 78 mm
height 50 mm
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS12



ZANUSSI 048242

3248170 PUMP TUBING INTERNAL $\varnothing$ 64x110 mm

for Dishwasher hood type (ZANUSSI) LS1080
for Dishwasher pull-through (ZANUSSI) CT192



ZANUSSI 046565

3450001 TUBING $\varnothing$ 60/70 mm

length 75 mm
rubber hose with textile support
for Dishwasher (ZANUSSI) LSE720 - LS500 - LS540
for Dishwasher hood type (ZANUSSI) LS1080



ZANUSSI 0L0613

ZANUSSI 045456

Vibration insulators for motors

40E5344 SHOCK ABSORBER MADE OF RUBBER

thread pins $\varnothing$ M8x20 mm - thickness rubber 20 mm
for Dishwasher conveyor type (ZANUSSI) LN34ED
LN34ES - LN48ED - LN48ES - LN72ED - LN72ES
for Dishwasher pull-through (ZANUSSI) RT100SL
RT100SR - RT140VD - RT140VS - WT100SLM
WT100SRM - WT150SLT - WT150SRT



ZANUSSI 0E5344

Wash and rinse arms for warewashers

3243150 ARM ASSEMBLY DRUM

wash and rinse
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
LS505 - LS510 - LS520 - LS521



ZANUSSI 047990

3243154 END CAP FOR RINSE ARM

for Dishwasher (ZANUSSI) CRISTAL51 - CRISTAL52
LS36 - LS505 - LS510 - LS520 - LS521 - LS54



ZANUSSI 0A6160

ZANUSSI 047475

3243179 END CAP FOR WASH ARM

for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 0A6109

ZANUSSI 047471

ZANUSSI 049296

3243157 LOCKING SCREW RETAINER FOR DRUM



ZANUSSI 047991

1186223 O-RING 02056 EPDM

ring thickness 1.78 mm - internal ø 14.00 mm



ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

3243896 RINSING NOZZLE 210 mm

for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
FL5 - LS3 - LS5/1 - LS5/3 - LS510 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 0A6159

ZANUSSI 048142

ZANUSSI 049298

3243879 RINSING NOZZLE 220 mm

for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4




ZANUSSI 047989

ZANUSSI 049297

3243136 WASHER

for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 047282

3743127 COMPLETE WASH/RINSE ARM ASSEMBLY

length 380 mm
for Glasswasher/Cupwasher (ZANUSSI) G350 - G350C
G400 - LBICEQ010 - LBIOEQ010 - LBIOEQ014
LB035C - LB035Q - LB040Q - LCFBE003



ZANUSSI 070349

1186803 O-RING 02037 EPDM

ring thickness 1.78 mm - internal ø 9.25 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365



ZANUSSI 046376



Suitable for:

ZANUSSI



1186346 O-RING 02043 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 10.82 mm



ZANUSSI 0U1041

1186424 O-RING 02062 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 15.60 mm



ZANUSSI 070347

Suitable for:

1186223 O-RING 02056 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 14.00 mm



ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

3243878 NOZZLE DRUM
for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 049293

3243179 END CAP FOR WASH ARM
for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 0A6109

ZANUSSI 047471

ZANUSSI 049296

1186223 O-RING 02056 EPDM
ring thickness 1.78 mm - internal $\varnothing$ 14.00 mm



ZANUSSI 046223

ZANUSSI 047473

ZANUSSI 070346

3243919 RINSE NOZZLE END CAP $\varnothing$ 3/8"
for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 049299

3743848 PIN FOR JET SUPPORT
for Dishwasher (ZANUSSI) C32 - C33 - C55A - FL5
LS32 - LS33 - LS5/1 - LS5/3 - WT302 - WT303
WT4



ZANUSSI 049292

3243896 RINSING NOZZLE 210 mm
for Dishwasher (ZANUSSI) CRYSTAL51 - CRYSTAL52
FL5 - LS3 - LS5/1 - LS5/3 - LS510 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 0A6159

ZANUSSI 048142

ZANUSSI 049298



Suitable for:

3243879 RINSING NOZZLE 220 mm

for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 047989

ZANUSSI 049297

3743509 WASHER PROTECTION

for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 049294

3743188 RINSE ARM

overall length 534 mm
for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E5506

3743846 RINSE ARM ASSEMBLY

for Dishwasher (ZANUSSI) LS62HD - LS7HD
for Dishwasher hood type (ZANUSSI) LO10 - LS10HD
LS12HD - LS8HD - SH55



ZANUSSI 049152


ZANUSSI



Suitable for:

3243136 WASHER

for Dishwasher (ZANUSSI) FL5 - LS5/1 - LS520
LS521 - WT302 - WT303 - WT4



ZANUSSI 047282

3243880 WASHING NOZZLE 195 mm

for Dishwasher (ZANUSSI) FL5 - LS3 - LS5/1 - LS5/3
WT302 - WT303 - WT4



ZANUSSI 049295

3743189 RINSE NOZZLE TYPE 9504

for Dishwasher pull-through (ZANUSSI) - Series RT
Series WT



ZANUSSI 0E5148

3243207 END CAP FOR RINSE ARM ASSEMBLY

for rinse arm $\varnothing$ 12 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - LS10
LS12 - LS8 - LV1200 - WT60
for Dishwasher hood type (ZANUSSI) LC100



ZANUSSI 048714



Suitable for:

3243209 SPINDLE FOR ARM

for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63
LS64 - LS7 - LS7HD
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD
WT60



ZANUSSI 048290

3243651 RINSE ARM ASSEMBLY COMPLETE



ZANUSSI 069577

3243885 RINSE ARM ASSEMBLY 400 mm

for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 0L2096

ZANUSSI 049049

3243886 RINSE ARM ASSEMBLY CAP


for rinse arm ø 10 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049048

3243888 WASHER FOR SPINDLE

for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049047

ZANUSSI



Suitable for:

3243208

WASHER FOR ARM

for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63
LS64 - LS7 - LS7HD
for Dishwasher hood type (ZANUSSI) LS10HD - LS12HD
LS8 - LS8HD



ZANUSSI 048632

3186273 FLAT PTFE GASKET ø 16.5x12.5x1.5 mm



ZANUSSI 069643

3243207 END CAP FOR RINSE ARM ASSEMBLY

for rinse arm ø 12 mm
for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7
for Dishwasher hood type (ZANUSSI) HT1000 - LS10
LS12 - LS8 - LV1200 - WT60
for Dishwasher hood type (ZANUSSI) LC100



ZANUSSI 048714

3243887 RINSE ARM ASSEMBLY SPINDLE

for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049046

3743669 RINSE ARM ASSEMBLY 465 mm



ZANUSSI 0L3070

3243206 RINSE ARM ASSEMBLY 470 mm for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7 for Dishwasher hood type (ZANUSSI) LS8



ZANUSSI 0L2095

ZANUSSI 048248

ZANUSSI 048542

3243209 SPINDLE FOR ARM for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63 LS64 - LS7 - LS7HD for Dishwasher hood type (ZANUSSI) HT1000 - HT1200 LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD WT60



ZANUSSI 048290

3243207 END CAP FOR RINSE ARM ASSEMBLY for rinse arm $\varnothing$ 12 mm for Dishwasher (ZANUSSI) LS62 - LS63 - LS64 - LS7 for Dishwasher hood type (ZANUSSI) HT1000 - LS10 LS12 - LS8 - LV1200 - WT60 for Dishwasher hood type (ZANUSSI) LC100



ZANUSSI 048714

3243208 WASHER FOR ARM for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63 LS64 - LS7 - LS7HD for Dishwasher hood type (ZANUSSI) LS10HD - LS12HD LS8 - LS8HD



ZANUSSI 048632

3743315 RINSE ROD



ZANUSSI 0HA043

3501092 COMPLETE RINSE JET thread 13.5 mm



ZANUSSI 0HA048

ZANUSSI 0HA129

3743204 THREADED PLUG FEMALE 1" for Dishwasher pull-through (ZANUSSI) - Series RT



ZANUSSI 0E5016

3243600 WASH AND RINSE ARM ASSEMBLY 410 mm



ZANUSSI 069576



ZANUSSI



Suitable for:

3315001 WASH ARM
for Dishwasher (ZANUSSI) LS500 - LS501



ZANUSSI 065502

3315004 WASH JET
for Dishwasher (ZANUSSI) LS500 - LS501



ZANUSSI 065507

3243135 WASH ARM ASSEMBLY END CAP
for Dishwasher (ZANUSSI) LS360 - LS365 - LS500
LS501 - LS540



ZANUSSI 046266

3243881 WASH ARM ASSEMBLY 410 mm
for Glasswasher/Cupwasher (ZANUSSI) GW1 - GW2
LB1 - LB2 - WT1 - WT2 - Z1 - Z2



ZANUSSI 049044

3243883 RING NUT FOR BUSHING



ZANUSSI 049043

Suitable for:

3186184 O-RING 0147 EPDM
ring thickness 3.53 mm - internal $\varnothing$ 42.86 mm



ZANUSSI 065506

3315005 WASH JET SPINNER
for Dishwasher (ZANUSSI) LS500 - LS501



ZANUSSI 066896

3243882 BUSHING FOR WASH ARM ASSEMBLY



ZANUSSI 049042

Suitable for:

3243117 WASH ARM ASSEMBLY 480 mm
for Dishwasher (ZANUSSI) HT1000 - HT1200
HYDRA1000 - HYDRA1200 - LS10 - LS10HD - LS12
LS12HD - WT60




ZANUSSI 0L0597

ZANUSSI 048247

Suitable for:

3243200 WASH ARM ASSEMBLY DRUM
for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63
LS64 - LS7 - LS7HD
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD
WT60



ZANUSSI 048401

3243203 WASH ARM ASSEMBLY 485 mm
for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63
LS64 - LS7 - LS7HD
for Dishwasher hood type (ZANUSSI) LS8 - LS8HD
for Dishwasher hood type (ZANUSSI) LS9P



ZANUSSI 0L0598

ZANUSSI 048821

1186352 O-RING 02050 EPDM
ring thickness 1.78 mm - internal ø 12.42 mm



ZANUSSI 047986

3743848 PIN FOR JET SUPPORT
for Dishwasher (ZANUSSI) C32 - C33 - C55A - FL5
LS32 - LS33 - LS5/1 - LS5/3 - WT302 - WT303
WT4



ZANUSSI 049292

3243118 SPINDLE FOR UPPER WASH ARM ASSEMBLY
for Dishwasher (ZANUSSI) HYDRA700 - LS7 - LS7HD
WT40
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8 - LS8HD




ZANUSSI 048333

3243119 UPPER RING NUT
for Dishwasher (ZANUSSI) LS7 - WT40
for Dishwasher hood type (ZANUSSI) HT800
HYDRA800 - LS8



ZANUSSI 048650

3243200 WASH ARM ASSEMBLY DRUM
for Dishwasher (ZANUSSI) LS62 - LS62HD - LS63
LS64 - LS7 - LS7HD
for Dishwasher hood type (ZANUSSI) HT1000 - HT1200
LS10 - LS10HD - LS12 - LS12HD - LS8 - LS8HD
WT60



ZANUSSI 048401



Suitable for:

ZANUSSI



3743845 WASH ARM CAP
for Dishwasher pull-through (ZANUSSI) RT100
RT140 - RT142 - RT190 - RT270 - RT340 - RT480
for Dishwasher conveyor type (ZANUSSI) LV3000ER



ZANUSSI 0E5997

Suitable for:

1186238 O-RING 04081 EPDM
ring thickness 3.53 mm - internal ø 20.22 mm



ZANUSSI 0A5182

3243188 WASH JET
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92



ZANUSSI 046867

3243189 O-RING 02137 EPDM
ring thickness 1.78 mm - internal ø 34.65 mm
for Dishwasher pull-through (ZANUSSI) CT140
CT190 - CT192 - CT92



ZANUSSI 046868

Wash jets and accessories

3243137 RINSE JET
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS367 - LS500 - LS501 - LS540
for Dishwasher hood type (ZANUSSI) LSE720 - LS1080
LS860



ZANUSSI 046272

3243139 O-RING 02025 EPDM
ring thickness 1.78 mm - internal ø 6.07 mm
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS500 - LS540 - LS7
for Dishwasher hood type (ZANUSSI) LS1080 - LS720
LS8 - LS860
for Dishwasher pull-through (ZANUSSI) CT92



ZANUSSI 067898

ZANUSSI 086109

3243138 RINSE JET COUNTER FLANGE
for Dishwasher (ZANUSSI) LS32 - LS360 - LS365
LS367 - LS500 - LS501 - LS540
for Dishwasher hood type (ZANUSSI) LSE720 - LS1080
LS860
for Dishwasher pull-through (ZANUSSI) CT140
CT141 - CT142 - CT190 - CT191 - CT92



ZANUSSI 046273



ZANUSSI



Suitable for:

3501060 RINSE JET ø 1/8"
for Pan/utensilwashing machines (ZANUSSI) L0250
L0480



ZANUSSI 045753

Suitable for:

3501094 WASH JET DEFLECTOR



ZANUSSI 0HA102

Washing baskets and accessories

3055556 ALL PURPOSE RACK 500x500x100 mm
bottom with small holes
in plastic
useful internal height when stacked 76 mm



ZANUSSI 048797

3055756 BASKET BROWN NARROW MESH 500x500 mm
for CUTLERY
height 100 mm



ZANUSSI 0L1962

ZANUSSI 0S0582

ZANUSSI 048797

3055752 BASKET GREEN 500x500x100 mm
for 12 DEEP PLATES




ZANUSSI 0L1965

ZANUSSI 0S0593

ZANUSSI 048891

3055754 BASKET GREY 500x500x110 mm
for 16 PLAIN PLATES



ZANUSSI 0S0584

ZANUSSI 0S0944

ZANUSSI 068692

3055755 BASKET LIGHT BLUE LARGE MESH 500x500 mm
for VARIOUS ITEMS
height 100 mm



ZANUSSI 0L1961

ZANUSSI 0S0583

ZANUSSI 048796

3055753 BASKET YELLOW 500x500x100 mm
for 18 PLAIN PLATES ø 240 mm



ZANUSSI 0L1964

ZANUSSI 0S0581

ZANUSSI 048795

3055610 CUTLERY INSERT RACK 105x105x135 mm
of plastic



ZANUSSI 069561

3055004 CUTLERY INSERT RACK 110x110x124 mm
of yellow plastic



ZANUSSI 0L1813(1PZ)

ZANUSSI 069956

ZANUSSI 865574



ZANUSSI



Suitable for:


3055053 CUTLERY INSERT RACK 113x113x130 mm
plastic



ZANUSSI 049070


Suitable for:

3055011 DISH RACK 500x500x100 mm
for 22 dishes
made of plastic covered wire



ZANUSSI 0S0057

3055612 GLASS INSERT RACK - 10 Pcs
made of plastic
modular plastic grid 385x385 mm



ZANUSSI 069572

ZANUSSI 960455

3055478 GLASS RACK 350x350x150mm




ZANUSSI 0HA029

3055238 GLASS RACK 400x400x135 mm
in plastic covered wire



ZANUSSI 0U1033

3055010 GLASS RACK 500x500x120 mm
in plastic covered wire




ZANUSSI 0S0058

3055636 PLATE RACK 500x500x110 mm
for 12 SOUP PLATES $\varnothing$ 240 mm
for 18 SHALLOW PLATES $\varnothing$ 240 mm




ZANUSSI 068692

3055616 RACK 385x385x200 mm
for GLASSES and DIFFERENT WARE
in plastic covered wire




ZANUSSI 069564

3055615 RACK 385x385x95 mm
for GLASSES and DIFFERENT WARE
in plastic covered wire



ZANUSSI 069563

3055611 SAUCER RACK 305x90x75 mm
made of polypropylene - for 13 saucers



ZANUSSI 069562



Suitable for:

ZANUSSI



3055083 SUPPORT FOR ROTATING RACK $\varnothing$ 292 mm
height 65 mm
for basket with $\varnothing$ smaller than 280 mm



ZANUSSI 0HA122

Suitable for:

3055638 TRAY RACK 500x500x110 mm
for 8 TRAYS 530x370 mm



ZANUSSI 048890

Washing showers

3359605 WHITE SHOWER HEAD NEW $\varnothing$ 1/2" F



ZANUSSI 003167

Water purification filters

3010601 WATER FILTER PURITY CLEAN EXTRA 1200
for water treatment for TECHNICAL purposes
water softener ideal for DISHWASHERS
specific for HOT WATER
adjustable bypass
capacity at 10°dH 5000 L
flow rate 300 L/h
max. pressure 6 bar
min. pressure 2 bar
operating temperature 4°C/60°C
loss of pressure at 0.45 bar flow rate
dimensions: height 550 mm - $\varnothing$ 255 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet $\varnothing$ 1" M - outlet $\varnothing$ 3/4" M
horizontal or vertical mounting



ZANUSSI 0S0803



Suitable for:

ZANUSSI



Suitable for:

Water purification filters

3010600 WATER FILTER PURITY CLEAN 1200
for water treatment for TECHNICAL purposes
water softener ideal for DISHWASHERS
specific for HOT WATER
capacity 10°KH 12000 L
flow rate 300 L/h
max. pressure 6 bar
min. pressure 2 bar
operating temperature 4°C/60°C
loss of pressure at 0.45 bar flow rate
dimensions: height 550 mm - ø 255 mm
weight: empty 18 Kg - full 24 Kg
fittings: inlet ø 1" M - outlet ø 3/4" M
horizontal or vertical mounting



ZANUSSI 0S0801

3010610 CARTRIDGE PURITY CLEAN 1200
specific for WASHING



ZANUSSI 0S0802

Water softeners and accessories

3010061 MANUAL WATER SOFTENER 12 L ø 3/4"
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connections 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt (NaCl-table salt) 1.5 Kg



ZANUSSI 0S0330

3010102 MANUAL WATER SOFTENER 12 L ø 3/4"
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 12 L
connection 3/4"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt (NaCl-table salt) 1.5 Kg
inlet water maximum temperature 60°C



ZANUSSI 0S0330

3010006 MANUAL WATER SOFTENER 12 L WITH BY-PASS
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 12 L
connection 3/8"
dimensions: height 500 mm - ø 185 mm
resin content 9 L
regeneration salt (NaCl-table salt) 1.5 Kg



ZANUSSI 0S0579

3010063 MANUAL WATER SOFTENER 20 L ø 3/4"
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 20 L
connections 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt (NaCl-table salt) 3 Kg



ZANUSSI 0S0329

Suitable for:

Suitable for:

3010104 MANUAL WATER SOFTENER 20 L ø 3/4"
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 20 L
connection 3/4"
dimensions: height 900 mm - ø 185 mm
resin content 15 L
regeneration salt(NaCl-table salt)3 Kg
inlet water maximum temperature 60°C



ZANUSSI 860430

3010060 MANUAL WATER SOFTENER 8 L ø 3/4"
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connections 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ZANUSSI 0C1903

3010101 MANUAL WATER SOFTENER 8 L ø 3/4"
for water treatment for TECHNICAL purposes
plasma welding
STAINLESS STEEL cylinder capacity 8 L
connection 3/4"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg
inlet water maximum temperature 60°C



ZANUSSI 0C1903

3010005 MANUAL WATER SOFTENER 8 L WITH BY-PASS
for water treatment for TECHNICAL purposes
STAINLESS STEEL cylinder capacity 8 L
connection 3/8"
dimensions: height 400 mm - ø 185 mm
resin content 5.8 L
regeneration salt(NaCl-table salt)1 Kg



ZANUSSI 0S0578

3010094 WATER SOFTENER "MATIC 12" 12 L ø 3/4"
for water treatment for TECHNICAL purposes
AUTOTROL chronometric head 255/460TC
power supply 230V 50/60Hz - 12V
time controller mod.460TC (weekly)
operating temperature 2°÷35°C
cylinder capacity 11.8 L - resin content 8 L
salt container 30 Kg
regeneration salt(NaCl-table salt)1.5 Kg
inlet/outlet connections ø 3/4"F
dimensions: width 260 mm - depth 480 mm
height without head 435 - overall height 650 mm
We always recommend to use a mechanical filter
before the softener, in order to remove
impurities from the water



ZANUSSI 0S0332

3010074 WATER SOFTENER "MATIC 8" 8 L ø 3/4"
for water treatment for TECHNICAL purposes
AUTOTROL chronometric head 255/460TC
230V 50Hz
time controller mod.460TC (weekly)
operating temperature 2°÷35°C
cylinder capacity 8.5 L - resin content 5.4 L
salt container 20 Kg
regeneration salt(NaCl-table salt)1 Kg
inlet/outlet connections ø 3/4"F
dimensions: width 200 mm - depth 430 mm
height without head 335 - overall height 550 mm
We always recommend to use a mechanical filter
before the softener, in order to remove
impurities from water



ZANUSSI 0S0716



Suitable for:

ZANUSSI



Suitable for:

Watertight seals and rings

9014136 SEALING RING 25x40x7 mm



ZANUSSI 034077

5017523 SEALING RING 42x30x7 mm
double lip retainer



ZANUSSI 0KQ342

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|--|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com |  LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com |  LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz |
|  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru |  LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  POLAND
www.lfspareparts724.pl
info@lfspareparts.pl |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
export@lfspareparts.com |