



Spare parts for the professional sector: Commercial refrigeration



Suitable for:

ANGELO PO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ANGELO PO



Suitable for:

Axial motor fans

3240660 AXIAL FAN EBM 3956
230V 50/60Hz 11W 2650rpm
92x92x25 mm
ball bearings



ANGELO PO 3076620

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ANGELO PO 32M7130

ANGELO PO 32V5790

3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



ANGELO PO 3113740

ANGELO PO 3205930

Castors, rollers and accessories

5013059 WHEEL WITH SLIDEWAY
external \varnothing 31 mm hole 10 mm



ANGELO PO 36G3940

Clamps

3449451 HOSE CLAMP 10-16
for pipes \varnothing 10÷16 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ANGELO PO 36E4320



Compressors and spare parts

3070012 COMPRESSOR CUBIGEL GL60TB CSIR
 220/240V. 50Hz
 power 1/5 Hp, displacement 5.67 cc
 gas R134a HMBP



ANGELO PO 34D6390

3070013 COMPRESSOR CUBIGEL GL80TB CSIR
 220/240V 50Hz
 power 1/5 Hp, displacement 7.57 cc
 gas R134a HMBP



ANGELO PO 34D6500

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 8.85 cc
 gas R134a HMBP



ANGELO PO 34D6510

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
 220/240V 50Hz
 power 1/6 Hp, displacement 5.20 cc
 gas R134a HMBP
 ASPERA



ANGELO PO 34D6390

3070174 COMPRESSOR EMBRACO NEK6187Z CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 10.00 cc
 gas R134a HMBP
 ASPERA



ANGELO PO 34D5490

3070040 COMPRESSOR EMBRACO NEK6213GK CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 12.12 cc
 gas R404a/R507 HMBP
 ASPERA



ANGELO PO 3138720

5068808 COMPRESSOR TECUMSEH TAJ4519Z/S
 400V 50Hz
 welding inlet connection
 power 1.5 Hp. displacement 34.4 cc
 gas R404a/R507 HMBP



ANGELO PO 34D5940



Suitable for:

ANGELO PO



Suitable for:

Contactors

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



ANGELO PO 3100940

ANGELO PO 32V5290


3454022 CONTACTOR LOVATO BF1201A
coil 12A 230V 50/60Hz 5.7Kw
3 normally closed contacts
1 normally closed auxiliary contact



ANGELO PO 3100910

ANGELO PO 32Z2083


3446587 CONTACTOR LOVATO BF2600A
coil 26A 230V 50/60Hz 13Kw
3 normally open contacts
no auxiliary contact



ANGELO PO 3110890

ANGELO PO 32Z2091

3446588 CONTACTOR LOVATO BF3200A
coil 32A 230V 50/60Hz 16Kw
3 normally open contacts
no auxiliary contact




ANGELO PO 3100930

3446558 CONTACTOR LOVATO BGF0901A
9A 400V 4Kw - coil 230V 50/60Hz
3 NO contacts
1 NC auxiliary contact



ANGELO PO 32Z3512

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ANGELO PO 32V6550

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ANGELO PO 32V1880

5023908 CONTACTOR SIEMENS 3RT1025-1AL20
17A 400V 7.5Kw - coil 230V 50/60Hz
3 normally open contacts



ANGELO PO 32Z9250



Drain assembly

5024381 COLLECTOR CONDENSATE OUTLET
overall length 180 mm - hose \varnothing 18 mm



ANGELO PO 36E2270

5034948 DRAIN FITTING



ANGELO PO 36E3870

Drip trays for refrigeration

3015004 DRIP TRAY
for Refrigerated cupboard (ANGELO PO) SP120
SP135



ANGELO PO 36Z6431

3015905 DRIP TRAY
610x300x50 mm



ANGELO PO 36Z0300

5004446 DRIP TRAY OF PLASTIC
560x110x30 mm
with hole for cartridge heating element



ANGELO PO 36Z1530


Electrical capacitors

3068014 CAPACITOR DUCATI ENERGIA 8 μ F
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
 \varnothing 32xh55 mm



ANGELO PO 32Z2490

3068086 CAPACITOR ELECTRICAL 25 μ F
450V 50/60Hz - \varnothing 45xh71 mm



ANGELO PO 32V6440

3068087 CAPACITOR ELECTRICAL 35 μ F
450V 50/60Hz - \varnothing 45xh91 mm



ANGELO PO 32V5980

3068079 CAPACITOR ELECTRICAL 8 μ F
450V 50/60Hz - \varnothing 30xh71 mm



ANGELO PO 32Z2490



Suitable for:

ANGELO PO



3068142 CAPACITOR 40µF
450V 50/60Hz - ø 45xh91 mm



ANGELO PO 32V6540

Suitable for:


3068101 STARTING CAPACITOR 43/52µF 330V



ANGELO PO 32V1490

Electronic boards

5084573 DISPLAY ELECTRONIC BOARD SAGI 3124430
172x64 mm



ANGELO PO 3124430


Electronic controllers

7104477 CONTROLLER DISPLAY PUSH-BUTTON
dimensions 173x63 mm
with probe 3000 mm



ANGELO PO 3161350

5028759 CONTROLLER EVCO CT1SA0020402
12Vac/dc 50/60Hz
1 relay output 30A for compressor
1 relay output 8A for defrosting
1 relay output 5A for evaporator fan
1 relay output 5A for fan capacitor
1 relay output 5A for light
1 relay output 5A for aux
1 relay output 8A for alarm
3 NTC probes (not included)
1 humidity probe 4-20mA (not included)
1 digital input for micro door
1 digital input for pressure switch
dimension 162x76 mm
ANGELO PO-SAGI setting



ANGELO PO 3051150



Suitable for:

Suitable for:

3445128 CONTROLLER EVCO EVK203N7
 230V 50/60Hz
 1 relay outlet 16A for compressor
 1 outlet relay 8A for defrosting
 1 outlet relay 8A for evaporator fans
 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 dimension 75x33x depth 59 mm
 mounting hole 71x29 mm



ANGELO PO 3048060
 ANGELO PO 3107300

ANGELO PO 3096600
 ANGELO PO 3119780

ANGELO PO 3106300

3445113 CONTROLLER EVCO EVK211N7
 230V 50/60Hz
 1 relay outlet 16A for compressor
 pause defrosting
 1 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 front dimension 75x33X depth 59 mm
 mounting hole 71x29 mm



ANGELO PO 3087950
 ANGELO PO 32V6920
 ANGELO PO 32V8590

ANGELO PO 3107290
 ANGELO PO 32V7490

ANGELO PO 3120900
 ANGELO PO 32V7820

3445124 CONTROLLER EVCO EVK213N3
 12-24Vac/dc
 1 relay outlet 16A for compressor
 1 outlet relay 8A for defrosting
 1 outlet relay 8A for evaporator fans
 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 dimension 75x33x depth 59 mm
 mounting hole 71x29 mm



ANGELO PO 3049890

3445494 DISPLAY CIRCUIT BOARD SAGI 3163810
 187x72 mm




ANGELO PO 3163810

3445495 DISPLAY CIRCUIT BOARD TOUCH SAGI 3174890
 212x23x15 mm



ANGELO PO 3174890

7111648 KEYBOARD DISPLAY BOARD SAGI 3179250
 173x64 mm



ANGELO PO 3179250

Fans for motors

3240964 SUCTION FAN \varnothing 250 mm 28°



ANGELO PO 32M2260



Suitable for:

ANGELO PO



Suitable for:

Fittings

3526811 ACCESS VALVE ODS \varnothing 6 mm



ANGELO PO 33A1200

Fuses

3049073 QUICK ACTING FUSE \varnothing 10x38 mm - 10 PCS
500V 10A



ANGELO PO 32V6210

3049043 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 500mA



ANGELO PO 3201540


3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



ANGELO PO 3200020


Gaskets for refrigerators

3186949 MIDDLE EDGED GASKET 1360x660 mm




ANGELO PO 37Q0450

3186950 MIDDLE EDGED GASKET 1560x660 mm




ANGELO PO 37Q0760

3286093 MIDDLE EDGED GASKET 1560x660 mm



ANGELO PO 37Q0760

3186948 MIDDLE EDGED GASKET 385x300 mm





ANGELO PO 37Q2050

Suitable for:

Suitable for:

3186947 MIDDLE EDGED GASKET 605x375 mm

3186841 MIDDLE EDGED GASKET 610x580 mm





ANGELO PO 37Q2040

ANGELO PO 37Q2380

3186952 MIDDLE EDGED GASKET 614x595 mm
magnet only on 3 sides

3186951 MIDDLE EDGED GASKET 755x660 mm





ANGELO PO 37Q0470

ANGELO PO 37Q0770

3286092 MIDDLE EDGED GASKET 755x660 mm

3186624 SNAP-IN GASKET 1508x668 mm





ANGELO PO 37Q0770

ANGELO PO 37Q5450

3186625 SNAP-IN GASKET 1530x674 mm

3186089 SNAP-IN GASKET 1550x650 mm





ANGELO PO 37Q0210

ANGELO PO 37Q1890

3786577 SNAP-IN GASKET 1598x605 mm
for Refrigerated cupboard (ANGELO PO) S1200 - S600

3186626 SNAP-IN GASKET 1610x605 mm





ANGELO PO 37Q4850

ANGELO PO 37Q1020

3186700 SNAP-IN GASKET 1618x668 mm

3186944 SNAP-IN GASKET 385x260 mm




ANGELO PO 37Q4370

ANGELO PO 37Q7690



Suitable for:


5051166 SNAP-IN GASKET 386x172 mm



ANGELO PO 3125980

Suitable for:


3186623 SNAP-IN GASKET 386x265 mm
for 1/2 DRAWER



ANGELO PO 37Q3950


ANGELO PO 37Q4720

5051165 SNAP-IN GASKET 405x387 mm




ANGELO PO 3125970

3186946 SNAP-IN GASKET 583x386 mm




ANGELO PO 37Q7590

3786452 SNAP-IN GASKET 583x386 mm
for Refrigerated cupboard (ANGELO PO) 6MAA
for Refrigerated table (ANGELO PO) 6MBA




ANGELO PO 37Q4710

3786247 SNAP-IN GASKET 593x386 mm
for Refrigerated table (ANGELO PO) 6JB




ANGELO PO 37Q3870

3786583 SNAP-IN GASKET 613x463 mm




ANGELO PO 37Q4140

3186630 SNAP-IN GASKET 716x668 mm




ANGELO PO 37Q5460

3186095 SNAP-IN GASKET 755x655 mm




ANGELO PO 37Q2010

3786005 SNAP-IN GASKET 771x668 mm



ANGELO PO 37Q4470

3186941 SNAP-IN GASKET 780x685 mm



ANGELO PO 37Q2600



Grids and trays

3185054 CHROME PLATED GRID GN 1/1 530x325 mm




ANGELO PO G610

ANGELO PO 3012000

ANGELO PO 36M3540

3185055 CHROME PLATED GRID GN 2/1 650x530 mm



ANGELO PO G241

ANGELO PO 36A0990

3185910 GRID PLASTIC-COATED GN 1/1 530x325 mm
grey colour



ANGELO PO 36A2430

3185050 GRID PLASTIC-COATED GN 2/1 650x530 mm
white colour



ANGELO PO RGP/2-1

ANGELO PO 36A0710

ANGELO PO 36A3630

3185967 GRID PLASTIC-COATED 535x517 mm



ANGELO PO 36A2550

5021340 GRID PLASTIC-COATED 552x532 mm



ANGELO PO 36A5380

3185920 GRID PLASTIC-COATED 555x510 mm



ANGELO PO 36A3010

3185966 GRID PLASTIC-COATED 555x670 mm



ANGELO PO 36A3020

5023508 GRID PLASTIC-COATED 585x325 mm



ANGELO PO 36A5640

5058036 GRID PLASTIC-COATED 600x280 mm



ANGELO PO 36A0161

3185152 GRID PLASTIC-COATED 600x400 mm



ANGELO PO 36A0131

5013070 GRID PLASTIC-COATED 615x530 mm
grey colour



ANGELO PO 36A2820



Suitable for:

3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm



ANGELO PO G610X

Suitable for:

3185053 STAINLESS STEEL GRID GN 2/1 650x530 mm



ANGELO PO G241X

Guides

5025197 SLIDEWAY FOR GRID RH-LH 458x23x13 mm



ANGELO PO 3045340

7103025 SLIDEWAY FOR GRID RH-LH 558x23x13.5 mm



ANGELO PO 35L6080

5008725 SLIDEWAY FOR GRIDS 638x23x13 MM



ANGELO PO 35R9140

Handles

3242924 HANDLE 8745 PLASTIC BLACK
length 426 mm - height 40 mm
mounting distance 376 mm
with aluminium insert



ANGELO PO 36M4040

3242921 LH-RH CATCH WITHOUT LOCK 560 CR
straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



ANGELO PO 36M0470

3242922 STRIKE FOR DOOR CATCH
fitting height 16.5 mm



ANGELO PO 36M0480

Suitable for:

Suitable for:

3242922 STRIKE FOR DOOR CATCH
fitting height 16.5 mm



ANGELO PO 36M0480

Heating elements

3455468 CARTRIDGE HEATING ELEMENT PTC 330W 230V
cartridge length 240 mm \varnothing 12 mm
power in absence of water 30W
fitting 3/8"G
cable length 1000 mm



ANGELO PO 32G3310

5017367 HEATING ELEMENT TRAY 9.25W 230V
total length 5250 mm



ANGELO PO 32G2420

3355916 HEATING ELEMENT 100W 220V
in copper braided cable 5320 mm
for half door



ANGELO PO 32G1820

3355919 HEATING ELEMENT 150W 220V
for evaporator
in copper braiding cable 7000 mm
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32G1810

3355917 HEATING ELEMENT 400W 220V
length 435 mm - width 330 mm
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32G1840

5022557 HEATING ELEMENT 400W 230V
length 376 mm - width 85 mm



ANGELO PO 32G3090

3355915 HEATING ELEMENT 63W 220V
 \varnothing 4.5 mm silicone
overall length 6530 mm
double warm part 4450(60W)mm + 100(3W)mm
spaced by cold side 600 mm



ANGELO PO 32G1790



Suitable for:

ANGELO PO



Suitable for:


Hinges, catches and accessories

3053908 BRACKET LOWER FOR DOOR 22x22 mm



ANGELO PO 3178300

3053944 HINGE FERMOD 176
with square pin 8 mm
for Refrigerated cupboard (ANGELO PO) 607



ANGELO PO 36M2460

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



ANGELO PO 36G6520

3053921 LOWER BRACKET
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 30T5810

7103331 LOWER BRACKET
pin \varnothing 7x22 mm




ANGELO PO 30T2680

5034457 LOWER BUSHING \varnothing 9 mm
for COOLED BASES series 6E-6ER



ANGELO PO 3088710

5026720 LOWER HINGE
pin \varnothing 8.3xh14.5 mm



ANGELO PO 3088700

3053524 LOWER HINGE BRACKET
for Refrigerated table (ANGELO PO) K16APGPZ
K16XPZAP - SA16AGB - SA16GB



ANGELO PO 30T2050

ANGELO PO 30T2051

5034456 UPPER BUSHING \varnothing 10/13 mm
for COOLED BASES series 6E-6ER



ANGELO PO 3044110

5027468 UPPER HINGE
pin \varnothing 7 mm



ANGELO PO 3372100

Suitable for:

3053924 UPPER HINGE LH
for refrigerators 650-1400 I (old model)
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 36M0350

Suitable for:


3053923 UPPER HINGE RH
for refrigerators 650-1400 I (old model)
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 36M0340

Incandescent lamps and neon lamps

3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions \varnothing 22x50 mm



ANGELO PO 32W0780

3221061 LAMP E14 25W 230V
max temperature 300°C - \varnothing 26x57 mm



ANGELO PO 32W0210

ANGELO PO 32W3900

Indicator lights

3221032 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

3221011 INDICATOR LIGHT ORANGE 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 3106730

ANGELO PO 32W0790

ANGELO PO 32W0791

3221032 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

3221033 INDICATOR LIGHT RED 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 32W1340



Suitable for:

ANGELO PO



Suitable for:

3221033 INDICATOR LIGHT RED 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 32W1340

Ironmongery (screws,nuts,washers)

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

Knobs

5018078 KNOB \varnothing 14xh22 mm
F-fitting M4



ANGELO PO 36M4640

Labels for control panels

5033586 MEMBRANE SILK SCREEN PRINT ADHES. SAGI



ANGELO PO 3093580



Lamp receptacles and spare parts

3221921 LIGHT DIFFUSER OVAL FME WHITE
 215x125x110 mm
 ip65
 lamp receptacle E27 for incandescent lamp
 (max 60W) or for low energy fluorescent lamps
 (max 11 W of length 145 mm)
 for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32W2360

3221059 LAMP E27 40W 230V
 max temperature 300°C



ANGELO PO 32W2350

Locks


3388902 COMPLETE LOCK
 cylindre ø 19x21 mm



ANGELO PO 36M0140

ANGELO PO 36M5020

3388905 LOCK COMPLETE
 cylinder ø 19x21 mm



ANGELO PO 36M7070

Magnets

3240148 MAGNET 63x19x11 mm



ANGELO PO 3023650

ANGELO PO 32W0870

ANGELO PO 32W1680

Microswitches, magnetic

3240498 MAGNETIC MICROSWITCH STEM D102 1B
 1-NO 1A 250V 50W
 cylindrical deflector ø 10x33 mm thread M10x0.75
 cable length 2000 mm



ANGELO PO 32W1890

ANGELO PO 32W3460



Suitable for:

ANGELO PO



Suitable for:

Microswitches, magnetic

3240256 MAGNETIC MICROSWITCH STEM E550 1B
1 contact NO 250V 1A 50W
cable length 1200 mm



ANGELO PO 32W2160

3240148 MAGNET 63x19x11 mm



ANGELO PO 3023650

ANGELO PO 32W0870

ANGELO PO 32W1680

3803100 MAGNETIC SENSOR STEM A061 1B
1 NO contact 200Vdc/250Vac 50W 1A
ø 6x29 mm sensor
1700 mm cable length



ANGELO PO 3107780

Microswitches, mechanical

5050688 MICROSWITCH ARCOLECTRIC HK3141AA
1-NC 1-NO 5A 250V
white colour



ANGELO PO 3096020

3240526 MICROSWITCH BÄR XKA304W
1-NO 1-NC 1A 250V
white colour



ANGELO PO 32W3770

3240176 MICROSWITCH MOUJEN MN-5310
1-NO 1-NC 10A 250V
for Refrigerated cupboard (ANGELO PO) SP65NN
65NN



ANGELO PO 32W1410

3240813 MICROSWITCH PANASONIC AH71835558F
1NO + 1NC 16(3)A 250V
with lever 55 mm



ANGELO PO 32W1320



Motors

3240211 MOTOR ELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10W 1300rpm



ANGELO PO 32M1060
ANGELO PO 32M6870

ANGELO PO 32M4041

ANGELO PO 32M4371

3240210 MOTOR ELCO VN 5-13 PENTAVALENT
230V 50/60Hz 5W 1300rpm



ANGELO PO 32M4350

ANGELO PO 32M4351

Pins

5018079 PIN FOR DOOR PLEXIGLASS
overall length 12 mm - thread 3MA



ANGELO PO 3190630

Probes

40A9498 PROBE NTC IP68 3000 mm
bulb \varnothing 6x14 mm isolated
temperature field -40+110°C



ANGELO PO 32V6010

3445335 PROBE NTC TPE IP68 3000 mm
temperature range -50+110°C
bulb \varnothing 5x20 mm watertight



ANGELO PO 32V6010

7105532 PROBE PTC
silicone cable 3000 mm
bulb \varnothing 6x40 mm



ANGELO PO 8223470

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



ANGELO PO 32V0150



Suitable for:

ANGELO PO



Suitable for:

Refrigerators evaporators

3123004 EVAPORATOR ROLL BOND
dimensions 892x430 mm
with capillary



ANGELO PO 34D4280


ANGELO PO 34D4400

3123903 EVAPORATOR ROLL BOND
dimensions 1340x430 mm
(old series)




ANGELO PO 34D0360

5020588 EVAPORATOR 2R 12T SEST 10338797
480x300x50 mm




ANGELO PO 34D6430

5017317 EVAPORATOR 24T 5R ROEN
360x200x110 mm



ANGELO PO 34D3390

5044829 EVAPORATOR 480x200x48 mm



ANGELO PO 34E0510

5020569 EVAPORATOR 6T 3R SEST 10003299
410x130x81 mm
for Refrigerated table (ANGELO PO) - Series S60




ANGELO PO 34D4260

7114803 EVAPORATOR 9T 5R SEST 10100081
425x225x114 mm



ANGELO PO 3163530

7104696 VENTILATED EVAPORATOR SER 34E2930
415x330x105 mm
for Refrigerated table (ANGELO PO) 6MB4A



ANGELO PO 34E2930

Relays

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ANGELO PO 32V7100

ANGELO PO 32Z2000

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ANGELO PO 32V2950



Suitable for:


3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



ANGELO PO 32V3720

Suitable for:

5029945 POWER RELAY FINDER 66.82.8.230.0000
230V 50/60Hz
2 changeover contacts 30A



ANGELO PO 3038640

ANGELO PO 3251120

3351097 RELAY POWER FINDER 62.82.8.230.0309
230V 50/60Hz
2 NO contacts 16A



ANGELO PO 32V7090

Shock absorbers

5046865 GAS SPRING SUSPA 16-1 01624497 150N
overall length 170 mm
holes \varnothing 6 mm distance 160 mm



ANGELO PO 36H1860

5044891 GAS SPRING SUSPA 16-1 01624497 200N
overall length 170 mm
fixing holes \varnothing 6 mm distance 160 mm



ANGELO PO 36H1140

Solenoid valves

3120339 SOLENOID VALVE DANFOSS EVR 6 \varnothing 10 mm
NC
nominal orifice \varnothing 6 mm



ANGELO PO 32Z9170

Supports

3391014 GRID SUPPORT



ANGELO PO 36G8640



Suitable for:

ANGELO PO



Suitable for:

Supports

3391911 GRIDS SUPPORT 650x56x35 mm
for 8 grids



ANGELO PO 36D9470

3391912 SHELF HOOK



ANGELO PO 3600280

3391912 SHELF HOOK



ANGELO PO 3600280

Switches

1319902 BIPOLAR SWITCH BLACK 16A 250V
with led indicator light
mounting hole 22x30 mm




ANGELO PO 32W1930

3319920 BIPOLAR SWITCH BLACK 16A 250V



ANGELO PO 32W4150

3319646 GREEN/ORANGE CAM ø 21 mm



ANGELO PO 33Q6440

3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ANGELO PO 32W0631

3319940 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - with indic. light and switch cover
max. temperature 120°C
mounting hole 22x30 mm



ANGELO PO 32W2331

ANGELO PO 32W2990

Suitable for:

3319943 CHANGE OVER SWITCH BUTTON 16A 250V
 16(4)A 250V - max temperature 120°C
 lead connector 6.35x0.8 mm
 mounting hole 11x30 mm
 for Refrigerated cupboard (ANGELO PO) 1400 - 1403
 600 - 650



ANGELO PO 32W0090

Suitable for:

3319951 SWITCH 2 POLE GREEN 16A 250V
 16(4)A 250V - with indicator light
 mounting hole 25x27 mm - max. temperature 125°C
 lead connector 6.35x0.8 mm



ANGELO PO 32W0990

ANGELO PO 32W3970

3319941 WHITE SINGLE POLE CHANGE OVER SWITCH
 16(4)A 250V - silk-screen printing I - II
 with indicator light and light switch cover
 max temperature 125°C
 mounting hole 22x30 mm
 lead connector 6.35x0.8 mm
 for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32W3190

Tangential and radial motor fans

3526150 TANGENTIAL FAN 180 mm LH
 25W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



ANGELO PO 32M0050

ANGELO PO 32M0521

ANGELO PO 32M5920

5066600 TANGENTIAL FAN 180 mm LH W/CABLE
 230V 50/60Hz 28W - ø 60 mm
 EMMEVI 116223 TGO 60/1-180/20



ANGELO PO 32M6010

3526028 TANGENTIAL FAN 180x2 mm W/CABLE
 41W - 230V 50/60Hz - ø 60 mm
 T°max 60°C



ANGELO PO 3171190

ANGELO PO 3240780

5026343 TANGENTIAL FAN 300 mm LH WITH CABLE
 230V 50/60Hz - ø 60 mm
 operating temperature -30°+40°C



ANGELO PO 3046940



Suitable for:

ANGELO PO



Suitable for:

5101354 TANGENTIAL FAN 300 mm LH WITH CABLE
230V 50/60Hz 51W - ø 60 mm
FERGAS 117304



ANGELO PO 3048540

Telethermometers

3441913 TELE-THERMOMETER -40 +40°C
dimensions 58x25 mm
covered capillary 2500 mm
plastic covered bulb ø 6x60 mm



ANGELO PO 3226400

ANGELO PO 3227120


3441003 TELE-THERMOMETER WHITE ø 60 mm -40+40°C
metal case
covered capillary length 2000 mm
bulb ø 6x150 mm



ANGELO PO 3223190

Terminals and electrical connectors

3051022 FASTON COVER FRONTAL
for female faston of 6.3 mm



ANGELO PO 32D0080

Thermostatic valves for refrigeration

3150112 VALVE THERMOSTATIC DANFOSS TN2
gas R134a
with internal equalizer
inlet 3/8"sae
outlet 12 mm
operating range -40°/+10°C
Danfoss 068Z3384



ANGELO PO 33A0780



Thermostats

3444172 THERMOSTAT -35+35°C TR711N

3 contacts 16A 400V
capillary 1500 mm
bulb \varnothing 6x110 mm
D shaft \varnothing 6x4.6 mm




ANGELO PO 32Z6310

ANGELO PO 32Z7110

3444932 THERMOSTAT RANCO K50 L3207

2 contacts 6A 250V
capillary 1500 mm
COLD -10.0°C - WARM +10.0°C
D shaft \varnothing 6x4.6 mm



ANGELO PO 32Z6360

3444931 THERMOSTAT RANCO K52 L4512

2 contacts 6A 250V
double capillary
capillaries 2100 mm - 1850 mm
COLD -6,4°C - WARM +8,5°C
COLD -6.0°C - WARM +8.8°C
D shaft \varnothing 6x4.6 mm



ANGELO PO 32Z0920

Timers

3322024 TIMER CDC 11901F1

230V 50/60HZ
6h - 10min
clockwise rotation



ANGELO PO 32Z2420

ANGELO PO 32Z2421

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ANGELO PO 32Z3470

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com