



Spare parts for the professional sector: Commercial refrigeration



Suitable for:

DEXION



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2018-02151515





Suitable for:

DEXION



Suitable for:

Axial motor fans

3240518 AXIAL FAN EBM 3414N
24Vdc 2.3W 2700rpm
92x92x25 mm
ball bearings



DEXION 019041-00

DEXION 019731-00

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



DEXION 013480-00

3240520 AXIAL FAN EBM 7855ES
230V 50Hz 45W 2800rpm
ø 150x55 mm
ball bearing
W2S130-AA03-01



DEXION 014685-00

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



DEXION RTFOC00254
DEXION 5371400

DEXION 013480-01

DEXION 013480-01R

3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



DEXION 014680-00

Bearings

3063902 BEARING FOR DRAWER SLIDEWAY ø 28 mm
pin ø 6x2.8 mm



DEXION 010008-01

DEXION 010008-01R

3063926 BEARING FOR DRAWERS SLIDEWAY ø 25 mm



DEXION 010006-00

DEXION 010006-00R



Clamps

- 3449454 HOSE CLAMP 32-50**
 for pipes \varnothing 32÷50 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



DEXION CFS1

DEXION 423006

Compressors and spare parts

- 3070014 COMPRESSOR CUBIGEL GL90TB CSIR**
 220/240V 50Hz
 power 1/4 Hp, displacement 8.85 cc
 gas R134a HMBP



DEXION 022260-00

- 3070045 COMPRESSOR EMBRACO NJ2212GK CSR**
 220/240V 50Hz
 power 1.5 Hp, displacement 34.37 cc
 gas R404a/R507 LBP
 ASPERA



DEXION 019034-00

- 3070082 COMPRESSOR SECOP FR8.5CL CSIR**
 220/230V 50Hz
 power 1/4 HP - displacement 7.95 cc
 gas R404a/R507 LBP
 103U2890-HST DANFOSS



DEXION 018599-00

- 3070039 COMPRESSOR SECOP FR8.5G CSIR**
 220/230V 50Hz
 power 1/4L Hp - displacement 7.95 cc
 gas R134a HMBP
 103G6780-HST DANFOSS



DEXION 014614-00

- 3070073 COMPRESSOR SECOP SC12CL CSIR**
 220/230V 50Hz
 power 3/8 HP - displacement 12.87 cc
 gas R404a/R507 LBP
 104L2623-HST DANFOSS



DEXION 015132-00

- 3070077 COMPRESSOR SECOP TL5G CSIR**
 220/230V 50/60Hz
 power 1/6 Hp - displacement 5.10 cc
 gas R134a HMBP
 102G4550-HST DANFOSS



DEXION 015128-00



Suitable for:


DEXION



Suitable for:

Contactors

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



DEXION 229032

DEXION 926040

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



DEXION RTFOC00466

3446587 CONTACTOR LOVATO BF2600A
 coil 26A 230V 50/60Hz 13Kw
 3 normally open contacts
 no auxiliary contact



DEXION RTFOC00598

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



DEXION 229037

DEXION 73350

DEXION 80350

3454072 CONTACTOR SIEMENS 3RT2017-1AB01
 12A 400V 5.5Kw - coil 24V 50/60Hz
 3 contacts NO
 1 NO auxiliary contact



DEXION DTC250

DEXION 927051

DEXION 927160

3454030 CONTACTOR SIEMENS 3RT2024-1AL20
 12A 400V 5.5Kw - coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NO
 1 auxiliary contact NC



DEXION 80351

Electrical capacitors

3240556 CAPACITOR DUCATI ENERGIA 1,5µF W. CABLE
 450V 50/60Hz
 operating temperature -25 +85°C
 1-pole cables L=150 mm
 ø 25xh49 mm



DEXION 019051-00

3240554 CAPACITOR DUCATI ENERGIA 3µF WITH CABLE
 450V 50/60Hz
 operating temperature -25 +85°C
 1-pole cables L=150 mm
 ø 28xh55 mm



DEXION 019056-00

Suitable for:

3068080 CAPACITOR ELECTRICAL 10 μ F
450V 50/60Hz - \varnothing 30xh71 mm



DEXION 206002

Suitable for:

3068081 CAPACITOR ELECTRICAL 12.5 μ F
450V 50/60Hz - \varnothing 35xh71 mm



DEXION 206003

3068083 CAPACITOR ELECTRICAL 16 μ F
450V 50/60Hz - \varnothing 35xh71 mm



DEXION RTFOC00700

DEXION 206004

3068084 CAPACITOR ELECTRICAL 20 μ F
450V 50/60Hz - \varnothing 40xh71 mm



DEXION RTFOC00053

DEXION 206005

3068096 CAPACITOR ELECTRICAL 5 μ F
450V 50/60Hz - \varnothing 30xh51 mm



DEXION 206010

3068097 CAPACITOR ELECTRICAL 6.3 μ F
450V 50/60Hz - \varnothing 30xh51 mm



DEXION 206009

3068079 CAPACITOR ELECTRICAL 8 μ F
450V 50/60Hz - \varnothing 30xh71 mm



DEXION 206001

3068105 CAPACITOR WITH CABLE 1.5 μ F
450V 50/60Hz - \varnothing 25xh51 mm - cables L=200 mm



DEXION 019051-00

3068122 CAPACITOR WITH CABLE 3 μ F
450V 50/60Hz - \varnothing 25xh51 mm - cables L=200 mm



DEXION 019056-00



Suitable for:

DEXION



Suitable for:

Electronic controllers

3744058 CONTROLLER BETA RC33-2604-||
 12-24Vac/dc
 1 relay output 16A for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fan
 1 digital configurable input
 2 NTC/PTC sectionable probes
 mounting hole 76x35 mm depth 69 mm
 mounting hole 71x29 mm



DEXION 014673-01

DEXION 024170-00

DEXION 024170-00R

3445376 CONTROLLER ELIWELL ID PLUS 961
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 pause defrosting
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



DEXION 019497-00

DEXION 024169-00

3445374 CONTROLLER LAE AT1-5AS2E-G
 230V 50/60Hz
 1 relay output 16A for compressor
 1 programmable relay output 7A
 1 selectable NTC/PTC probe (not included)
 front dimension 77x35xdepth 70 mm
 mounting hole 71x29 mm



DEXION 020518-01

3445235 CONTROLLER LAE AT2-5BS4E-AG
 230V 50/60Hz
 1 relay output 16A for compressor
 1 relay output 7A for defrosting
 1 relay output 7A for fans
 1 door microswitch input
 2 selectable NTC/PTC probes (not included)
 with buzzer and TTL output
 front dimension 77x35xdepth 70 mm
 mounting hole 71x29 mm



DEXION 025057-00R

5034121 CONTROLLER LAE LCD32Q4E-C
 230V 50/60Hz
 depth 75 mm
 1 relais output 20A for compressor - faston 6.3 mm
 1 relais output for defrosting - faston 6.3 mm
 1 relais output 8A for fans - faston 6.3 mm
 1 relais output 8A for aux - faston 6.3 mm
 2 digital inputs (microdoor and configurable)
 2 NTC 2K probes(not included)
 front dimensions 170x38 mm
 mounting hole 150x31 mm
 RS485



DEXION 021226-00

5034123 LAE PROBE NTC 2000 mm -BULB ø 6x28mm
 bulb ø 6x28 mm



DEXION 020519-00R

DEXION 021283-00

DEXION 021283-00R

Suitable for:


Suitable for:

- 3445287 POWER MODULE LAE LF28B2S3E-1FS**
 230V
 1 relay output 20A for compressor
 1 relay output 12A for defrosting
 1 relay output 7A for fan
 2 digital inputs (door microswitch)
 2 NTC probes (not included)
 for assembly on DIN slideway
 serial outputs RS485
 dimensions 105x90x55 mm



DEXION 00-556225

- 3445289 POWER MODULE LAE SSD90C65E-C**
 230V 50/60Hz
 1 relay output 20A for compressor
 1 relay output 12A for defrosting
 5 relay outputs 8A for fans, light, alarm, aux
 3 PTC probes (not included)
 1 door microswitch digital input
 RS485
 dimension 165x125 mm



DEXION 020520-00

DEXION 020520-00R

- 3445295 EVAPORATOR PROBE 2000 mm WITH CONNECTOR**



DEXION 020525-00

DEXION 020526-00

- 3445276 REMOTE DISPLAY LAE SMD12RU20**
 for SSD90



DEXION 020523-00

- 3445277 REMOTE DISPLAY LAE SMD34RU**
 for SMD90/SSD90



DEXION 020522-00

Feet

- 3313005 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 135 mm**
 with fixed screw M12x40 mm
 adjustable height 135÷200 mm



DEXION 926117



Suitable for:

DEXION



Suitable for:

Filters for refrigeration

3160529 FILTER SPORLAN C-032S \varnothing 1/4"-6 mm
length 97 mm \varnothing 44 mm
solid cartridge



DEXION 014615-00


Fuses

3049005 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 160mA



DEXION 228012

3049019 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



DEXION 228010

3049021 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 8A



DEXION RTFOC00284

DEXION RTFOC00734

3049036 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 100mA



DEXION RTFOC00047

3049039 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 200mA



DEXION 228011

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 315mA



DEXION 926283

3049045 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



DEXION 926284

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A




DEXION 228004




Gaskets for refrigerators

3186002 MIDDLE EDGED DOOR GASKET 424x198 mm



DEXION 017104-00


3186080 MIDDLE EDGED GASKET 390x185 mm



DEXION 012365-00

DEXION 012365-00-R


3186086 MIDDLE EDGED GASKET 390x206 mm



DEXION 012361-00

DEXION 012361-00-R

3186081 MIDDLE EDGED GASKET 390x310 mm




DEXION 012363-00

DEXION 025696-00R

DEXION 012363-00-R

DEXION 025696-00


**3186969 MIDDLE EDGED GASKET 422x255 mm
for REFRIGERATED COUNTERS**



DEXION 013464-00

DEXION 013464-00-R


**3186571 MIDDLE EDGED GASKET 424x302 mm
for DRAWER**



DEXION 017102-00


DEXION 017102-00-R

**3186570 MIDDLE EDGED GASKET 424x182 mm
for DRAWER**



DEXION 017103-00


3186082 MIDDLE EDGED GASKET 435x390 mm



DEXION 012362-00

DEXION 012362-00-R


3186967 MIDDLE EDGED GASKET 538x422 mm



DEXION 012889-00


DEXION 012889-00-R

3786059 MIDDLE EDGED GASKET 595x306 mm



DEXION 014053-00


3186727 MIDDLE EDGED GASKET 630x424 mm



DEXION 017101-00

DEXION 017101-00-R

3186573 MIDDLE EDGED GASKET 630x630 mm



DEXION 017107-00





Suitable for:

Suitable for:

3186572 MIDDLE EDGED GASKET 635x495 mm

3186840 MIDDLE EDGED GASKET 635x598 mm





DEXION 017106-00

DEXION 014052-00

DEXION 014052-00-R

3186083 MIDDLE EDGED GASKET 640x390 mm

3186968 MIDDLE EDGED GASKET 678x538 mm



DEXION 012364-00

DEXION 012364-00-R



DEXION 025695-00R

DEXION 012888-01

DEXION 012888-01-R

3186965 SNAP-IN DOOR GASKET 1550x690 mm
for Refrigerated cupboard (DEXION) FD121.00.200E

3786254 SNAP-IN GASKET 1554x688 mm




DEXION 011535-00

DEXION 011535-00R

DEXION 017464-00

3186966 SNAP-IN GASKET 750x690 mm



DEXION RIC0002904

DEXION 011537-00

DEXION 011537-00R

Grids for oven

3185910 GRID PLASTIC-COATED GN 1/1 530x325 mm
grey colour

3185966 GRID PLASTIC-COATED 555x670 mm



DEXION OA000-00-023

DEXION OA000-00-021




Handles

3242960 DOOR HANDLE RH-LH 1825
 mounting distance 158 mm
 plate dimensions 181x33 mm



DEXION 1825-R

3242948 LH-RH CATCH WITH LOCK 795 CR
 straight handgrip
 base length 150x30x40.5h mm
 mounting distance 133 mm
 adjustable catch between 9 and 22 mm



DEXION 795CR-R

Heating elements

3355660 HEATING ELEMENT 135W 230V
 length 470 mm - width 150 mm
 for condense evaporation



DEXION 013532-00R
 DEXION 019430-02R

DEXION 019430-01
 DEXION 019430-03R

DEXION 019430-02

3355932 HEATING ELEMENT 46W 230V
 for door
 overall length 7600 mm - hot part 6000 mm



DEXION 011524-00
 DEXION 011525-00R

DEXION 011524-00R
 DEXION 019021-00

DEXION 011525-00
 DEXION 025465-00

3355930 HEATING ELEMENT 550W 230V
 length 425 mm - width 250 mm



DEXION 011526-00

DEXION 011526-01

DEXION 011526-01-R

3355661 HEATING ELEMENT 80W 230V
 length 470 mm
 width 65 mm



DEXION 012335-00
 DEXION 012335-01-R

DEXION 012335-00-R

DEXION 012335-01

3355934 HEATING ELEMENT 82W 230V
 for condensate evaporator
 length 250 mm
 width 150 mm
 with thermal protection



DEXION 012336-00-R
 DEXION 012336-02-R

DEXION 012336-01-R

DEXION 012336-02



Suitable for:

DEXION



Suitable for:

Hinges, catches and accessories

3053946 LEFT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R

DEXION 011573-00R


3053930 SHORT PIN HINGE INTERTECNICA 28XC
with square pin 7.5 mm



DEXION 022104-00

Incandescent lamps and neon lamps

3221041 LAMP E14 15W 230V
max temperature 300°C - ø 22x50 mm



DEXION RTFOC00658

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



DEXION RTFOC00037

Indicator lights

3221935 INDICATOR LIGHT GREEN 230V
mounting hole 11x30 mm - 120°C
for Refrigerated cupboard (DEXION)
for Refrigerated table (DEXION)



DEXION 013472-00-R

3221117 INDICATOR LIGHT GREEN 400V
head ø 18 mm - hole ø 12 mm - 150°C



DEXION 011486-00-R

DEXION 5229054

3221025 INDICATOR LIGHT ORANGE 230V
head ø 15 mm - hole ø 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



DEXION RTCU900072



Locks

3388905 LOCK COMPLETE
cylinder ø 19x21 mm



DEXION 013494-00

DEXION 013494-00R

3388910 LOCK COMPLETE
cylinder ø 19x16 mm



DEXION 013486-00

DEXION 013486-00R


Microswitches, mechanical

5050688 MICROSWITCH ARCOLECTRIC HK3141AA
1-NC 1-NO 5A 250V
white colour



DEXION 025063-00R

3240825 MICROSWITCH CHERRY DC2
1-NO 1.5A 250V with 600 mm cable



DEXION 012730-00

DEXION 012730-00R

1240120 MICROSWITCH PIZZATO MKV11D15
16A 250V



DEXION RTBF800113

Motors

3240211 MOTOR ELCO VN 10-20 PENTA VALENT
230V 50/60Hz 10W 1300rpm



DEXION 012725-00-R

Probes

3445295 EVAPORATOR PROBE 2000 mm WITH CONNECTOR



DEXION 020525-00

DEXION 020526-00

5034123 LAE PROBE NTC 2000 mm -BULB ø 6x28mm
bulb ø 6x28 mm



DEXION 020519-00R

DEXION 021283-00

DEXION 021283-00R



Suitable for:

Suitable for:


2101461 PROBE LAENTC 10K 2000 m m
bulb ø 6x29 mm SN4B20P1



DEXION 025461-00

Refrigerators evaporators


5034285 EVAPORATOR 14T 1R
dimensions 465x360x25 mm



DEXION 013145-00R

Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles



DEXION DEZ3

DEXION 927045

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



DEXION RTFOC00144
DEXION 229023

DEXION 019032-00-R

DEXION 01903200R

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



DEXION 929115

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



DEXION 229036

5072234 POWER RELAY FINDER 62.83.8.230.0300
complete with bracket
230V 50/60Hz
3 changeover contacts 16A



DEXION 229040

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



DEXION DER111

DEXION 229029

Suitable for:

Suitable for:

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



DEXION 229024

Springs

3053947 HALF DOOR UPPER SPRING



DEXION 011574-00

DEXION 011574-00R

Supports

3391911 GRIDS SUPPORT 650x56x35 mm
for 8 grids



DEXION SAG000053

Switches

3319966 ORANGE SINGLE POLE SWITCH 16A 250V
16(4)A 250V - with indicator light
fan silk-screen printing
max temperature 120°C
lead connector 6.35x0.8 mm
mounting hole 11x30 mm



DEXION 013474-00-R

3319965 SWITCH 1-POLE GREEN 16A 250V
16(4)A 250V - with indicator light
silk-screen printing 0 - I
max temperature 120°C
lead connector 6.35x0.8 mm
mounting hole 11x30 mm



DEXION 013473-00-R

DEXION 017462-00

DEXION 017462-00-R



Suitable for:


DEXION

Suitable for:



Tangential and radial motor fans

3526019 TANGENTIAL FAN QL45 180 mm RIGHT
230V 50/60Hz - ø 45 mm
QLK45/1800 A108-2513L-93 vr



DEXION 012726-00-R


Thermostatic valves for refrigeration

3150046 DANFOSS ORIFICE 00
068-2003




DEXION 013485-00

3150041 THERMOSTATIC VALVE DANFOSS TN2
gas R134a
'with internal equalizer
inlet 3/8"sae
outlet 1/2"sae
operating range -40°/+10°C
Danfoss 068Z3346



DEXION 014607-00

3150043 THERMOSTATIC VALVE DANFOSS TS2
gas R404a/R507
'with internal equalizer
inlet 3/8"sae
outlet 1/2"sae
operating range -40°/+10°C
Danfoss 068Z3400



DEXION 018597-00

Thermostats

3444172 THERMOSTAT -35+35°C TR711N
3 contacts 16A 400V
capillary 1500 mm
bulb ø 6x110 mm
D shaft ø 6x4.6 mm



DEXION 012727-00

3444911 THERMOSTAT RANCO K50 L3078
2 contacts 6A 250V
capillary 2000 mm
COLD -7.0°C - WARM +7.5°C
D shaft ø 6x4.6 mm




DEXION 013475-00

DEXION 013475-00-R

Suitable for:

3444957 THERMOSTAT RANCO K50 L3194
 2 contacts 6A 250V
 capillary 1800 mm
 COLD +1.0°C - WARM +10.0°C
 D shaft \varnothing 6x4.6 mm



DEXION 013471-00

DEXION 013471-00-R

Suitable for:

3444956 THERMOSTAT RANCO K50P1117
 2 contacts 6A 250V
 capillary length 2000 mm
 COLD -34°C - WARM -12°C
 D shaft \varnothing 6x4.6 mm



DEXION 013477-00

DEXION 013477-00-R

Timers

3322024 TIMER CDC 11901F1
 230V 50/60HZ
 6h - 10min
 clockwise rotation



DEXION 013467-00

DEXION 013467-00-R

3446250 TIMER SANRONG SR3.82
 230V 50Hz
 2 contacts 16(6)A 250V
 adjustable defrosting time from 1 to 12 (24h)
 defrosting time 1-56 min
 adjustable fan delay 0-15 min



DEXION 012720-01-R

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



DEXION RTFOC00039

DEXION 014675-00-R

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com