



Spare parts for the professional sector:  
**Commercial refrigeration**



Suitable for:

# ELECTROLUX PROFESSIONAL



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*

Rel. 2018-02151555





Suitable for:

Suitable for:

## Axial motor fans

**3240519 AXIAL FAN EBM 4656N**  
230V 50Hz 19W 2650rpm  
119x119x38 mm  
ball bearing



ELECTROLUX PROFESSIONAL 0W5643 ELECTROLUX PROFESSIONAL 099678

**3240515 AXIAL FAN EBM 8556N**  
230V 50Hz 12W 2800rpm  
80x80x38 mm  
ball bearing



ELECTROLUX PROFESSIONAL 083528

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ELECTROLUX PROFESSIONAL 0C1478 ELECTROLUX PROFESSIONAL 0C4106 ELECTROLUX PROFESSIONAL 0C4423 ELECTROLUX PROFESSIONAL 006125  
ELECTROLUX PROFESSIONAL 0E2261 ELECTROLUX PROFESSIONAL 002656 ELECTROLUX PROFESSIONAL 002690  
ELECTROLUX PROFESSIONAL 058855 ELECTROLUX PROFESSIONAL 087945

**3240502 AXIAL FAN SUNON 80x80x25 mm**  
ball bearings  
230V 50/60Hz 14W 2450rpm  
SF23080AT-2082HBL.GN



## Bearings

**3063900 BEARING FOR DRAWERS SLIDEWAY ø 24 mm**



ELECTROLUX PROFESSIONAL 0A8292

## Castors, rollers and accessories

**3189009 SLIPPER FOR GLAS**



ELECTROLUX PROFESSIONAL 083893

## Check-safety valves for refrigeration

**3150016 SAFETY VALVE 3060/23C300 30 bar**  
inlet 1/4"npt - outlet 3/8"sae



ELECTROLUX PROFESSIONAL 092141

## Clamps

**3449451 HOSE CLAMP 10-16**  
for pipes  $\varnothing 10 \div 16$  mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ELECTROLUX PROFESSIONAL 0L0266

**3449454 HOSE CLAMP 32-50**  
for pipes  $\varnothing 32 \div 50$  mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ELECTROLUX PROFESSIONAL 0KB302 ELECTROLUX PROFESSIONAL 046878

**3449457 HOSE CLAMP 60-80**  
for pipes  $\varnothing 60 \div 80$  mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ELECTROLUX PROFESSIONAL 0E0992 ELECTROLUX PROFESSIONAL 046853

## Compensation valves for refrigeration

**4092573 COMPENSATION VALVE**  
extensible -  $\varnothing 45$  mm  
with heating element 230V 6W



ELECTROLUX PROFESSIONAL 089676 ELECTROLUX PROFESSIONAL 092573

**3526800 COMPENSATION VALVE MINI EL/TN**  
length without flange 62mm -  $\varnothing 60$  mm  
for positive temperature  
without heating element



ELECTROLUX PROFESSIONAL 081971



Suitable for:

# ELECTROLUX PROFESSIONAL



Suitable for:

## Compressors and spare parts

**3070011 COMPRESSOR CUBIGEL GL45TB CSIR**  
power 1/6 HP. displacement 4.50 cc  
220/240V 50Hz  
CUBIGEL



ELECTROLUX PROFESSIONAL 085501

**3070012 COMPRESSOR CUBIGEL GL60TB CSIR**  
220/240V. 50Hz  
power 1/5 Hp, displacement 5.67 cc  
gas R134a HMBP



ELECTROLUX PROFESSIONAL 085876

**3070013 COMPRESSOR CUBIGEL GL80TB CSIR**  
220/240V 50Hz  
power 1/5 Hp, displacement 7.57 cc  
gas R134a HMBP



ELECTROLUX PROFESSIONAL 083735

**3070014 COMPRESSOR CUBIGEL GL90TB CSIR**  
220/240V 50Hz  
power 1/4 Hp, displacement 8.85 cc  
gas R134a HMBP



ELECTROLUX PROFESSIONAL 083718

**3070015 COMPRESSOR CUBIGEL GP12TB CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 12.00 cc  
gas R134a HMBP



ELECTROLUX PROFESSIONAL 083752

**3070051 COMPRESSOR CUBIGEL GP14TB CSIR**  
220/240V 50Hz  
power 3/8 Hp, displacement 14.00 cc  
gas R134a HMBP



ELECTROLUX PROFESSIONAL 083728

**3070086 COMPRESSOR CUBIGEL GS34TB CSR**  
220/240V 50Hz  
power 1 Hp, displacement 34.4 cc  
gas R134a HMBP



ELECTROLUX PROFESSIONAL 084763

**3070031 COMPRESSOR CUBIGEL MP12FB CSIR**  
220/240V 50Hz  
power 3/8 Hp, displacement 12.00 cc  
gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 087001





Suitable for:

**3070032 COMPRESSOR CUBIGEL MP14FB CSIR**  
 220/240V 50Hz  
 power 1/2 Hp, displacement 14.00 cc  
 gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 0A9615

Suitable for:

**3070066 COMPRESSOR CUBIGEL MS34FB CSR**  
 220/240V 50Hz  
 power 1.5 Hp, displacement 34.42 cc  
 gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 0A9727 ELECTROLUX PROFESSIONAL 084499

**3070033 COMPRESSOR CUBIGEL MX18FBa CSR**  
 220/240V 50Hz  
 power 5/8 Hp, displacement 18.39 cc  
 gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 091221

**3070215 COMPRESSOR EMBRACO EMT6144GK CSIR**  
 220/240V 50Hz  
 power 1/6 Hp, displacement 3.97 cc  
 gas R404a/R507 HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 092337

**3070218 COMPRESSOR EMBRACO EMT6144Z CSIR**  
 220/240V 50Hz  
 power 1/6 Hp, displacement 5.20 cc  
 gas R134a HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 0S0590 ELECTROLUX PROFESSIONAL 093267

**3070216 COMPRESSOR EMBRACO EMT6152GK CSIR**  
 220/240V 50Hz  
 power 1/5 Hp, displacement 4.50 cc  
 gas R404a/R507 HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 0S1499

**3070219 COMPRESSOR EMBRACO EMT6160Z CSIR**  
 220/240V 50Hz  
 power 1/5 Hp, displacement 6.76 cc  
 gas R134a HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 093207

**3070217 COMPRESSOR EMBRACO EMT6165GK CSIR**  
 220/240V 50Hz  
 power 1/4 Hp, displacement 5.20 cc  
 gas R404a/R507  
 ASPERA



ELECTROLUX PROFESSIONAL 093208



# ELECTROLUX PROFESSIONAL



Suitable for:

**3070220 COMPRESSOR EMBRACO EMT6170Z CSIR**  
220/240V 50Hz  
power 1/4 Hp, displacement 7.69 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 093206

Suitable for:

**3070166 COMPRESSOR EMBRACO NEK2134GK CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 8.78 cc  
gas R404a/R507 LBP  
ASPERA



ELECTROLUX PROFESSIONAL 093374

**3070120 COMPRESSOR EMBRACO NEK2150GK CSIR**  
220/240V, 50Hz  
power 1/2 Hp, displacement 12.12 cc  
gas R404a/R507 LBP  
ASPERA



ELECTROLUX PROFESSIONAL 093630

**3070183 COMPRESSOR EMBRACO NEK6181GK CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 7.28 cc  
gas R404a/R507 HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 093373

**3070174 COMPRESSOR EMBRACO NEK6187Z CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 10.00 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 093379

**3070184 COMPRESSOR EMBRACO NEK6210GK CSIR**  
220/240V 50Hz  
power 3/8 Hp, displacement 8.78 cc  
gas R404a/R507 HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 093377

**3070175 COMPRESSOR EMBRACO NEK6210Z CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 12.12 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 093297

**3070176 COMPRESSOR EMBRACO NEK6212Z CSIR**  
220/240V 50Hz  
power 1/2 Hp, displacement 14.30 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 093205



Suitable for:

**3070040 COMPRESSOR EMBRACO NEK6213GK CSIR**  
 220/240V 50Hz  
 power 1/2 Hp, displacement 12.12 cc  
 gas R404a/R507 HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 091161

Suitable for:

**3070186 COMPRESSOR EMBRACO NEK6217GK CSR**  
 220/240V 50Hz  
 power 5/8 Hp, displacement 14.30 cc  
 gas R404a/R507 HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 092239

**3070123 COMPRESSOR EMBRACO NJ2192GK CSR**  
 220/240V, 50Hz  
 power 1.2 Hp, displacement 26.20 cc  
 gas R404a/R507 LBP  
 ASPERA



ELECTROLUX PROFESSIONAL 084076

**3070045 COMPRESSOR EMBRACO NJ2212GK CSR**  
 220/240V 50Hz  
 power 1.5 Hp, displacement 34.37 cc  
 gas R404a/R507 LBP  
 ASPERA



ELECTROLUX PROFESSIONAL 085097

**3070050 COMPRESSOR EMBRACO NJ6220Z CSIR**  
 220/240V 50Hz  
 power 3/4 Hp, displacement 26.20 cc  
 gas R134a HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 093454

**3070052 COMPRESSOR EMBRACO NJ6226Z CSR**  
 220/240V 50Hz  
 power 1 Hp, displacement 34.37 cc  
 gas R134a HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 093474

**3070018 COMPRESSOR EMBRACO NJ9232GK CSR**  
 220/240v 50Hz  
 power 1.2 Hp, displacement 26.20 cc  
 gas R404a/R507 HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 092906

**3070027 COMPRESSOR EMBRACO NJ9232GS**  
 400V 3Ph 50Hz  
 power 1.2 Hp, displacement 26.20 cc  
 gas R404a/R507 HMBP  
 ASPERA



ELECTROLUX PROFESSIONAL 085563



# ELECTROLUX PROFESSIONAL



Suitable for:

**3070028 COMPRESSOR EMBRACO NJ9238GS**  
400V 3Ph 50Hz  
power 1.5 Hp, displacement 32.70 cc  
gas R404a/R507  
ASPERA



ELECTROLUX PROFESSIONAL 089761

Suitable for:

**3070168 COMPRESSOR EMBRACO NT2168GK CSR**  
220/240V 50Hz  
power 3/4 Hp, displacement 14.40 cc  
gas R404a/R507 LBP  
ASPERA



ELECTROLUX PROFESSIONAL 093787

**3070170 COMPRESSOR EMBRACO NT2180GK CSR**  
220/240V 50Hz  
power 1 Hp, displacement 20.40 cc  
gas R404a/R507 LBP  
ASPERA



ELECTROLUX PROFESSIONAL 093735

**3070178 COMPRESSOR EMBRACO NT6215Z CSIR**  
220/240V 50Hz  
power 1/2 Hp, displacement 17.40 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 092312

**3070179 COMPRESSOR EMBRACO NT6217Z CSIR**  
220/240V 50Hz  
power 5/8 Hp, displacement 20.40 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX PROFESSIONAL 0TTP29

**3070068 COMPRESSOR SECOP SC15G CSIR**  
220/230V 50Hz  
power 3/8 Hp - displacement 15.28 cc  
gas R134a HMBP  
104G8520-HST DANFOSS



ELECTROLUX PROFESSIONAL 0T5270

**5021390 COMPRESSOR TECUMSEH CAJ4519Z/S CSR**  
220/240V 50Hz  
welding inlet connection  
potenza 1.5 Hp. cilindrata 34.4 cc  
gas R404a/R507 HMBP



ELECTROLUX PROFESSIONAL 087800

**3070130 COMPRESSOR TECUMSEH CAJ9480Z/R CSR**  
220/240V 50Hz  
Rotalock suction connection  
power 5/8 Hp. displacement 15.2 cc  
gas R404a/R507 HMBP



ELECTROLUX PROFESSIONAL 0D2530 ELECTROLUX PROFESSIONAL 0D2530 +089652  
ELECTROLUX PROFESSIONAL 089652 ELECTROLUX PROFESSIONAL 089652 +0D2530




Suitable for:

Suitable for:

## Contactors

**3446223 CONTACTOR AEG LS02K400**  
6A 400V 2.2Kw - coil 230V 50/60Hz  
4 normally open contacts



ELECTROLUX PROFESSIONAL 004159

**3351214 CONTACTOR AEG LS4K 9A 400V 4Kw**  
coil 400V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0KQ380

**3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01**  
10A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 0E3757 ELECTROLUX PROFESSIONAL 0L0285 ELECTROLUX PROFESSIONAL 047048 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995  
ELECTROLUX PROFESSIONAL 048825 ELECTROLUX PROFESSIONAL 072319

**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
10A - 1 NO contact  
screw connection



**3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10**  
10A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
10A - 1 NO contact  
screw connection



ELECTROLUX PROFESSIONAL 0HN519 ELECTROLUX PROFESSIONAL 082986 ELECTROLUX PROFESSIONAL 088477 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

**3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10**  
14A 400V 5.5Kw - coil 24V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



**4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10**  
10A - 1 NO contact  
screw connection



ELECTROLUX PROFESSIONAL 0E0020 ELECTROLUX PROFESSIONAL 0E1291 ELECTROLUX PROFESSIONAL 0K3968 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995  
ELECTROLUX PROFESSIONAL 0L0360 ELECTROLUX PROFESSIONAL 046994





# ELECTROLUX PROFESSIONAL



Suitable for:

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 003027 ELECTROLUX PROFESSIONAL 004206

Suitable for:

**3454022 CONTACTOR LOVATO BF1201A**  
coil 12A 230V 50/60Hz 5.7Kw  
3 normally closed contacts  
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 0KD792

**3446506 CONTACTOR LOVATO BF2510A**  
25A 400V 12.5Kw  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0K4938 ELECTROLUX PROFESSIONAL 054928

**3446552 CONTACTOR LOVATO BG0610A**  
coil 6A 230V 50/60Hz 2.2Kw  
3 normally open contacts  
1 normally open auxiliary contact




ELECTROLUX PROFESSIONAL 086215

**3446214 CONTACTOR LOVATO BG09T4A**  
4KW 400V 9A - 4 normally open contacts  
coil 230V 50/60Hz



ELECTROLUX PROFESSIONAL

**3446557 CONTACTOR LOVATO BG0901A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 086169

**3446556 CONTACTOR LOVATO BG0910A**  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 048519 ELECTROLUX PROFESSIONAL 054544 ELECTROLUX PROFESSIONAL 075796 ELECTROLUX PROFESSIONAL 0U0199

**3351019 THERMAL RELAY ABB TF42**  
7.6÷10A  
1 normally open contact  
1 normally closed contact



## Doors

- 3058002 INNER DOOR FOR REFRIGERATOR**  
 dimensions 670x1570 mm  
 grey  
 old series



ELECTROLUX PROFESSIONAL 081292

## Drip trays for refrigeration

- 3015900 DRIP TRAY**  
 530x325x40 mm  
 gastronorm 1/1



ELECTROLUX PROFESSIONAL 080803

- 3015008 STAINLESS STEEL DRIP TRAY**  
 300x145x35 mm



ELECTROLUX PROFESSIONAL 083813

## Electrical capacitors

- 3068016 CAPACITOR DUCATI ENERGIA 10μF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connector 6.35x0.8 mm  
 ø 36xh58 mm



ELECTROLUX PROFESSIONAL 0U0403 ELECTROLUX PROFESSIONAL 056148

- 3068019 CAPACITOR DUCATI ENERGIA 12,5μF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connection 6.35x0.8 mm  
 ø 36xh70 mm




ELECTROLUX PROFESSIONAL 037269 ELECTROLUX PROFESSIONAL 047541 ELECTROLUX PROFESSIONAL 047883

- 3068024 CAPACITOR DUCATI ENERGIA 16μF**  
 450V 50/60Hz  
 operating temperature -25 +85°C  
 lead connector 6.35x0.8 mm  
 ø 36xh70 mm



ELECTROLUX PROFESSIONAL 0A2914 ELECTROLUX PROFESSIONAL 0C1187 ELECTROLUX PROFESSIONAL 0H6812 ELECTROLUX PROFESSIONAL 0E0174

- 3068002 CAPACITOR DUCATI ENERGIA 2,5μF**  
 450V 50/60Hz  
 operating temperature -25 + 85°C  
 lead connection 6.35x0.8 mm  
 ø 28xh55 mm





# ELECTROLUX PROFESSIONAL



Suitable for:

**3068027 CAPACITOR DUCATI ENERGIA 20µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connector 6.35x0.8 mm  
ø 40xh70 mm



ELECTROLUX PROFESSIONAL 0H1044 ELECTROLUX PROFESSIONAL 047744

Suitable for:

**3068008 CAPACITOR DUCATI ENERGIA 5µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 28xh55 mm



ELECTROLUX PROFESSIONAL 0K9108 ELECTROLUX PROFESSIONAL 037268

**3240552 CAPACITOR DUCATI ENERGIA 5µF WITH CABLE**  
450V 50/60Hz  
operating temperature -25 +85°C  
1-pole cables L=150 mm  
ø 32xh55 mm



ELECTROLUX PROFESSIONAL 083406

**3068010 CAPACITOR DUCATI ENERGIA 6,3µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 32xh55 mm



ELECTROLUX PROFESSIONAL 049260

**3068014 CAPACITOR DUCATI ENERGIA 8µF**  
450V 50/60Hz  
operating temperature -25 +85°C  
lead connection 6.35x0.8 mm  
ø 32xh55 mm



ELECTROLUX PROFESSIONAL 049126

**3068080 CAPACITOR ELECTRICAL 10µF**  
450V 50/60Hz - ø 30xh71 mm



ELECTROLUX PROFESSIONAL 0U0403 ELECTROLUX PROFESSIONAL 056148

**3068081 CAPACITOR ELECTRICAL 12.5µF**  
450V 50/60Hz - ø 35xh71 mm



ELECTROLUX PROFESSIONAL 037269 ELECTROLUX PROFESSIONAL 047541 ELECTROLUX PROFESSIONAL 047883

**3068083 CAPACITOR ELECTRICAL 16µF**  
450V 50/60Hz - ø 35xh71 mm



ELECTROLUX PROFESSIONAL 0A2914 ELECTROLUX PROFESSIONAL 0C1187 ELECTROLUX PROFESSIONAL 0H6812

**3068093 CAPACITOR ELECTRICAL 2.5µF**  
450V 50/60Hz - ø 30xh51 mm



ELECTROLUX PROFESSIONAL 0E0174


**3068084 CAPACITOR ELECTRICAL 20µF**  
450V 50/60Hz - ø 40xh71 mm



ELECTROLUX PROFESSIONAL 0H1044 ELECTROLUX PROFESSIONAL 047744

Suitable for:

**3068096 CAPACITOR ELECTRICAL 5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm



ELECTROLUX PROFESSIONAL 0K9108 ELECTROLUX PROFESSIONAL 037268

Suitable for:

**3068097 CAPACITOR ELECTRICAL 6.3 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm



ELECTROLUX PROFESSIONAL 049260

**3068078 CAPACITOR ELECTRICAL 6 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm



ELECTROLUX PROFESSIONAL 0KQ378

**3068079 CAPACITOR ELECTRICAL 8 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh71 mm



ELECTROLUX PROFESSIONAL 049126

**3068143 CAPACITOR WITH CABLE 5 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  30xh51 mm - cables L=200 mm



ELECTROLUX PROFESSIONAL 083406

**3068152 CAPACITOR 12 $\mu$ F**  
450V 50/60Hz -  $\varnothing$  35xh71 mm



ELECTROLUX PROFESSIONAL 0KQ446

**3068040 RUNNING CAPACITOR 15 $\mu$ F 450V**  
 $\varnothing$ 40x98h mm



ELECTROLUX PROFESSIONAL 089915

**3068036 RUNNING CAPACITOR 25 $\mu$ F 450V**  
 $\varnothing$ 45x98h mm



ELECTROLUX PROFESSIONAL 005135

**3068101 STARTING CAPACITOR 43/52 $\mu$ F 330V**



ELECTROLUX PROFESSIONAL 0A8764 ELECTROLUX PROFESSIONAL 086359


**3068103 STARTING CAPACITOR 88/103 $\mu$ F 330V**



ELECTROLUX PROFESSIONAL 0KQ662 ELECTROLUX PROFESSIONAL 083449 ELECTROLUX PROFESSIONAL 086174

## Electronic boards

**3390086 BOARD DISPLAY 185x50 mm**



ELECTROLUX PROFESSIONAL 087481



Suitable for:

# ELECTROLUX PROFESSIONAL



Suitable for:

## Electronic controllers

### 4091642 CONTROLLER CAREL IRELC0HN215

115/230V 50/60Hz  
1 relay output 12A  
3 relay outputs 8A  
2 NTC probes (not included)  
2 digital inputs  
ELECTROLUX-ZANUSSI configuration



ELECTROLUX PROFESSIONAL 091642

### 4091609 CONTROLLER CAREL IRELF0EN215

230V 50/60Hz  
2 relay outputs 8A  
1 relay output 6A  
2 NTC probes (not included)  
1 digital input  
ELECTROLUX-ZANUSSI configuration



ELECTROLUX PROFESSIONAL 091609

### 3445046 PROBE EVAPORATOR NTC 2000 m m bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087654 ELECTROLUX PROFESSIONAL 092173 ELECTROLUX PROFESSIONAL 092174

### 4093532 CONTROLLER CAREL IRELF0EN265

230V 50/60Hz  
1 relay output 8A for compressor  
1 relay output 8A for defrosting  
1 relay output 5A for fans  
2 NTC probes (not included)  
1 digital input  
ELECTROLUX-ZANUSSI set up



ELECTROLUX PROFESSIONAL 093532

### 4092355 CONTROLLER CAREL IRELF0HN245

115/230V  
1 relay output 12A  
2 relay outputs 8A  
3 NCT probes (not included)  
1 digital input  
ELECTROLUX-ZANUSSI configuration



ELECTROLUX PROFESSIONAL 092355





Suitable for:

Suitable for:

- 4091433 CONTROLLER DIXELL XB580L-5N0C0**  
230V 50/60Hz  
1 relay output 12A for compressor  
1 relay output 12A for heating element  
1 relay output 8A for alarm  
1 relay output 8A for defrosting  
1 relay output 8A for ventilator 1  
1 relay output 12A for ventilator 2  
1 door microswitch digital input  
1 programmable digital input  
2 NTC probes (not included)  
RS485 serial output  
mounting hole 150x31 mm  
ELECTROLUX configuration  
for Refrigerated cupboard (ELECTROLUX PROFESSIONAL) TC10



ELECTROLUX PROFESSIONAL 091433

- 3445375 CONTROLLER ELIWELL ID PLUS 902**  
230V 50/60Hz  
1 relay output 8A for compressor  
1 selectable NTC/PTC/PT1000 probe (not included)  
1 programmable digital/temperature input  
TTL input for copy card connection  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



ELECTROLUX PROFESSIONAL 0S0295

- 3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb  $\varnothing$  6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

- 3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb  $\varnothing$  6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176



# ELECTROLUX PROFESSIONAL



Suitable for:

**3445399** **CONTROLLER ELIWELL ID PLUS 902**  
 12Vac/dc  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32x59 mm  
 mounting hole 71x29 mm



Suitable for:

**3445028** **PROBE NTC PVC 4000 mm**  
 temperature field -30+80°C  
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 0S0296 ELECTROLUX PROFESSIONAL 082388 ELECTROLUX PROFESSIONAL 082396 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176 ELECTROLUX PROFESSIONAL 082484

**3445070** **PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

**3445376** **CONTROLLER ELIWELL ID PLUS 961**  
 230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 pause defrosting  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



**3445028** **PROBE NTC PVC 4000 mm**  
 temperature field -30+80°C  
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 0S0786 ELECTROLUX PROFESSIONAL 0S1453 ELECTROLUX PROFESSIONAL 089903 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

**3445070** **PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583



Suitable for:

Suitable for:

**3445378 CONTROLLER ELIWELL ID PLUS 974**  
230V 50/60Hz  
1 relay output 2Hp for compressor  
1 relay output 8A for defrosting  
1 relay output 5A for fans  
2 selectable NTC/PTC/PT1000 probes (not included)  
1 programmable digital/temperature input  
1 programmable digital input  
TTL input for copy card connection  
with buzzer  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 0S0788 ELECTROLUX PROFESSIONAL 0S1454 ELECTROLUX PROFESSIONAL 008904 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176  
ELECTROLUX PROFESSIONAL 087161 ELECTROLUX PROFESSIONAL 089904 ELECTROLUX PROFESSIONAL 089913  
ELECTROLUX PROFESSIONAL 099276

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

**3445402 CONTROLLER ELIWELL ID PLUS 974**  
12Vac/dc  
1 relay output 2Hp for compressor  
1 relay output 8A for defrosting  
1 relay output 5A for fans  
2 selectable NTC/PTC/PT1000 probes (not included)  
1 programmable digital/temperature input  
1 programmable digital input  
TTL input for copy card connection  
with buzzer  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30+80°C  
bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 088395

ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm




ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583



Suitable for:

Suitable for:

**4092599 POWER CIRCUIT BOARD 648R03901**  
dimensions 160x120 mm



ELECTROLUX PROFESSIONAL 088038 ELECTROLUX PROFESSIONAL 092599

## Fans for motors

**3240394 PUSHER FAN  $\varnothing$  230 mm 28°**



ELECTROLUX PROFESSIONAL 085532

**3240220 SUCTION FAN  $\varnothing$  200 mm 28°**



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

**3240222 SUCTION FAN  $\varnothing$  230 mm 28°**



ELECTROLUX PROFESSIONAL 0A8420 ELECTROLUX PROFESSIONAL 082230 ELECTROLUX PROFESSIONAL 086327 ELECTROLUX PROFESSIONAL 086311

**3240964 SUCTION FAN  $\varnothing$  250 mm 28°**



**3240965 SUCTION FAN  $\varnothing$  300 mm 28°**



ELECTROLUX PROFESSIONAL 0KM740 ELECTROLUX PROFESSIONAL 087797

## Feet

**3313110 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2"**  
adjustable 145-230 mm  
flange 130x90 mm



ELECTROLUX PROFESSIONAL 0A9138

**3313003 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 130 mm**  
with rectangular flange 100x90 mm  
adjustable height 130÷190 mm



ELECTROLUX PROFESSIONAL 057536



Suitable for:

**3313036** ADJUSTABLE S/STEEL FOOT  $\varnothing$  30 mm  
for tubular 40x40 mm  
adjustable height 33÷95 mm



ELECTROLUX PROFESSIONAL 032550

Suitable for:

**3313045** ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 125 MM  
with square flange 74x74x2.5 mm  
adjustable height 125÷235 mm



ELECTROLUX PROFESSIONAL 048579

**3313109** FOOT M8x39 mm  
base  $\varnothing$  39 mm



ELECTROLUX PROFESSIONAL 0A8640

**3313001** STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm



ELECTROLUX PROFESSIONAL 053792

## Filters for refrigeration

**2101961** ANTI-ACID DEHYDRATOR FILTER 4305/2S  
ODS connections  $\varnothing$  1/4"-6 mm  
length 110 mm -  $\varnothing$  52 mm  
with solid cartridge - INT. CODE 052S  
rated volume 80 cm<sup>3</sup>



ELECTROLUX PROFESSIONAL

**3160913** ANTIACID DEHYDRATOR FILTER 4305/2  
1/4"MM sae length 119 mm  $\varnothing$  52 mm  
with solid cartridge - CODE INT.052  
nominal cubature 80 cm<sup>3</sup>



ELECTROLUX PROFESSIONAL 086312

**3160244** COPPER FILTER 30 g  
2 ways - inlet 6.5 mm outlet 6.5 mm  
 $\varnothing$  24 mm - length 140 mm



ELECTROLUX PROFESSIONAL 0A9410

**4084078** COPPER FILTER 40 g  
2 ways - inlet 6.5 mm outlet 3.2 mm  
 $\varnothing$  24 mm - length 170 mm



ELECTROLUX PROFESSIONAL 084078

**3160401** FILTER COPPER 35 g  
3 ways - inlet 6.5-6.5 mm outlet 3.2 mm  
 $\varnothing$  24 mm - length 170 mm



ELECTROLUX PROFESSIONAL 083854





Suitable for:

Suitable for:

## Fittings

**3526812 ACCES VALVE WITH PIPE L100 ø 6 mm**



ELECTROLUX PROFESSIONAL 0A8171

**3526023 VALVE INTERNAL MECHANISM**



ELECTROLUX PROFESSIONAL 085290

## Fuses

**3049003 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 100mA



ELECTROLUX PROFESSIONAL 086338

**3049005 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 160mA



ELECTROLUX PROFESSIONAL 002820

**3049012 DELAY FUSE ø 5x20 mm - 10 PCS**  
250V 800mA



ELECTROLUX PROFESSIONAL 0C2301

**3049068 QUICK ACTING FUSE ø 10x38 mm - 10 PCS**  
500V 1A



ELECTROLUX PROFESSIONAL 048995 ELECTROLUX PROFESSIONAL 048995\_10PZ

**3049040 QUICK ACTING FUSE ø 5x20 mm - 10 PCS**  
250V 250mA



ELECTROLUX PROFESSIONAL 002920

**3049041 QUICK ACTING FUSE ø 5x20 mm - 10 PCS**  
250V 315mA




ELECTROLUX PROFESSIONAL 0W3499 ELECTROLUX PROFESSIONAL 005032 ELECTROLUX PROFESSIONAL 400503

**3049042 QUICK ACTING FUSE ø 5x20 mm - 10 PCS**  
250V 400mA



ELECTROLUX PROFESSIONAL 002750

**3049044 QUICK ACTING FUSE ø 5x20 mm - 10 PCS**  
250V 630mA



ELECTROLUX PROFESSIONAL 0W5452 ELECTROLUX PROFESSIONAL 058871



Suitable for:

**3049046 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 1A



ELECTROLUX PROFESSIONAL 0W5451

Suitable for:

**3049049 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 2A



ELECTROLUX PROFESSIONAL 0A8438


**3049052 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 4A




ELECTROLUX PROFESSIONAL 057783

## Gaskets for refrigerators

**3186075 MIDDLE EDGED GASKET 1570x670 mm**




**3186926 MIDDLE EDGED GASKET 382x335 mm**




ELECTROLUX PROFESSIONAL 0A8048 ELECTROLUX PROFESSIONAL 081293 ELECTROLUX PROFESSIONAL 600107 ELECTROLUX PROFESSIONAL 084025

**3186080 MIDDLE EDGED GASKET 390x185 mm**




**3186769 MIDDLE EDGED GASKET 390x198 mm**




ELECTROLUX PROFESSIONAL 0A8083

ELECTROLUX PROFESSIONAL 0A8379

**3186081 MIDDLE EDGED GASKET 390x310 mm**




**3186082 MIDDLE EDGED GASKET 435x390 mm**




ELECTROLUX PROFESSIONAL 0A8079

ELECTROLUX PROFESSIONAL 0A8081

**3186925 MIDDLE EDGED GASKET 590x382 mm**



**3186083 MIDDLE EDGED GASKET 640x390 mm**



ELECTROLUX PROFESSIONAL 084026

ELECTROLUX PROFESSIONAL 0A8075



# ELECTROLUX PROFESSIONAL





Suitable for:

Suitable for:

**3186070 MIDDLE EDGED GASKET 770x670 mm**

**4088076 SNA-IN GASKET 1699x618 mm**





ELECTROLUX PROFESSIONAL 0A8049 ELECTROLUX PROFESSIONAL 081294

ELECTROLUX PROFESSIONAL 088076

**3186914 SNAP-IN DOOR GASKET 1470x690 mm**

**3186928 SNAP-IN DOOR GASKET 1530x660 mm**





ELECTROLUX PROFESSIONAL 0A8365

ELECTROLUX PROFESSIONAL 082375

**3186846 SNAP-IN DOOR GASKET 1530x665 mm**

**3186933 SNAP-IN DOOR GASKET 1570x665 mm**





ELECTROLUX PROFESSIONAL 082586

ELECTROLUX PROFESSIONAL 0A8225

**3186920 SNAP-IN DOOR GASKET 325x170 mm**

**3186923 SNAP-IN DOOR GASKET 385x155 mm**





ELECTROLUX PROFESSIONAL 082740

ELECTROLUX PROFESSIONAL 031694

**3186930 SNAP-IN DOOR GASKET 385x215 mm**

**3186921 SNAP-IN DOOR GASKET 385x275 mm**





ELECTROLUX PROFESSIONAL 081772

ELECTROLUX PROFESSIONAL 082759

**3186932 SNAP-IN DOOR GASKET 385x335 mm**

**3186931 SNAP-IN DOOR GASKET 600x385 mm**



ELECTROLUX PROFESSIONAL 081815

ELECTROLUX PROFESSIONAL 081805





Suitable for:

Suitable for:

**3186929 SNAP-IN DOOR GASKET 735x660 mm**

**3186917 SNAP-IN DOOR GASKET 760x665 mm**





ELECTROLUX PROFESSIONAL 082424

ELECTROLUX PROFESSIONAL 0A8230

**3186465 SNAP-IN GASKET 1545x635 mm**

**3186919 SNAP-IN GASKET 1480x640 mm**





ELECTROLUX PROFESSIONAL 083851

ELECTROLUX PROFESSIONAL 087129

**3186077 SNAP-IN GASKET 1500x710 mm**

**3186378 SNAP-IN GASKET 1512x642 mm**





ELECTROLUX PROFESSIONAL 081724

ELECTROLUX PROFESSIONAL 089735

**3186845 SNAP-IN GASKET 1515x685 mm**

**4083722 SNAP-IN GASKET 1530x826 mm**





ELECTROLUX PROFESSIONAL 0A8647

ELECTROLUX PROFESSIONAL 083722

**3186599 SNAP-IN GASKET 1531x682 mm**

**4083742 SNAP-IN GASKET 1532x528 mm**





ELECTROLUX PROFESSIONAL 085719

ELECTROLUX PROFESSIONAL 083742

**3186074 SNAP-IN GASKET 1544x652 mm**

**3186076 SNAP-IN GASKET 1570x670 mm**



ELECTROLUX PROFESSIONAL 081943

ELECTROLUX PROFESSIONAL 080959



# ELECTROLUX PROFESSIONAL





Suitable for:

Suitable for:

**4094152 SNAP-IN GASKET 1590x610 mm**

**3186505 SNAP-IN GASKET 1695x600 mm**





ELECTROLUX PROFESSIONAL 093257 ELECTROLUX PROFESSIONAL 094152

ELECTROLUX PROFESSIONAL 087357

**3186507 SNAP-IN GASKET 1700x612 mm**

**3786482 SNAP-IN GASKET 1705x663 mm**





ELECTROLUX PROFESSIONAL 0A9099

ELECTROLUX PROFESSIONAL 087824

**3786549 SNAP-IN GASKET 1805x740 mm**

**4088028 SNAP-IN GASKET 374x363 mm**





ELECTROLUX PROFESSIONAL 0A9180

ELECTROLUX PROFESSIONAL 088028

**3186485 SNAP-IN GASKET 385x170 mm**

**3786484 SNAP-IN GASKET 407x175 mm**





ELECTROLUX PROFESSIONAL 0A8752

ELECTROLUX PROFESSIONAL 088484

**3186486 SNAP-IN GASKET 407x270 mm**

**4099538 SNAP-IN GASKET 410x275 mm  
HB4P-HB8C-HB9C**





ELECTROLUX PROFESSIONAL 087691

ELECTROLUX PROFESSIONAL 099538

**4089148 SNAP-IN GASKET 411x280 mm  
for Refrigerated table (ELECTROLUX PROFESSIONAL)  
STRP11 - STRP16 - STRP22**

**40A9289 SNAP-IN GASKET 430x238 mm**



ELECTROLUX PROFESSIONAL 089148

ELECTROLUX PROFESSIONAL 0A9289







Suitable for:

Suitable for:

**3186483 SNAP-IN GASKET 441x366 mm**

**3786400 SNAP-IN GASKET 510x435 mm**





ELECTROLUX PROFESSIONAL 088055

ELECTROLUX PROFESSIONAL 0A9647

**3186487 SNAP-IN GASKET 570x405 mm**

**3186922 SNAP-IN GASKET 580x385 mm**





ELECTROLUX PROFESSIONAL 087664

ELECTROLUX PROFESSIONAL 082725

**3786553 SNAP-IN GASKET 580x407 mm**

**4099531 SNAP-IN GASKET 585x415 mm**





ELECTROLUX PROFESSIONAL 089183

ELECTROLUX PROFESSIONAL 099531

**5048656 SNAP-IN GASKET 590x385 mm**

**3786586 SNAP-IN GASKET 590x397 mm**





ELECTROLUX PROFESSIONAL 082725

ELECTROLUX PROFESSIONAL 0A9565

**3186484 SNAP-IN GASKET 595x465 mm**

**3186600 SNAP-IN GASKET 685x590 mm**





ELECTROLUX PROFESSIONAL 0A8992

ELECTROLUX PROFESSIONAL 087451

**3186488 SNAP-IN GASKET 710x650 mm**

**3186071 SNAP-IN GASKET 730x710 mm**



ELECTROLUX PROFESSIONAL 0A9741


ELECTROLUX PROFESSIONAL 081725



Suitable for:

Suitable for:

**4094153 SNAP-IN GASKET 765x610 mm**



ELECTROLUX PROFESSIONAL 093273 ELECTROLUX PROFESSIONAL 094153

## Grids for oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



ELECTROLUX PROFESSIONAL 057468

**3185910 GRID PLASTIC-COATED GN 1/1 530x325 mm**  
grey colour




ELECTROLUX PROFESSIONAL 082729

**3185911 GRID PLASTIC-COATED 530x530 mm**



ELECTROLUX PROFESSIONAL 082904

**3185055 CHROME PLATED GRID GN 2/1 650x530 mm**



ELECTROLUX PROFESSIONAL 025020 ELECTROLUX PROFESSIONAL 081883

**3185050 GRID PLASTIC-COATED GN 2/1 650x530 mm**  
white colour



ELECTROLUX PROFESSIONAL 082885


**3185053 STAINLESS STEEL GRID GN 2/1 650x530 mm**



ELECTROLUX PROFESSIONAL 003189


## Guard grids

**3185088 FAN GRILL ø 200 mm**  
height 25 mm  
distance between mounting holes 236 mm



ELECTROLUX PROFESSIONAL 083440

**3185248 FLAT GRID FOR FAN ø 315 mm**  
mounting distance 330-360 mm



ELECTROLUX PROFESSIONAL 083393



Suitable for:

Suitable for:

## Guides

**3189001 LEFT-HAND DRAWER SLIDEWAY 620x30 mm**

**3063900 BEARING FOR DRAWERS SLIDEWAY  $\varnothing$  24 mm**



ELECTROLUX PROFESSIONAL 082742

ELECTROLUX PROFESSIONAL 0A8292

**3391013 LEFT-RIGHT GRILL SLIDE 620x20 mm - 2 PCS**

**3189936 LH SHELF SLIDEWAY 565x20 mm  
for REFRIGERATED TABLES**



ELECTROLUX PROFESSIONAL 0A9680 ELECTROLUX PROFESSIONAL 093851

ELECTROLUX PROFESSIONAL 082719

**3189937 RH SHELF SLIDEWAY 565x20 mm  
for REFRIGERATED TABLES**



ELECTROLUX PROFESSIONAL 082720

**3189000 RIGHT-HAND DRAWER SLIDEWAY 620x30 mm**

**3063900 BEARING FOR DRAWERS SLIDEWAY  $\varnothing$  24 mm**



ELECTROLUX PROFESSIONAL 082743

ELECTROLUX PROFESSIONAL 0A8292

**3391907 SHELF SLIDEWAYS 580x20 mm**



ELECTROLUX PROFESSIONAL 082206 ELECTROLUX PROFESSIONAL 082263 ELECTROLUX PROFESSIONAL 093850




Suitable for:

Suitable for:

## Handles

**40A8898 BUILT-IN HANDLE OF PLASTIC 448 mm**



ELECTROLUX PROFESSIONAL 0A8898

**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**  
base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



ELECTROLUX PROFESSIONAL 056581

**3242907 DOOR HANDLE ø 24x204 mm**



ELECTROLUX PROFESSIONAL 081728

**3242061 HANDLE CAP**



ELECTROLUX PROFESSIONAL 081727

**3242914 HANDLE CHROMED 5210-25**  
length 251 mm  
distance between holes 222 mm  
with black insert



ELECTROLUX PROFESSIONAL 081838 ELECTROLUX PROFESSIONAL 081846

**3242916 HANDLE CHROMED 5210-40**  
length 402 mm  
distance between holes 376 mm  
with black insert



ELECTROLUX PROFESSIONAL 081906 ELECTROLUX PROFESSIONAL 081906 +082448  
ELECTROLUX PROFESSIONAL 082448

**3242923 HANDLE 8730 PLASTIC BLACK**  
length 276 mm - height 40 mm  
mounting distance 226 mm  
with aluminium insert



ELECTROLUX PROFESSIONAL 031529

**3242133 LEFT PLASTIC HEAD**



ELECTROLUX PROFESSIONAL 082728

**3242579 LH-RH CATCH WITHOUT LOCK 570 CR**  
straight handgrip  
base length 150x23x30h mm  
mounting distance 110 mm  
catch height 16.5 mm



ELECTROLUX PROFESSIONAL 032156

**3242185 LOCKING HANDLE RH/LH W/OUT KEY LOCK**  
straight handle  
base length 147x32 mm  
mounting distance 118-134 mm  
adjustable catch



ELECTROLUX PROFESSIONAL 093081



Suitable for:

**3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188**  
RAHRBACH - mounting distance 150 mm  
base length 185.5x23.5x33.2h mm



ELECTROLUX PROFESSIONAL 002278 ELECTROLUX PROFESSIONAL 055510 ELECTROLUX PROFESSIONAL 056459 ELECTROLUX PROFESSIONAL 056581

Suitable for:

**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**  
base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



**3242131 PLASTIC HANDLE**  
length 430 mm  
for REFRIGERATED TABLE



ELECTROLUX PROFESSIONAL 082726

**3242133 LEFT PLASTIC HEAD**



ELECTROLUX PROFESSIONAL 082728

**3242132 RIGHT PLASTIC HEAD**



ELECTROLUX PROFESSIONAL 082727

**3242132 RIGHT PLASTIC HEAD**



ELECTROLUX PROFESSIONAL 082727

## Heating elements

**3455466 CARTRIDGE HEATING ELEMENT PTC 110W 230V**  
cartridge length 120 mm  $\varnothing$  12 mm  
power in absence of water 10W  
fitting 3/8"G  
cable length 1000 mm



ELECTROLUX PROFESSIONAL 083814

**3355911 CARTRIDGE HEATING ELEMENT PTC 95W 230V**  
cartridge length 130 mm  $\varnothing$  12 mm  
fitting 3/8"G  
cable length 4000 mm  
for TRAY



ELECTROLUX PROFESSIONAL 083814



# ELECTROLUX PROFESSIONAL



Suitable for:

## 4089912 DOOR HEATING ELEMENT 42.3W 230V

warm side length 4200 mm  
overall length 6200 mm



ELECTROLUX PROFESSIONAL 082247 ELECTROLUX PROFESSIONAL 089912

Suitable for:

## 3355903 HEATING ELEMENT 105W 220V

length 430 mm - width 47 mm  
height 120 mm



ELECTROLUX PROFESSIONAL 082731

## 3355905 HEATING ELEMENT 120W 220V

length 210 mm - width 110 mm  
connection  $\varnothing$  14 mm



ELECTROLUX PROFESSIONAL 082188

## 3355906 HEATING ELEMENT 160W 220V

length 380 mm - width 60 mm



ELECTROLUX PROFESSIONAL 082733

## 3355900 HEATING ELEMENT 335W 220V

length 265 mm - width 320 mm



ELECTROLUX PROFESSIONAL 083093

## 3355901 HEATING ELEMENT 350W 220V

length 470 mm - width 65 mm  
height 90 mm



ELECTROLUX PROFESSIONAL 083530

## 3755271 HEATING ELEMENT 450W 230V

length 370 mm  
width 35 mm  
height 95 mm  
for EVAPORATOR



ELECTROLUX PROFESSIONAL 0A9683

## 3355982 HEATING ELEMENT 480W 230V

length 365 mm - width 80 mm  
height 190 mm



ELECTROLUX PROFESSIONAL 088377

## 3355902 HEATING ELEMENT 540W 220V

length 735 mm  
width 310 mm



ELECTROLUX PROFESSIONAL 082279

## 3355904 HEATING ELEMENT 610W 220V

length 480 mm - width 250 mm



ELECTROLUX PROFESSIONAL 0A8017





Suitable for:

Suitable for:

**3355908 HEATING ELEMENT 85W 220V**  
length 495 mm - width 60 mm



ELECTROLUX PROFESSIONAL 0A8134

## Hinges, catches and accessories

**3053917 BRACKET LH**



ELECTROLUX PROFESSIONAL 082499

**3053908 BRACKET LOWER FOR DOOR 22x22 mm**



ELECTROLUX PROFESSIONAL 082500 ELECTROLUX PROFESSIONAL 087136 ELECTROLUX PROFESSIONAL 081654

**3053913 DOOR BUSHING**  
for REFRIGERATED TABLES



ELECTROLUX PROFESSIONAL 081807

**3053914 DOOR BUSHING PIN**  
ø 5x20 mm



ELECTROLUX PROFESSIONAL 082757

**3053915 GRIPPING ASSEMBLY WITH SPRING**



ELECTROLUX PROFESSIONAL 082587

**3053917 BRACKET LH**



ELECTROLUX PROFESSIONAL 082499 ELECTROLUX PROFESSIONAL 082500 ELECTROLUX PROFESSIONAL 087136

**3053540 HINGE**



ELECTROLUX PROFESSIONAL 0A9549

**3704009 HINGE SUPPORT BUSHING**



ELECTROLUX PROFESSIONAL 0A9092

**3704002 LOWER BUSHING**



ELECTROLUX PROFESSIONAL 082964

**3324006 PIN**



ELECTROLUX PROFESSIONAL 082962



# ELECTROLUX PROFESSIONAL



Suitable for:

**3704003 UPPER BUSHING**



ELECTROLUX PROFESSIONAL 082965

Suitable for:

**3704009 HINGE SUPPORT BUSHING**



ELECTROLUX PROFESSIONAL 0A9092

**3053518 HINGE BUSHING**



ELECTROLUX PROFESSIONAL 083875

**3391041 HINGE 184x25 mm**



ELECTROLUX PROFESSIONAL 082257

**3053920 LONG PIN HINGE INTERTECNICA 28L  
with square pin 7.5 mm**



ELECTROLUX PROFESSIONAL 081653 ELECTROLUX PROFESSIONAL 082219

**3053909 LOWER BRACKET LH-RH  
for hinge**



ELECTROLUX PROFESSIONAL 082256

**3053908 BRACKET LOWER FOR DOOR 22x22 mm**



ELECTROLUX PROFESSIONAL 081654

**3704002 LOWER BUSHING**



ELECTROLUX PROFESSIONAL 082964

**3053523 LOWER HINGE**



ELECTROLUX PROFESSIONAL 087826

**3053905 MIDDLE BRACKET FOR HINGE**



ELECTROLUX PROFESSIONAL 082374

**3324006 PIN**



ELECTROLUX PROFESSIONAL 082962



Suitable for:

**3053930 SHORT PIN HINGE INTERTECNICA 28XC**  
with square pin 7.5 mm



ELECTROLUX PROFESSIONAL 083876

Suitable for:

**3704003 UPPER BUSHING**



ELECTROLUX PROFESSIONAL 082965

**3053522 UPPER HINGE**



ELECTROLUX PROFESSIONAL 087822


## Incandescent lamps and neon lamps

**2102048 HALOGEN LAMP R7s 160W 230V**  
length 118 mm



ELECTROLUX PROFESSIONAL 093041

**3221041 LAMP E14 15W 230V**  
max temperature 300°C - ø 22x50 mm



ELECTROLUX PROFESSIONAL 0H7035

**3221061 LAMP E14 25W 230V**  
max temperature 300°C - ø 26x57 mm



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

## Indicator lights

**3221032 INDICATOR LIGHT GREEN 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 058544

**3221005 INDICATOR LIGHT GREEN 400V**  
head 16x16 mm - hole ø 12 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154



# ELECTROLUX PROFESSIONAL



Suitable for:

**3221014 INDICATOR LIGHT ORANGE 220V**  
mounting hole 22x30 mm - 105°C  
universal application



ELECTROLUX PROFESSIONAL 0KM981

Suitable for:

**3221112 INDICATOR LIGHT ORANGE 220V**  
head ø 7 mm - hole ø 6 mm - 120°C  
application to the board



ELECTROLUX PROFESSIONAL 053811 ELECTROLUX PROFESSIONAL 053811 +053812  
ELECTROLUX PROFESSIONAL 053812

**3221011 INDICATOR LIGHT ORANGE 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 0A2225

**3221032 INDICATOR LIGHT GREEN 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 058544

**3221033 INDICATOR LIGHT RED 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 0A2408

**3221006 INDICATOR LIGHT ORANGE 400V**  
head 16x16 mm - hole ø 12 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155 ELECTROLUX PROFESSIONAL 0A2408

**3221033 INDICATOR LIGHT RED 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



**3221004 INDICATOR LIGHT RED 400V**  
head 16x16 mm - hole ø 12 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 053153

**3221005 INDICATOR LIGHT GREEN 400V**  
head 16x16 mm - hole ø 12 mm - 120°C  
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154



Suitable for:

**3221006 INDICATOR LIGHT ORANGE 400V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application

Suitable for:



ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155

## Insulators

**3180024 INSULATING SHELL FOR THERMOSTATIC VALVE**  
suitable against condensate and  
ice formation  
in network polyethylene foam with closed  
cells and CL1, M1 certification



ELECTROLUX PROFESSIONAL 089614

## Ironmongery (screws,nuts,washers)

**3528238 FLAT WASHER M4**  
internal/external  $\varnothing$  4.3/9 mm - thickness 0.8 mm  
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 067930

## Knobs

**3241903 THERMOSTAT KNOB**



ELECTROLUX PROFESSIONAL 082916

**3241907 THERMOSTAT KNOB  $\varnothing$  35 mm**  
hole  $\varnothing$  6x4 mm



ELECTROLUX PROFESSIONAL 0A8203

**3241900 THERMOSTAT KNOB  $\varnothing$  50 mm**  
hole  $\varnothing$  6x4 mm



ELECTROLUX PROFESSIONAL 080837



Suitable for:

Suitable for:

## Labels for control panels

**3319327 CONTROL PANEL**



ELECTROLUX PROFESSIONAL 0A8881

## Lamp receptacles and spare parts

**3221914 LAMP SCREEN 105x65 mm**



ELECTROLUX PROFESSIONAL 081697

## Locks

**3242565 COMPLETE LOCK**  
cylinder  $\varnothing$  19x25 mm




ELECTROLUX PROFESSIONAL 093345

**3388010 LOCK COMPLETE**  
cylinder  $\varnothing$  18x15 mm



ELECTROLUX PROFESSIONAL 0A8655

**3388900 LOCK COMPLETE**  
cylinder  $\varnothing$  19x39 mm



ELECTROLUX PROFESSIONAL 0KM805 ELECTROLUX PROFESSIONAL 081694

**3388910 LOCK COMPLETE**  
cylinder  $\varnothing$  19x16 mm



ELECTROLUX PROFESSIONAL 0A8053

## Magnets

**3240148 MAGNET 63x19x11 mm**



ELECTROLUX PROFESSIONAL 049627

**7105989 MAGNETIC UNIT STEM M370**  
45x18x10.5 mm



ELECTROLUX PROFESSIONAL 087533



## Measuring tools

**3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F**  
 watertight and shockproof  
 battery powered and auto power off  
 measurement unit selectable in degrees °C/°F  
 resolution 0.1°C - accuracy  $\pm 1^\circ\text{C}/\pm 2^\circ\text{F}$   
 memory button - ON/OFF button  
 complete with case



ELECTROLUX PROFESSIONAL 082040

**3394207 DIGITAL THERMOMETER -50+70°C BLACK**  
 battery powered  
 front battery  
 working temperature 0+50°C  
 accuracy  $\pm 1^\circ\text{C}$   
 resolution 0.1°C  
 dimensions 62.5x29.5x19 mm  
 remote probe 1600 mm



ELECTROLUX PROFESSIONAL 099993

## Microswitches, magnetic

**9014016 MAGNETIC MICROSWITCH STEM E510 1A**  
 1-NO 0.5A 150V - head 32x13x8 mm  
 with cable length 750 mm



ELECTROLUX PROFESSIONAL 083881

**3240469 MICROSWITCH MAGNETIC STEM E710-1B**  
 50VA 250V - NO contact - head 50x19 mm



ELECTROLUX PROFESSIONAL 049621


**3240148 MAGNET 63x19x11 mm**



ELECTROLUX PROFESSIONAL 049627

## Microswitches, mechanical

**3240854 MICROSWITCH ARCOLECTRIC C3006 SX**  
 1-NO 0.3A 250V  
 white colour



ELECTROLUX PROFESSIONAL 084403

**3240294 MICROSWITCH ARCOLECTRIC E3111**  
 1-NO 1-NC 5A 250V  
 white colour



ELECTROLUX PROFESSIONAL 087485




# ELECTROLUX PROFESSIONAL



Suitable for:

**3240820 MICROSWITCH ELECTRICA NR48W 5**  
1NO + 1NC 16A 250V



ELECTROLUX PROFESSIONAL 0E0209 ELECTROLUX PROFESSIONAL 0KB678 ELECTROLUX PROFESSIONAL 004904 ELECTROLUX PROFESSIONAL 047487  
ELECTROLUX PROFESSIONAL 046286 ELECTROLUX PROFESSIONAL 047485 ELECTROLUX PROFESSIONAL 053671

Suitable for:

**3240152 BUSHING FOR MICROSWITCH**



**3240473 GASKET FOR BUSHING**




ELECTROLUX PROFESSIONAL 047490

**3240153 ROD FOR MICROSWITCH**




ELECTROLUX PROFESSIONAL 047488

**9240007 MICROSWITCH PIZZATO MKV11D30**  
16A 250V




ELECTROLUX PROFESSIONAL 004175

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



ELECTROLUX PROFESSIONAL 045404 ELECTROLUX PROFESSIONAL 45404

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



ELECTROLUX PROFESSIONAL 045404 ELECTROLUX PROFESSIONAL 45404

**3240154 SPRING FOR MICROSWITCH ROD**



ELECTROLUX PROFESSIONAL 047489

**3240292 MICROSWITCH SAIA-BURGESS XKA304B**  
1-NO 1-NC 1A 250V  
colour black



ELECTROLUX PROFESSIONAL 0A9383



## Motors

**3240211 MOTOR ELCO VN 10-20 PENTA VALENT**  
230V 50/60Hz 10W 1300rpm



ELECTROLUX PROFESSIONAL 0A8419 ELECTROLUX PROFESSIONAL 0A9350 ELECTROLUX PROFESSIONAL 0S0561  
ELECTROLUX PROFESSIONAL 081393 ELECTROLUX PROFESSIONAL 084745 ELECTROLUX PROFESSIONAL 086207

**3240220 SUCTION FAN ø 200 mm 28°**



**3240902 MOTOR ELCO VN 16-25 PENTA VALENT**  
230V 50/60Hz 16W 1300rpm



ELECTROLUX PROFESSIONAL 0S0562 ELECTROLUX PROFESSIONAL 086310

**3240220 SUCTION FAN ø 200 mm 28°**



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

**3240903 MOTOR ELCO VN 25-40 PENTA VALENT**  
230V 50/60Hz 25W 1300rpm



ELECTROLUX PROFESSIONAL 0S0563 ELECTROLUX PROFESSIONAL 081394

**3240220 SUCTION FAN ø 200 mm 28°**



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

**3240904 MOTOR ELCO VN 34-45 PENTA VALENT**  
230V 50/60Hz 34W 1300rpm



ELECTROLUX PROFESSIONAL 0KM742

**3240220 SUCTION FAN ø 200 mm 28°**



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

**3240210 MOTOR ELCO VN 5-13 PENTA VALENT**  
230V 50/60Hz 5W 1300rpm



ELECTROLUX PROFESSIONAL 0KD790

**3240490 MOTOR ELCO 3FBT 50-40/15**  
230V 50/60Hz 45W 1300rpm  
with capacitor 2µF  
for bracket fastening 4 screws M4  
distance 31 mm  
shaft length 22 mm  
for VM350-VM500-VM900-C150-C300-CB1565  
G250-G500



ELECTROLUX PROFESSIONAL 087799 ELECTROLUX PROFESSIONAL 088013



# ELECTROLUX PROFESSIONAL



Suitable for:

**3240881 MOTOR EMI 101M-50130/3**  
230V 50/60Hz 130W 1300rpm  
with thermal protection



ELECTROLUX PROFESSIONAL 0KM759

Suitable for:

**3240631 MOTOR EMI 83D-2535/23**  
230V 50/60Hz 35W 1300rpm  
with starting capacitor 2.5 $\mu$ F  
4 screws M4 for flange and bracket mounting  
distance 17 mm  
shaft length 34 mm



ELECTROLUX PROFESSIONAL 0KM742

**3240920 MOTOR FAN 10W WITH RING**  
fan  $\varnothing$  230 mm



ELECTROLUX PROFESSIONAL 081703

**3240921 MOTOR FIME C09R1731**  
230V 50/60Hz  
fan  $\varnothing$  100 mm



ELECTROLUX PROFESSIONAL 0A9308

**7111974 MOTOR FIME C12R00601**  
230V 50/60Hz 17W - fan  $\varnothing$  150 mm  
for Refrigerated cupboard (ELECTROLUX  
PROFESSIONAL) REX71FR



ELECTROLUX PROFESSIONAL 093322


**4091603 MOTOR FIME C12R0233**  
230V 50/60Hz 17W  
fan  $\varnothing$  150 mm



ELECTROLUX PROFESSIONAL 091603

## Position switches

**3240155 LIMIT MICROSWITCH PIZZATO FR530-A**  
1NO-1NC 4A 250V



ELECTROLUX PROFESSIONAL 046884

## Pressure valves for refrigeration

**3526550 PRESSURE VALVE V46AA-9950 G 3/8"**  
 pressure range 5..18 bar  
 capillary length 750 mm - fitting to be welded



ELECTROLUX PROFESSIONAL 086246

## Probes

**3445046 PROBE EVAPORATOR NTC 2000 mm**  
 bulb  $\varnothing$  6x20 mm



**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30+80°C  
 bulb  $\varnothing$  6x20 mm



ELECTROLUX PROFESSIONAL 087654 ELECTROLUX PROFESSIONAL 092173 ELECTROLUX PROFESSIONAL 092174 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb  $\varnothing$  6x40 mm



ELECTROLUX PROFESSIONAL 090302 ELECTROLUX PROFESSIONAL 083583

## Refrigerators capacitors

**3123090 CONDENSER STFT 16224 1x230 mm**  
 output 1385W DT15°C  
 250x60x250h mm



ELECTROLUX PROFESSIONAL 088661

**3068901 CONDENSER STN 8324 1x230 mm**  
 output 830W DT 15°C  
 290x60x245h



ELECTROLUX PROFESSIONAL 082229

## Refrigerators evaporators

**3123906 EVAPORATOR D4150 690x315x105 mm**



ELECTROLUX PROFESSIONAL 082231

**3123907 EVAPORATOR D4151 315x125x105 mm**



ELECTROLUX PROFESSIONAL 082211




# ELECTROLUX PROFESSIONAL



Suitable for:

**3068902** EVAPORATOR D4241 395x250x100 mm



ELECTROLUX PROFESSIONAL 082732

Suitable for:

**3123141** EVAPORATOR ECO D52686  
size 430x100x60 mm



ELECTROLUX PROFESSIONAL 0A9106

**3123142** EVAPORATOR ECO D53733  
size 935x 100x110 mm



ELECTROLUX PROFESSIONAL 0A9210

**3123135** EVAPORATOR ECO 57752  
455x300x110 mm



ELECTROLUX PROFESSIONAL 082410

**3123140** EVAPORATOR ECO 81111  
size 450x115x95 mm




ELECTROLUX PROFESSIONAL 0A9212

**3123086** EVAPORATOR ROLL BOND  
dimensions 895x520 mm  
with capillary




ELECTROLUX PROFESSIONAL 0A9560

**40A8745** EVAPORATOR 440x395 mm




ELECTROLUX PROFESSIONAL 0A8745

**40A9672** EVAPORATOR 460x205x200 mm



ELECTROLUX PROFESSIONAL 0A9672

**3123001** EVAPORATOR 57602 410x230x130 mm  
for 650 L




ELECTROLUX PROFESSIONAL 0A9681 ELECTROLUX PROFESSIONAL 087402



## Relays

**3351154 BASE OCTAL ES8 10A 400V**  
8 poles



ELECTROLUX PROFESSIONAL 053912

**3351901 POWER RELAY FINDER 60.62.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 10A



ELECTROLUX PROFESSIONAL 0D0013 ELECTROLUX PROFESSIONAL 058857 ELECTROLUX PROFESSIONAL 069882  
ELECTROLUX PROFESSIONAL 083215

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



ELECTROLUX PROFESSIONAL 0PE302

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A




ELECTROLUX PROFESSIONAL 0A9596 ELECTROLUX PROFESSIONAL 005033 ELECTROLUX PROFESSIONAL 005034  
ELECTROLUX PROFESSIONAL 088197

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



ELECTROLUX PROFESSIONAL 085647

**1351021 POWER-RELAY OMRON G7L-2A-TUB**  
230V 50Hz  
2 contacts NO 25A



ELECTROLUX PROFESSIONAL 088267

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



ELECTROLUX PROFESSIONAL 056446 ELECTROLUX PROFESSIONAL 056466 ELECTROLUX PROFESSIONAL 056510  
ELECTROLUX PROFESSIONAL 085296 ELECTROLUX PROFESSIONAL 086214

## Solenoid valves

**3120189 CASTEL COIL 110V HM2**  
50/60 Hz



ELECTROLUX PROFESSIONAL

**3120910 CASTEL COIL 230V HF2**  
50/60 Hz



ELECTROLUX PROFESSIONAL 085289



# ELECTROLUX PROFESSIONAL



Suitable for:


**3120917 COIL PARKER YB14 220V 14W WITH CABLE**  
50/60Hz



ELECTROLUX PROFESSIONAL 086051 ELECTROLUX PROFESSIONAL 086534

Suitable for:

**3120912 SOLENOID VALVE 1028/2  $\phi$  1/4"-6 mm**  
direct action NC



ELECTROLUX PROFESSIONAL 087965

**3120314 SOLENOID VALVE 1028/2A6  $\phi$  1/4" - 6 mm**  
direct action NC  
with coil 220 V and connector



ELECTROLUX PROFESSIONAL 0KL352

**3120158 SOLENOID VALVE 1068/M10  $\phi$  10 mm**  
diaphragm NC



ELECTROLUX PROFESSIONAL 089075

**4085847 SPULE PARKER ZB15 230V 15W**  
50/60Hz



ELECTROLUX PROFESSIONAL 085847

## Springs

**3053919 CLIPS SPRING**



ELECTROLUX PROFESSIONAL 053342

**3053929 LEFT SPRING  $\phi$  15 x 132 mm**



ELECTROLUX PROFESSIONAL 082179

**3053928 RIGHT SPRING  $\phi$  15x132 mm**



ELECTROLUX PROFESSIONAL 082178

**3441906 SPRING FOR KNOB**



ELECTROLUX PROFESSIONAL 082792



Suitable for:

Suitable for:

**3250901 TORSION SPRING FOR RH HINGE**  
 dimensions  $\varnothing$  14x132 mm  
 wire:  $\varnothing$  2.4 x 19 turns



ELECTROLUX PROFESSIONAL 088516

## Supports

**3391010 GRILL SUPPORT 540x27x18 mm**  
 for back lower mounting  
 for 9 grills  
 for old series



ELECTROLUX PROFESSIONAL 082317

**3391002 GRILL SUPPORT 720x48x18 mm**  
 for back lateral mounting  
 for 12 grills  
 for old series



ELECTROLUX PROFESSIONAL 080811 ELECTROLUX PROFESSIONAL 081958

**3391035 TRAY SUPPORT**



ELECTROLUX PROFESSIONAL 031970

## Switches

**3319920 BIPOLAR SWITCH BLACK 16A 250V**




ELECTROLUX PROFESSIONAL 0A8754

**1319202 BIPOLAR SWITCH GREEN 16A 250V**  
 16(4)A 2500V - with indicator light  
 silk-screen printing 0 - I  
 max. temperature 120°C  
 mounting hole 22x30 mm




ELECTROLUX PROFESSIONAL 056703 ELECTROLUX PROFESSIONAL 081680

**3319012 BIPOLAR SWITCH GREEN 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with indicator light and push-button cap  
 mounting hole 22x30 mm - silk screen print 0 - I



ELECTROLUX PROFESSIONAL 053810

**3319013 BIPOLAR SWITCH GREEN 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 with indicator light and push-button cap  
 mounting hole 22x30 mm - silk screen print I - II



ELECTROLUX PROFESSIONAL 053837



# ELECTROLUX PROFESSIONAL



Suitable for:

**3319928 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - mounting hole ø 25 mm



ELECTROLUX PROFESSIONAL 054518 ELECTROLUX PROFESSIONAL 082337

Suitable for:

**3319151 SWITCH PROTECTION CAP**  
ø external 34 mm  
for push-buttons with mounting hole ø 25 mm



ELECTROLUX PROFESSIONAL 053979

**3319944 BIPOLAR SWITCH GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator light - silk screen printing 0 - I  
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 056703

**3319931 BIPOLAR SWITCH WHITE 16A 250V**  
16(4)A 250V - with indicator light  
silk-screen printing 0-1  
max. temperature 120°C  
mounting hole 22x30 mm




ELECTROLUX PROFESSIONAL 081679 ELECTROLUX PROFESSIONAL 082390

**3319923 BLACK/RED CAM ø 17 mm**



ELECTROLUX PROFESSIONAL 0A8272

**3319932 CHANGEOVER SWITCH 1 POLE GREY 16A 250V**  
16(4)A 250V  
silk-screen printing I - II  
max. temperature 120°C  
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 082473

**3319930 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - silk-screen printing 0-1  
with indicator light  
mounting hole 25x27 mm




ELECTROLUX PROFESSIONAL 087655

**3319972 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
ON - OFF silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 082873

**3319936 GREEN BIPOLAR SWITCH 250V 16A**  
16(4)A 250V - max temperature 120°C  
with green indicator light



ELECTROLUX PROFESSIONAL 082486



Suitable for:

**3319922 SINGLE POLE CHANGEOVER SWITCH**  
connector terminal 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 0A8273

Suitable for:

**3319923 BLACK/RED CAM ø 17 mm**



ELECTROLUX PROFESSIONAL 0A8272

**3319921 SINGLE-POLE SWITCH 16A 250V**




ELECTROLUX PROFESSIONAL 0A8274

**3319923 BLACK/RED CAM ø 17 mm**



ELECTROLUX PROFESSIONAL 0A8272

**3319328 SWITCH BUTTON SQUARE BLACK 23x23mm "FAN"**  
with control window



ELECTROLUX PROFESSIONAL 0A8747

**3319299 SWITCH BUTTON SQUARE BLACK 23x23mm "0-1"**  
with control window



ELECTROLUX PROFESSIONAL 0A8691

**3319967 SWITCH 1-POLE GREEN 16A 250V**  
16(4)A 250V - with indicator light  
max. temperature 120°C  
mounting hole 11x30 mm



ELECTROLUX PROFESSIONAL 004110

**3319951 SWITCH 2 POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 125°C  
with indicator light - mounting hole 25x27 mm  
lead connector 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 085987 ELECTROLUX PROFESSIONAL 099274

**3319924 SWITCHES BUTTON 29x18 mm**



ELECTROLUX PROFESSIONAL 083200



Suitable for:

# ELECTROLUX PROFESSIONAL



Suitable for:

## Tangential and radial motor fans

**3526166 TANGENTIAL FAN QLK45 120 mm RIGHT**  
230V 50/60Hz - ø 45 mm  
operating temperature -30°+135°C




ELECTROLUX PROFESSIONAL 081795

**3526900 TANGENTIAL FAN QLK45 300 mm LEFT**  
230V 50/60Hz - ø 45 mm  
QLK45/0030 A35-2524L-70



ELECTROLUX PROFESSIONAL 082730

**3526019 TANGENTIAL FAN QL45 180 mm RIGHT**  
230V 50/60Hz - ø 45 mm  
QLK45/1800 A108-2513L-93 vr



ELECTROLUX PROFESSIONAL 0A8087

**D805012 TANGENTIAL FAN 180 mm LH**  
21W - 230V 50Hz - ø 60 mm



ELECTROLUX PROFESSIONAL 033070

**3526150 TANGENTIAL FAN 180 mm LH**  
25W 230V 50/60Hz - ø 60 mm  
operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL 0A2272 ELECTROLUX PROFESSIONAL 0A3008

**3526966 TANGENTIAL FAN 300 mm LH**  
26W 230V 50/60Hz - ø 60 mm  
operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL 083737

**3240591 VENTILATOR RADIAL EBM R2E190-A026-73**  
230V 50/60Hz 58W 0.26A 2500rpm  
ø 190 mm - capacitor 2µF (not included)



ELECTROLUX PROFESSIONAL 0E5666

## Tapes

**3394158 SMOOTH ALUMINIUM BAND 50 m**



ELECTROLUX PROFESSIONAL 006451



## Telethermometers

### 3441002 TELE-THERMOMETER BLACK $\varnothing$ 52 mm -40+40°C

metal case  
covered capillary length 2500 mm  
plasticized bulb  $\varnothing$  7.5x40 mm



ELECTROLUX PROFESSIONAL 081792

### 3441001 TELE-THERMOMETER BLACK 58x25 mm -40+40°C

covered capillary length 2500 mm  
bulb  $\varnothing$  8.4x25 mm



ELECTROLUX PROFESSIONAL 082613 ELECTROLUX PROFESSIONAL 083101

### 3441003 TELE-THERMOMETER WHITE $\varnothing$ 60 mm -40+40°C

metal case  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x150 mm



ELECTROLUX PROFESSIONAL 081512

## Terminals and electrical connectors

### 3051058 TUBE TERMINAL BARE 2.5x10 mm 500 PCS



ELECTROLUX PROFESSIONAL 0K4532

## Thermostatic valves for refrigeration

### 3150065 THERMOSTATIC VALVE DANFOSS TUB 1

gas R134a  
capacity 0.7 Kw - 0.19 TR  
inlet 6 mm x outlet 12 mm  
internal equalization  
range N -40°/+10°C  
Danfoss 068U2000



ELECTROLUX PROFESSIONAL 087333



Suitable for:

Suitable for:

## Thermostats

**3444533 DANFOSS THERMOSTAT KIT N°8 - 077B-7008**  
 DRINK REFRIGERATOR 3 contacts 6A 250V  
 capillary 2000 mm  
 COLD -1/8.5 : WARM +11/+6°C  
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K8399

**3444448 SAFETY THERMOSTAT ELTH 261N +40°C**  
 cable length 1400 mm



ELECTROLUX PROFESSIONAL 0A9671

**3444971 THERMOSTAT END-DEFROSTING**  
 37T31-501513  
 L25 - 10C - C0015



ELECTROLUX PROFESSIONAL 083113

**3444515 THERMOSTAT FOR END OF DEFROSTING**  
 37T31-501510  
 L7-8C J0350



ELECTROLUX PROFESSIONAL 083106

**3444518 THERMOSTAT FOR END OF DEFROSTING 20°C**  
 cable length 1400 mm



ELECTROLUX PROFESSIONAL 085940

**3444911 THERMOSTAT RANCO K50 L3078**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD -7.0°C - WARM +7.5°C  
 D shaft ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A8089

**3241907 THERMOSTAT KNOB ø 35 mm**  
 hole ø 6x4 mm



ELECTROLUX PROFESSIONAL 0A8203



Suitable for:

Suitable for:

**3444919 THERMOSTAT RANCO K50 P1115**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD +1.5°C - WARM +11.0°C  
 D shaft  $\varnothing$  6x4.6 mm

**3441906 SPRING FOR KNOB**



ELECTROLUX PROFESSIONAL 083520

ELECTROLUX PROFESSIONAL 082792

**3444931 THERMOSTAT RANCO K52 L4512**  
 2 contacts 6A 250V  
 double capillary  
 capillaries 2100 mm - 1850 mm  
 COLD -6,4°C - WARM +8,5°C  
 COLD -6.0°C - WARM +8.8°C  
 D shaft  $\varnothing$  6x4.6 mm

**3444916 THERMOSTAT RANCO K55 L5026**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD -0.5°C - WARM +8.5°C  
 D shaft  $\varnothing$  6x4.6 mm




ELECTROLUX PROFESSIONAL 0A8653

ELECTROLUX PROFESSIONAL 082025

**3444906 THERMOSTAT RANCO K55 L5027**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD -5.0°C - WARM +8.5°C  
 D shaft  $\varnothing$  6x4.6 mm

**3241903 THERMOSTAT KNOB**



ELECTROLUX PROFESSIONAL 081689

ELECTROLUX PROFESSIONAL 082916

**3444909 THERMOSTAT RANCO K55 L5070**  
 2 contacts 6A 250V  
 capillary length 2500 mm  
 COLD -22°C - WARM -7.5°C  
 D shaft  $\varnothing$  6x4.6 mm



ELECTROLUX PROFESSIONAL 082985



# ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

**3444905 THERMOSTAT RANCO K55 L5078**  
2 contacts 6A 250V  
capillary 2000 mm  
COLD +1.4°C - WARM +10.5°C  
D shaft  $\varnothing$  6x4.6 mm

**3241903 THERMOSTAT KNOB**



ELECTROLUX PROFESSIONAL 083125

ELECTROLUX PROFESSIONAL 082916

**3744066 THERMOSTAT RANCO K55 L5079**  
6A 250V  
capillary 2000 mm  
COLD -2°C - WARM +11°C

**3344012 THERMOSTAT RANCO K55 L5080**  
2 contacts 6A 250V  
capillary 1600 mm  
COLD -3°C - WARM +10°C  
D shaft  $\varnothing$  6x4.6 mm



ELECTROLUX PROFESSIONAL 083135

ELECTROLUX PROFESSIONAL 083147


**3444447 THERMOSTAT RANCO K55 P5851**  
2 contacts 6A 250V  
capillary 2500 mm  
D-shaped pin 6x4,6 mm



ELECTROLUX PROFESSIONAL 087516

**3444921 THERMOSTAT RANCO K60 L2034**  
2 contacts 6A 250V  
capillary 1500 mm  
COLD -17°C - WARM -10°C

**3441906 SPRING FOR KNOB**



ELECTROLUX PROFESSIONAL 081378

ELECTROLUX PROFESSIONAL 082792

**3241900 THERMOSTAT KNOB  $\varnothing$  50 mm**  
hole  $\varnothing$  6x4 mm



ELECTROLUX PROFESSIONAL 080837



Suitable for:


**3444516 THERMOSTAT RANCO K60 L2112**  
2 contacts 6A 250V  
capillary 2500 mm



ELECTROLUX PROFESSIONAL 083177

Suitable for:

**3444517 THERMOSTAT RANCO K60 L2141**  
2 contacts 6A 250V  
capillary 800 mm



ELECTROLUX PROFESSIONAL 083178

## Timers

**3322902 TIMER ELIWELL EWTS 70**  
12Vac/dc  
1 relay exit 8A for defrosting  
1 digital entry for klixon thermostat  
adjustable defrosting interval  
adjustable defrosting time from 5 to 60 min  
front dimension 74x32xdepth 67 mm  
mounting hole 71x29 mm




ELECTROLUX PROFESSIONAL 082485

**3322900 TIMER HAGER EH710 24h**  
230V 50Hz  
1 contact 16A 250V  
minimum programming interval 10 minutes  
min interval between 2 switching 20 minutes  
size 72x72 mm



ELECTROLUX PROFESSIONAL 083517

**3322239 TIMER PARAGON RZ-2001-21**  
230V 50Hz  
cycle 4h 15min



ELECTROLUX PROFESSIONAL 084986

**3446250 TIMER SANRONG SR3.82**  
230V 50Hz  
2 contacts 16(6)A 250V  
adjustable defrosting time from 1 to 12 (24h)  
defrosting time 1-56 min  
adjustable fan delay 0-15 min



ELECTROLUX PROFESSIONAL 081893 ELECTROLUX PROFESSIONAL 081968 ELECTROLUX PROFESSIONAL 081969  
ELECTROLUX PROFESSIONAL 081983

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378  
ELECTROLUX PROFESSIONAL 083833

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)