



Spare parts for the professional sector: Commercial refrigeration



Suitable for:

ELIWELL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2018-02151558





BOARDS DISPLAY ELIWELL IWK WIDE



LF Code	Model	Features
3445388	IWK WIDE	6 buttons keyboard

DIGITAL THERMOMETER



EUREMA



AKO



DIXELL



ELIWELL

LF Code	Model	Power supply	Probe	Display	Mounting hole	Depth	Features
3445294	EUREMA TE01	230V	PTC	2 red digits	59x26 mm	58 mm	
5060764	EUREMA TE01DEF	230V	PTC		59x26 mm	73 mm	output df 230V
3445160	AKO D14023	230V	NTC (included)	3 red digits	71x29 mm	43 mm	
7101730	DIXELL XT11S-0010N	12Vac/dc	NTC (included)	3 red digits	59x26 mm	20 mm	1 min delay time - offset adjustment +/-10°C
3445351	DIXELL XT11S-5000N	230V	NTC (included)	3 red digits	59x26 mm	20 mm	offset adjustment +/-10°C
2101714	ELIWELL EM300LX	12Vac/dc	NTC	3 red digits	71x29 mm	30 mm	serial port TTL
3445259	ELIWELL EM300LX	230V	NTC	3 red digits	71x29 mm	30 mm	serial port TTL

ELECTRICAL PANELS ELIWELL WM-COLDFACE



WM



COLDFACE




COLDFACE W/B

LF Code	Model	Relay outputs	Power supply	Probe	DI	RTC	Thermal-magnetic switch	HACCP
3445158	WM961/A	1-16A	230V	1-NTC/PTC	1			
3545002	COLDFACE NT EWRC300	3-2Hp/16A/8A	230V	3-NTC/PTC	2			
3545003	COLDFACE NT EWRC500	5-2Hp/16A/8A/8A/16A	230V	3-NTC/PTC	2			
3545004	COLDFACE NT EWRC500	5-2Hp/16A/8A/8A/16A	230V	3-NTC/PTC	2	x		x
3545007	COLDFACE NT EWRC500 W/B	5-2Hp/16A/8A/8A/16A	230V	3-NTC/PTC	2	x	x	x



ELECTRONIC CONTROLLERS ELIWELL EW-EW PLUS



LF Code	Model	Eliwell Code	Relay outputs	Power supply	Probe	Digital input	Suitable for
3445478	EW961	EW17DI0XCH705	2Hp Comp	230V	1-NTC	1	TECNODOM
3445427	EW974	EW2EDI0XCH703	2Hp Comp-8A Def-5A Fan	230V	2-NTC	1	ISA TASSELLI
3445414	EWPlus 974	EW2EDI0XC4713	2Hp Comp-8A Aux-5A Aux	230V	2-NTC	1	ISA TASSELLI
3445415	EWPlus 974	EW2EDI0XC4712	12A Comp-8A Aux-5A Aux	230V	2-NTC	1	ISA TASSELLI

ELECTRONIC CONTROLLERS ELIWELL EWDR



EWDR


LF Code	Model	Relay outputs	Power supply	Probe	Digital input	Serial port	RTC	Dimensions
						RS-485		LxHxW mm
3445069	EWDR 981	16A Comp	230V	2-NTC/PTC	2			70x85x61
3445071	EWDR 983	16A Comp-8A Def	230V	3-NTC/PTC	2			70x85x61
2102027	EWDR 983 LX	16A Comp-8A Def	230V	3-NTC/PTC	2	x	x	70x85x61
3445072	EWDR 985 LX	16A Comp-8A Def-8A Fan-8A Light	230V	3-NTC/PTC	2	x	x	70x85x61

montaggio su guida DIN

ELECTRONIC CONTROLLERS ELIWELL IC PLUS



IC



LF Code	Model	Relay outputs	Power supply	Probe	Unit of measurement
3445088	IC PLUS 915	8A Out1-8A Out2	12Vac/dc	1-NTC/PTC	°C
3445089	IC PLUS 915	8A Out1-8A Out2	230V	1-NTC/PTC	°C
3445043	IC915LX/P	8A Out1-8A Out2	230V	0-20 mA/4-20 mA	Bar
3445044	IC PLUS 902	8A Conf.	230V	0-1V 0-5V 0-10V 0-20mA 4-20mA	%RH




ELECTRONIC CONTROLLERS ELIWELL ID-ID PLUS



ID



ID PLUS



LF Code	Model	Relay outputs	Power supply	Probe	Digital input	RTC
3445399	IDPLUS 902	8A Comp	12Vac/dc	1-NTC/PTC/PT1000	1	
3445375	IDPLUS 902	8A Comp	230V	1-NTC/PTC/PT1000	1	
3445400	IDPLUS 961	20A Comp	12Vac/dc	1-NTC/PTC/PT1000	1	
3445376	IDPLUS 961	20A Comp	230V	1-NTC/PTC/PT1000	1	
3445401	IDPLUS 971	20A Comp-8A Def	12Vac/dc	2-NTC/PTC/PT1000	2	
3445377	IDPLUS 971	20A Comp-8A Def	230V	2-NTC/PTC/PT1000	2	
3445402	IDPLUS 974	20A Comp-8A Def-5A Fan	12Vac/dc	2-NTC/PTC/PT1000	2	
3445378	IDPLUS 974	20A Comp-8A Def-5A Fan	230V	2-NTC/PTC/PT1000	2	
3445066	ID975LX	8A Comp-8A Def-5A Fan-5A Alarm	12Vac/dc	2-NTC/PTC	1	
3445389	IDPLUS 978	16A Comp-8A Def-5A Fan-5A Alarm	230V	2-NTC/PTC/PT1000	2	
3445067	ID985LX	8A Comp-8A Def-8A Fan-5A Alarm	12Vac/dc	3-NTC/PTC	2	x

ELECTRONIC CONTROLLERS ELIWELL IS-EWEM



IS




EWEM



Cable

LF Code	Model	Description	Relay outputs	Power supply	Probe	DI	Depth mm	Dimensions LxHxD mm
3445037	IS972LX	Remote display				1	30	
3445038	EWEM233	Power unit	15A Comp-10A Fan-16A Def	230V	2-NTC/PTC			70x85x53
2102327	IS974LX	Remote display				1	30	
5061869	EWEM243	Power unit	15A Comp-10A Def-8A Fan-8A Aux/Alarm	230V	2-NTC/PTC			70x85x53
3445027	10 poles	telephonic cable 1000 mm						
2111317	10 poles	telephonic cable 3000 mm						

ELECTRONIC CONTROLLERS ELIWELL IWC



LF Code	Model	Relay outputs	Power supply	Probe	Digital input	Depth mm
3445079	IWC720S	16A Comp-8A Def	230V	1-NTC	1	45
3445085	IWC730S	16A Comp-20A Def-8A Fan	230V	2-NTC	1	45
3445078	IWC750	16A Comp-20A Def-8A Fan-8A Alarm-8A Aux/Light	230V	2-NTC	1	69

ELECTRONIC CONTROLLERS ELIWELL IWP



LF Code	Model	Relay outputs	Power supply	Probe	Digital input	RTC
3445387	IWP750LX	20A-16A-8A-8A-8A Comp-Def-Fan-Alarm-Light-Aux	230V	3-NTC/PTC	4	x

TEMPERATURE PROBES



Photo	LF Code	Sensor	bulb ø x L mm	Cable length mm	Range
1	3445070	PTC	6x40 AISI 304	1500 PVC	-30/+80 °C
1	3445107	PTC	6x40 AISI 304	3000 PVC	-30/+80 °C
1	3397164	PTC	6x40 AISI 304	1500 SIL	-50/+120 °C
1	3445183	PTC	6x40 AISI 304	3000 SIL	-50/+120 °C
1	3445959	PTC	6x40 AISI 304	5000 SIL	-50/+120 °C
1	3445157	NTC	6x40 AISI 304	1500 PVC	-30/+80 °C
6	3445981	NTC	7x26 NYLON	1500 PVC	-30/+80 °C
5	3445046	NTC	6x20 AISI 304	2000 TPE	-50/+110 °C
1	3445156	NTC	6x40 AISI 304	3000 PVC	-30/+80 °C
1	3445028	NTC	6x20 AISI 304	4000 PVC	-30/+80 °C
1	3445913	NTC	6x40 AISI 304	1500 SIL	-50/+110 °C
1	3445155	NTC	6x40 AISI 304	3000 SIL	-50/+110 °C
2	3445184	NTC	6x40 AISI 304	1500 TPE IP68	-40/+110 °C
2	3445154	NTC	6x40 AISI 304	3000 TPE IP68	-40/+110 °C



ELIWELL



Photo	LF Code	Sensor	bulb ø x L mm	Cable length mm	Range
3	3445167	NTC	5x20 TPE	1500 TPE IP68	-50/+110°C
3	3445335	NTC	5x20 TPE	3000 TPE IP68	-50/+110°C
4	3445379	PT1000	6x20 AISI 304	1500 IP68	-50/+110°C
4	3445380	PT1000	6x20 AISI 304	3000 IP68	-50/+110°C

TIMERS ELIWELL



LF Code	Model	Power supply	Output contacts	Defrosting cycle	Defrosting time	Fan delay	Defrosting end	Probe	Dimensions mm
3322902	EWTS 70	12Vac/dc	1-8(3)A 250V	adjustable	5..60 min		1-DI klixon		74x32x67
2101235	EWTS 72	12Vac/dc	2-8(3)A 250V	adjustable	30 min	1..8 min	3..15°C	NTC	74x32x67

TRANSFORMERS



LF Code	Model	Power	Power supply
3445111	TF3	3VA	24ac-12ac
3445110	TF3	3VA	230V-12Vac
3445196	TF5	5VA	230V-12Vac
5037407	TF20	20VA	240/230V-12Vac



Data recorders

- 3445385 BUS ADAPTER 130**
230V - Converter TTL-RS485 with auxiliary output 12(5)Vac



ELIWELL BA11250N3700


- 3445241 DATA RECORDER ELIWELL MEMORY 1040**
230V 50Hz
4 inputs for NTC probe (not included)
2 digital inputs
complete with serial port, software
and thermal printer



ELIWELL M1K04N03D1X00

ELIWELL M1K04X02R1X00

- 3445243 THERMAL PAPER ROLL**



ELIWELL RC444444


- 3445242 DATA RECORDER ELIWELL MEMORY 1080**
230V 50Hz
8 inputs for NTC probe (not included)
2 digital inputs
complete with serial port, software
and thermal printer



ELIWELL M1K08N03D1X00

ELIWELL M1K08X02R1X00

- 3445243 THERMAL PAPER ROLL**



ELIWELL RC444444



Suitable for:

ELIWELL

Suitable for:



Electronic controllers

3445061 COPY CARD FOR QUICK PROGRAMMING

it allows to quickly upload and download parameters from one device to another through TTL serial connection.

Way of use:

insert the copy card in the serial port TTL

program the device

store the data in the copy card

extract the copy card and insert it in the other devices that are to be programmed. In this way the data relative to the first programming are uploaded and copied in all the other devices.



ELIWELL MW320500

7107950 THERMOSTAT ELIWELL ID PLUS 961

12Vac/dc

1 relay output 2 HP compressor

1 NTC probe included 1500 mm silicone

1 digital input / configurable temperature defrost stop

TTL input for Copy Card

Front dimensions 74x32 59mm depth cutout 71x29 mm



ELIWELL IDP17Y03F0001

3445913 SILICONE PROBE NTC 1500 mm

temperature range -50+110°C

bulb ø 6x40 mm



ELIWELL SN8S0A1500

7107951 THERMOSTAT ELIWELL ID PLUS 961

230V 50/60Hz

1 relay output 2 HP compressor

1 NTC probe included 1500 mm silicone

1 NTC probe included 1500 mm silicone

defrost stop

TTL input for Copy Card

Front dimensions 74x32 59mm depth cutout 71x29 mm



ELIWELL IC901PTC

ELIWELL IDP17Y07F0001

3445913 SILICONE PROBE NTC 1500 mm

temperature range -50+110°C

bulb ø 6x40 mm



ELIWELL SN8S0A1500

Suitable for:

7107952 THERMOSTAT ELIWELL ID PLUS 971
 12Vac/dc
 1 relay output 2 HP compressor
 1 relay output 8A for defrosting
 1 NTC probe included 1500 mm silicone
 1 digital input / configurable temperature
 1 digital input configurable
 TTL input for Copy Card
 with alarm
 Front dimensions 74x32x 59 mm depth
 cutout 71x29 mm



ELIWELL IDP29YB3F0001

Suitable for:

3445913 SILICONE PROBE NTC 1500 mm
 temperature range -50+110°C
 bulb ø 6x40 mm



ELIWELL SN8S0A1500

7107953 THERMOSTAT ELIWELL ID PLUS 971
 230V 50/60Hz
 1 relay output 2 HP compressor
 1 relay output 8A for defrosting
 1 relay output 5A Propeller
 1 digital input / configurable temperature
 1 digital input configurable
 TTL input for Copy Card
 with alarm
 Front dimensions 74x32x 59 mm depth
 cutout 71x29 mm



ELIWELL IDP29YB7F0001

ELIWELL ID29D00TCH706

3445913 SILICONE PROBE NTC 1500 mm
 temperature range -50+110°C
 bulb ø 6x40 mm



ELIWELL SN8S0A1500

7107954 THERMOSTAT ELIWELL ID PLUS 974
 12Vac/dc
 1 relay output 2 HP compressor
 1 relay output 8A for defrosting
 1 relay output 5A Propeller
 2 NTC probe included 1500 mm silicone
 1 digital input / configurable temperature
 1 digital input configurable
 TTL input for Copy Card
 with alarm
 Front dimensions 74x32x 59 mm depth
 cutout 71x29 mm



ELIWELL IDP2EYB3F0001

3445913 SILICONE PROBE NTC 1500 mm
 temperature range -50+110°C
 bulb ø 6x40 mm



ELIWELL SN8S0A1500



Suitable for:

Suitable for:

7107955 THERMOSTAT ELIWELL ID PLUS 974
 230V 50/60Hz
 1 relay output 2 HP compressor
 1 relay output 8A for defrosting
 2 NTC probe included 1500 mm silicone
 1 digital input / configurable temperature
 1 digital input configurable
 TTL input for Copy Card
 with alarm
 Front dimensions 74x32x 59 mm depth
 cutout 71x29 mm

3445913 SILICONE PROBE NTC 1500 m m
 temperature range -50+110°C
 bulb ø 6x40 mm



ELIWELL IPD2EYB7F0001

ELIWELL SN8S0A1500

3445381 UNICARD USB/TTL
 It enables downloading/uploading parameters from
 the instruments (ID-IC-ID Plus).
 The USB door enables the instrument direct
 power supply.



ELIWELL CCA0BHT00U00

Measuring tools

3394207 DIGITAL THERMOMETER -50+70°C BLACK
 battery powered
 front battery
 working temperature 0+50°C
 accuracy ±1°C
 resolution 0.1°C
 dimensions 62.5x29.5x19 mm
 remote probe 1600 mm

3394295 DIGITAL THERMOMETER DST-30
 power supply with built-in solar cells
 display range -20..80°C
 dimensions 66x30x12 mm
 bulb ø 5x30 mm



ELIWELL T1M1BT0109

ELIWELL T1M1BT0105

- 3394209 DIGITAL THERMOMETER T-2919 BLACK**
precision $\pm 1^{\circ}\text{C}$
size frequency: every 10 seconds
lithium battery power 1x1,5V "LR44"
probe with polycarbonate cable 1500 mm
bulb $\varnothing 6 \times 30$ mm
CE approved
built-in mounting hole 45x25 mm



ELIWELL T1M1BT0107

Probes

- 3445057 PROBE WELL 8x100 mm 1/2"G**



ELIWELL PZ111114

Relays

- 3351154 BASE OCTAL ES8 10A 400V**
8 poles



ELIWELL CN111114

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - info@lfircambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com