



Spare parts for the professional sector: Commercial refrigeration



Suitable for:

FERMOD



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2018-02151649





Suitable for:


FERMOD



Suitable for:


Curtains

3028001 CURTAIN OF TRANSPARENT PVC
50 m roll - width 190 mm thickness 2 mm
suitable for cold rooms TN(0°C)



FERMOD 90201

3028020 CURTAIN OF TRANSPARENT PVC
roll 50 m - width 190 mm thickness 2 mm
suitable for cold rooms BT(-20°C)



FERMOD 90200

FERMOD 90200SPE

Door catches


3242564 CATCH 129
complete with strike



FERMOD 00129XX

FERMOD 129

3242558 CATCH 158
complete with strike and cap




FERMOD 00158XX

FERMOD 158

Gaskets for refrigerators


3286157 ANGLE FOR GASKET MOD.67



FERMOD 00067CN

Gaskets in bundles

2105210 COLD ROOM DOOR GASKET 2311 - 24 m
colour black
dimensions 20x10 mm




FERMOD 02311NR024

FERMOD 02311NR024-EX

FERMOD 2311

3986003 PVC PROFILE BLACK FOR GASKETS 2500 mm



FERMOD 03312NR200

FERMOD 03312NR250

2101890 COLD ROOM DOOR GASKET 8511 - 8 m
colour black
dimensions 35x11 mm




FERMOD 08511NR008

FERMOD 08511NR008-EX

FERMOD 8511

3986003 PVC PROFILE BLACK FOR GASKETS 2500 mm




FERMOD 03312NR200

FERMOD 03312NR250

Suitable for:

Suitable for:


3186794 GASKET COLD ROOM G4451 2500 mm
 colour: black
 bar-length 2500 mm
 complete with stiffener



FERMOD 03352NR250
 FERMOD 04451NR010-EX

FERMOD 03352NR250-EX
 FERMOD 04451NR010-EX+


3986004 GASKET FOR COLD ROOM 67 2500 mm
 colour black
 bar length 2500 mm
 complete with band



FERMOD 00067NR025
 FERMOD 00252NR250


FERMOD 00252NR500

3786257 GASKET 10xh19 mm
 colour white




FERMOD 00010BL025
 FERMOD 00010BL025-11

7151203 GASKET 10xh19 mm 12.5 m




FERMOD 00010BL025-11

7151204 GASKET 10xh19 mm 25 m




FERMOD 00010BL025-11

3786255 GASKET 6xh16 mm
 -30° \varnothing 6 mm - colour white
 sold per meter




FERMOD 00006BL025
 FERMOD 00006BL025-11

7151199 GASKET 6xh16 mm 12.5 m




FERMOD 00006BL025-11

7151200 GASKET 6xh16 mm 25 m




FERMOD 00006BL025-11

3786256 GASKET 8xh17 mm
 -30° \varnothing 8 mm - colour white
 sold per meter



FERMOD 00008BL025
 FERMOD 00008BL025-11

7151201 GASKET 8xh17 mm 12.5 m



FERMOD 00008BL025
 FERMOD 00008BL025-11





Suitable for:

Suitable for:

7151202 GASKET 8x17 mm 25 m

3986003 PVC PROFILE BLACK FOR GASKETS 2500 mm



FERMOD 00008BL025

FERMOD 00008BL025-11

FERMOD 03312NR200

FERMOD 03312NR250

FERMOD 3312

Handles

3242572 CATCH WITHOUT STRIKE 521 HP
with lock
238x136,5 mm

3242563 LOCK ASSEMBLY
for 921HP



FERMOD 521.HP

FERMOD 70523HP120

FERMOD 70523HP120-17


FERMOD 127.3808

FERMOD 1273608

FERMOD 1273808

3242573 STRIKE HP FOR DOOR THICKNESS 27/43 mm

3242574 STRIKE HP FOR DOOR THICKNESS 44/60 mm



FERMOD 6677100

FERMOD 6677100-10

FERMOD 6677200

FERMOD 6677200-10

3242575 STRIKE HP FOR DOOR THICKNESS 61/77 mm

3242576 STRIKE HP FOR DOOR THICKNESS 78/94 mm



FERMOD 6677300

FERMOD 6677300-10

FERMOD 6677400

FERMOD 6677400-10

3242577 STRIKE HP FOR DOOR THICKNESS 95/111 mm



FERMOD 6677500

FERMOD 6677500-10

3242545 CATCH WITHOUT STRIKE 921HP

3242546 SEAL FOR LOCK 50 mm



FERMOD 70921HP120

FERMOD 70921HP120-17

FERMOD 921.HP

FERMOD CALE50.02

FERMOD SHIM50.02

FERMOD 6127991




Suitable for:

3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm
for 921HP



FERMOD 6407200

3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921HP
with micro switch in the strike
allowing to control:
open/closed door indicator
opening/closing operation count
alarm disconnection
evaporators and ventilators stop
Operating voltages 12 V (10 A) - 24 V (5A)
with cable 1500 mm



FERMOD 6407700CAP

3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm
for 921HP



FERMOD 6676300

3242751 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 67 to 115 mm



FERMOD 00431XX066

FERMOD 00431XX115

FERMOD 00431XX115-14

3242585 CLOSING CATCH
distance between holes 35 mm
adjustable from 18 to 30 mm




FERMOD 6001801

FERMOD




Suitable for:

3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm
for 921HP



FERMOD 6407800

3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921 HP



FERMOD 6407700

3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm
for 921HP



FERMOD 6671900

FERMOD 6676400

3242752 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 116 to 165 mm



FERMOD 00431XX165

FERMOD 00431XX165-14

3242595 CLOSING CATCH
mounting distance 43 mm
adjustable from 14 to 30 mm



FERMOD 6001301



Suitable for:

FERMOD




3242578 CLOSING STRIKE



FERMOD 6192623

Suitable for:

3242560 CLOSING STRIKE 620/621



FERMOD 6358602

7105217 CLOSING 4181 WITH LOCK
with internal safety handle



FERMOD 04181

FERMOD 4181-F

3242960 DOOR HANDLE RH-LH 1825
mounting distance 158 mm
plate dimensions 181x33 mm



FERMOD 01825

3242395 DOOR SHIM FITTING 27/42 mm



FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm




FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

3242362 GREEN CAP



FERMOD 15618V-EX

3242369 HANDLE 651
complete with fastening - distance 44-16.5 mm
handle mounting distance 35-44-45.5 mm



FERMOD 0065101

FERMOD 651.01

3242585 CLOSING CATCH
distance between holes 35 mm
adjustable from 18 to 30 mm



FERMOD 6001801

3242595 CLOSING CATCH
 mounting distance 43 mm
 adjustable from 14 to 30 mm



FERMOD 6001301

Suitable for:

3242370 HANDLE 652
 complete with fastening - distance 42-14.5 mm
 handle mounting distance 31-35-36 mm



FERMOD 0065201

FERMOD 652.01

3242585 CLOSING CATCH
 distance between holes 35 mm
 adjustable from 18 to 30 mm




FERMOD 6001801

3242361 INTERNAL RELEASE PUSH-BUTTON
 for lock 620/621/920/921



FERMOD 6384200120

3242356 LH LOCK 1220 WITH 3 POINTS
 1 external handle
 2 locks and 2 lock clamps



FERMOD 1220.02

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

3242945 LH-RH CATCH WITH LOCK 571 CR
 straight handgrip
 base length 150x23x30h mm
 mounting distance 110 mm
 catch height 16.5 mm



FERMOD 005712114

FERMOD 571.21

3242922 STRIKE FOR DOOR CATCH
 fitting height 16.5 mm



FERMOD 60761




Suitable for:

FERMOD



3242948 LH-RH CATCH WITH LOCK 795 CR
 straight handgrip
 base length 150x30x40.5h mm
 mounting distance 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079501-14

FERMOD 79501

FERMOD 79501-14

Suitable for:

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

3242949 LH-RH CATCH WITH LOCK 796 CR
 curved handgrip
 base length 150x30x40.5h mm
 mounting distance 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079601

FERMOD 0079601-14

FERMOD 796.01

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242583 LH-RH CATCH WITH LOCK 885 CR
 straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 0088501

FERMOD 885.01

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242584 LH-RH CATCH WITH LOCK 885 CR HP
 straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 00885HP

FERMOD 885.HP

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

Suitable for:

Suitable for:

3242582 LH-RH CATCH WITH LOCK 885 PV
 black plastic straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 00885.PV
 FERMOD 885.PV

FERMOD 00885PV

FERMOD 00885PV-14

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14
 FERMOD 6008723-14

FERMOD 6008723

FERMOD 6008723-13

3242921 LH-RH CATCH WITHOUT LOCK 560 CR
 straight handgrip
 base length 150x23x30h mm
 mounting distance 110 mm



FERMOD 005602114

FERMOD 560.21

3242922 STRIKE FOR DOOR CATCH
 fitting height 16.5 mm



FERMOD 60761

3242579 LH-RH CATCH WITHOUT LOCK 570 CR
 straight handgrip
 base length 150x23x30h mm
 mounting distance 110 mm
 catch height 16.5 mm



FERMOD 005702114

FERMOD 570.21


FERMOD 570.23

3242922 STRIKE FOR DOOR CATCH
 fitting height 16.5 mm



FERMOD 60761

3242386 LH-RH CATCH WITHOUT LOCK 880 CR
 straight handgrip
 base length 120x28x39h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 0088001

FERMOD 0088001-14

FERMOD 880.01

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14
 FERMOD 6008723-14

FERMOD 6008723

FERMOD 6008723-13



Suitable for:

FERMOD



3242946 LOCKING HANDLE RH/LH W/OUT KEYLOCK 790CR
 straight handle
 base length 254x30 mm
 mounting distance 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079001

FERMOD 0079001-14

FERMOD 790.01

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

3242947 LOCKING HANDLE RH/LH W/OUT LOCK 791 CR
 curved handle
 length 254x30 mm - mounting distance 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079101

FERMOD 791.01

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm



FERMOD 6107701LA1

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242358 LOCKING HANDLE WITHOUT CLAMP 921
 with key lock
 245x108xh52 mm



FERMOD 70921XX120

FERMOD 921

3242395 DOOR SHIM FITTING 27/42 mm



FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm



FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
 for lock 920/921




FERMOD 6407703



Suitable for:

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

FERMOD



Suitable for:

3242563 LOCK ASSEMBLY
for 921HP



FERMOD 127.3808

FERMOD 1273608

FERMOD 1273808

3242357 LOCKING HANDLE WITHOUT CLAMP 920
without key lock
245x108xh52 mm



FERMOD 70920XX120

FERMOD 920

3242395 DOOR SHIM FITTING 27/42 mm




FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm



FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303


3242348 LOCKING HANDLE 620
without key lock
213x104xh50 mm



FERMOD 0062002120

FERMOD 620.02

3242560 CLOSING STRIKE 620/621




FERMOD 6358602



Suitable for:

3242396 SHIM 15 mm
for door thickness 42/57 mm



FERMOD CALE-15.02


FERMOD SHIM15.02

FERMOD



Suitable for:

3242397 SHIM 30 mm
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
for door thickness 67/80 mm



FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

3242349 LOCKING HANDLE 621 WITH KEY LOCK
213x104xh50 mm




FERMOD 0062102120
FERMOD 62102120

FERMOD 621.02


FERMOD 62102080

3242560 CLOSING STRIKE 620/621



FERMOD 6358602


3242396 SHIM 15 mm
for door thickness 42/57 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

3242397 SHIM 30 mm
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
for door thickness 67/80 mm



FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702



Suitable for:

Suitable for:


3242355 RH LOCK 1220 WITH 3 POINTS

1 external handle
2 locks and 2 lock clamps



FERMOD 1220.02

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

3242581 RH-LH CATCH WITHOUT LOCK 880 PV

black plastic straight handgrip
base length 122x28x35h mm
mounting distance 104 mm
adjustable catch mounting distance 31 mm



FERMOD 00880PV

FERMOD 00880PV-14

FERMOD 880.PV

3242042 STRIKE FOR DOOR HANDLE

distance between holes 45 mm




FERMOD 6008708-14

FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242546 SEAL FOR LOCK 50 mm




FERMOD CALE50.02

FERMOD SHIM50.02

FERMOD 6127991

3242396 SHIM 15 mm
for door thickness 42/57 mm




FERMOD CALE-15.02

FERMOD SHIM15.02

FERMOD 6119502

3242397 SHIM 30 mm
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
for door thickness 67/80 mm



FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

3242557 STRIKE



FERMOD 6033402

3242922 STRIKE FOR DOOR CATCH
fitting height 16.5 mm



FERMOD 60761



Suitable for:

3242042 STRIKE FOR DOOR HANDLE
distance between holes 45 mm




FERMOD 6008708-14
FERMOD 6008723-14

FERMOD 6008723

FERMOD 6008723-13

Suitable for:

3242562 STRIKE FOR SUPPLEMENTARY LOCK



FERMOD 10335

FERMOD 1033602

3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm
for 921HP



FERMOD 6407200

3242573 STRIKE HP FOR DOOR THICKNESS 27/43 mm



FERMOD 6677100

FERMOD 6677100-10

3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm
for 921HP



FERMOD 6407800


3242574 STRIKE HP FOR DOOR THICKNESS 44/60 mm



FERMOD 6677200

FERMOD 6677200-10

3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921HP
with micro switch in the strike
allowing to control:
open/closed door indicator
opening/closing operation count
alarm disconnection
evaporators and ventilators stop
Operating voltages 12 V (10 A) - 24 V (5A)
with cable 1500 mm



FERMOD 6407700CAP

3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm
for 921 HP



FERMOD 6407700

3242575 STRIKE HP FOR DOOR THICKNESS 61/77 mm



FERMOD 6677300

FERMOD 6677300-10

3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm
for 921HP



FERMOD 6676300



Suitable for:

3242576 STRIKE HP FOR DOOR THICKNESS 78/94 mm



FERMOD 6677400

FERMOD 6677400-10

Suitable for:

3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm for 921HP



FERMOD 6671900

FERMOD 6676400


3242577 STRIKE HP FOR DOOR THICKNESS 95/111 mm



FERMOD 6677500


FERMOD 6677500-10

3242551 SUPPLEMENTARY LOCK
mounting distance 121-136 mm



FERMOD 6303602

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

FERMOD 6413802

3242550 3-POINT LH CATCH 1926 WITH KEY

including:
1 external handle
2 blocks
2 strike blocks
1 internal hooking button



FERMOD 0192602G

FERMOD 6926.02.G

3242557 STRIKE



FERMOD 6033402

3242551 SUPPLEMENTARY LOCK
mounting distance 121-136 mm



FERMOD 6303602



Suitable for:

Suitable for:

3242553 3-POINT RH CATCH 1221 WITH KEY


- including:
- 1 external handle
- 2 blocks
- 2 strike blocks
- 1 internal hooking button



FERMOD 0122102D

FERMOD 1221.02


3242562 STRIKE FOR SUPPLEMENTARY LOCK



FERMOD 10335

FERMOD 1033602

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

3242549 3-POINT RH CATCH 1926 WITH KEY

- including:
- 1 external handle
- 2 blocks
- 2 strike blocks
- 1 internal hooking button



FERMOD 0192602D

FERMOD 1926.02.D

FERMOD 6926.02.D


3242557 STRIKE



FERMOD 6033402

Hinges, catches and accessories

3053388 CHROME-PLATED HINGE 306 length 96 mm - mounting distance 38 mm



FERMOD 0030601DET

FERMOD 306.01

3053389 CHROME-PLATED HINGE 308 length 120 mm - mounting distance 50 mm



FERMOD 0030801

FERMOD 308.01

3053363 CHROME-PLATED HINGE 309 length 130 mm - mounting distance 50 mm



FERMOD 0030901

FERMOD 309.01

3053391 CHROME-PLATED HINGE 361 length 140 mm - mounting distance 30-35 mm for door thickness from 37 mm, gasket included




FERMOD 0036101

FERMOD 361.01



Suitable for:


3053384 CHROME-PLATED HINGE 401
length 96 mm - mounting distance 64-32 mm



FERMOD 0040101 FERMOD 401.21

Suitable for:

3053386 CHROME-PLATED HINGE 402
length 96 mm - mounting distance 64-32 mm



FERMOD 0040201 FERMOD 0040221 FERMOD 402.21

3053399 CHROME-PLATED HINGE 525
length 134 mm - mounting distance 30.5 mm



FERMOD 0052501 FERMOD 525.01

3053392 CHROME-PLATED HINGE 710
length 113 mm



FERMOD 007100122 FERMOD 710.01

3053377 CHROME-PLATED HINGE 720



FERMOD 007200127 FERMOD 720.01

3053394 CHROME-PLATED HINGE 730
length 222 mm
thickness 22 mm



FERMOD 007300122 FERMOD 730.01.22

3053395 CHROME-PLATED HINGE 730
length 222 mm
thickness 27 mm



FERMOD 007300127

3053941 HINGE FERMOD 175
with cross-head pin



FERMOD 0017501HAU FERMOD 175

3053944 HINGE FERMOD 176
with square pin 8 mm



FERMOD 0017601HAU FERMOD 176

3053499 HINGE FERMOD 176 LONG PIN
with square pin 8 mm



FERMOD 6108001IT



Suitable for:

FERMOD



3053396 HINGE WITH SPRING 125 mm
for door thickness 25/35 mm
adjustable spring



FERMOD 0452600

FERMOD 4526

Suitable for:

3053397 HINGE WITH SPRING 150 mm
for door thickness 25/40 mm
adjustable spring



FERMOD 03.00

FERMOD 0452800

FERMOD 4528

3053365 HINGE 1370
mounting distance 50 mm



FERMOD 01370

3053430 HINGE 1371 WITH RAMP
mounting distance 50 mm



FERMOD 01371

3053558 HINGE 1670 HP
mounting distance 46-40 mm



FERMOD 01670HP

FERMOD 1670.HP

FERMOD 490.HP

3053589 HINGE 1671 HP WITH RAMP
mounting distance 46-40 mm



FERMOD G-491HP

FERMOD 01671HP

3053427 HINGE 362 LH WITH RAMP
length 150 mm - mounting distance 110-80 mm



FERMOD 362.01

3053426 HINGE 362 RH WITH RAMP
length 150 mm - mounting distance 110-80 mm



FERMOD 362.01


3053385 HINGE 401 PV
length 96 mm - mounting distance 64-32 mm
chrome-plated and black rilsan



FERMOD 0401021

FERMOD 401.21.PV

3053387 HINGE 402 PV
length 96 mm - mounting distance 64-32 mm
chrome-plated and black rilsan



FERMOD 0402001

FERMOD 0402021

FERMOD 402.21.PV

Suitable for:

Suitable for:


3053559 HINGE 446 PAINTED
mounting distance 32-16 mm



FERMOD 0044602

FERMOD 446.02

3053423 HINGE 4521
with 90° stop




FERMOD 04521

FERMOD 4520

FERMOD 4521


3053590 HINGE 4521.00
with 90° stop and stainless steel tie rod
adjustable angle



FERMOD 0452100

FERMOD 0452100R

3053424 HINGE 4523
90° without stop



FERMOD 04523

FERMOD 0452300R

FERMOD 4522

3053560 HINGE 456 PAINTED WITH RAMP
mounting distance 32-16 mm



FERMOD 0045602

FERMOD 456.02


3053428 HINGE 470 HP
mounting distance 30 mm



FERMOD 00470HP

FERMOD 470HP

3053429 HINGE 471 HP WITH RAMP
mounting distance 30 mm



FERMOD 00471HP

FERMOD 471HP

3053562 HINGE 473 HP WITH RAMP
vertical adjustment
mounting distance 30 mm



FERMOD 00473RVHP

3053400 HINGE 481 HP WITH RAMP
mounting distance 30 mm



FERMOD 00481HP

FERMOD 481

FERMOD 481.HP

3053406 HINGE 546
mounting distance 60-32 mm



FERMOD 0054602

FERMOD 546.02




Suitable for:

FERMOD




3053407 HINGE 746
length 170 mm - mounting distance 144-34 mm



FERMOD 0074602

FERMOD 746.02


Suitable for:
3053409 HINGE 758 WITH RAMP AND SPRING LH
length 262 mm
mounting distance 232-45 mm



FERMOD 0075802G

FERMOD 758.02

3053408 HINGE 758 WITH RAMP AND SPRING RH
length 262 mm
mounting distance 232-45 mm



FERMOD 0075802D

FERMOD 758.02

Locks

3242563 LOCK ASSEMBLY
for 921HP



FERMOD 127.3808

FERMOD 1273608

FERMOD 1273808

Shelves

3380070 CLAMP FOR SHELF 4 PCS



FERMOD 61866

3380037 CORNER SUPPORT 360 mm



FERMOD 64234

3380038 CORNER SUPPORT 460 mm



FERMOD 64235

2102221 CORNER SUPPORT 560 mm





FERMOD 64236

Suitable for:

Suitable for:

3380069 SHELF INSERT POLYMER 420x430 mm

3380039 SHELF INSERT POLYMER 6611 300x330 mm





FERMOD 12784-16

FERMOD 13056

3380068 SHELF INSERT POLYMER 6611 300x430 mm

3380040 SHELF INSERT POLYMER 6611 420x330 mm




FERMOD 12783-16

FERMOD 13057

FERMOD 13057-16

3380028 SHELF 1080x360 mm
with removable grids N.2 300x330 mm
N.1 420x330 mm
dishwasher safe
capacity 175 kg

3380048 SHELF 1080x460 mm
with removable grids N.2 300x430 mm
N.1 420x430 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64260

FERMOD 64268

2102225 SHELF 1080x560 mm
with removable grids N.2 300x531 mm
N.1 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg

3380029 SHELF 1200x360 mm
with removable grids N.1 300x330 mm
N.2 420x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64276

FERMOD 64261

3380049 SHELF 1200x460 mm
with removable grids N.1 300x430 mm
N.2 420x430 mm mod.6611
dishwasher safe
capacity 175 kg

2102226 SHELF 1200x560 mm
with removable grids N.1 300x531 mm
N.2 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64269

FERMOD 64277




Suitable for:

FERMOD



3380030 SHELF 1320x360 mm
with removable grids N.3 420x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64262

3380050 SHELF 1320x460 mm
with removable grids N.3 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64270

2102227 SHELF 1320x560 mm
with removable grids
N.3 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg




FERMOD 64278

3380034 SHELF 1500x360 mm
with removable grids N.2 300x330 mm
N.2 420x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64263

3380055 SHELF 1500x460 mm
with removable grids N.2 300x430 mm
N.2 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



2102228 SHELF 1500x560 mm
with removable grids N.2 300x531 mm
N.2 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64271

3380035 SHELF 1620x360 mm
with removable grids N.1 300x330 mm
N.3 420x330 mm mod.6611
dishwasher safe
capacity 120 kg



FERMOD 64356

3380057 SHELF 1620x460 mm
with removable grids N.1 300x430 mm
N.3 420x430 mm mod.6611
dishwasher safe
capacity 120 kg



FERMOD 64357



FERMOD




Suitable for:

Suitable for:

2102229 SHELF 1620x560 mm
with removable grids N.1 300x531 mm
N.3 420x531 mm mod.6611
for dishwasher washing
capacity 120 kg

3380036 SHELF 1740x360 mm
with removable grids N.4 420x330 mm mod.6611
dishwasher safe
capacity 120 kg




FERMOD 64358

FERMOD 64359

3380059 SHELF 1740x460 mm
with removable grids N.4 420x430 mm mod.6611
dishwasher safe
capacity 120 kg

2102529 SHELF 1740x560 mm
with removable grids N.4 420x531 mm mod.6611
for dishwasher washing
capacity 120 kg



FERMOD 64360

FERMOD 64361

3380024 SHELF 660x360 mm
with removable grids N.2 300x330 mm mod.6611
dishwasher safe
capacity 175 kg

3380044 SHELF 660x460 mm
with removable grids N.2 300x430 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64256

FERMOD 64264

3380025 SHELF 780x360 mm
with removable grids N.1 300x330 mm
N.1 420x330 mm mod.6611
dishwasher safe
capacity 175 kg

3380045 SHELF 780x460 mm
with removable grids N.1 300x430 mm
N.1 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64257

FERMOD 64265




Suitable for:

FERMOD




2102222 SHELF 780x560 mm
with removable grids N.1 300x531 mm
N.1 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64273

Suitable for:

3380026 SHELF 900x360 mm
with removable grids N.2 420x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64258

3380046 SHELF 900x460 mm
with removable grids N.2 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64266

2102223 SHELF 900x560 mm
with removable grids N.2 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64274

3380027 SHELF 960x360 mm
with removable grids N.3 300x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64259

3380047 SHELF 960x460 mm
with removable grids N.3 300x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64267

2102224 SHELF 960x560 mm
with removable grids N.3 300x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64275

3380060 UPRIGHT 1685hx360 mm
with adjustable foot



FERMOD 6425311

3380067 UPRIGHT 1685hx460 mm
with adjustable foot



FERMOD 6425411

2102528 UPRIGHT 1685hx560 mm
with adjustable foot



FERMOD 6425511



FERMOD



Suitable for:

2102211 UPRIGHT 1800hx360 mm
with adjustable foot



FERMOD 6425311180

Suitable for:

2102212 UPRIGHT 1800hx460 mm
with adjustable foot



FERMOD 6425411180

2102617 UPRIGHT 1800hx560 mm



FERMOD 6425511180

2102213 UPRIGHT 2100hx360 mm
with adjustable foot



FERMOD 6425311210

2102214 UPRIGHT 2100hx460 mm
with adjustable foot



FERMOD 6425411210

2102220 UPRIGHT 2100hx560 mm
with adjustable foot



FERMOD 6425511210

2102215 UPRIGHT 2400hx360 mm
with adjustable foot



FERMOD 6425311240

2102216 UPRIGHT 2400hx460 mm
with adjustable foot



FERMOD 6425411240

2102656 UPRIGHT 2400hx560 mm



FERMOD 6425511240

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com