



Spare parts for the professional sector: Commercial refrigeration



Suitable for:

FRIULINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2018-02151705





Suitable for:

FRIULINOX



Suitable for:

Axial motor fans

3240520 AXIAL FAN EBM 7855ES
 230V 50Hz 45W 2800rpm
 ø 150x55 mm
 ball bearing
 W2S130-AA03-01



FRIULINOX 996073

Castors, rollers and accessories

3346068 WHEEL SWIVEL PLATE WITH BRAKE
 with zinc-plated supports - polyamide nucleus
 injection polyurethane coating
 dimensions ø 80x30 mm - load capacity 120 kg
 fixing plate 105x85 mm
 distance between holes 86-60 mm



FRIULINOX 996015

Compressors and spare parts

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 8.85 cc
 gas R134a HMBP



FRIULINOX 995783

3070015 COMPRESSOR CUBIGEL GP12TB CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 12.00 cc
 gas R134a HMBP



FRIULINOX 995784

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
 220/240V 50Hz
 power 1/6 Hp, displacement 5.20 cc
 gas R134a HMBP
 ASPERA



FRIULINOX 995741

3070220 COMPRESSOR EMBRACO EMT6170Z CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 7.69 cc
 gas R134a HMBP
 ASPERA



FRIULINOX 6688220

Suitable for:

3070123 COMPRESSOR EMBRACO NJ2192GK CSR
 220/240V, 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 LBP
 ASPERA



FRIULINOX 995767

Suitable for:

3070045 COMPRESSOR EMBRACO NJ2212GK CSR
 220/240V 50Hz
 power 1.5 Hp, displacement 34.37 cc
 gas R404a/R507 LBP
 ASPERA



FRIULINOX 995711

3070050 COMPRESSOR EMBRACO NJ6220Z CSIR
 220/240V 50Hz
 power 3/4 Hp, displacement 26.20 cc
 gas R134a HMBP
 ASPERA



FRIULINOX 995769

3070052 COMPRESSOR EMBRACO NJ6226Z CSR
 220/240V 50Hz
 power 1 Hp, displacement 34.37 cc
 gas R134a HMBP
 ASPERA



FRIULINOX 996135

3070010 COMPRESSOR EMBRACO NJ9226GK CSR
 220/240V 50Hz
 power 1.1 Hp, displacement 21.70 cc
 gas R404a/R507 HMBP
 ASPERA



FRIULINOX 995925

3070028 COMPRESSOR EMBRACO NJ9238GS
 400V 3Ph 50Hz
 power 1.5 Hp, displacement 32.70 cc
 gas R404a/R507
 ASPERA



FRIULINOX 995926

3070082 COMPRESSOR SECOP FR8.5CL CSIR
 220/230V 50Hz
 power 1/4 HP - displacement 7.95 cc
 gas R404a/R507 LBP
 103U2890-HST DANFOSS



FRIULINOX 995875

3070208 COMPRESSOR SECOP NL10MF CSIR
 220/230V 50/60Hz
 power 1/3 Hp - displacement 10.10 cc
 gas R134a MBP
 DANFOSS 105G6885



FRIULINOX 996355



Suitable for:

3070227 COMPRESSOR SECOP NL6.1MF CSIR
220/230V 50/60Hz
power 1/6 Hp - displacement 6.13 cc
gas R134a MBP
DANFOSS 105G6660



FRIULINOX 996352

Suitable for:

3070221 COMPRESSOR SECOP NL7.3MF CSIR
220/230V 50/60Hz
power 1/4L Hp - displacement 7.27 cc
gas R134a MBP
DANFOSS 105G6772



FRIULINOX 996353

3070207 COMPRESSOR SECOP NL8.4MF CSIR
220/240V 50Hz
power 1/4 Hp - displacement 8.35 cc
gas R134a MBP
DANFOSS 105G6879



FRIULINOX 996354

3070241 COMPRESSOR TECUMSEH AE4430Y CSIR
220/240V 50Hz
power 1/4 Hp, displacement 8.0 cc
gas R134a HMBP



FRIULINOX 995873

5031255 RELAY SECOP 117U-6003



FRIULINOX 996017

Drip trays for refrigeration

3015009 DRIP TRAY
520x65x30 mm



FRIULINOX FR995605

FRIULINOX 995605



Electrical capacitors

3068002 CAPACITOR DUCATI ENERGIA 2,5µF
 450V 50/60Hz
 operating temperature -25 + 85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm



FRIULINOX 995750


3068093 CAPACITOR ELECTRICAL 2.5µF
 450V 50/60Hz - ø 30xh51 mm



FRIULINOX 995750

Electronic controllers

5048651 CONTROLLER DISPLAY EVCO EVC20S35N7ALX30
 230V 50/60Hz
 3 relays (compressor-fan-light)
 2 NTC probes (not included)
 1 input micro door
 dimensions 155x45 mm



FRIULINOX 936092

3445399 CONTROLLER ELIWELL ID PLUS 902
 12Vac/dc
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32x59 mm
 mounting hole 71x29 mm



FRIULINOX 995237

3445401 CONTROLLER ELIWELL ID PLUS 971
 12Vac/dc
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 2 selectable NTC/PTC/PT1000 probes (not included)
 1 programmable digital/temperature input
 1 programmable digital input
 TTL input for copy card connection
 with buzzer
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



FRIULINOX 995697

3445378 CONTROLLER ELIWELL ID PLUS 974
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fans
 2 selectable NTC/PTC/PT1000 probes (not included)
 1 programmable digital/temperature input
 1 programmable digital input
 TTL input for copy card connection
 with buzzer
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



FRIULINOX FR996199

FRIULINOX 996197

FRIULINOX 996198



Suitable for:

FRIULINOX

Suitable for:



Fans for motors

3240222 SUCTION FAN \varnothing 230 mm 28°



FRIULINOX 935640

Filters for refrigeration

3160913 ANTIACID DEHYDRATOR FILTER 4305/2
1/4" MM sae length 119 mm \varnothing 52 mm
with solid cartridge - CODE INT.052
nominal cubature 80 cm³



FRIULINOX 995136

3160239 COPPER FILTER 15 g
2 ways - inlet 6.5 mm outlet 2.6 mm
 \varnothing 19 mm - length 120 mm



FRIULINOX 995376


4084078 COPPER FILTER 40 g
2 ways - inlet 6.5 mm outlet 3.2 mm
 \varnothing 24 mm - length 170 mm



FRIULINOX 995482


Gaskets for refrigerators

3186769 MIDDLE EDGED GASKET 390x198 mm




FRIULINOX 925016

3186081 MIDDLE EDGED GASKET 390x310 mm




FRIULINOX 925017

3786057 MIDDLE EDGED GASKET 414x390 mm



FRIULINOX 925018

3786058 MIDDLE EDGED GASKET 595x198 mm



FRIULINOX 925019





Suitable for:

Suitable for:

3786059 MIDDLE EDGED GASKET 595x306 mm

3786060 MIDDLE EDGED GASKET 595x414 mm





FRIULINOX 925020

FRIULINOX 925021

3786055 MIDDLE EDGED GASKET 634x390 mm

3786054 MIDDLE EDGED GASKET 634x465 mm





FRIULINOX 925013

FRIULINOX 925015

3786056 MIDDLE EDGED GASKET 634x595 mm

3186070 MIDDLE EDGED GASKET 770x670 mm





FRIULINOX 925014

FRIULINOX 935046

3786229 SNAP-IN DOOR GASKET 1190x550 mm

3786237 SNAP-IN DOOR GASKET 1525x690 mm



FRIULINOX FR935215



FRIULINOX 935215

FRIULINOX FR935306

FRIULINOX 935306

3786236 SNAP-IN DOOR GASKET 1570x670 mm

3786240 SNAP-IN DOOR GASKET 390x200 mm



FRIULINOX FR935185



FRIULINOX 935185

FRIULINOX FR925053

FRIULINOX 925053

3786233 SNAP-IN DOOR GASKET 407x296 mm

3786234 SNAP-IN DOOR GASKET 416x198 mm



FRIULINOX FR925158

FRIULINOX 925158

FRIULINOX FR925159

FRIULINOX 925159





Suitable for:

Suitable for:

5037465 SNAP-IN DOOR GASKET 600x405 mm

3786232 SNAP-IN DOOR GASKET 626x407 mm





FRIULINOX 925721

FRIULINOX FR925156

FRIULINOX 925156

3786239 SNAP-IN DOOR GASKET 630x390 mm

3786231 SNAP-IN DOOR GASKET 635x590 mm



FRIULINOX FR925052



FRIULINOX 925052

FRIULINOX FR925067

FRIULINOX 925067

3786230 SNAP-IN DOOR GASKET 640x430 mm

3786238 SNAP-IN DOOR GASKET 750x690 mm



FRIULINOX FR925104



FRIULINOX 925104

FRIULINOX FR935307

FRIULINOX 935307

3786235 SNAP-IN DOOR GASKET 770x670 mm

3786378 SNAP-IN GASKET 1512x642 mm





FRIULINOX FR935186

FRIULINOX 935186

FRIULINOX 935819

5051691 SNAP-IN GASKET 1535x585 mm

5022908 SNAP-IN GASKET 1570x615 mm





FRIULINOX 936087

FRIULINOX 935813

3786241 SNAP-IN GASKET 390x305 mm

3786275 SNAP-IN GASKET 393x192 mm



FRIULINOX FR925054

FRIULINOX 925054



FRIULINOX 925675

Suitable for:

Suitable for:

5037466 SNAP-IN GASKET 405x275 mm

3186511 SNAP-IN GASKET 410x185 mm





FRIULINOX 925722

FRIULINOX 925283

3186509 SNAP-IN GASKET 410x285 mm

3186976 SNAP-IN GASKET 420x390 mm



FRIULINOX 077FR925282



FRIULINOX 925282

FRIULINOX FR925055

FRIULINOX 925055

3786666 SNAP-IN GASKET 465x310 mm

3186583 SNAP-IN GASKET 485x290 mm





FRIULINOX 925043

FRIULINOX FR925315

FRIULINOX 925315

3186510 SNAP-IN GASKET 597x410 mm

5011490 SNAP-IN GASKET 600x420 mm





FRIULINOX 077FR925281

FRIULINOX 925281

FRIULINOX 925070

5000087 SNAP-IN GASKET 630x480 mm

3786690 SNAP-IN GASKET 710x420 mm




FRIULINOX FR925198

FRIULINOX 925198

FRIULINOX 996453

3786696 SNAP-IN GASKET 761x622 mm



FRIULINOX 935812



Suitable for:


FRIULINOX



Suitable for:

Gaskets in bundles

3286211 COLD ROOM GASKET - 24 m




FRIULINOX 945006

FRIULINOX 996077

FRIULINOX 996077-24MT

3286525 COLD ROOM GASKET - 6 m
grey color
dimensions 40x20 mm



FRIULINOX 945006

FRIULINOX 945006-6MT

FRIULINOX 996077

FRIULINOX 996077-6MT


Grids for oven

3185910 GRID PLASTIC-COATED GN 1/1 530x325 mm
grey colour



FRIULINOX 990028

3185050 GRID PLASTIC-COATED GN 2/1 650x530 mm
white colour



FRIULINOX 990230

3185152 GRID PLASTIC-COATED 600x400 mm



FRIULINOX 990026

3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm



FRIULINOX 990039


3185940 STAINLESS STEEL GRID 600x400 mm
thickness 7 mm



FRIULINOX 990040

Guard grids

3185093 FAN GRILL \varnothing 230 mm
height 27 mm
distance between mounting holes 266 mm



FRIULINOX 995442



Guides

3189934 RIGHT/LEFTHAND SHELF SLIDEWAYS 630x22 mm



FRIULINOX FR990029

FRIULINOX 990029

3189007 SLIDEWAYS COUPLE FOR GN2/1
dimension 650x22 mm



FRIULINOX FR990057

FRIULINOX 990057

Handles

3242740 CATCH 7225 WITH LOCK
with internal safety push-button
complete with strike hook 27/42 mm



FRIULINOX 945624

3242960 DOOR HANDLE RH-LH 1825
mounting distance 158 mm
plate dimensions 181x33 mm



FRIULINOX 945028

3242916 HANDLE CHROMED 5210-40
length 402 mm
distance between holes 376 mm
with black insert



FRIULINOX 935507

Heating elements

5066665 HEATING ELEMENT 350W 230V
dimensions 395x35 mm with cables 1500 mm



FRIULINOX 935143

3355955 HEATING ELEMENT 52W 230V
warm side length 4400 mm
cable length 1900+1900 mm



FRIULINOX FR935353

FRIULINOX 935353

3355956 HEATING ELEMENT 68W 230V
for half door
length 5800 mm



FRIULINOX 935354



Suitable for:

FRIULINOX



Suitable for:

Hinges, catches and accessories

5057089 LOWER HINGE



FRIULINOX 935178

3053956 LOWER HINGE LH



FRIULINOX FR935311

FRIULINOX 935311

3053955 LOWER HINGE RH



FRIULINOX FR6411550

FRIULINOX 6411550

FRIULINOX 935316

FRIULINOX 935310

5058363 LOWER HINGE RH KIT
pin \varnothing 8x110 mm



FRIULINOX FR965548

FRIULINOX 965548

3053257 LOWER HINGE RH-LH
with spring



FRIULINOX FR925273

FRIULINOX 925273

3053952 SLEEVE STAINLESS STEEL SPRING CATCH



FRIULINOX FR935318

FRIULINOX 935318

5011820 UPPER HINGE
pin \varnothing 6x9 mm



FRIULINOX FR6410880

FRIULINOX 925272

5054111 UPPER HINGE
pin \varnothing 16 mm thread M6



FRIULINOX FR935179

3053951 UPPER HINGE LH



FRIULINOX FR6410461

FRIULINOX 935309

3053952 SLEEVE STAINLESS STEEL SPRING CATCH



FRIULINOX FR935318

FRIULINOX 935318

3053950 UPPER HINGE RH



FRIULINOX FR6410451

FRIULINOX 6410451

FRIULINOX 935308

3053952 SLEEVE STAINLESS STEEL SPRING CATCH



FRIULINOX FR935318

FRIULINOX 935318



Suitable for:

5032762 SPRING RH \varnothing 15x127 mm

FRIULINOX

Suitable for:




FRIULINOX 935057

FRIULINOX 935696

FRIULINOX 936085

Incandescent lamps and neon lamps

3221041 LAMP E14 15W 230V
max temperature 300°C - \varnothing 22x50 mm



FRIULINOX 995412

Indicator lights

3221956 INDICATOR LIGHT ORANGE 230V
mounting hole 22x30 mm



FRIULINOX 995402

3221957 INDICATOR LIGHT RED 230V
mounting hole 22x30 mm



FRIULINOX 995269

Insulators

3180037 INSULATING SHELL FOR THERMOSTATIC VALVE
suitable against condensate and
ice formation



FRIULINOX FR995776

FRIULINOX 995776

Knobs

3241930 THERMOSTAT KNOB \varnothing 26 mm
hole \varnothing 6x4 mm



FRIULINOX FR995440

FRIULINOX 995440



Suitable for:

FRIULINOX



Suitable for:

Liquid and moisture indicators

3201014 MOISTURE INDICATORS 1/4"FM sae 3950/22



FRIULINOX 995423

Locks

3388917 COMPLETE LOCK
cylinder ø 19x20 mm



FRIULINOX 935356

3388916 LOCK COMPLETE
cylinder ø 19x39 mm



FRIULINOX 935400


Microswitches, mechanical

5021644 MICROSWITCH DEKA B20
1-NO 1-NC 2.5A 250V - 4.8x0.5 mm
white colour



FRIULINOX 936091

3240820 MICROSWITCH ELETTRICA NR48W 5
1NO + 1NC 16A 250V



FRIULINOX 995264

Motors

3240580 MOTORE EBM M4Q045-CA03-75 PENTAVALENT
230V 50/60Hz 10W 1300rpm



FRIULINOX 995525

3240211 MOTOR ELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10W 1300rpm



FRIULINOX 935630

Pressure switches

3320902 PRESSURE SWITCH 016-H6758 PED
for high pressure



FRIULINOX 995240



Pressure valves for refrigeration

- 3526551 PRESSURE VALVE V46AA-9609 G 3/8"**
 pressure range 5..23 bar
 capillary 750 mm with fitting 1/4" sae
 high pressure field to prevent from water hammer
 at low flow rate



FRIULINOX 995492

Probes

- 3445107 PTC PVC PROBE 3000 mm**
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



FRIULINOX 995500

FRIULINOX 995562

- 3445959 SILICONE PTC PROBE 5000 mm**
 temperature range -55+150°C
 bulb ø 6x40 mm



FRIULINOX 995571

Refrigerators capacitors


- 7106963 PANEL FILTERING 250x250 mm**



FRIULINOX 935015

Refrigerators evaporators

- 3123002 EVAPORATOR D70038 650x300x145 mm**
 for 1200 L



FRIULINOX FR6521660

FRIULINOX 6521660

FRIULINOX 935675

- 3123003 EVAPORATOR LUVATA D70037**
 500x300x135 mm
 for 600 L



FRIULINOX FR6521640

FRIULINOX 935674



Suitable for:

FRIULINOX



Suitable for:

5058369 EVAPORATOR SEST FU6525990Y
482x300x110 mm



FRIULINOX FR6525990

FRIULINOX 6525990

FRIULINOX 996511

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



FRIULINOX 995399

3351902 POWER RELAY NAIS HE1aN
240V
1 contact NO 30A



FRIULINOX 995345

Springs

5032514 SPRING LH \varnothing 15x127 mm



FRIULINOX FR936086

FRIULINOX 936086

5032762 SPRING RH \varnothing 15x127 mm



FRIULINOX 935057

FRIULINOX 935696

FRIULINOX 936085

Switches

3319944 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



FRIULINOX 995257

3319945 GREEN MONOPOLAR CHANGE OVER SW.16A 250V
16(4)A 250V
with independent yellow indicator light
max temperature 120°C
lead connector 6.35x0.8 mm
mounting hole 22x30 mm



FRIULINOX 995516



Tangential and radial motor fans

3240485 RADIAL FAN ASSY. EBM R2E190-A026-66
 230V 50/60Hz 58W 0.26A 2500rpm
 ø 190 mm - capacitor 2µF (not included)



FRIULINOX 996074

3526951 TANGENTIAL FAN 180 mm LEFT WITH CABLE
 230V 50/60Hz - ø 60 mm
 operating temperature -30°+40°C



FRIULINOX 995634

3526033 TANGENTIAL FAN 270 mm LEFT W/CABLE
 230V 50/60Hz - ø 60 mm
 operating temperature -30°+40°C



FRIULINOX 995773

3526025 TANGENTIAL FAN 300 mm RIGHT W/CABLE
 38W - 230V 50/60Hz - ø 60 mm
 T°max 60°C



FRIULINOX 935581


Thermostatic valves for refrigeration

3150001 VALVE THERMOSTATIC HONEYWELL TMV-00008
 gas R404a/R507
 with internal equalizer
 inlet 3/8"sae
 outlet 1/2"sae
 operating range -50°/0°C



FRIULINOX 995911

3150038 VALVE THERMOSTATIC HONEYWELL TMV-00009
 gas R404a/R507
 with internal equalizer
 inlet 3/8"sae
 outlet 1/2"sae
 operating range -50°/-27°C
 MOP -18°C



FRIULINOX 995771

Thermostats

3444801 THERMOSTAT F2000 +30+90°C
 3 contacts 10A 250V
 capillary 1500 mm
 bulb ø 6x115 mm



FRIULINOX 995574

3444993 THERMOSTAT F2000 -35+35°C
 3 contacts 10A 250V
 capillary 1500 mm
 bulb ø 6x115 mm



FRIULINOX 995921



Suitable for:

3444940 THERMOSTAT RANCO K22 L2557

3 contacts 6A 250V
capillary length 2250 mm
COLD -5°C. - WARM +13°C.



FRIULINOX FR6639240
FRIULINOX 995352

FRIULINOX FR995352

FRIULINOX 6639240

Suitable for:

3444916 THERMOSTAT RANCO K55 L5026

2 contacts 6A 250V
capillary 2000 mm
COLD -0.5°C - WARM +8.5°C
D shaft \varnothing 6x4.6 mm



FRIULINOX 995395

Timers

3446250 TIMER SANRONG SR3.82

230V 50Hz
2 contacts 16(6)A 250V
adjustable defrosting time from 1 to 12 (24h)
defrosting time 1-56 min
adjustable fan delay 0-15 min



FRIULINOX 995339

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



FRIULINOX 995252

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com