



# Spare parts for the professional sector: Commercial refrigeration



Suitable for:

# IARP



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*

Rel. 2018-02151715





Suitable for:

# IARP



Suitable for:

## Axial motor fans

**3340156 AXIAL FAN SUNON 120x120x25 mm**  
ball bearings  
230V 50/60Hz 19W 2150rpm  
DP201AT 2122HBT.GN



IARP 0221151

**3240503 AXIAL VENTILATOR SUNON 92x92x25 mm**  
ball bearings  
230V 50/60Hz 14,5W 2350rpm  
SF23092A 2092HBT.GN



IARP 0221007

## Compressors and spare parts

**3070270 COMPRESSOR EMBRACO EMT2117U CSIR**  
220/240V 50Hz  
power 1/5 Hp - displacement 4.50 cc  
gas R290 LBP  
ASPERA



IARP 0210895

**3070260 COMPRESSOR EMBRACO EMT2121U CSIR**  
220/240V 50/60Hz  
power 1/4 Hp, displacement 5.57 cc  
gas R290 LBP  
ASPERA



IARP 0210663

**3070267 COMPRESSOR EMBRACO EMT2125U CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 5.96 cc  
gas R290 LBP  
ASPERA



IARP 0210807

**3070261 COMPRESSOR EMBRACO EMT2130U CSIR**  
220/240V 50/60Hz  
power 1/3 Hp - displacement 6.74 cc  
gas R290 LBP  
ASPERA



IARP 0210963

**3070158 COMPRESSOR EMBRACO EMT50HDP RSIR**  
220/240V 50Hz  
power 1/6 Hp, displacement 4.50 cc  
gas R134a HMBP  
ASPERA



IARP 0210607

**3070162 COMPRESSOR EMBRACO EM65HHR CSIR**  
220/240V 50Hz  
power 1/6 Hp, displacement 5.54 cc  
gas R134a HMBP



IARP 0210611

**3070268 COMPRESSOR EMBRACO NEK2134U CSIR**  
 220/240V 50Hz  
 power 1/2 Hp, displacement 10.00 cc  
 gas R290 LBP  
 ASPERA



IARP 0210809



**3070259 COMPRESSOR EMBRACO NEK2150U CSIR**  
 220/240V 50Hz  
 power 1/2 Hp, displacement 13.54 cc  
 gas R290 LBP  
 ASPERA



IARP 0210557

**3070269 COMPRESSOR EMBRACO NEK2160U CSR**  
 220/240V 50Hz  
 power 5/8 Hp, displacement 16,80 cc  
 gas R290 LBP  
 ASPERA



IARP 0210951

IARP 21848031

**3070168 COMPRESSOR EMBRACO NT2168GK CSR**  
 220/240V 50Hz  
 power 3/4 Hp, displacement 14.40 cc  
 gas R404a/R507 LBP  
 ASPERA



IARP 0210861

**3070069 COMPRESSOR SECOP SC18G CSIR**  
 220/230V 50Hz  
 power 1/2 Hp - displacement 17.70 cc  
 gas R134a HMBP  
 104G8820-HST DANFOSS



IARP 0210109

**3070155 COMPRESSOR SECOP SC21G CSR**  
 220/230V 50Hz  
 power 5/8 Hp - displacement 20.95 cc  
 gas R134a HMBP  
 104G8140-HST DANFOSS



IARP 0210107

**Delaying devices**

**5055720 DELAYER EUREMA TIMERC**  
 230V



IARP 3302316

**5051952 TIMER DELAY SWITCH FTIMERB**  
 230V 50/60Hz



IARP 3302173



Suitable for:

# IARP

Suitable for:



## Door catches

**5023068 LATCH FOR DOOR C180**  
distance between holes 35x27 mm



IARP 0533007

## Electronic controllers

**3445293 CONTROLLER EUREMA TE11E**  
230V 50/60Hz  
1 relay output 16A for compressor  
front dimensions 63x31x58 mm  
mounting hole 25x58 mm



IARP 3304410

IARP 3306508

**5057236 CONTROLLER EUREMA TE32E\_18**  
for power supply and control relays. see module TE32POT, connection via multipolar cable.  
2 probe inputs (not included)  
1 door microswitch input  
mounting hole 25x58 mm



IARP 3303605

**3445294 DIGITAL THERMOMETER EUREMA TE01**  
230V 50/60Hz  
1 PTC probe (not included)  
front dimension 63x31x38 mm  
mounting hole 25x58 mm



IARP 0205115

**5060764 DIGITAL THERMOMETER EUREMA TE01DEF**  
230V 50/60Hz  
1 PTC probe (not included)  
1 dF input 230V  
with 10 min probe's inertia simulation  
front dimension 63x31x73 mm  
mounting hole 25x58 mm



IARP 3301028

**5052857 POWER MODULE SLAVE EUREMA TE32EPOT**  
230V  
3 relays (compressor-defrosting-fan)  
for REFRIGERATOR ABX400PV



IARP 3303038





## Feet


3313054 FOOT M10xh43 mm



IARP 0403014


## Gaskets for refrigerators

3186716 SNAP-IN GASKET 1390x585 mm  
for Display cabinet (IARP) VFP33




IARP 0313178

3186724 SNAP-IN GASKET 1391x634 mm  
for Display cabinet (IARP) EIS43 - STAR32 - STAR43  
VFP110  
for Refrigerated cupboard (IARP) EIS42 - EIS55  
STAR42 - STAR55




IARP 0313010

5028016 SNAP-IN GASKET 1515x717 mm




IARP 0313233

5031363 SNAP-IN GASKET 1525x720 mm  
for Refrigerated cupboard (IARP) ABX500PV - AB500N  
AB500PV  
for Refrigerated cupboard (IARP) ABX500V




IARP 0313220

3786147 SNAP-IN GASKET 1540x655 mm  
for Refrigerated cupboard (IARP) STOK140BT  
STOK70TN




IARP 0313221

3186722 SNAP-IN GASKET 1545x630 mm  
for Refrigerated cupboard (IARP) ABX700 - AB700




IARP 0313206

3186721 SNAP-IN GASKET 1550x730 mm  
for Refrigerated cupboard (IARP) ABX500 - AB500



IARP 0313200

3186723 SNAP-IN GASKET 1619x740 mm  
for Refrigerated cupboard (IARP) - Series EC  
Series EF



IARP 0313207




Suitable for:

# IARP




**5052559 SNAP-IN GASKET 1680x730 mm**  
for Refrigerated cupboard (IARP) AB600  
for Refrigerated cupboard (IARP) AB600P



IARP 0313291


Suitable for:

**5054126 SNAP-IN GASKET 1686x531 mm**  
for Refrigerated cupboard (IARP) AB400N




IARP 0313219

**3186719 SNAP-IN GASKET 1713x558 mm**  
for Display cabinet (IARP) EKO42 - RUGIADA 42 ST  
for Refrigerated cupboard (IARP) GOCCIA 42  
for Display cabinet (IARP) RUGIADA42S  
for Refrigerated cupboard (IARP) EKO42TCL




IARP 0313007

**3186720 SNAP-IN GASKET 1722x550 mm**  
for Refrigerated cupboard (IARP) ABX400 - AB400



IARP 0313205


**3186717 SNAP-IN GASKET 637x576 mm**  
for Display cabinet (IARP) K2



IARP 0313190


IARP 3300913

**5052553 SNAP-IN GASKET 640x595 mm**



IARP 0313196

**3186718 SNAP-IN GASKET 903x637 mm**  
for Display cabinet (IARP) K2



IARP 0313191

IARP 3300917


## Grids for oven

**3185050 GRID PLASTIC-COATED GN 2/1 650x530 mm**  
white colour



IARP 0427396

**3185163 GRID PLASTIC-COATED 440x429 mm**  
for Refrigerated cupboard (IARP) EIS28 - EIS315



IARP 0427598



Suitable for:


**3185164 GRID PLASTIC-COATED 455x360 mm**  
for Refrigerated cupboard (IARP) AB400N - AB400PV



IARP 0427222

Suitable for:

**3185165 GRID PLASTIC-COATED 490x385 mm**  
for Refrigerated cupboard (IARP) GOCCIA42




IARP 0427688

**3185162 GRID PLASTIC-COATED 510x429 mm**  
for Refrigerated cupboard (IARP) EKO42CL  
RUGIADA42




IARP 0427570

**3185167 GRID PLASTIC-COATED 526x418 mm**  
old series  
for Display cabinet (IARP) STAR32  
for Refrigerated cupboard (IARP) EIS32 - EIS42.2  
STAR42.2



IARP 0427743

**3185166 GRID PLASTIC-COATED 528x418 mm**  
for Refrigerated cupboard (IARP) EIS32



IARP 0427738

**3185171 GRID PLASTIC-COATED 532x390 mm**  
for Refrigerated cupboard (IARP) EIS34 - EIS45.2  
STAR45.2




IARP 0427744

**3185170 GRID PLASTIC-COATED 532x475 mm**  
for Refrigerated cupboard (IARP) EIS55.2  
STAR55.2




IARP 0427591

**3185173 GRID PLASTIC-COATED 556x480 mm**  
for Refrigerated cupboard (IARP) EIS104.2



IARP 0427740

**3185168 GRID PLASTIC-COATED 569x412 mm**  
for Refrigerated cupboard (IARP) EIS42.2  
STAR42.2



IARP 0427678

**3185169 GRID PLASTIC-COATED 633x503 mm**  
for Refrigerated cupboard (IARP) AB500N - AB500P  
AB500PV



IARP 0427137



Suitable for:

# IARP



**3185172 GRID PLASTIC-COATED 642x450 mm**  
for Refrigerated cupboard (IARP) ECX600P - EFX600N



IARP 0427000

**3185175 GRID PLASTIC-COATED 649x538 mm**  
for Refrigerated cupboard (IARP) AB600N - AB600P  
AB600PV



IARP 0427709

**3185176 GRID PLASTIC-COATED 650x532 mm**  
for Refrigerated cupboard (IARP) AB700N - AB700P



IARP 0427663

## Handles


**5051972 BUILT-IN HANDLE BLUE 163 mm**



IARP 3302797

## Heating elements

**5057143 HEATING ELEMENT 1000W 230V**  
dimensiones 450x290x170 mm



IARP 3304769

**3355877 HEATING ELEMENT 170W 230V**  
length 490 mm - width 70 mm  
height 100 mm



IARP 3602882

**3455030 HEATING ELEMENT 233W 230V**  
length 195 mm - width 130 mm  
height 170 mm  
for condensate evaporator  
for Refrigerated cupboard (IARP) GEMMA - INPULS  
PUNTO FRESCO



IARP 0205376

**3455031 HEATING ELEMENT 500W 230V**  
length 500 mm - width 120 mm  
height 80 mm  
for Refrigerated cupboard (IARP) EIS45 - EIS55  
STOK45 - STOK55



IARP 0205292





## Hinges, catches and accessories

**7101670 HINGE 152x48 mm**  
for Chest freezer (IARP) - Series CF



IARP 0415032

**5055911 LOWER DOOR HINGE**  
pin  $\varnothing$  14 mm - length 72 mm



IARP 10530018

IARP 0530018

**5031362 LOWER HINGE ZAMA BLACK**  
pin  $\varnothing$  12x13 mm



IARP 0415098

**5048471 LOWER HINGE ZAMA BLACK**  
pin  $\varnothing$  7x11 mm



IARP 0415008

**5052822 SLEEVE FOR HINGE SPRING HOLDER**  
external  $\varnothing$  18 mm - overall length 98 mm



IARP 3305298

**5025690 PIN  $\varnothing$  7x115.5 mm**  
for Display cabinet (IARP) EIS42 - EIS45



IARP 0530054

**5025691 SPRING RH  $\varnothing$  15x125 mm**  
for Display cabinet (IARP) EIS42 - EIS45



IARP 0541012

**5025681 UPPER HINGE RH**  
pin  $\varnothing$  7 mm  
for Refrigerated cupboard (IARP) STAR 42.2



IARP 0415134

**5053622 UPPER HINGE RH**  
pin  $\varnothing$  7x10.5 mm  
for Refrigerated cupboard (IARP) - Series ASTRA



IARP 0415102



Suitable for:

# IARP



**5056165 UPPER HINGE RH BLACK**  
pin  $\varnothing$  12x13.5 mm  
for Refrigerated cupboard (IARP) ABX700  
for Refrigerated cupboard (IARP) ABX700



IARP 0415001

**5022180 UPPER HINGE RH/LH**  
pin  $\varnothing$  7 mm  
for Display cabinet (IARP) EIS33



IARP 0415004

**5047215 UPPER HINGE ZAMA BLACK**  
pin  $\varnothing$  12x12.5 mm  
for Refrigerated cupboard (IARP) ABX500



IARP 0415076

## Indicator lights

**3221012 INDICATOR LIGHT GREEN 230V**  
mounting hole 22x30 mm - 105°C  
universal application



IARP 0200008

## Locks

**5025503 DOOR LOCK COMPLETE**  
cylinder  $\varnothing$  19x20 mm



IARP 0423001




## Measuring tools

- 3394230 DIGITAL THERMOMETER -50+70°C WHITE**  
 precision  $\pm 1^{\circ}\text{C}$   
 measuring frequency: every 10 seconds  
 lithium powered battery 1x1.5V "LR44"  
 probe with polycarbonate cable 1000 mm  
 bulb  $\varnothing 6 \times 30$  mm  
 EC approved  
 snap-in mounting with 45x25 mm hole



IARP 3302476

- 3394260 WALL THERMOMETER -40+40°C**  
 dimensions 174x30 mm  
 fastening mounting distance 163 mm



IARP 0406041

## Microswitches, mechanical


- 3390243 LEVEL SWITCH VERTICAL L143 WITH CABLE**  
 1 contact NO-NC 250V 50W 1A  
 mounting hole  $\varnothing 12$  mm



IARP 3300790

IARP 3301779

- 3240864 MICROSWITCH ARCOLECTRIC C3006 DX**  
 1-NO 0.3A 250V  
 white colour  
 for Refrigerated cupboard (IARP) - Series AB  
 Series STAR



IARP 0202070

- 5052973 MICROSWITCH ELTEK 100256.03**  
 1-NO 1-NC 0.25A 250V - pin 24 mm  
 white colour



IARP 0202097

- 3240863 MICROSWITCH ELTEK 1051.03**  
 1-NC 0.25A 250V  
 white colour  
 for Refrigerated cupboard (IARP) STOCK



IARP 0202054

- 3240862 MICROSWITCH PIZZATO MV10**  
 1-NO + 1-NC 16A 250V  
 for Refrigerated cupboard (IARP) ECX600 - EFX600



IARP 0202031

- 3803107 MICROSWITCH ROLD VRSRB1DA1**  
 1NO+1NC 16A 250V  
 with lever 50x5 mm



IARP I0202106

IARP 0202106



Suitable for:

# IARP



Suitable for:

## Motors

**3340167 ELECTRONIC MOTOR ELCO ECM 20-25**  
230V 50/60Hz 25W 1400rpm  
with bearings



IARP 0220088

**3340111 MOTOR ELCO 16W WITH BEARINGS**  
230V 50/60Hz 1300rpm 16W  
forward, backward fastening  
with 2 screws M4 26mm




IARP 0221140

**3340168 MOTOR ELECTRONIC ELCO ECM 12**  
230V 50/60Hz 9/14W 0.12A 1400rpm IP65



IARP 0220087

**3240865 MOTOR FIME C09R1868**  
230V 50/60Hz 5W



IARP 0221122

## Pins

**5025690 PIN  $\varnothing$  7x115.5 mm**  
for Display cabinet (IARP) EIS42 - EIS45



IARP 0530054


## Refrigerators evaporators

**7114713 EVAPORATOR SEST 20T 4R**  
540x45x85 mm  
for Refrigerated cupboard (IARP) EIS45.2



IARP 0119136

**3123098 EVAPORATOR 16T 4R 450x105x90 mm**  
for Display cabinet (IARP) EKO42 - VFP32



IARP 10119172


IARP 0119172

**3123078 ROLL BOND EVAPORATOR**  
sizes 530x420 mm  
complete with capillary 0.8x2200 mm  
for Display cabinet (IARP) EIS10V



IARP 0119135

**3123079 ROLL BOND EVAPORATOR**  
sizes 430x340 mm  
complete with capillary 0.8x3700 mm  
for Display cabinet (IARP) FRIGOBAR2001




IARP 0119154



Suitable for:

**3123080 ROLL BOND EVAPORATOR**  
 sizes 390x325 mm  
 complete with capillary 0.66x2500 mm  
 for Display cabinet (IARP) EIS8



IARP 0119189

Suitable for:

**3123082 ROLL BOND EVAPORATOR**  
 sizes 1185x305 mm  
 complete with capillary  
 for Refrigerated cupboard (IARP) ABX700P



IARP 0119031


## Relays

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
 230V 50/60Hz  
 2 exchange contacts 16A



IARP 3301895

**7112697 POWER RELAY OMRON G7L-1A-TUB**  
 230V 50Hz  
 1 contact NO 25A  
 for Display cabinet electric (IARP) GEMMA 120



IARP 3300702

**1351021 POWER-RELAY OMRON G7L-2A-TUB**  
 230V 50Hz  
 2 contacts NO 25A



IARP 3301814

## Rings

**3240970 RING  $\varnothing$  200 mm**  
 external  $\varnothing$  246 mm  
 internal  $\varnothing$  206 mm



IARP 0221116



Suitable for:

# IARP



Suitable for:

## Solenoid valves

**3120207** COIL DANFOSS 230V 50/60Hz 10W WITH CABLE  
018F6282



IARP 3303462

**3120338** SOLENOID VALVE DANFOSS EVR 3 ø 6 mm  
NC  
nominal orifice ø 3.2 mm



IARP 0189035

**3120339** SOLENOID VALVE DANFOSS EVR 6 ø 10 mm  
NC  
nominal orifice ø 6 mm



IARP 0189036

**3120337** SOLENOID VALVE EVR 6 ø 10 mm NO  
32F1295



IARP 0189037

## Springs

**5025691** SPRING RH ø 15x125 mm  
for Display cabinet (IARP) EIS42 - EIS45



IARP 0541012

## Supports

**3391034** ROLL HOLDER BRACKET



IARP 0542037

## Telethermometers

**3441077** TELE-THERMOMETER ø 52 mm -40+40°C  
capillary 1500 mm  
bulb ø 6x50 mm



IARP 0406042

**3441078** TELE-THERMOMETER ROF88 -40+40°C  
dimensions 58x25 mm  
covered capillary 2000 mm  
bulb ø 6x30 mm




IARP 0406038



## Thermostats

**5090108 BULB PROTECTION FOR THERMOSTAT**  
115x35 mm



IARP 0408013

**5090109 BULB PROTECTION FOR THERMOSTAT ø 60 mm**



IARP 0408001

**3744108 DANFOSS THERMOSTAT 077B-3379**  
insulated contacts EBD 6A 250V  
capillary 1500 mm  
COLD +0°C - WARM +10°C - DT 4°C  
D-shaped pin ø 6x4.6 mm



IARP 0225181

**3444858 END-DEFROSTING THERMOSTAT L10-10C**  
+6°-3°C



IARP 3301567

**3744109 RANCO THERMOSTAT K50 BS3492**  
insulated contacts EBD 6A 250V  
capillary 2500 mm  
COLD -26°C - WARM -19°C - DT 3°C  
D-shaped pin ø 6x4.6 mm



IARP 3304724

**3444824 SAFETY THERMOSTAT LM7-P5121 120°C**  
2 contacts  
capillary length 1500 mm  
spiral bulb ø 6.3x60 mm  
with manual reset push button  
for Refrigerated cupboard (IARP) SUABA200



IARP 3303443

**3444866 THERMOSTAT DANFOSS 077B-0345**  
3 contacts 6A 250V  
capillary 1200 mm  
COLD -10°C - WARM +7°C - DT12°C  
D-shaft ø 6 x 4.6 mm  
for Refrigerated cupboard (IARP) - Series EKO  
Series GOCCIA - Series RUGIADA  
for Refrigerated cupboard (IARP) EKO42S - EKO42S  
RUGIADA42S



IARP 3304195

**3444873 THERMOSTAT DANFOSS 077B-2397**  
3 contacts 6A 250V  
capillary 1500 mm  
COLD -32°C - WARM -10.5°C - DT8°C  
D-shaft ø 6 x 4.6 mm  
Alternative Ranco K22 P1351



IARP 0225095

IARP 3305084



Suitable for:

# IARP




**3444859 THERMOSTAT DANFOSS 077B-3317**  
 3 protected contacts EBD 6A 250V  
 capillary 2000 mm  
 COLD -30°C - WARM -18°C - DT6°C  
 D-shaped pin ø 6x4.6 mm  
 Alternative Ranco K22 P1350 - Danfoss 077B-0437  
 for Refrigerated cupboard (IARP) EIS45 - EIS55  
 STAR45 - STAR55



IARP 0225093

IARP 0225178

**3744139 THERMOSTAT DANFOSS 077B-3358**  
 3 protected contacts EBD 6A 250V  
 capillary 2000 mm  
 COLD -30°C - WARM -18°C - DT6°C



IARP 0225180


**3444871 THERMOSTAT DANFOSS 077B-3374**  
 2 protected contacts EBD 6A 250V  
 capillary 1000 mm  
 COLD -4.5°C - WARM +7.5°C - DT6°C  
 D-shaped pin ø 6x4.6 mm  
 alternative Ranco K50 L3319  
 for Refrigerated cupboard (IARP) EIS28COCACOLA  
 EIS315COCACOLA



IARP 0225088

IARP 3306115

**3444868 THERMOSTAT DANFOSS 077B-3517**  
 3 contacts 6A 250V  
 capillary 900 mm  
 for fixed end-defrosting  
 Alternative Ranco K50 L7201  
 for Refrigerated cupboard (IARP) EIS104 - EIS32  
 EIS42 - STAR42 - STAR52



IARP 0225081


IARP 0225185

**3444869 THERMOSTAT RANCO K22 L1067**  
 3 contacts 6A 250V  
 capillary 1500 mm  
 COLD -34°C - WARM -10°C - DT3.5°C  
 D-shaft ø 6 x 4.6 mm  
 for Refrigerated cupboard (IARP) STOK140 - STOK70



IARP 0225008

**3444877 THERMOSTAT RANCO K22 L1089**  
 3 contacts 6A 250V  
 capillary 1200 mm  
 COLD -35°C - WARM -10°C - DT10°C  
 D-shaft ø 6 x 4.6 mm  
 for ALGIDA




IARP 3304124

**3444863 THERMOSTAT RANCO K22 L2086**  
 3 contacts 6A 250V  
 capillary 2500 mm  
 COLD -30°C - WARM -18°C - DT5°C  
 D-shaped pin ø 6x4.6 mm  
 same as K50L3452  
 for Display cabinet refrigerated (IARP)



IARP 0225104

**3444876 THERMOSTAT RANCO K22 L2088**  
 3 contacts 6A 250V  
 capillary 2500 mm  
 COLD -20°C - WARM -10°C - DT3.5°C  
 D-shaft ø 6 x 4.6 mm  
 for semifreddo



IARP 0225105




**3444874 THERMOSTAT RANCO K22 L8103**  
 3 contacts 6A 250V  
 capillary 1500 mm  
 COLD -5°C - WARM +10°C - DT3°C  
 D-shaft ø 6 x 4.6 mm  
 for Refrigerated cupboard (IARP) AB400 - AB500  
 AB600



IARP 3304241

**3444867 THERMOSTAT RANCO K50 BS3528**  
 2 contacts 6A 250V  
 capillary 800 mm  
 COLD -1.5°C - WARM +14°C - DT3.5°C  
 D-shaped pin ø 6 x 4.6 mm  
 for drinks refrigerator  
 Alternatively K50 L3284  
 for Refrigerated cupboard (IARP)



IARP 0225010

IARP 0225186

**3444875 THERMOSTAT RANCO K50 L3210**  
 2 contacts 6A 250V  
 capillary 2500 mm  
 COLD -30°C - WARM -23°C - DT6°C  
 D-shaft ø 6 x 4.6 mm  
 for Refrigerated cupboard (IARP) AB400 - AB500  
 AB600




IARP 3301323

**3444878 THERMOSTAT RANCO K50 L3313**  
 2 contacts 6A 250V  
 capillary 1500 mm  
 D-shaft ø 6 x 4.6 mm  
 for Coca Cola FRESH POINT  
 alternative 077B1032  
 for Display cabinet refrigerated (IARP)




IARP 3300683

**3444870 THERMOSTAT RANCO K50 L3337**  
 2 contacts 6A 250V  
 capillary 1500 mm  
 COLD 0°C - WARM +10°C - DT4°C  
 D-shaft ø 6 x 4.6 mm  
 for Refrigerated cupboard (IARP) ARMONYHEINEKEN  
 for Refrigerated cupboard (IARP) AB600P



IARP 0225090

**3444865 THERMOSTAT RANCO K50 L3425**  
 2 contacts 6A 250V  
 capillary 1000 mm  
 COLD -30°C - WARM -10°C - DT3.5°C  
 D-shaft ø 6 x 4.6 mm  
 for ice cream showcase, conservation unit  
 for Display cabinet refrigerated (IARP)




IARP 3303610

**3444862 THERMOSTAT RANCO K50 P1560**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD -5°C - WARM +12°C - DT9°C  
 D-shaft ø 6 x 4.6 mm  
 for Display cabinet refrigerated (IARP)  
 Series GEMMA - Series SHELLY



IARP 0225113

**3444861 THERMOSTAT RANCO K50 S3488**  
 2 contacts 6A 250V  
 capillary 800 mm  
 COLD +1°C - WARM +19°C - DT3.5°C  
 D-shaft ø 6 x 4.6 mm



IARP 3304611




Suitable for:

# IARP




**3444872 THERMOSTAT RANCO K50B S3532**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD -8°C - WARM +9.5°C - DT9°C  
 D-shaft  $\varnothing$  6 x 4.6 mm  
 for Display cabinet refrigerated (IARP)  
 Series JAZZ



IARP 0225189

IARP 3305974

**3444860 THERMOSTAT RANCO K54 L1870**  
 3 contacts 6A 250V  
 capillary 1000 mm  
 COLD -29°C - WARM -19°C - DT5.4°C  
 D-shaft  $\varnothing$  6 x 4.6 mm  
 for shaft freezer with alarm




IARP 0225009

**3444864 THERMOSTAT RANCO K55 P5458**  
 2 contacts 6A 250V  
 capillary 2500 mm  
 COLD -28°C - WARM -12°C - DT3,5°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for ice cream cabinet, display unit  
 for Display cabinet refrigerated (IARP)



IARP 3301898

**5079287 THERMOSTAT 077B-3537**  
 protect contacts EBD 6A 250V  
 capillary 700 mm  
 COLD -40°C - WARM -21°C DT 11°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




IARP I0225190

IARP 0225190

## Timers

**5093092 TEMPORIZZATORE PARAGON XC2001-21**  
 230V 50Hz  
 8h - 20min



IARP 3304940

**5082089 TIMER CDC 4901F1 1 CAM**  
 230V 50/60Hz  
 6h - 22.5min



IARP 3301489

IARP 42661000

**3322295 TIMER CDC 4902F1 2 CAMS**  
 230V 50/60HZ  
 12h - 22,5 min  
 for Refrigerated cupboard (IARP)



IARP 0226001

IARP 43588000

**3322297 TIMER CDC 4902F1 2 CAMS**  
 230V 50/60HZ  
 12h - 16.5 min  
 for Refrigerated cupboard (IARP)



IARP I3306880

IARP 3302004




# IARP



Suitable for:

**5052567** **TIMER CDC 4902F1 2 CAMS**  
230V 50/60hz  
6h - 24.5min  
for Refrigerated cupboard (IARP) SHELLY120M




IARP 3300977

IARP 3306875

Suitable for:


**3322296** **TIMER D94.44L 1 CAM**  
230V 50/60Hz  
6h - 12.5min  
for Refrigerated cupboard (IARP)



IARP 3301867

IARP 3306873

**3322239** **TIMER PARAGON RZ-2001-21**  
230V 50Hz  
cycle 4h 15min



IARP 3300736

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)