



## Spare parts for the professional sector: **Commercial refrigeration**



Suitable for:

# INTERTECNICA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*





Suitable for:

# INTERTECNICA



Suitable for:

## Compensation valves for refrigeration

**3526804 COMPENSATION VALVE ELEBAR/BT**  
length without flange 147 mm -  $\varnothing$  80 mm  
for negative temperature  
with heating element 16W 230V



INTERTECNICA R017963

**3526801 COMPENSATION VALVE ELEBAR/TN**  
length without flange 147 mm -  $\varnothing$  80 mm  
for positive temperature  
without heating element



INTERTECNICA R012310

**3150079 COMPENSATION VALVE MICROELEBAR**  
hole  $\varnothing$  21 mm



INTERTECNICA R018589

**3526800 COMPENSATION VALVE MINI EL/TN**  
length without flange 62mm -  $\varnothing$  60 mm  
for positive temperature  
without heating element



INTERTECNICA R012308


**3150078 MINI EL/BT COMPENSATION VALVE**  
extensible length without flange 92/152 mm  
 $\varnothing$  67 mm  
for negative temperature  
with heating element 7W 230V



INTERTECNICA R020334

## Door catches

**5023068 LATCH FOR DOOR C180**  
distance between holes 35x27 mm



INTERTECNICA R000885

INTERTECNICA R000885+R001792

INTERTECNICA R001792

## Handles

**3242982 ADDITIONAL RELEASE 075**  
122x44x59 mm




INTERTECNICA R018862

**3242959 ADDITIONAL RELEASE 1875**  
mounting distance 158 mm  
dimensions 181x33 mm



INTERTECNICA R017529

**3242983 ADJUSTABLE CLAMP**



INTERTECNICA R019020

**3242530 CATCH WITH LOCK 2225 RH/LH**  
with internal handle  
with lock release device



INTERTECNICA R018868

**3242983 ADJUSTABLE CLAMP**



INTERTECNICA R019020

**3242740 CATCH 7225 WITH LOCK**  
with internal safety push-button  
complete with strike hook 27/42 mm



INTERTECNICA R020544

**3242763 KIT 7000 DOOR THICKNESS 110/129 mm**



INTERTECNICA R020393

**3242760 KIT 7000 DOOR THICKNESS 50/69 mm**



INTERTECNICA R020392

**3242761 KIT 7000 DOOR THICKNESS 70/89 mm**



INTERTECNICA R020328



Suitable for:

**3242762 KIT 7000 DOOR THICKNESS 90/109 mm**



INTERTECNICA R020329

**3242742 STRIKE SHIM 57/72 mm**



INTERTECNICA R020321

**3242744 STRIKE SHIM 87/102 mm**



INTERTECNICA R020323

**3242720 DOOR CATCH 4225 RIGHTHAND**



INTERTECNICA R019386

**3242721 DOOR SHIM KIT 60/80 mm**



INTERTECNICA R019378

**3242960 DOOR HANDLE RH-LH 1825**  
mounting distance 158 mm  
plate dimensions 181x33 mm



INTERTECNICA R017480

# INTERTECNICA



Suitable for:

**3242741 STRIKE SHIM 42/57 mm**



INTERTECNICA R020320

**3242743 STRIKE SHIM 72/87 mm**



INTERTECNICA R020322

**3242723 DOOR SHIM KIT 101/120 mm**



INTERTECNICA R019380

**3242722 DOOR SHIM KIT 81/100 mm**



INTERTECNICA R019379


**3242723 DOOR SHIM KIT 101/120 mm**



INTERTECNICA R019380

Suitable for:

**3242537 DOOR SHIM KIT 50/60 mm**



INTERTECNICA R020497

Suitable for:

**3242721 DOOR SHIM KIT 60/80 mm**



INTERTECNICA R019378

**3242538 DOOR SHIM KIT 61/80 mm**



INTERTECNICA R020499

**3242539 DOOR SHIM KIT 81/100 mm**



INTERTECNICA R020501

**3242722 DOOR SHIM KIT 81/100 mm**



INTERTECNICA R019379

**3242923 HANDLE 8730 PLASTIC BLACK**  
length 276 mm - height 40 mm  
mounting distance 226 mm  
with aluminium insert



INTERTECNICA R015417

INTERTECNICA R015417+R015418

INTERTECNICA R015418

**3242924 HANDLE 8745 PLASTIC BLACK**  
length 426 mm - height 40 mm  
mounting distance 376 mm  
with aluminium insert



INTERTECNICA R015419

INTERTECNICA R015419+R015420

INTERTECNICA R015420

**3242281 INTERNAL SECURITY HANDLE 2700**  
length 300 mm  
mounting distance 65x35 mm



INTERTECNICA R018865

**3242763 KIT 7000 DOOR THICKNESS 110/129 mm**



INTERTECNICA R020393

**3242760 KIT 7000 DOOR THICKNESS 50/69 mm**



INTERTECNICA R020392

**3242761 KIT 7000 DOOR THICKNESS 70/89 mm**



INTERTECNICA R020328

**3242762 KIT 7000 DOOR THICKNESS 90/109 mm**



INTERTECNICA R020329




Suitable for:

# INTERTECNICA



**3242948 LH-RH CATCH WITH LOCK 795 CR**  
 straight handgrip  
 base length 150x30x40.5h mm  
 mounting distance 133 mm  
 adjustable catch between 9 and 22 mm



INTERTECNICA R011408

**3242949 LH-RH CATCH WITH LOCK 796 CR**  
 curved handgrip  
 base length 150x30x40.5h mm  
 mounting distance 133 mm  
 adjustable catch between 9 and 22 mm



INTERTECNICA R011537

**3242583 LH-RH CATCH WITH LOCK 885 CR**  
 straight handgrip  
 base length 122x28x35h mm  
 mounting distance 104 mm  
 adjustable catch mounting distance 31 mm



INTERTECNICA R017403

**3242582 LH-RH CATCH WITH LOCK 885 PV**  
 black plastic straight handgrip  
 base length 122x28x35h mm  
 mounting distance 104 mm  
 adjustable catch mounting distance 31 mm



INTERTECNICA R017404

**3242946 LOCKING HANDLE RH/LH W/OUT KEYLOCK 790CR**  
 straight handle  
 base length 254x30 mm  
 mounting distance 133 mm  
 adjustable catch between 9 and 22 mm



INTERTECNICA R011407

**3242947 LOCKING HANDLE RH/LH W/OUT LOCK 791 CR**  
 curved handle  
 length 254x30 mm - mounting distance 133 mm  
 adjustable catch between 9 and 22 mm



INTERTECNICA R018802

**3242536 LOCKING HANDLE 5325AB**  
 dimensions 195.5x147.3xh39 mm



INTERTECNICA R020496

**3242537 DOOR SHIM KIT 50/60 mm**



INTERTECNICA R020497

**3242538 DOOR SHIM KIT 61/80 mm**



INTERTECNICA R020499

**3242539 DOOR SHIM KIT 81/100 mm**



INTERTECNICA R020501



Suitable for:

**3242581 RH-LH CATCH WITHOUT LOCK 880 PV**  
 black plastic straight handgrip  
 base length 122x28x35h mm  
 mounting distance 104 mm  
 adjustable catch mounting distance 31 mm



INTERTECNICA R017402

Suitable for:

**3242731 RH-LH CELL HANDLE WITHOUT LOCK 3025**  
 dimensions 200x39x59 mm



INTERTECNICA R020269

**3242981 RH-LH HANDLE FOR COLD R. W/OUT LOCK 2025**  
 dimensions 197x44x59 mm



INTERTECNICA R018866

**3242741 STRIKE SHIM 42/57 mm**



INTERTECNICA R020320

**3242742 STRIKE SHIM 57/72 mm**



INTERTECNICA R020321

**3242743 STRIKE SHIM 72/87 mm**



INTERTECNICA R020322

**3242744 STRIKE SHIM 87/102 mm**



INTERTECNICA R020323

**3242706 WHITE ABS HANDLE**  
 horizontal and vertical application  
 external mounting  
 dimensions 160x60 mm  
 distance between mounting holes 133 mm



INTERTECNICA R018515

## Hinges, catches and accessories

**3053908 BRACKET LOWER FOR DOOR 22x22 mm**



INTERTECNICA R020268

INTERTECNICA R020411

**3053640 HINGE SHIM SERIES 2900**  
 00 (stackable)



INTERTECNICA R020606



Suitable for:

# INTERTECNICA



**3053633 HINGE 2510B WITH RAMP**  
 interchangeability rh-lh  
 door retainer 55-66 mm  
 with horizontal adjustment  $\pm 2$  mm  
 with vertical adjustment  $\pm 5$  mm



INTERTECNICA R018888

**3053634 HINGE 2530MB WITH RAMP**  
 interchangeability rh-lh  
 door retainer 67-90 mm  
 with vertical adjustment  $\pm 5$  mm




INTERTECNICA R018858

**3053635 HINGE 2650 WITH RAMP**  
 interchangeability rh-lh  
 door retainer 63-90 mm



INTERTECNICA R020432

**3053636 HINGE 2810RV4 WITH RAMP**  
 reversibility rh-lh  
 door retainer 48-62 mm  
 retainer with 1 shim 58-82 mm  
 vertical adjustment  $\pm 4$  mm  
 horizontal adjustment  $\pm 6$  mm  
 depth  $\pm 6$  mm



INTERTECNICA R020570

**3053637 HINGE 2830RV WITH RAMP**  
 reversibility rh-lh  
 door retainer 65-90 mm  
 retainer with 1 shim 75-110 mm  
 retainer with 2 shims 85-130 mm  
 vertical adjustment  $\pm 8$  mm  
 horizontal adjustment  $\pm 5$  mm  
 depth  $\pm 3.5$  mm



INTERTECNICA R020377

**3053638 HINGE 2930RV WITH RAMP**  
 reversibility rh-lh  
 door retainer 67-90 mm  
 retainer with 1 shim 77-110 mm  
 retainer with 2 shims 87-130 mm  
 with vertical adjustment 24 mm



INTERTECNICA R020604

**3053640 HINGE SHIM SERIES 2900**  
 00 (stackable)



INTERTECNICA R020606





# INTERTECNICA



Suitable for:

**3053639 HINGE 2950RV WITH RAMP**  
reversibility rh-lh  
door retainer 78-112 mm  
retainer with 1 shim 88-132 mm  
retainer with 2 shims 98-152 mm  
with vertical adjustment 24 mm



Suitable for:

**3053640 HINGE SHIM SERIES 2900**  
00 (stackable)



INTERTECNICA R020689

**3053920 LONG PIN HINGE INTERTECNICA 28L**  
with square pin 7.5 mm



INTERTECNICA R020109

INTERTECNICA R020606

**3053930 SHORT PIN HINGE INTERTECNICA 28XC**  
with square pin 7.5 mm



INTERTECNICA R020266

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [export@lfspareparts.com](mailto:export@lfspareparts.com)
- LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [info@lfspareparts.com](mailto:info@lfspareparts.com)
- EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com) - [epgc@epgc.com](mailto:epgc@epgc.com)
- LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de) - [info@lfersatzteile.de](mailto:info@lfersatzteile.de)
- LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [china@lfspareparts.com](mailto:china@lfspareparts.com)
- OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru) - [info@lfspareparts.ru](mailto:info@lfspareparts.ru)
- LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es) - [info@lfrepuestos.es](mailto:info@lfrepuestos.es)
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**  
Nupark, 51 - 7500 Holstebro  
Tel. +45 70 70 77 33  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk) - [denmark@lfspareparts.dk](mailto:denmark@lfspareparts.dk)
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch) - [info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
- LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk) - [info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- LF Central Est Europe S.r.o. CZECH REPUBLIC**  
Antala Staska 1859/34  
14000 Praha 4 - KRC  
Tel. +420 730 156 910  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz) - [info@lfspareparts.cz](mailto:info@lfspareparts.cz)
- LF SPARE PARTS INC. USA**  
Legal address:  
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301  
Business/Mailing address:  
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA  
Tel. +1-404-525-2600 - Fax +1-404-586-3528  
[www.lfspareparts724.us](http://www.lfspareparts724.us) - [info@lfspareparts.us](mailto:info@lfspareparts.us)  
Tel. West Coast and Midwest: 206-349-1525 Sauro  
Tel. East Coast and the Caribbean: 786-817-1764 Luis
- 
- AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
- AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
- BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
- BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
- LATIN AMERICA AND THE CARRIBEANS**  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[export@lfrepuestos.es](mailto:export@lfrepuestos.es)
- POLAND**  
[www.lfspareparts724.pl](http://www.lfspareparts724.pl)  
[info@lfspareparts.pl](mailto:info@lfspareparts.pl)
- SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
- TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)