



Spare parts for:

Cooking equipment



Suitable for:

KOMEL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

KOMEL



Suitable for:

Bulb sheathes

3786499 SHEATH FOR THERMOSTAT

for Fryer gas (ELFRAMO) GBD10 - GB10 - GSDT12
GSDT20 - GST12 - GST20 - GWDT12 - GWDT20
GWD12 - GWD12ELT - GWD20 - GWD20ELT - GWT12
GWT20 - GW12 - GW12ELT - GW20 - GW20ELT
GW209T



KOMEL 00038584

3187016

3-BULBS STAINLESS STEEL SHEATH

ø 3/4-length: 130mm
complete with fixing nut
for Fryer (ELFRAMO)
for Fryer (KOMEL)



KOMEL 00030500

KOMEL 00030502

KOMEL 00035827

Cables for piezo igniters

3001068 IGNITION LEAD 600 m

with faston ø 3 mm for ignition
with faston ø 3 mm for electrode
for Fryer gas (ELFRAMO) GBD10 - GB10 - GMD2532
GMD2542 - GM2532 - GM2542 - GWD12 - GWD20
GW12 - GW20



KOMEL 30140002

3001002

SIT IGNITION LEAD 1000 mm

with faston 6.35x0.8 mm ignition
with faston ø 4 mm for electrode
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



KOMEL

Capacitors

3068016 CAPACITOR µF 10 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



KOMEL 24100009

3068024

CAPACITOR µF 16 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



KOMEL 24100004

3068010 CAPACITOR µF 6.3 450V 50/60Hz

operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



KOMEL 24100001



Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
for hoses \varnothing 7÷7.5 mm



KOMEL 00003751

KOMEL 05110001

3449462 HOSE CLAMP 12-20
for hoses \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7



KOMEL 05110007

3449452 HOSE CLAMP 16-25
for hoses \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7



KOMEL 05100001

KOMEL 352A

KOMEL 5100001

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7



KOMEL 00003621

KOMEL 05100005

KOMEL 362A

3449454 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7



KOMEL 05100011

3449474 HOSE CLAMP 50-70
for hoses \varnothing 50÷70 mm
made of stainless steel AISI 304
height 12 mm and screw E7



KOMEL 00004051

KOMEL 05100004

3168002 HOSE CLAMP 68-85
for hoses \varnothing 68÷85 mm
made of stainless steel AISI 304
height 9 mm and screw E7



KOMEL 00004072

KOMEL 05100008

3449461 HOSE CLAMP 8-12
for hoses \varnothing 8÷12 mm
made of stainless steel AISI 304
height 9 mm and screw E7



KOMEL 05100006

KOMEL 376A



Suitable for:

KOMEL



Suitable for:

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



KOMEL 00006280
KOMEL 628

KOMEL 25130028

KOMEL 25130031

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



KOMEL 00006220

KOMEL 25130025

3454060 CONTACTOR SCHNEIDER LC1D09B7
coil 9A 24V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact



KOMEL 00060670

Drain taps and accessories

3356133 DRAIN EXTENSION
overall length 165 mm
for Fryer electric (ELFRAMO) EM12 - EM20 - ES12
ES20



KOMEL 00030450

3356055 DRAIN TAP ø 1" F
for Fryer electric (ELFRAMO) EB12 - EB6 - EB8



KOMEL 00030400

KOMEL 00030401

3356094 DRAIN TAP LEVER
length 380 mm
for Fryer electric (REPAGAS) FE20 - FE20+20 - FE30
FE30+30
for Fryer gas (REPAGAS) FG159 - FG309



KOMEL 00030470

3356095 DRAIN TAP LEVER
length 230 mm
for Fryer electric (REPAGAS) FE12
for Fryer gas (ELFRAMO) GWD20 - GW20
for Fryer gas (REPAGAS) FG157 - FG307



KOMEL 00030460



Electrical gas valves and accessories

3440200 TWIN LEAD THERMOPILE 580 mm



KOMEL 1710002

3526300

VALVE 820 NOVA mV \varnothing 1/2"FF

inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T
 GWT12 - GWT20 - GW209T



KOMEL 1610005

Feet

3313060 ADJUSTABLE FOOT S/ST \varnothing 1"3/4 x h 70 mm

with fixed screw M10x23 mm
 adjustable h 70÷109 mm
 for Fryer electric (ELFRAMO) EM12 - EM20 - EM35



KOMEL 0000960

3313084

ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 107 mm

with fixed screw M10x22 mm
 adjustable height 107÷137 mm
 for Fryer electric (ELFRAMO) EM12 - EM20 - EM35



KOMEL 00036101

KOMEL 00036102

3313058 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 140 mm

with set screw
 adjustable height 155÷240 mm
 for Fryer electric (KOMEL) KESD12 - KES12 - KES20



KOMEL 00035730

3313089

FOOT SPACER M10x18 mm



KOMEL 0000973

KOMEL 0000974

Fittings

3348181 ELBOW FITTING 1/2"

outlet pipe 12 mm



KOMEL 12355007



Suitable for:

KOMEL



Suitable for:

Fryer baskets and accessories

3055187 FRYER BASKET 180x260x120 mm
in chromium plated iron
for Fryer electric (ELFRAMO) EB6 - EB6+6
for Fryer electric (KOMEL) KEB6 - KEB6+6



KOMEL 00030560

3055184 FRYER BASKET 180x290x120 mm
in chromium plated iron
for Fryer electric (ELFRAMO) EB8 - EB8+8
for Fryer electric (KOMEL) KEB8 - KEB8+8



KOMEL 00030570

3055185 FRYER BASKET 235x290x120 mm
in chromium plated iron
for Fryer electric (ELFRAMO) EB12 - EB12+12 - EM12
EM12+12
for Fryer electric (KOMEL) KEB12 - KEB12+12
KEM12 - KEM12+12
for Fryer gas (ELFRAMO) GM12 - GM12+12
for Fryer gas (KOMEL) KGM12 - KGM12+12



KOMEL 00030580

3055191 FRYER BASKET 240x365x120 mm
in chromium plated iron
for Fryer electric (ELFRAMO) EM20 - EM20+20
for Fryer electric (KOMEL) KEM20 - KEM20+20
for Fryer gas (ELFRAMO) GM20 - GM20+20
for Fryer gas (KOMEL) KGM20 - KGM20+20



KOMEL 00030590

3055193 FRYER BASKET 265x365x120 mm
in chromium plated iron
for Fryer electric (ELFRAMO) EM35
for Fryer gas (ELFRAMO) GM35



KOMEL 00030611

3055186 FRYER BASKET 290x110x120 mm
for Fryer electric (ELFRAMO) EB12 - EB12+12 - EM12
EM12+12
for Fryer electric (KOMEL) KEB12 - KEB12+12
KEM12 - KEM12+12
for Fryer gas (ELFRAMO) GM12 - GM12+12 - GW12
for Fryer gas (KOMEL) KGM12 - KGM12+12 - KGW12



KOMEL 0003058A

KOMEL 00030581

KOMEL 00035842

3055357 FRYER BASKET 290x215x120 mm
in chromium plated iron
for Fryer electric (ELFRAMO) ES12
for Fryer electric (KOMEL) KES12
for Fryer gas (ELFRAMO) GMD2532 - GM2532 - GW12
for Fryer gas (KOMEL) KGW12



KOMEL 00035805

3055312 FRYER BASKET 375x110x120 mm
made of chrome plated iron
for Fryer electric (ELFRAMO) EM20 - EM20+20 - ES20
FE20 - FE30
for Fryer electric (KOMEL) KEM20 - KEM20+20
for Fryer gas (ELFRAMO) FG157 - FG159 - FG307
FG309 - GWD20 - GW20
for Fryer gas (KOMEL) KGWD20 - KGW20



KOMEL 00030591

KOMEL 00035843



Suitable for:

3055310 FRYER BASKET 375x215x125 mm
 made of chrome plated iron
 for Fryer electric (ELFRAMO) ES20
 for Fryer electric (KOMEL) KES20
 for Fryer gas (ELFRAMO) FG157 - FG159 - FG307
 FG309 - GWD20 - GW20
 for Fryer gas (KOMEL) KGWD20 - KGW20



KOMEL 00035806

Suitable for:

3055475 FRYER BASKET 540x365x125 mm
 made of chrome plated iron
 for Fryer gas (ELFRAMO) GM60 - GWM35T



KOMEL 00030610

KOMEL 00030620

Gas burners

3025652 AIR ADJUSTER
 internø 26 mm - extern.ø 27 mm - height 55 mm
 for Fryer gas (ELFRAMO) - Series GW



KOMEL 00038562

3023147 BURNER ø 40x340 mm
 overall length 380 mm
 made of STAINLESS steel
 for Fryer gas (ELFRAMO) GMD2532 - GM2532 - GWD12
 GWD20 - GW12 - GW20
 for Fryer gas (REPAGAS) FG125



KOMEL 15100006

KOMEL 15100008

3025652 AIR ADJUSTER
 internø 26 mm - extern.ø 27 mm - height 55 mm
 for Fryer gas (ELFRAMO) - Series GW



KOMEL 00038562

3023290 BURNER ø 40x445 mm
 overall length 485 mm
 made of chrome plated iron
 for Fryer gas (ELFRAMO) GMD2542 - GM2542 - GW20
 for Fryer gas (KOMEL) KGWD12 - KGW12
 for Fryer gas (REPAGAS) FG157 - FG159 - FG307
 FG309



KOMEL 15100007

KOMEL 15100009

3025652 AIR ADJUSTER
 internø 26 mm - extern.ø 27 mm - height 55 mm
 for Fryer gas (ELFRAMO) - Series GW



KOMEL 00038562



Suitable for:

KOMEL



Suitable for:

3023218 BURNER 270x53 mm
 overall length 300 mm
 made of STAINLESS STEEL
 for Fryer gas (ELFRAMO) GM12 - GM12+12 - GM20
 GM20+20 - GM25



KOMEL 00032200

KOMEL 15100001

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x200 mm
 for Fryer gas (ELFRAMO) GBD10 - GB10



KOMEL 16100007

3523100 FRYER VALVE MINISIT 110÷190°C
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple fitting M9x1
 gas max inlet pressure 50 mbar
 room temperature 0÷80°C
 capillary length 1200 mm
 bulb \varnothing 5x105 mm
 with plate, piezo igniter, fittings, plug,
 and plug cable
 for Fryer gas (ELFRAMO)
 for Fryer gas (KOMEL)



KOMEL 00034610

3523035 KNOB FOR MINISIT VALVE
 for Fry top gas (FAGOR) FTG-705 - FTG-710
 FTG-905 - FTG-910



KOMEL 16100003

3523047 MINISIT COVER
 for Fry top gas (FAGOR) - Series 900
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20
 Series 900



KOMEL 00032410

3523051 MINISIT SENSING ELEMENT 110÷190°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 for Fryer gas



KOMEL 16100031

3523044 MINISIT SENSING ELEMENT 120÷200°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 for Fryer gas (ELFRAMO)
 for Fryer gas (KOMEL)



KOMEL 00032400

KOMEL 16100030



Suitable for:

3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges
for Fryer gas (ZANUSSI) - Series R701



KOMEL 00038639

KOMEL 16100006

Suitable for:

3523927 MINISIT VALVE FOR FRYER 110÷200°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1200 mm
bulb \varnothing 6x105 mm
without cover, knob and flanges
for Fryer gas (ELFRAMO) FG125 - FG157 - FG159
FG307 - FG309 - GWD12 - GWD20 - GW12 - GW20



KOMEL 00032390

3523068 MINISIT VALVE FOR FRYER 120÷200°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
capillary length 1200 mm
bulb \varnothing 6x95 mm
with plate, thermostat, piezo igniter,
knob, fittings, plug, bulb sheath
for Fryer gas (ELFRAMO)
for Fryer gas (KOMEL) FG125 - FG157 - FG159
FG307 - FG309



KOMEL 00034620

Gaskets and seals

3786377 SHEATH GASKET
external \varnothing 17 mm - internal \varnothing 12.5 mm
for Fryer gas (ELFRAMO) GW12 - GW20
for Fryer gas (KOMEL) KGW12 - KGW20



KOMEL 02150008



Suitable for:

KOMEL



Suitable for:

Handles

3242676 BLACK PLASTIC HANDLE 124 mm
distance between mounting holes 107 mm
for Fryer gas (ELFRAMO) GWD12 - GWD20



KOMEL 00030810

KOMEL 19150001

KOMEL 19150002

3242587 DOOR LOCK MAGNET
overall length 46 mm
for FRYER all models



KOMEL 37180010

Heating elements

3355541 HEATING ELEMENT 1500W 220V
length 320 mm - width 55 mm
height 215 mm - connection \varnothing 12 mm
for Fryer electric (ELFRAMO) EB18 - EB8



KOMEL 00033130

3355543 HEATING ELEMENT 2000W 220V
length 320 mm - width 80 mm
height 240 mm - connection \varnothing 12 mm
for Fryer electric (ELFRAMO) EB12 - EM12
for Fryer electric (KOMEL) KEM12



KOMEL 00033141

KOMEL 00033145

3355544 HEATING ELEMENT 3000/3300W 230/240V
length 290 mm - width 170 mm
height 190 mm - connection \varnothing 13 mm
for Fryer electric (ELFRAMO) EB6



KOMEL 00033120

3755289 HEATING ELEMENT 3000W 220V
length 280 mm - width 95 mm
height 240 mm - fittings M14x1.5 mm
for Fryer electric (ELFRAMO) EB12 - EB12+12 - EM12
EM12+12 - FE12
for Fryer electric (KOMEL) KEM12



KOMEL 00033142

3755689 HEATING ELEMENT 3333W 220V
length 400 mm - width 90 mm
height 245 mm - fittings \varnothing 13 mm
for Fryer electric (ELFRAMO) EM20



KOMEL 0003315A

KOMEL 00033150

KOMEL 00033151

3755688 HEATING ELEMENT 5500W 220V
length 390 mm - width 70 mm
height 250 mm - fittings \varnothing 13 mm
for Fryer electric (ELFRAMO) EM20



KOMEL 0003315D

KOMEL 00033154

KOMEL 00033155



Suitable for:

KOMEL



Suitable for:

Hydraulic plumbing

1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
alimentary



KOMEL 00003750

KOMEL 00011065

KOMEL 07125002

Injectors

3500268 GAS NOZZLE M10x1 \varnothing 0.95 mm
for Fryer gas (ELFRAMO) GW12D



KOMEL 18110105

3500056 GAS NOZZLE M10x1 \varnothing 1.85 mm
for Fryer gas (ELFRAMO) GMD2542 - GM2542



KOMEL 18110090

KOMEL 18110110

3500263 GAS NOZZLE M10x1 \varnothing 1,10 mm
for Fryer gas (ELFRAMO) FG12M - FG24M - GBD10
GB10 - GMD2542
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 18110121

3500262 GAS NOZZLE M10x1 \varnothing 1,20 mm
for Fryer gas (ELFRAMO) FG12M - FG24M - GBD10
GB10
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 18110111

KOMEL 18110130

3500381 GAS NOZZLE M10x1 \varnothing 1,60 mm



KOMEL 18110120

3500361 GAS NOZZLE M10x1 \varnothing 1,65 mm
for Fryer gas (ELFRAMO) GM12 - GM12+12 - GM20
GM20+20



KOMEL 00003222

KOMEL 00003220

KOMEL 18110099

3500266 GAS NOZZLE M10x1 \varnothing 1,70 mm
for Fryer gas (ELFRAMO) GW12D



KOMEL 18110103

3500267 GAS NOZZLE M10x1 \varnothing 1,80 mm
for Fryer gas (ELFRAMO) GW12D



KOMEL 18110104



Suitable for:

3500265 GAS NOZZLE M10x1 ø 2,05 mm
for Fryer gas (ELFRAMO) GW20D



KOMEL 18110101

Suitable for:

3500362 GAS NOZZLE M10x1 ø 2,50 mm
for Fryer gas (ELFRAMO) GM12 - GM12+12 - GM20
GM20+20



KOMEL 00032230

Interference suppression filters

3160479 INTERFERENCE SUPPRESSION FILTER 0,47µF



KOMEL 00002650

KOMEL 24100100

KOMEL 265

Ironmongery (screws,nuts,washers)

3316051 HEATING ELEMENT RETAINING NUT ø 1"1/2



KOMEL 00003875

3528010 STAINL.STEEL SCREW WASHER M6 UNI 6592
dimensions ø 12x6.4x1.6 mm



KOMEL 02120006

Knobs

3241376 BLACK KNOB ø 52 mm 1-2-3-4-5-6-7-8
for MINISIT VALVE



KOMEL 00035809

KOMEL 00035812

KOMEL 00035813

3241091 BLACK KNOB ø 55 mm
square hole 5x5 mm
for Fryer electric (REPAGAS) EB12 - EB18 - EB8



KOMEL 00006500

KOMEL 00006520

KOMEL 650

3241092 BLACK KNOB ø 55 mm
D shaft hole 6x4.6 mm
for Fryer electric (REPAGAS) EB12 - EB18 - EB8



KOMEL 00033241

KOMEL 00033250

KOMEL 00033260

3241742 BLACK KNOB ø 55 mm 0-1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm
for Fryer (ELFRAMO) KGWDT12 - KGWDT20 - KGWT



KOMEL 00038683



Lamps

3221153 GREEN INDICATOR LAMP 380V
 mounting hole 30x11 mm - 85°C
 for COUNTER TOP FRYER all models
 for Fryer (ELFRAMO) - Series EB - Series EM
 for Fryer (KOMEL) - Series KEB - Series KEM



KOMEL 00033200

KOMEL 28110001

3221094 ORANGE INDICATOR LAMP 230V
 head ø 14.5 mm - hole ø 11.5 mm - 120°C
 for Fryer electric (AMBASSADE) CME413FR



KOMEL 28100010

KOMEL 28100011

3221095 ORANGE INDICATOR LAMP 230V
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



KOMEL 28100007

3221154 ORANGE INDICATOR LAMP 380V
 mounting hole 30x11 mm - 85°C
 for COUNTER TOP FRYER all models
 for Fryer (ELFRAMO) - Series EB - Series EM
 for Fryer (KOMEL) - Series KEB - Series KEM



KOMEL 00033210

KOMEL 28110002

Lever ball valves

3356069 DRAIN TAP ø 1" F
 for Fryer electric (ELFRAMO) EM12 - EM20 - FE12
 FE20 - FE30
 for Fryer gas (ELFRAMO) FG125 - FG157 - FG159
 FG307 - FG309 - GW12 - GW20



KOMEL 00030410

KOMEL 00030420

KOMEL 13110001

3356133 DRAIN EXTENSION
 overall length 165 mm
 for Fryer electric (ELFRAMO) EM12 - EM20 - ES12
 ES20



KOMEL 00030450

3356094 DRAIN TAP LEVER
 length 380 mm
 for Fryer electric (REPAGAS) FE20 - FE20+20 - FE30
 FE30+30
 for Fryer gas (REPAGAS) FG159 - FG309



KOMEL 00030470

3356095 DRAIN TAP LEVER
 length 230 mm
 for Fryer electric (REPAGAS) FE12
 for Fryer gas (ELFRAMO) GWD20 - GW20
 for Fryer gas (REPAGAS) FG157 - FG307



KOMEL 00030460



Suitable for:

KOMEL



Suitable for:

Microswitches

3803027 CHANGE OVER MICROSWITCH 16A 250V
for Fryer electric (ELFRAMO) EB12 - EB6 - EB8
EM12 - EM12+12 - EM20 - EM20+20 - ESD12
ESD20 - ES12 - ES20 - FE12 - FE20 - FE20+20
FE30 - FE30+30



KOMEL 25190003

3240144 MICROSWITCH S16 16A 250V



KOMEL 25190007

OR and ORM gaskets

3186860 OR GASKET 03056 EPDM
EX OR 0118



KOMEL 06140002

Piezo ignitors

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector
for Lava rock grill gas (FAGOR)



KOMEL 33100003

Pilot burners and accessories

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



KOMEL 18100095

3020084 NUT & OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

3020085 NUT FOR SPARKING PLUG CONNECTION



KOMEL 33120004

3020112 OLIVE FOR 6 mm \varnothing PIPE



KOMEL 33120003



KOMEL



Suitable for:

Suitable for:

3020433 PILOT BURNER
 supplied without sparking plug
 with NATURAL GAS nozzles
 with thermocouple fitting
 with sparking plug fitting
 with pilot pipe fitting
 for Fryer gas (ELFRAMO) GBD10 - GB10
 for Fryer gas (KOMEL) KGBD10 - KGB10

3020044 PILOT GAS JET \varnothing 0.20 mm



KOMEL 33120030

KOMEL 18100060

3020045 PILOT GAS JET \varnothing 0.50 mm

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



KOMEL 18100061

KOMEL 33110002

3020044 PILOT GAS JET \varnothing 0.20 mm

3020045 PILOT GAS JET \varnothing 0.50 mm



KOMEL 18100060

KOMEL 18100061

3020054 PILOT JET \varnothing 0.20 mm

3020156 PILOT JET \varnothing 0.25 mm



KOMEL 18100097

KOMEL 18100094

3020040 PILOT JET \varnothing 0.30 mm

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 00032680

KOMEL 18100096



Suitable for:

3500269 PILOT NOZZLE \varnothing 0.45 mm



KOMEL 1810093

Suitable for:

3020187 PILOT NOZZLE \varnothing 0.51 mm



KOMEL 00032690

3020200 THERMOCOUPLE NUT



KOMEL 33120009

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



KOMEL 33120005

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 1810096

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



KOMEL 33110001

3020054 PILOT JET \varnothing 0.20 mm



KOMEL 1810097

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



KOMEL 33110002



Suitable for:

Suitable for:

3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket

3020040 PILOT JET \varnothing 0.30 mm



KOMEL 3312007

KOMEL 00032680

3020103 THREE-POSITION BRACKET

3020078 TUBING NUT FOR 6 mm \varnothing PIPE



KOMEL 33120011

KOMEL 33120002

3020310 TWO-FLAME PILOT BURNER SIT
with LPG and NATURAL GAS nozzles
with 3 positions bracket
for Fryer gas (ELFRAMO) GW12 - GW20
for Fryer gas (REPAGAS) FG125 - FG157 - FG159
FG307 - FG309

3020084 NUT & OLIVE \varnothing 6 mm



KOMEL 00038531

KOMEL 16100004

KOMEL 33120013

3020054 PILOT JET \varnothing 0.20 mm

3020156 PILOT JET \varnothing 0.25 mm



KOMEL 18100097

KOMEL 18100094

3020055 PILOT JET \varnothing 0.35 mm

3500269 PILOT NOZZLE \varnothing 0.45 mm



KOMEL 18100096

KOMEL 18100093



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm




KOMEL 33110002

KOMEL



Suitable for:

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



KOMEL 00032790

3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

Pressure gauges

3245018 PRESSURE GAUGE \varnothing 52 mm
fitting \varnothing 1/4" M
scale 0-4 bar



KOMEL 00074350

KOMEL 32130004

Protection plates

3523050 COVER FOR VALVE



KOMEL 00032420

3244011 VALVE PLATE
for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
GST20 - GWDT12 - GWDT20 - GWD12ELT - GWD20ELT
GWD209T - GWM35T - GWT12 - GWT20 - GW12ELT
GW20ELT - GW209T



KOMEL 00038675

Relays

3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



KOMEL 25130100



Rotary switches

3059010 SINGLE POLE SELECTOR SWITCH
 contact capacity 12A 250V - max 60/75°C
 square shaft 5x5 mm
 for Fryer electric (ELFRAMO) EB6



KOMEL 00005971

KOMEL 2510001

KOMEL 597/A

3241091 BLACK KNOB ø 55 mm
 square hole 5x5 mm
 for Fryer electric (REPAGAS) EB12 - EB18 - EB8



KOMEL 00006500

KOMEL 00006520

KOMEL 650

3059011 3-POLE SELECTOR SWITCH
 contact capacity 16A 380V - max 60/75°C
 square shaft 5x5 mm
 for Fryer electric (ELFRAMO) EB18 - EB8



KOMEL 00005980

KOMEL 25110001

KOMEL 598

3241091 BLACK KNOB ø 55 mm
 square hole 5x5 mm
 for Fryer electric (REPAGAS) EB12 - EB18 - EB8



KOMEL 00006500

KOMEL 00006520

KOMEL 650

Solenoid valves

3120021 INLET REDUCER 12 L/min BLACK



KOMEL 23120004

3120005 SOLENOID VALVE 329 220/240V ø 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet ø 10 mm



KOMEL 23120021

3120007 SOLENOID VALVE 349 220/240V ø 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet ø 10 mm



KOMEL 00003120

KOMEL 23120001

3120517 SOLENOID-VALVE L140B5 1/2"FF 24V
 for water - normally closed
 max temperature 100°C
 coil z615A 24V 50Hz



KOMEL 23140004



Suitable for:

KOMEL



Suitable for:

Sparking and detection plugs

3806007 ROUND SPARKING PLUG \varnothing 6.5x45 mm
 total length 60 mm
 for Fryer gas (ELFRAMO) GWDT12 - GWDT20 - GWT12
 GWT20
 for Fryer gas (KOMEL) KGWDT12 - KGWDT20 - KGWT12
 KGWT20



KOMEL 33110003

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



KOMEL 33110002

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



KOMEL 33110001


Switches

1319082 SINGLE-POLE PUSH BUTTON 16A 250V



KOMEL 28160253

3319383 THREE-POLE SWITCH 16A 250V
 for Bratt pan (FAGOR) SBG-915IMBP



KOMEL 28160275

Telethermometers

3441008 BLACK TELETHERMOMETER \varnothing 52 mm 0-120°C
 plastic case
 PVC covered capillary 1500 mm
 bulb \varnothing 6.5x2.6 mm



KOMEL 00006010

KOMEL 32100001

KOMEL 601

3441083 TELETHERMOMETER WHITE \varnothing 52 mm 0-250°C
 metal body
 capillary length 1310 mm
 bulb \varnothing 4x75 mm
 for Fryer (ELFRAMO)




KOMEL 32100002



Thermocouples and accessories

- 3440174 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm**
 cut-off contact with terminals
 for Fryer gas (ELFRAMO) GSDT12 - GST12 - GST20
 GWDT12 - GWDT20 - GWM35T - GWT12 - GWT20



KOMEL 1710003

Thermostats

- 3444169 SINGLE-PHASE THERMOSTAT 220°C**
 with manual reset
 complete with wiring
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 5x125 mm
 for Fryer gas (ELFRAMO) FG125 - FG157 - FG159
 FG307 - FG309 - GBD10 - GB10 - GMD2532
 GMD2542 - GM2532 - GM2542 - GWD12 - GWD12ELT
 GWD20 - GWD20ELT - GW12 - GW12ELT - GW20
 GW20ELT



KOMEL 2217001

- 3444389 SINGLE-PHASE THERMOSTAT 230°C**
 with manual reset
 capillary 600 mm - 16A 250V
 bulb \varnothing 6x83 mm
 for Fryer electric (ELFRAMO) EB12 - EB12+12 - EB18
 EB6 - EB6+6



KOMEL 00032270

KOMEL 22130001

KOMEL 32213001

- 3444690 SINGLE-PHASE THERMOSTAT 230°C**
 with manual reset
 complete with wiring
 covered capillary length 1480 mm
 bulb \varnothing 4x125 mm
 for Fryer gas (ELFRAMO) GW20
 for Fryer gas (KOMEL) KGW20
 for Fryer gas (REPAGAS) FG125 - FG157 - FG159
 FG307 - FG309



KOMEL 22170003

- 3444893 SINGLE-PHASE THERMOSTAT 55-195°C**
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm
 bulb \varnothing 4x90 mm
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12
 GST20 - GWDT12 - GWDT20 - GWM35T - GWT12
 GWT20



KOMEL 22140002



Suitable for:

3444384 SINGLE-PHASE THERMOSTAT 90-180°C

D shaft \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 4x95 mm
for Fryer electric (ELFRAMO) EB12 - EB18 - EB6
for Fryer electric (FRI FRI) FRITA+6 - FRITA+8
FT10 - FT4 - FT4+4 - FT6 - FT8



KOMEL 00033230

KOMEL 22140001

Suitable for:

3394327 THERMOSTAT STUFFING GLAND KIT



KOMEL 00038680

3444004 THERMOSTAT TR2 0-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



KOMEL

3444086 THREE-PHASE THERMOSTAT 108-192°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 6x200 mm
for Fryer electric (ELFRAMO) EB12 - EB18 - EB6
EB8



KOMEL 00033240

KOMEL 22160001

3444390 THREE-PHASE THERMOSTAT 230°C

with manual reset
capillary 900 mm - 10A 400V
bulb \varnothing 6x230 mm
for Fryer electric (ELFRAMO) EB12 - EB18 - EB6



KOMEL 00032280

KOMEL 22150001

KOMEL 22150002

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



KOMEL 22192006



Suitable for:

KOMEL



Suitable for:

Water filling taps

3356111 WATER INLET TAP \varnothing 1/2" FF

for Boiling pan electric (FAGOR) ME9-10BM
ME9-15BM

for Boiling pan gas (FAGOR) MPG9-10 - MPG9-10BM
MPG9-15 - MPG9-15BM - MPG9-20

for Bratt pan electric (TECNOINOX) BS80FE7
BS80IE7



KOMEL 13100001