




Spare parts for the professional sector: Ovens



Suitable for:

PRIMAX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

PRIMAX



Suitable for:

Axial motor fans

3540026 AXIAL FAN ADDA 120x120x38
model AA1282HB-AT
230V 50/60Hz 0,13/0,11A



PRIMAX 4650010

Cables for piezo igniters

3001080 CABLE FOR DETECTION PLUG
cable dimensions \varnothing 4x85 mm
with faston \varnothing 4 mm for plug



PRIMAX 4270060

3001079 CABLE FOR IGNITION PLUG
cable dimensions \varnothing 4x85 mm
with faston \varnothing 6 mm for plug



PRIMAX 4270051

Contactors

3454095 CONTACTOR ALLEN-BRADLEY 100-C16*10
20A 400V 50Hz 7,5KW
3 NC contacts
NO auxiliary contact



PRIMAX 4581070

3446506 CONTACTOR LOVATO BF2510A
25A 400V 12.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



PRIMAX 4581110

3454094 CONTACTOR LOVATO BG1210A
12A 400V 5,7Kw bobina 230V 50/60Hz
3 NO contacts
1 NO auxiliary contact




PRIMAX 4581050



Controllers and changeover switches

3322360 PROGRAMMER 4902F1 2 CAMS
230V 50Hz - ciclo 20 seconds
round pin \varnothing 6 mm




PRIMAX 4620630

5089650 REVERSING SWITCH 11902F1 2CAMS 230V 50Hz
cycle 240 seconds



PRIMAX 4620670

5089760 REVERSING SWITCH 11903F1 3CAMS 230V 50Hz
cycle 240 seconds



PRIMAX 4620680

Electrical gas valves and accessories


3120650 GAS SOLENOID VALVE \varnothing 1/2"FF 230V
type VCM01
230VDC 8W
with rate flow regulator - cable length 350 mm



PRIMAX 4622030

Energy regulators

3350088 ENERGY REGULATOR
contacts capacity 240V 15A - max temperature 125°C
D-shaped pin \varnothing 6x4,6 mm



PRIMAX 4620700



Suitable for:

PRIMAX



Suitable for:

Fans for motors

3230009 FAN \varnothing 160 mm
thickness 43 mm blades number 36 - hole \varnothing 8x6 mm



PRIMAX 4651530

3230011 FAN \varnothing 197 mm
thickness 88 mm - blades number 36
conical hole \varnothing 8x10 mm



PRIMAX 4651520

3240324 FAN \varnothing 200 mm
thickness 40 mm
total blades 45 - \varnothing hole 8x6 mm



PRIMAX 4651540

Gas burners

3023355 BURNER \varnothing 40x190 mm 2,5 KW
total length 215 mm
made of stainless steel



PRIMAX 4250090


3023356 BURNER \varnothing 40x190 mm 4,5 KW
total length 215 mm
made of stainless steel



PRIMAX 4250010


Gaskets for oven door

3786864 GASKET FOR OVEN DOOR 1580 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK



PRIMAX 3530070

3786865 GASKET FOR OVEN DOOR 1840 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK



PRIMAX 3530010





Suitable for:

Suitable for:

3786863 GASKET FOR OVEN DOOR 1880 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK

5089730 GASKET FOR OVEN DOOR 1900 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK




PRIMAX 3530080

PRIMAX 3530090

3786862 GASKET FOR OVEN DOOR 2120 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK

5088364 GASKET FOR OVEN DOOR 2200 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK





PRIMAX 3530020

PRIMAX 3530100

3786860 GASKET FOR OVEN DOOR 2500 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK


3786861 GASKET FOR OVEN DOOR 2680 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK



PRIMAX 3530110

PRIMAX 3530030

3786859 GASKET FOR OVEN DOOR 2950 mm
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK



PRIMAX 3530120

Handles

3242807 HANDLE COMPLETE FOR OVEN DOOR
spring retainer 40 mm

3242789 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm
6303-02



PRIMAX 3310040

PRIMAX 3310060



Suitable for:

PRIMAX




3242802 HANDLE COMPLETE FOR OVENS DOOR LH
with cross clothing



PRIMAX 3310020

Suitable for:

3242803 PIN FOR HANDLE DOOR
dimensions M8x23 mm
overall length 40 mm




PRIMAX 3310030

5087228 HANDLE COMPLETE FOR OVENS DOOR RH
with cross clothing



PRIMAX 3310010

3242803 PIN FOR HANDLE DOOR
dimensions M8x23 mm
overall length 40 mm




PRIMAX 3310030

3242806 HANDLE FOR OVEN DOOR \varnothing 16x520 mm
distance between holes 480 mm



PRIMAX 3311010

3242803 PIN FOR HANDLE DOOR
dimensions M8x23 mm
overall length 40 mm



PRIMAX 3310030

3242789 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm
6303-02



PRIMAX 3310060

Heating elements

3455563 HEATING ELEMENT 3000W 230V
external \varnothing 195 mm - internal \varnothing 180 mm
total height 120 mm
flange 70x22 mm



PRIMAX 4664021

3455559 HEATING ELEMENT 3200W 230V
external \varnothing 255 mm - internal \varnothing 240 mm
total height 80 mm
flange 145x25 mm



PRIMAX 4663030



Suitable for:

3455558 HEATING ELEMENT 3350W 230V
external \varnothing 225 mm - internal \varnothing 210 mm
total height 130 mm
flange 70x22 mm



PRIMAX 4664031

Suitable for:

3455562 HEATING ELEMENT 4500W 230V
external \varnothing 255 mm - internal \varnothing 240 mm
total height 125 mm
flange 70x22 mm



PRIMAX 4664042

3455560 HEATING ELEMENT 6000W 230V
external \varnothing 255 mm - internal \varnothing 240 mm
total height 170 mm
flange 145x25 mm



PRIMAX 4663061

3455561 HEATING ELEMENT 9000W 230V
external \varnothing 255 mm - internal \varnothing 240 mm
total height 170 mm
flange 145x25 mm



PRIMAX 4663091


Hinges, catches and accessories

3053693 HINGE LOWER LH OVEN DOOR
distance between holes 43x38 mm




PRIMAX 7160100

5090576 HINGE RH-LH OVEN
dist. b. holes 100 mm -length 165 mm height 120 mm
capacity 9,8kg




PRIMAX 3331050

5090577 HINGE RH-LH OVEN
dist. b. holes 100 mm-length 165 mm-height 120 mm
capacity 6kg




PRIMAX 3331020

5090578 HINGE RH-LH OVEN
dist. b. holes 100 mm -length 165 mm height 120 mm
capacity 7,4kg




PRIMAX 3331030

5090581 HINGE RH-LH OVEN
dist. b. holes 100 mm -length 165 mm height 120 mm
capacity 9kg



PRIMAX 3331040

3053692 HINGE UPPER LH OVEN DOOR
distance between holes 40x34 mm



PRIMAX 7160120



Suitable for:

PRIMAX



3053694 HINGE UPPER LH OVEN DOOR
distance between holes 42x37 mm



PRIMAX 7160412

Suitable for:

3053695 HINGE UPPER RH OVEN DOOR
distance between holes 43x36 mm



PRIMAX 7160402

3053697 HINGE UPPER RH OVEN DOOR
distance between holes 40x34 mm



PRIMAX 7160110

5063051 ROLLER HOLDER FOR HINGE
distance bet. holes 84 mm - overall length 107 mm
height 25 mm



PRIMAX 3331510

Incandescent lamps and neon lamps

D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
OSRAM
max. temperature 200°C



PRIMAX 4640030

Indicator lights

3221503 INDICATOR LIGHT GREEN 240V
head \varnothing 13 mm - hole \varnothing 10 mm - 120°C



PRIMAX 4610400

3221517 INDICATOR LIGHT ORANGE 240V
head \varnothing 13 mm - hole \varnothing 10 mm - 120°C



PRIMAX 4610410

3221502 INDICATOR LIGHT RED 240V
head \varnothing 13 mm - hole \varnothing 10 mm - 120°C



PRIMAX 4610420



Knobs

3242804 KNOB BLACK \varnothing 50 mm
D-shaped hole 6x4,6 mm



PRIMAX 3312020

3242805 KNOB BLACK \varnothing 50 mm
D-shaped hole 6x4,6 mm



PRIMAX 3312010

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



PRIMAX 4640080

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



PRIMAX 3531320

3221715 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 52x43x5 mm



PRIMAX 3531040

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



PRIMAX 4640090

3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm
thread \varnothing 33 mm - overall height 32 mm



PRIMAX 7750040

PRIMAX 7750041

3221716 HALOGEN LAMP RECEPTACLE G9 40W 240V
external dimensions 75x60 mm
cable length 100 mm



PRIMAX 4640070

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



PRIMAX 4640080



Suitable for:

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



PRIMAX 3531320

D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
OSRAM
max. temperature 200°C



PRIMAX 4640030

3621015 LAMP CAP FOR HALOGEN G9
WITHOUT LIGHT BULB
mounting hole \varnothing 38 mm
max temperature 300°C
threads fitting length 100 mm



PRIMAX 4640010

3221232 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 53 mm
thread \varnothing 33 mm - overall height 32 mm



PRIMAX 7750040

PRIMAX 7750041

PRIMAX

Suitable for:

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



PRIMAX 4640090

3221715 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 52x43x5 mm



PRIMAX 3531040

D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
OSRAM
max. temperature 200°C



PRIMAX 4640030

Microswitches, magnetic

3903001 MICROSWITCH MAGNETIC STEM D102 1A
1-NO 1A 250V 10W
cylindric sensor \varnothing 10x33 mm - thread M10x0.75
with cable length 1300 mm



PRIMAX 4611010





Microswitches, mechanical

3803124 MICROSWITCH ROLD VRSRB1AA1
16A 250V - 1NO



PRIMAX 4611020

3803125 MICROSWITCH ROLD VRSR21AA1
16A 250V - 1NA
dimensions of the threaded part $\varnothing 10 \times 26$ mm



PRIMAX 4611050

Motors

3240696 MOTOR FIR 3003A2350
0.12/0.18 kW 230V 50Hz
0.8A - 2800rpm
shaft length 65 mm
shaft $\varnothing 8$ mm - thread $\varnothing 6$ mm
capacitor 5 μ f



PRIMAX 4651030

3230009 FAN $\varnothing 160$ mm
thickness 43 mm blades number 36 - hole $\varnothing 8 \times 6$ mm




PRIMAX 4651530

3240324 FAN $\varnothing 200$ mm
thickness 40 mm
total blades 45 - \varnothing hole 8x6 mm




PRIMAX 4651540

5090528 MOTOR SHAFT GASKET
external $\varnothing 30$ mm
internal $\varnothing 8$ mm



PRIMAX 3531110

5090529 MOTOR SHAFT GASKET
external $\varnothing 30$ mm
internal $\varnothing 12$ mm



PRIMAX 3531120



Suitable for:

PRIMAX



3340239 MOTOR SISME PR120-2/4P
230V 50Hz
shaft length 59 mm
ø shaft 12 mm - ø thread 10 mm
2 poles 120W 1,45A - capacitor 10µF
4 poles 30W 0,6A - capacitor 4µF



PRIMAX 4651010

5090529 MOTOR SHAFT GASKET
external ø 30 mm
internal ø 12 mm



PRIMAX 3531120

3340238 MOTOR SISME PR120-2M
230V 50Hz 120W
0,86A - 2800rpm
capacitor 6,3µF



PRIMAX 4651040

5090529 MOTOR SHAFT GASKET
external ø 30 mm
internal ø 12 mm



PRIMAX 3531120

3230011 FAN ø 197 mm
thickness 88 mm - blades number 36
conical hole ø 8x10 mm



PRIMAX 4651520

3230011 FAN ø 197 mm
thickness 88 mm - blades number 36
conical hole ø 8x10 mm



PRIMAX 4651520



Penetration probes

- 3497007 PENETRATION PROBE PT1000**
2 threads - probe length 100 mm
cable length 3500 mm
with fastening coupling M10



PRIMAX 4630412

Probes


- 3397228 TEMPERATURE PROBE PT1000**
2 threads - bulb \varnothing 4x25 mm
cable length 1500 mm



PRIMAX 4630210

Relays

- 5029945 POWER RELAY FINDER 66.82.8.230.0000**
230V 50/60Hz
2 changeover contacts 30A



PRIMAX 4582040


- 3351032 POWER RELAY FINDER 66.82.8.230.0300**
230V 50/60Hz
2 contacts NO 30A



PRIMAX 4582030

Selector switches

- 3057360 SELECTOR SWITCH 0-5 POSITIONS 20A 600V**
D-shaped pin 6x4.6 mm



PRIMAX 4620620



Suitable for:

PRIMAX



Suitable for:


Solenoid valves

5033868 SOLENOID VALVE RPE 1 WAY 180° ø 8 mm
solen. valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - quick release couplings ø 8 mm
1 outlet with adjusters - brown



PRIMAX 7711510

3120653 SOLENOID VALVE RPE 1 WAY 180° ø 8/8 mm
solenoid valve 180° - 220/240V 50/60Hz
max 90°C inlet
quick release coupling ø 8 mm
outlet quick release coupling ø 8 mm
1 outlet with brown adjuster



PRIMAX 7711110

3120654 SOLENOID VALVE RPE 1 WAY 180° ø 8/8 mm
solenoid valve 180° - 220/240V 50/60Hz
max 90°C inlet
quick release coupling ø 8 mm
outlet quick release coupling ø 8 mm
1 outlet with red adjuster



PRIMAX 7711120

3120651 SOLENOID VALVE RPE 2 WAYS 180° ø 8 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlets quick release couplings ø 8mm
2 outlet with brown adjusters 0,10 L/min



PRIMAX 7711520

Spark generators

3181013 SPARK GENERATOR 2 OUTLETS
model BRAHMA TCD2FS - 15930070
primary current 230V 50/60Hz 19VA
secondary current 2x13kV 21mA



PRIMAX 4622022

Sparking and detection plugs

3020511 DETECTION PLUG ROUND ø 8x80 mm
overall length 130 mm
connection ø 4 mm



PRIMAX 4270020

3001080 CABLE FOR DETECTION PLUG
cable dimensions ø 4x85 mm
with faston ø 4 mm for plug



PRIMAX 4270060

Suitable for:

3020512 ROUND IGNITION PLUG \varnothing 8x60 mm
 overall length 100 mm
 connection \varnothing 6 mm



PRIMAX 4270040

Suitable for:

3001079 CABLE FOR IGNITION PLUG
 cable dimensions \varnothing 4x85 mm
 with faston \varnothing 6 mm for plug



PRIMAX 4270051

Switches

3319824 PROTRUD. PUSH-BUTTON BRIGHT RED
 GIOVENZANA
 1 NO contact - led lamp 220V
 mounting hole \varnothing 22 mm



PRIMAX 7711050

Thermostats

3744202 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 1000 mm
 bulb \varnothing 3x200 mm



PRIMAX 4620520

3744203 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 capillary length 900 mm
 bulb \varnothing 3x160 mm



PRIMAX 4620510

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



PRIMAX 4620600

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm



PRIMAX 4620530



Suitable for:


PRIMAX



Suitable for:


Timers

5052893 **TIMER KIT 120 MINUTES MS65**
with board
manually set mechanical timer
120 minutes manually set cycle
contact capacity 16(4)A 250V
max temperature 100°C
D-shaped pin \varnothing 6x4.6 mm



PRIMAX 4620650

3446255 **TIMER 60 MINUTES MS65**
with board
mechanical timer with sound alarm
60 minutes mechanical set cycle
ontact capacity 16(4)A 230V 50Hz
temperature max 85°C
D-shaped pin \varnothing 6x4.6 mm



PRIMAX 4620580

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com