



Spare parts for:

Bar equipment

Suitable for:

DIHR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.


*Suitable **universal spare parts** may not be included*






SMALL OVEN F6 F12

F6



F12



DI01




DIHR



Position	LF code no.	Description
5	3755370	MALE-FEMALE CERAMIC INSULATOR
8	3355344	QUARTZ HEATING ELEMENT 333W 75V
9	3319096	GREEN BIPOLAR SWITCH 250V
10	3241163	BLACK KNOB ø 44 mm
11	3446137	TIMER 15 MINUTES M2
13	3317051	GRILL PLIER



SMALL OVEN F60 F120



DI02



DIHR




Position	LF code no.	Description
8	3355349	QUARTZ HEATING ELEMENT 1000W 230V
8	3755369	QUARTZ HEATING ELEMENT 500W 115V
9	3446105	TIMER 15 MINUTES C20
10	3319096	GREEN BIPOLAR SWITCH 250V
13	3317051	GRILL PLIER
16	3755370	MALE-FEMALE CERAMIC INSULATOR




SINGLE PLATE XA DOUBLE PLATE XB

XA



XB



DI03




DIHR



Position	LF code no.	Description
8	3250007	SPRING ø 21x100 mm
9	3355317	TOP HEATING ELEMENT 1000W 240V
18	3221132	GREEN INDICATOR LAMP 230V
19	3057216	SELECTOR SWITCH 0-1 POSITIONS
20	3241163	BLACK KNOB ø 44 mm
21	3444174	SINGLE-PHASE THERMOSTAT 50-320°C
30	3355301	HEATING ELEMENT 800W 230V TOP
36	3355327	HEATING ELEMENT 1000W 230V BOTTOM



BLENDER M1 M2



D104



DIHR



Position	LF code no.	Description
3	1381062	BEATER FAN ASSEMBLY
5	1240024	MICROSWITCH 15A 250V
9	1080020	STAINLESS STEEL JUG
14	3240123	MICROSWITCH 16A 250V
15	1381070	JUG SUPPORT WITH MICRO




CITRUS- SQUEEZER S40

S40



S40





DIHR




Position	LF code no.	Description
4	1381112	SMALL CONE
5	1381060	BIG PLASTIC CONE VERSION 2000
8	1186472	O-RING 04075 EPDM
11	3319096	GREEN BIPOLAR SWITCH 250V
12	1186472	O-RING 04075 EPDM
17	3068008	CAPACITOR μ F 5 450V 50/60Hz
23	1381066	SMALL PLASTIC CONE VERSION 2003
24	1381059	BIG PLASTIC CONE VERSION 2003
28	1381061	TANK SUPPORT




CITRUS- SQUEEZER S55

S55



S55



DI06



DIHR




Position	LF code no.	Description
5	1381113	STAINLESS STEEL CONE
12	1186472	O-RING 04075 EPDM
14	1186374	OIL SEAL 28x16x7 mm
16	3240407	MECHANICAL MICROSWITCH KIT 16A 250V
17	3319096	GREEN BIPOLAR SWITCH 250V
23	3068008	CAPACITOR μ F 5 450V 50/60Hz
28	1250078	SPRING $\varnothing$ 30x35 mm FOR LID




MULTIPLE GROUP F1 F2


F1 - F2



F1 - F2



F1 - F2





DIHR



Position	LF code no.	Description
1	1381065	LID CAP
2	1381063	JUG LID
3	1080022	PLASTIC JUG 1.5 L
4	1186488	JUG GASKET ø 72x55x3 mm
6	1718006	KNIFE SET WITH PIN
7	1381064	BLENDER CONE
9	1240025	MAGNETIC MICROSWITCH
16	1319048	DOUBLE SWITCH 16A 250V
17	3351021	RELAY 62.82 16A 230V 50/60Hz
24	3240407	MECHANICAL MICROSWITCH KIT 16A 250V
25	1381057	MALE-FEMALE 4-TEETH GEAR
33	1240023	MAGNETIC MICROSWITCH



Suitable for:

DIHR



Suitable for:

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



DIHR 18043

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



DIHR 15081/A

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



DIHR 10702

Citrus squeezers and accessories

1381062 BEATER FAN ASSEMBLY



DIHR 60541

1381064 BLENDER CONE



DIHR 60108

1381065 LID CAP



DIHR 60192

1381061 TANK SUPPORT



DIHR 60549

Clamps

3449452 HOSE CLAMP 16-25
for hoses $\varnothing$ 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7



DIHR 11807

3449453 HOSE CLAMP 25-40
for pipes $\varnothing$ 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7



DIHR 11806



Suitable for:

DIHR



Suitable for:

Cones for citrus squeezers

1381060 BIG PLASTIC CONE VERSION 2000



DIHR 60372

1381059 BIG PLASTIC CONE VERSION 2003



DIHR 60559

1381112 SMALL CONE



DIHR 60371

1381066 SMALL PLASTIC CONE VERSION 2003



DIHR 60558

1381113 STAINLESS STEEL CONE



DIHR 60149

DIHR 60160

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Sausage grill (CF CENEDESE)
for Toaster (CF CENEDESE)
for Toaster electric (DOSILET) GG4000 - TT6000



DIHR 30102

DIHR 9107


Gaskets and seals

3186143 GASKET OR 04093 EPDM



DIHR 13023

1186488 JUG GASKET $\varnothing$ 72x55x3 mm
for Blender (SAMMIC) TB-1000



DIHR 60183



Suitable for:

DIHR



1186411 O-RING 02031 EPDM



DIHR 13002

Suitable for:

1186472 O-RING 04075 EPDM



DIHR 60377

DIHR 60532

3186197 O-RING 04150 EPDM



DIHR 13022

1186374 OIL SEAL 28x16x7 mm



DIHR 60528

Gears

1381057 MALE-FEMALE 4-TEETH GEAR



DIHR 60107

DIHR 60109

Heating elements

3355327 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 180 mm
for Panini grill electric (SILANOS) DOPPIA
DOPPIA RIGATA



DIHR 9717

3355318 HEATING ELEMENT 1200W 240V BOTTOM
length 175 mm - width 240 mm
for Panini grill electric (DIHR) XAL2 - XAR2



DIHR 9562

3355301 HEATING ELEMENT 800W 230V TOP
length 180 mm - width 185 mm
for Panini grill electric (ARISTARCO) ORION1
ORION2
for Panini grill electric (DIHR) XAL - XAR - XBL
XBR



DIHR 9008/A

DIHR 9716

3355302 HEATING ELEMENT 900W 230V BOTTOM
length 180 mm - width 185 mm
for Panini grill electric (ARISTARCO) ORION1
ORION2
for Panini grill electric (DIHR) XAL - XAR - XBL
XBR



DIHR 9009/A



Suitable for:

DIHR



3755370 MALE-FEMALE CERAMIC INSULATOR



DIHR 8026

Suitable for:

3355349 QUARTZ HEATING ELEMENT 1000W 230V

length 390 mm - flange 130x11 mm
for Toaster electric (DIHR) F120 - F60
for Toaster electric (ELETTROBAR) 412
for Toaster electric (SICOMEX)



DIHR 8070

3355344 QUARTZ HEATING ELEMENT 333W 75V

length 390 mm - $\varnothing$ 11 mm
for Toaster electric (DIHR) F12 - F6



DIHR 8075

3755369 QUARTZ HEATING ELEMENT 500W 115V

external $\varnothing$ 10 mm - length 365 mm
for Toaster electric (DIHR) F120 - F60



DIHR 8156

3755370 MALE-FEMALE CERAMIC INSULATOR



DIHR 8026

3355317 TOP HEATING ELEMENT 1000W 240V

length 175 mm - width 230 mm
for Panini grill electric (DIHR) XAL2 - XAR2



DIHR 9561

Inlet hoses

3449001 INLET ELBOW HOSE $\varnothing$ 3/4" FF 150 cm


pipe $\varnothing$ 10x16 mm
nylon fittings $\varnothing$ 3/4" with gaskets
max temperature 90°C
max pressure 10 bar



DIHR 10726

3449026 FLAT EPDM GASKET $\varnothing$ 24x12x2 mm

for pipes $\varnothing$ 3/4"



DIHR 13307



Suitable for:

3449025 INLET HOSE STAINLESS STEEL FILTER ø 3/4"
for all models



DIHR

Suitable for:



Ironmongery (screws,nuts,washers)

3528075 S/STEEL OPEN WASHER ø 8 mm UNI 1751



DIHR 11609

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588



DIHR 11706

Jugs for blenders

5011566 JUG FOOT



DIHR 60184

1381063 JUG LID



DIHR 60182

1080022 PLASTIC JUG 1.5 L



DIHR 60191

1080020 STAINLESS STEEL JUG
height 165 mm
max external ø 112 mm



DIHR 60511

Knives

1718006 KNIFE SET WITH PIN



DIHR 60116

Knobs

- 3241402 BLACK KNOB $\varnothing$ 70 mm**
D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator



DIHR 9104


- 3241463 SELF-STICK DISK WITH ARROW SYMBOL**
external $\varnothing$ 63 mm



- 3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL**
external $\varnothing$ 63 mm
for gas taps without pilot



- 3241466 SELF-STICK DISK 0-1-2-3**
external $\varnothing$ 63 mm



- 3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8**
external $\varnothing$ 63 mm
for thermostatic gas taps PEL




- 3241464 SELF-STICK DISK MIN/MAX**
external $\varnothing$ 63 mm




- 3241450 SELF-STICK DISK WITH PILOT SYMBOL**
external $\varnothing$ 63 mm
for gas taps with pilot



- 3241465 SELF-STICK DISK 0-1-0-1**
external $\varnothing$ 63 mm



- 3241467 SELF-STICK DISK 0-1-2-3-4-5-6**
external $\varnothing$ 63 mm



- 3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8**
external $\varnothing$ 63 mm
for thermostatic gas taps EGA





Suitable for:

3241458 SELF-STICK DISK 100-180°C
external ø 63 mm




3241457 SELF-STICK DISK 30-110°C
external ø 63 mm




3241455 SELF-STICK DISK 30-90°C
external ø 63 mm



3241460 SELF-STICK DISK 50-300°C
external ø 63 mm



3241462 SELF-STICK DISK 50-320°C
external ø 63 mm



3241163 BLACK KNOB ø 44 mm
square hole 6x6 mm
for Panini grill (DIHR) SALAMANDRA S1
SALAMANDRA S2



DIHR

Suitable for:


3241456 SELF-STICK DISK 30-110°C
external ø 63 mm



3241454 SELF-STICK DISK 30-90°C
external ø 63 mm



3241459 SELF-STICK DISK 50-250°C
external ø 63 mm



3241461 SELF-STICK DISK 50-300°C
external ø 63 mm





Suitable for:

DIHR



Suitable for:

Lamps

- 3221132 GREEN INDICATOR LAMP 230V**
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



DIHR 10711/B

- 3221192 LAMP SUPPORT**



DIHR 15827

- 3221097 NEUTRAL INDICATOR LAMP 220V**
head $\varnothing$ 8 mm - 120°C



DIHR 15826

- 3221151 WHITE INDICATOR LIGHT 250V**
head $\varnothing$ 14 mm - hole $\varnothing$ 11 mm - 120°C
for LOTUS EQUIPMENT 900-700-650-600
for DIHR SALAMANDER S1-S2



DIHR 9108

Microswitches

- 1381070 JUG SUPPORT WITH MICRO**
version 2003



DIHR 60540

- 1240023 MAGNETIC MICROSWITCH**
bulb $\varnothing$ 13,5 mm - head $\varnothing$ 16 mm - cable 400 mm
bulb length 103 mm



DIHR 60198

- 1240025 MAGNETIC MICROSWITCH**
bulb $\varnothing$ 9x30 mm - cable 920 mm



DIHR 2000309

- 3240407 MECHANICAL MICROSWITCH KIT 16A 250V**
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



DIHR 10704



Suitable for:

1240024 MICROSWITCH 15A 250V



DIHR 60505

DIHR



Suitable for:

3240123 MICROSWITCH 16A 250V

for Granita machine (UGOLINI) GIANTGL - MTGL
MTMINI
for Ice crusher (SANTOS) 9
for Mixer (ROBOT COUPE) MP350 - MP450 - MP550
MP550A - MP600 - MP600A



DIHR 60539

Pliers for sandwiches

3317051 GRILL PLIER

length 100 mm
height 180 mm
for Toaster




DIHR 8008

Relays

3351021 RELAY 62.82 16A 230V 50/60Hz


2 switching contacts



DIHR 15620

3351008 RELAY 62.83 16A 230V 50/60Hz

3 switching contacts
for CIMBALI MAGNUM-SPECIAL-6/S-6/SNEW
for FAEMA MD3000
for SILANOS 030A-N50/90/700-E1000



DIHR 16047

Rotary switches

3057216 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm
for Panini grill electric (FB FABA) - Series E
Series S



DIHR 9564



Suitable for:

DIHR



Suitable for:

Springs

3250002 RIGHTHAND SPRING $\varnothing$ 20x42 mm
for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99




DIHR 9019

3250007 SPRING $\varnothing$ 21x100 mm
for ELECTRIC PLATE new series



DIHR 9563

1250078 SPRING $\varnothing$ 30x35 mm FOR LID



DIHR 60552

Switches

3319920 BLACK TWO-POLE SWITCH 16A 250V



DIHR 15812

3319923 BLACK/RED CAM



3319646 GREEN/ORANGE CAM



DIHR 15824

DIHR 15824/A

1319048 DOUBLE SWITCH 16A 250V



DIHR 60117

3319096 GREEN BIPOLAR SWITCH 250V



DIHR 15849

DIHR 15861



Suitable for:

DIHR



Suitable for:

1319082 SINGLE-POLE PUSH BUTTON 16A 250V



DIHR 15813

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



DIHR 500550

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



DIHR 500551

Thermostats

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



DIHR 9010

Timers

3446105 TIMER 15 MINUTES C20

manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm



DIHR 8152

3241161

BLACK KNOB ø 40 mm

D shaft hole 6x4.6 mm
for Panini grill (ARISTARCO) ORION





Suitable for:

DIHR



3446137 **TIMER 15 MINUTES M2**
mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for HORIZONTAL TOASTER all models



DIHR 8030

3241174 **BLACK KNOB $\varnothing$ 44 mm**
D shaft hole 6x4.6 mm
for Toaster (SILANOS)



3241173 **BLACK KNOB $\varnothing$ 44 mm**
D shaft hole 6x4.6 mm
for Toaster (SILANOS)

