



Spare parts for:

Bar equipment



Suitable for:

ELETTROBAR




This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





TOASTER 404-406-412





ELETTROBAR




Position	LF code no.	Description
4	3446138	TIMER 15 MINUTES M2
6	3241168	BLACK KNOB 38x38 mm
7	3317051	GRILL PLIER
8	3355299	QUARTZ TUBE \varnothing 10x390 mm
9	3355297	WIRE HEATING ELEMENT 500W 110V
12	3057151	SELECTOR SWITCH 0-2 POSITIONS
14	3355349	QUARTZ HEATING ELEMENT 1000W 230V




SANDWICH GRILL 424-428-433-434-436-437


424




428



433 - 434



436 - 437
438 - 439





ELETTROBAR




Position	LF code no.	Description
2	3444174	SINGLE-PHASE THERMOSTAT 50-320°C
3	3241402	BLACK KNOB ø 70 mm
3	3241460	SELF-STICK DISK 50-300°C
4	3250146	SPRING ø 21.5x117 mm
5	3355243	HEATING ELEMENT 1000W 230V BOTTOM
5	3355406	HEATING ELEMENT 750W 230V TOP
6	3444335	THERMOSTAT TR2 0-250°C




SANDWICH GRILL G33-G34-G37-G38-G39

G33 - G34



G37 - G38 - G39





ELETTROBAR




Position	LF code no.	Description
5	3355406	HEATING ELEMENT 750W 230V TOP
10	3250146	SPRING \varnothing 21.5x117 mm
13	3355243	HEATING ELEMENT 1000W 230V BOTTOM
14	3247016	3-POLE TERMINAL BLOCK FV273 40A 450V
15	3241402	BLACK KNOB \varnothing 70 mm
15	3241460	SELF-STICK DISK 50-300°C
16	3221137	ORANGE INDICATOR LAMP 250V
17	3221139	RED INDICATOR LIGHT 230V
18	3444336	THERMOSTAT TR2 0-270°C
20	3247011	6-POLE TERMINAL BLOCK FV122 40A 600V



SANDWICH GRILL GV45L-GV45R

GV45L-GV45R





ELETTROBAR




Position	LF code no.	Description
2	3250003	SPRING \varnothing 20x115 mm
9	3355310	HEATING ELEMENT 1000W 230V TOP
22	3355311	HEATING ELEMENT 1500W 230V BOTTOM
25	3247016	3-POLE TERMINAL BLOCK FV273 40A 450V
26	3444336	THERMOSTAT TR2 0-270°C
30	3241344	RED KNOB \varnothing 72 mm 50-300°C
31	3221095	ORANGE INDICATOR LAMP 230V
32	3221132	GREEN INDICATOR LAMP 230V



SANDWICH GRILL GV62L-GV62R

GV62L-GV62R





ELETTROBAR



Position	LF code no.	Description
2	3250003	SPRING ø 20x115 mm
10	3355308	HEATING ELEMENT 700W 230V TOP
18	3355309	HEATING ELEMENT 1000W 230V BOTTOM
20	3444336	THERMOSTAT TR2 0-270°C
21	3247009	6-POLE TERMINAL BLOCK FV122/B 40A 600V
25	3241334	BLACK KNOB ø 71 mm SILK-SCREEN PRINTED
26	3221132	GREEN INDICATOR LAMP 230V
27	3221095	ORANGE INDICATOR LAMP 230V



Suitable for:

ELETTROBAR



Suitable for:

Bearings

1063911 BEARING 6202 2Z
external \varnothing 35 mm-internal \varnothing 15 mm-thickness 11 mm



ELETTROBAR 314002

1063906 BEARING 6203 2Z
external \varnothing 40 mm-internal \varnothing 17 mm-thickness 12 mm



ELETTROBAR 314003

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206002

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206004

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206005

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELETTROBAR 206010

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELETTROBAR 206002

ELETTROBAR 206009

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206001

Gaskets and seals

1186231 O-RING GASKET 04106 EPDM



ELETTROBAR 929050

3243069 O-RING OR 02068 EPDM



ELETTROBAR 456013



ELETTROBAR



Suitable for:

3186434 O-RING 0121 EPDM



ELETTROBAR 456026

Suitable for:


3243142 O-RING 04118 EPDM



ELETTROBAR 929055

Heating elements

3355243 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 195 mm
complete with cables
for Panini grill electric (ELETTROBAR) G33 - G39
433 - 434 - 436 - 437 - 438



ELETTROBAR B.30023500

ELETTROBAR 921008

ELETTROBAR 921038

3355309 HEATING ELEMENT 1000W 230V BOTTOM
length 185 mm - width 180 mm
complete with cables
for Panini grill electric (BERTO'S) PD/VTR
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
PDR/LD - PDR/VTR - PDT/L - PDT/M - PDT/R
PDT/SX - PDT/VTR - PSL/LD - PSL/LX - PSR/LD
PSR/ST - PST/L - PST/R




ELETTROBAR B.30023500

3355310 HEATING ELEMENT 1000W 230V TOP
length 185 mm - width 320 mm
complete with cables
for Panini grill electric (BERTO'S) PDT/VTR
PM+VTR - PML/LD - PML/ST - PMR/ST - PMR/VTR



ELETTROBAR B.30024100

3355311 HEATING ELEMENT 1500W 230V BOTTOM
length 185 mm - width 320 mm
complete with cables
for Panini grill electric (BERTO'S) PM+VTR
PML/LD - PML/ST - PMR/LD - PMR/ST - PMR/VTR
PMT/VTR



ELETTROBAR B.30024300

3355308 HEATING ELEMENT 700W 230V TOP
length 185 mm - width 180 mm
complete with cables
for Panini grill electric (BERTO'S) PD/VTR
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
PDR/LD - PDR/ST - PDR/VTR - PSL/LD - PSL/SX
PSM/ST - PSR/LD - PSR/ST



ELETTROBAR B.30022500

3355406 HEATING ELEMENT 750W 230V TOP
length 170 mm - width 145 mm
complete with cables
for Panini grill electric (ELETTROBAR) G33 - G39
433 - 434 - 436 - 437 - 438



ELETTROBAR B.30022500

ELETTROBAR 921017

ELETTROBAR 921037



Suitable for:

ELETTROBAR



3355349 QUARTZ HEATING ELEMENT 1000W 230V

length 390 mm - flange 130x11 mm
for Toaster electric (DIHR) F120 - F60
for Toaster electric (ELETTROBAR) 412
for Toaster electric (SICOMEX)



ELETTROBAR 923003

ELETTROBAR 923004

Suitable for:

3355299 QUARTZ TUBE \varnothing 10x390 mm for Toaster electric (ARISTARCO)



ELETTROBAR 484001

3355297 WIRE HEATING ELEMENT 500W 110V

length 390 mm
for Toaster electric (BERTO'S) 12T - 6T
for Toaster electric (ELETTROBAR) 3P - 6P



ELETTROBAR 230031

3355299 QUARTZ TUBE \varnothing 10x390 mm for Toaster electric (ARISTARCO)



ELETTROBAR 484001

Knobs

3241402 BLACK KNOB \varnothing 70 mm

D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator



ELETTROBAR

3241464 SELF-STICK DISK MIN/MAX

external \varnothing 63 mm



3241463 SELF-STICK DISK WITH ARROW SYMBOL

external \varnothing 63 mm



3241450 SELF-STICK DISK WITH PILOT SYMBOL

external \varnothing 63 mm
for gas taps with pilot




3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL

external \varnothing 63 mm
for gas taps without pilot



3241465 SELF-STICK DISK 0-1-0-1


external \varnothing 63 mm





Suitable for:


3241466 SELF-STICK DISK 0-1-2-3
external ø 63 mm



3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps PEL



3241458 SELF-STICK DISK 100-180°C
external ø 63 mm



3241457 SELF-STICK DISK 30-110°C
external ø 63 mm



3241455 SELF-STICK DISK 30-90°C
external ø 63 mm



3241460 SELF-STICK DISK 50-300°C
external ø 63 mm




ELETTROBAR



Suitable for:


3241467 SELF-STICK DISK 0-1-2-3-4-5-6
external ø 63 mm



3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps EGA



3241456 SELF-STICK DISK 30-110°C
external ø 63 mm



3241454 SELF-STICK DISK 30-90°C
external ø 63 mm



3241459 SELF-STICK DISK 50-250°C
external ø 63 mm



3241461 SELF-STICK DISK 50-300°C
external ø 63 mm





Suitable for:

3241462 SELF-STICK DISK 50-320°C
external \varnothing 63 mm



ELETTROBAR



Suitable for:

3241334 BLACK KNOB \varnothing 71 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



ELETTROBAR

3241168 BLACK KNOB 38x38 mm
square hole 3x3 mm
for Bread toaster (ARISTARCO)



ELETTROBAR 999044

3241344 RED KNOB \varnothing 72 mm 50-300°C
D shaft hole 8x6 mm
for Panini grill (BERTO'S) - Series 600
Series 900



ELETTROBAR B.30654500

3241460 SELF-STICK DISK 50-300°C
external \varnothing 63 mm



ELETTROBAR

Lamps

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELETTROBAR 216019

3221192 LAMP SUPPORT



ELETTROBAR 299035

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



ELETTROBAR 216006

ELETTROBAR 926113

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELETTROBAR B.30168500

ELETTROBAR 216018



ELETTROBAR



Suitable for:

3221137 ORANGE INDICATOR LAMP 250V
ø head 14 mm - ø hole 12 mm - 120°C



ELETTROBAR 216012

Suitable for:

3221139 RED INDICATOR LIGHT 230V
head ø 14 mm - hole ø 12 mm - 120°C
for ELETTROBAR PLATE G33-G39



ELETTROBAR 216016

Microswitches

3240123 MICROSWITCH 16A 250V
for Granita machine (UGOLINI) GIANTGL - MTGL
MTMINI
for Ice crusher (SANTOS) 9
for Mixer (ROBOT COUPE) MP350 - MP450 - MP550
MP550A - MP600 - MP600A



ELETTROBAR 218009

Pliers for sandwiches


3317051 GRILL PLIER
length 100 mm
height 180 mm
for Toaster



ELETTROBAR 433004


Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles



ELETTROBAR 927045

3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



ELETTROBAR 929115




Suitable for:

ELETTROBAR



Suitable for:

3351008 RELAY 62.83 16A 230V 50/60Hz
 3 switching contacts
 for CIMBALI MAGNUM-SPECIAL-6/S-6/SNEW
 for FAEMA MD3000
 for SILANOS 030A-N50/90/700-E1000



ELETTROBAR 229036

Rotary switches

3057151 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max temperature 150°
 D spindle \varnothing 6x4.6 mm
 for Toaster electric (BERTO'S) 12T - 4T0 - 6T
 for Toaster electric (ELETTROBAR) 404 - 406 - 412
 for Toaster electric (SILANOS) FA3



ELETTROBAR 923011

Springs

3250003 SPRING \varnothing 20x115 mm
 for ELECTRIC GRIDDLE PS-PM-PD/ST



ELETTROBAR B.30613100

3250146 SPRING \varnothing 21.5x117 mm
 for Panini grill electric (BERTO'S) PDM/LD
 PDR/LD - PSL/LD - PSR/LD
 for Panini grill electric (ELETTROBAR) G34 - G37
 G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



ELETTROBAR 921005

Telethermometers

3441084 TELETHERMOM.58x25 mm 0-120°C TR58.25P
 plastic case
 black dial
 capillary length 1500 mm



ELETTROBAR

Terminal blocks

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR 921045

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR 921044

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR 220011

ELETTROBAR 921057

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR

Thermostats

3444008 BLACK KNOB \varnothing 41 mm 0-90°C

D-shaped pin \varnothing 6x4.6 mm
for thermostat TR/2



ELETTROBAR 929042

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



ELETTROBAR 924024

3444335 THERMOSTAT TR2 0-250°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 940 mm - 15A 250V
bulb \varnothing 3x190 mm



ELETTROBAR 921014

3444336 THERMOSTAT TR2 0-270°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 940 mm - 15A 250V
bulb \varnothing 3.5x190 mm



ELETTROBAR 921046



Suitable for:

ELETTROBAR



Suitable for:

3444004 THERMOSTAT TR2 0-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



ELETTROBAR 929044

Timers

3446138 TIMER 15 MINUTES M2
mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
square pin 3x3 mm



ELETTROBAR 222001

3241168 BLACK KNOB 38x38 mm
square hole 3x3 mm
for Bread toaster (ARISTARCO)



ELETTROBAR 999044