




Spare parts for:

## Cooking equipment



Suitable for:

# MBM



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# MBM



Suitable for:

## Air regulators

**3025103 AERATION REGULATOR**  
internal  $\varnothing$  14 mm - external  $\varnothing$  17 mm  
height 60 mm  
for Pot stove (MBM) - Series CLASSICA  
Series MAGISTRA



MBM PACU700029

**3025107 AERATION REGULATOR**  
internal  $\varnothing$  18 mm - external  $\varnothing$  20 mm  
height 60 mm  
for Pot stove (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700160

**3025185 AERATION REGULATOR**  
internal  $\varnothing$  22 mm - external  $\varnothing$  24 mm  
height 66 mm  
for Pot stove (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700199

## Alarms

**3397302 ALARM BELL 220V**



MBM RTFOC00046

## Axial motors

**3240519 AXIAL FAN EBM 119x119x38 mm**  
ball bearing  
230V 50Hz 19W 2650rpm  
4656N



MBM

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



MBM RGFOC00254


MBM RTFOC00254

MBM 013480-01R




## Bearings

**9063012 BEARING 6004 DDU**  
external  $\varnothing$  42 mm -internal  $\varnothing$  20 mm-thickness 12 mm



MBM RTBF800094

**1063911 BEARING 6202 ZZ**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



MBM 314002

**1063906 BEARING 6203 ZZ**  
external  $\varnothing$  40 mm-internal  $\varnothing$  17 mm-thickness 12 mm



MBM 314003

**9063010 BEARING 6204 DDU**  
external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm-thickness 14 mm  
for BAKERMIX KNEADER MIX203.B  
for OEM KNEADER F201/1-F501/2  
for OEM POTATO PEELER PLP10-PLP15-PLP23-PLP32  
for OEM POTATO PEELER PC6-PC8-PL10-PL15-PL23-PL32  
for OEM POTATO PEELER PV10-PV15-PV23



MBM 314005

**3063026 SLIDING DOOR ROLLER RH-LH**  
 $\varnothing$  bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



MBM 0855309701

## Burners, flame spreaders and accessories

**3025111 BURNER  $\varnothing$  100 mm**  
with air regulator  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRUCU700022

MBM RTCU700010

**3025329 BURNER  $\varnothing$  115 mm 6KW**  
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700079



Suitable for:

# MBM



**3025404 BURNER ø 115 mm 6KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series OMNIA



MBM RTCU700382

Suitable for:

**3025182 BURNER ø 125 mm**  
with air regulator  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700023

MBM RTCU700011

**3025328 BURNER ø 130 mm 3.6KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600042

**3025324 BURNER ø 140 mm 8KW**  
for Pot stove gas (MBM) - Series DOMINA



MBM 160296

**3025325 BURNER ø 140 mm 8KW**  
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM 163254

**3025108 BURNER ø 70 mm**  
with air regulator  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700018

MBM RTCU700009

MBM GRCU700021

MBM RTCU700124

MBM GRCU700058

**3025337 BURNER ø 75 mm 3.5KW**  
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700748

**3025321 BURNER ø 90 mm 3KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600043

**3025402 BURNER BODY ø 75 mm 3.5KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series OMNIA



MBM RTCU700380

**3025113 BURNER SUPPORT 100 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700007



Suitable for:

# MBM



**3025184 BURNER SUPPORT 125 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700008

**3025110 BURNER SUPPORT 70 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700006

**3025112 FLAME SPREADER ø 100 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700002

MBM GRCU800003

MBM RTCU700013

**3025107 AERATION REGULATOR**  
internal ø 18 mm - external ø 20 mm  
height 60 mm  
for Pot stove (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700160

**3025111 BURNER ø 100 mm**  
with air regulator  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700022


MBM RTCU700010

**3025113 BURNER SUPPORT 100 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700007

**3025330 FLAME SPREADER ø 100 mm 3KW**  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600044

**3025321 BURNER ø 90 mm 3KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600043

**3025338 VENTURI F/FLAME SPREADER 100 mm 3KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600017



Suitable for:

# MBM



**3025403 FLAME SPREADER ø 115 mm 6KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700376

**3025404 BURNER ø 115 mm 6KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series OMNIA



MBM RTCU700382

**3025319 FRONT VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700136

MBM 173321

**3025309 REAR VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700138

MBM 173322

Suitable for:  
**3025329 BURNER ø 115 mm 6KW**  
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700749


**3025311 FRONT VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
NEW MODEL  
for old kitchen it is necessary to rotate the plat  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160142

MBM 164556

**3186698 GASKET FOR BURNER 6KW**  
size ø 145x120x1.6 mm



MBM RTCU700400

**3025317 REAR VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
NEW MODEL  
for old kitchen it is necessary to rotate theplate  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160144

MBM 164557



Suitable for:

**3025183 FLAME SPREADER  $\varnothing$  125 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700003

MBM RTCU800051

**3025182 BURNER  $\varnothing$  125 mm**  
with air regulator  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700023

MBM RTCU700011

**3025326 FLAME SPREADER  $\varnothing$  130 mm 3.6KW**  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600040

**3025327 FLAME SPREADER  $\varnothing$  60 mm**  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600041

**3025322 FLAME SPREADER  $\varnothing$  140 mm 7KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160294

# MBM



Suitable for:

**3025185 AERATION REGULATOR**  
internal  $\varnothing$  22 mm - external  $\varnothing$  24 mm  
height 66 mm  
for Pot stove (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700199

**3025184 BURNER SUPPORT 125 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700008

**3025328 BURNER  $\varnothing$  130 mm 3.6KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600042

**3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600018

**3025324 BURNER  $\varnothing$  140 mm 8KW**  
for Pot stove gas (MBM) - Series DOMINA



MBM 160296




Suitable for:

**3025325 BURNER ø 140 mm 8KW**  
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM 163254

**3186699 GASKET FOR BURNER 8KW**



MBM 160329

**3025323 FLAME SPREADER ø 50 mm 1KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160295

**3025109 FLAME SPREADER ø 70 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700001  
MBM RTCU700132

MBM GRCU800001

MBM RTCU700012

## MBM



Suitable for:

**3025323 FLAME SPREADER ø 50 mm 1KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160295

**3025318 REAR VENTURI 8KW**  
plate ø 145 mm - hole ø 40 mm  
NEW MODEL  
for old kitchen it is necessary to rotate the plat  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160318

MBM 164558

**3025327 FLAME SPREADER ø 60 mm**  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600041

**3025103 AERATION REGULATOR**  
internal ø 14 mm - external ø 17 mm  
height 60 mm  
for Pot stove (MBM) - Series CLASSICA  
Series MAGISTRA



MBM PACU700029





Suitable for:

**3025108 BURNER  $\varnothing$  70 mm**  
with air regulator  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM GRCU700018  
MBM RTCU700009

MBM GRCU700021  
MBM RTCU700124

MBM GRCU700058

## MBM



Suitable for:

**3025110 BURNER SUPPORT 70 mm**  
for Pot stove gas (MBM) - Series CLASSICA  
Series MAGISTRA



MBM RTCU700006

**3025401 FLAME SPREADER  $\varnothing$  75 mm 3.5KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700375

**3025402 BURNER BODY  $\varnothing$  75 mm 3.5KW**  
for Pot stove gas (MBM) - Series DOMINA  
Series OMNIA



MBM RTCU700380

**3025320 FRONT VENTURI 3.5KW**  
plate  $\varnothing$  110 mm - hole  $\varnothing$  32 mm  
NEW MODEL  
for old kitchen it is necessary to rotate the plat  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160141

MBM 164555

**3025316 REAR VENTURI 3.5KW**  
plate  $\varnothing$  110 mm - hole  $\varnothing$  32 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700137

MBM 173324

**3025337 BURNER  $\varnothing$  75 mm 3.5KW**  
for Pot stove gas (MBM) - Series MAGIS MAGISTRA



MBM RTCU700748


**3025310 FRONT VENTURI 3.5KW**  
plate  $\varnothing$  110 mm - hole  $\varnothing$  32 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700135

MBM 173323

**3186740 GASKET FOR BURNER 3.5KW**  
size  $\varnothing$  110x80x1.6 mm



MBM RTCU700399



Suitable for:

# MBM



**3025310 FRONT VENTURI 3.5KW**  
plate ø 110 mm - hole ø 32 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700135

MBM 173323

**3025320 FRONT VENTURI 3.5KW**  
plate ø 110 mm - hole ø 32 mm  
NEW MODEL  
for old kitchen it is necessary to rotate the plat  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160141

MBM 164555

**3025311 FRONT VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
NEW MODEL  
for old kitchen it is necessary to rotate the plat  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160142

MBM 164556

**3025319 FRONT VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700136

MBM 173321

**3025316 REAR VENTURI 3.5KW**  
plate ø 110 mm - hole ø 32 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700137

MBM 173324

**3025309 REAR VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
for Pot stove gas (MBM) - Series OMNIA



MBM GACU700138

MBM 173322

**3025317 REAR VENTURI 6KW**  
plate ø 145 mm - hole ø 35 mm  
NEW MODEL  
for old kitchen it is necessary to rotate theplate  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160144

MBM 164557

**3025318 REAR VENTURI 8KW**  
plate ø 145 mm - hole ø 40 mm  
NEW MODEL  
for old kitchen it is necessary to rotate the plat  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160318

MBM 164558



# MBM



Suitable for:

**3025338 VENTURI F/FLAME SPREADER 100 mm 3KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600017

Suitable for:

**3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW**  
for Pot stove gas (EMMEPI) - Series 650  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600018

## Cables for piezo igniters

**3001034 IGNITION CABLE 1400 mm**  
with faston terminal 3x0.8 mm for ignition  
with faston terminal  $\varnothing$  2 mm for plug  
for Bratt pan gas (MBM) GBRA



MBM RTCU700005

MBM RTFOC00128

**3001027 IGNITION CABLE 500 mm**  
with faston terminal  $\varnothing$  2 mm for ignition  
with faston terminal  $\varnothing$  2 mm for plug  
for Pot stove gas (MBM) - Series MINIMA  
Series OMNIA



MBM RTCU700361

**3001036 IGNITION CABLE 700 mm**  
with faston terminal 3x1 mm for ignition  
with faston terminal  $\varnothing$  2 mm for plug



MBM RTBF700038

**3001002 SIT IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm ignition  
with faston  $\varnothing$  4 mm for electrode  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



MBM RTCU900384

MBM RTCU900385

**3001016 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



MBM RIC0002285

**3001019 SIT IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2.4 mm for electrode



MBM RTCU800144



Suitable for:

**MBM**



Suitable for:

## Capacitors


- 3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



MBM RTFOC00053

## Cast iron hot plates

- 3312031 RIBBED PLATE 425x375 mm**  
made of cast iron  
for Pot stove (MBM) - Series 900 CLASSICA



MBM RTCU900042

- 3312115 SMOOTH PLATE 365x355 mm**  
for Pot stove (MBM) - Series 900 MAGISTRA



MBM A800011

MBM RTCU800035

## Circlips

- 3250139 EXTERNAL SEEGER FOR HEATING ELEMENT**



MBM RTMIN00283

## Clamps

- 3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7



MBM RTBF800171




## Contactors

**3446562 CONTACTOR LOVATO BF0901A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



MBM RTCU600371

**3446561 CONTACTOR LOVATO BF0910A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



MBM RTBF800153

MBM RTFOC00466

**3446587 CONTACTOR LOVATO BF2600A**  
 coil 26A 230V 50/60Hz 13Kw  
 3 normally open contacts  
 no auxiliary contact  
 for Fryer electric (ANGELO PO) 0A1FR1E



MBM RTFOC00598

MBM 177040

**3351049 CONTACTOR SIEMENS 3RT1016-1AP01**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 for Food-service trolley (MODULINE) RM112M



MBM 229037

MBM 80350

## Cooking baskets and accessories

**3055125 BLACK KNOB  $\varnothing$  28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



MBM RTBF800322

**3055244 PASTA COOKER BASKET 160x145x215 mm LH**  
 for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000790

MBM B800004

**3055243 PASTA COOKER BASKET 160x145x215 mm RH**  
 for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000780

MBM B800003

**3055218 PASTA COOKER BASKET 160x290x215 mm**  
 for Pasta cooker (MBM) - Series 700 - Series 900



MBM A80000810

MBM B00006

**3055350 PASTA COOKER BASKET 285x160x215 mm**  
 made of stainless steel  
 for Pasta cooker (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA



MBM A800001260

**3055125 BLACK KNOB  $\varnothing$  28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



MBM RTBF800322



Suitable for:

**3055245 PASTA COOKER BASKET 290x145x215 mm**  
for Pasta cooker (MBM) - Series 700 - Series 900



MBM A77000120

MBM A770049

Suitable for:

**3055147 PASTA COOKER BASKET 290x98x215 mm**  
made of stainless steel  
for Pasta cooker (MBM) - Series MAGISTRA



MBM A80000800

MBM B800005

## Drain assembly

**3316011 BRASS DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  80 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



MBM 43145

## Drain taps and accessories

**3356100 DRAIN TAP  $\varnothing$  2" F TECNO**  
GASKET SEAL - with swivel nut  $\varnothing$  2" F  
for Boiling pan  
for Bratt pan (CHARVET) 1000GMA200BM/C



MBM RTCP900004

## Drip trays for kitchens and ovens

**3015018 BURNER DRIP TRAY**  
external size 360x445 mm  
internal hole  $\varnothing$  70 mm  
for Kitchen gas (MBM) G4SFE - G6SFEA  
for Pot stove gas (MBM) GT2SFEA - G4S - G6S  
G6SF2



MBM PACU800004



## Electric hot plates

**3311092 ELECTRIC HOT PLATE ø 145 mm 1500W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-740 - CE-741



MBM RTCU700087

**3311166 ELECTRIC HOT PLATE ø 180 mm 1800W 230V**  
 faston electric connections  
 for glass-ceramic cooking top  
 for glass-ceramic cooking top



MBM RIC0001040

MBM RIC0001295

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Hot plate electric (BONNET) B-B7.PE800  
 for Kitchen electric (FAGOR) CE-741 - CE7-40  
 for Pot stove electric (FAGOR) CE-720



MBM RTCU700086

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Hot plate electric (MORICE) RE40010003  
 for Kitchen electric (FAGOR) CE-741 - CE7-20  
 CE7-40



MBM RTCU700127

**3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for Pot stove (MBM) - Series DOMINA900



MBM 160369

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
 dimensions 220x220 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



MBM RTCU700248

**3311062 ELECTRIC HOT PLATE 3000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



MBM RTCU800115

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



MBM RTCU800118



Suitable for:

**MBM**



Suitable for:

## Electrical gas valves and accessories

**3526098 COIL 220V**  
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



MBM RTFOC00462

**3526089 ELETROSIT VALVE  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LOWER thermocouple



MBM RTBF800077

**3526079 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz  
for Fryer gas (ANGELO PO) - Series ALPHA  
Series BIFRONTI - Series DELTA - Series GAMMA  
Series OMEGA  
for Fryer gas (CAPIC)



MBM RTFOC00095

## Electronic thermostats and controllers

**3445073 THERMOSTAT EVK411 TCJ**  
power supply 12Vca/dc 1.5VA  
thermostat setting range 0+600°C  
ON-OFF control with one actuation point only  
1 changeover relay output 16A  
alarm buzzer  
access to configuration parameters through  
password - TTL serial port  
room temperature 0+60°C  
thermocouple TCJ type probe (not included)  
connections by screw terminal block  
front dimensions 74x32x65 mm  
mounting hole 71x29mm



MBM RTFOC00029





Suitable for:

# MBM



Suitable for:

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 12A  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 double rotation direction  
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M  
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M  
 for Grill electric (BERTO'S) E6PL60B - E6PL60M  
 E9PL40M - E9PL80M - PLE40BE - PLE40ME  
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M  
 for Salamander electric (BERTO'S) SA/E48 - SA/E60  
 SA/E60-E - SA/E68M - SA/E68M-E



MBM RIC0001299

MBM RTCU800066

### 2111902 ENERGY REGULATOR

contacts 240V 13A  
 temperature max 125°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pot stove electric (MBM) EVC26 - EVC46



MBM RIC0001010

## Feet

### 3313005 STAINLESS STEEL FOOT $\varnothing$ 2" x h 125 mm with fixed screw M12x25 mm



MBM 926117

## Fittings

### 3349334 NICHEL-PLATED FITTING $\varnothing$ 1/2" M-3/8" F



MBM 927234

## Fryer baskets and accessories

### 3055296 FRYER BASKET 160x285x120 mm for Fryer (MBM) - Series 900



MBM A80000200

MBM A800002

MBM RTBF800010

### 3055269 FRYER BASKET 200x295x110 mm in chromium plated iron for Fryer electric (CAPIC) FRI9 for Fryer electric (ELETTOBAR) FRI9



MBM 706089



Suitable for:

# MBM



**3055195 FRYER BASKET 330x290x120 mm**  
in chromium plated iron  
for Fryer electric (GIORIK) F20L - F220L  
for Fryer gas (GIORIK) FG17L - FG217L



MBM A80000210  
MBM RTBF800316

MBM A800003

MBM RTBF800009

Suitable for:

**3055348 FRYER BASKET 360x270x140 mm**  
made of chrome-plated iron  
for Fryer (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160038

## Fuses

**3049021 DELAY FUSE 5x20 - 10 PCS**  
250V 8A



MBM RTFOC00284

MBM RTFOC00734

**3049036 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 100mA



MBM RTFOC00047

**3049041 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 315mA



MBM 926283

**3049045 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 800mA



MBM 926284

**3049052 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 4A



MBM 228004

## Gas burners

**3023234 BURNER ø 50x470 mm**  
overall length 565 mm  
made of chrome-plated iron  
for Pasta cooker gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700285

**3023233 BURNER ø 60x240 mm**  
overall length 305 mm  
made of chrome-plated iron  
for Boiling pan gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM RTCU800335



Suitable for:

**3023161 BURNER 445x200 mm**  
made of stainless steel  
for Lava rock grill gas (AMBACH) GLG/40/CP  
GLG/45 - GLG/70 - GLG/80 - GLG/90



MBM RTCU700483

**3023148 BURNER 535x240 mm**  
made of stainless steel  
for Fry top gas (MBM) - Series MAGISTRA



MBM RTBF800031

**3023144 BURNER 575x225 mm**  
made of stainless steel  
for Lava rock grill gas (MBM)  
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RIC0002519

## MBM



Suitable for:

**3023231 BURNER 495x460 mm**  
made of chrome-plated iron  
for Oven under cooktop gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 162696

**3023232 BURNER 540x290 mm**  
made of chrome-plated iron  
for Fry top gas (MBM) - Series MAGIS MAGISTRA  
Series OMNIA



MBM 160165

## Gas taps and accessories

**3348089 BRACKET FOR TAP**



MBM RTCU600054



Suitable for:

**MBM**



Suitable for:

## Gas taps and accessories

**3348096 GAS COCK SABAF**  
 without pilot outlet  
 flange outlet  
 pipe fitting M13  
 eye thermocouple fitting  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Pot stove (MBM) - Series MINIMA



MBM RTCU600016

MBM 170414

**3348089 BRACKET FOR TAP**



MBM RTCU600054

**3348016 GAS COCK 21/SV**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple connection M9x1 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



MBM RTCU700259

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



MBM

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



MBM RTCU900019

**3348002 GAS COCK 22/0**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M8x1  
 D-shaped pin  $\varnothing$  10x8 mm  
 for Boiling pan (THIRODE)  
 for Bratt pan gas (THIRODE) SA30 - SA41  
 for Grill (FAGOR) - Series 900



MBM RTCU900011

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
 for PEL tap model 22-24



MBM RTCU900075



Suitable for:

**3020082 OLIVE FOR 12 mm ø PIPE**



MBM RTCU900014

**3348010 GAS COCK 22/0**  
with pilot flame  
with horizontal flange  
fittings ø M20x1.5mm  
with flow regulator  
D-shaped pin ø 10x8 mm



MBM RTCU900020

**3020078 TUBING NUT FOR 6 mm ø PIPE**



MBM RTCU900019

**3348012 GAS COCK 23/0**  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin ø 10x8 mm



MBM RTCP800019

# MBM



Suitable for:

**3020078 TUBING NUT FOR 6 mm ø PIPE**



MBM RTCU900019

**3020082 OLIVE FOR 12 mm ø PIPE**



MBM RTCU900014

**3020078 TUBING NUT FOR 6 mm ø PIPE**



MBM RTCU900019



Suitable for:

# MBM



**3348090 GAS TAP 22/V**  
 with pilot flame  
 with vertical flange  
 fittings  $\varnothing$  M20x1.5mm  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm  
 for Pot stove (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA



MBM 160344

MBM 168001

Suitable for:

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



MBM RTCU900018

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 for model PEL 22



MBM RTCU900017

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
 for model PEL 20-21



MBM RTCU700297

MBM RTCU900013

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
 for model PEL 22



MBM RTCU900015

**3348034 PIPE FITTING  $\varnothing$  16 mm**  
 for model PEL 23



MBM RTCP800022

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 22



MBM RTCU900016

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 20 - 21



MBM RTCU900012

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
 for model PEL 23



MBM RTCP800023



## Gas valves and accessories

- 3523035 KNOB FOR MINISIT VALVE**  
for Fry top gas (FAGOR) FTG-705 - FTG-710  
FTG-905 - FTG-910



MBM RTCU900222

- 3523918 MANUAL MINISIT VALVE FOR PASTA COOKER**  
inlet outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
room temperature 0÷60°C  
supplied without cover, knob and flanges  
for Pasta cooker gas



MBM RTCU900062

- 3523047 MINISIT COVER**  
for Fry top gas (FAGOR) - Series 900  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
Series 900



MBM RTCU900221

- 3523039 MINISIT SENSING ELEMENT 30÷100°C**  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
for Bain-marie gas  
for Pasta cooker gas



MBM RTBF900066

- 3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Bain-marie gas



MBM RTBF900003

- 3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  5x125 mm  
without cover, knob and flanges  
for Hot cupboard gas (ZANUSSI) - Series H900



MBM RTBF900003

- 3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
capillary length 1050 mm  
bulb  $\varnothing$  6x105 mm  
supplied without lid knob and flanges  
for Fryer gas (ZANUSSI) - Series R701



MBM RTCU700574

MBM RTCU700642

- 3523023 MINISIT VALVE FOR FRYER 50÷190°C**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷60°C  
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
with an elbow flange  $\varnothing$  3/8" F  
for Fryer gas



MBM GRUCU900012



Suitable for:

# MBM



**3523020 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fry top gas  
 for Oven under cooktop gas



MBM GRUC900015

Suitable for:

**3523920 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 without cover, knob and flanges  
 for Fry top gas  
 for Oven under cooktop gas



MBM RTCU900064

**3523922 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1800 mm  
 bulb  $\varnothing$  5x70 mm  
 without cover, knob and flanges  
 for Oven under cooktop gas



MBM RTCU900063

## Gaskets and seals

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
 for drain tap  $\varnothing$  2" old model




MBM RTCP900025

**3186479 FIBERGLASS GASKET**  
 profile dimensions 12x12 mm  
 max temperature 600°C  
 COLOUR WHITE  
 SOLD PER METRE  
 for Bratt pan (ZANUSSI) - Series HD700  
 for Fry top (ZANUSSI) - Series HD900 - Series N900  
 for Solid top range (ZANUSSI)



MBM 163292

**3186740 GASKET FOR BURNER 3.5KW**  
 size  $\varnothing$  110x80x1.6 mm



MBM RTCU700399

**3186698 GASKET FOR BURNER 6KW**  
 size  $\varnothing$  145x120x1.6 mm



MBM RTCU700400




## 3186699 GASKET FOR BURNER 8KW



MBM 160329

## Gaskets for oven door

**3186403 OVEN DOOR GASKET 1400 mm**  
 made of silicone elastomer  
 profile dimensions 21x12 mm  
 COLOUR BLACK  
 for Oven under cooktop (GIGA) - Series 600  
 for Oven under cooktop (MBM) - Series MINIMA



MBM RIC0002340

**3786585 OVEN DOOR GASKET 1650 mm**  
 made of silicone elastomer  
 profile dimensions 14x7.5 mm  
 COLOUR BLACK  
 for Oven under cooktop (MBM) - Series MEDIUM 70



MBM MPGOM00P00  
 MBM PACU700011

MBM MPGOM01P00  
 MBM 167479


MBM MPGOM01900

**3186103 OVEN DOOR GASKET 540x320 mm**  
 made of silicone elastomer  
 with fastening clips - 3 sides  
 profile dimensions 9.2x8.5 mm  
 COLOUR BLACK  
 for Oven under cooktop (MBM) - Series CLASSICA  
 Series MAGISTRA - Series MEDIUM




MBM RTCU800097

**3186750 SIDE DOOR GASKET 300 mm**  
 made of silicone elastomer  
 profile dimensions 15x10 mm  
 COLOUR BLACK  
 for Oven under cooktop (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA



MBM 163888

**3186758 UPPER DOOR GASKET 570 mm**  
 made of silicone elastomer  
 profile dimensions 15x10 mm  
 COLOUR BLACK  
 for Oven under cooktop (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA



MBM 163889



Suitable for:

# MBM



Suitable for:

## Grids for kitchen

**3185069 PAN SUPPORT GRID 300x335 mm**  
for Pot stove (MBM) - Series OMNIA



MBM RTCU700274

**3185113 PAN SUPPORT GRID 415x365 mm**  
for Pot stove (MBM) - Series DOMINA



MBM 160031

MBM 162954

MBM 174189

**3185068 PAN SUPPORT GRID 445x355 mm**  
for Pot stove (MBM) - Series MAGISTRA



MBM RTCU800002

**3354015 GRID REDUCER FOR MOKA 180x180 mm**  
made of chrome plated iron  
for Pot stove (MBM) - Series MAGISTRA  
for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



MBM RTCU800038

**3185112 PAN SUPPORT GRID 510x290 mm**  
for Pot stove (MBM) - Series MINIMA



MBM RTCU600019

## Handles

**3242034 BLACK S/STEEL HANDLE 620x60 mm**  
for Oven under cooktop (MBM)  
Series MAGIS MAGISTRA - Series MAGISTRA  
Series OMNIA



MBM PACU800131

MBM 168205

**3242035 PLASTIC BLACK SUPPORT FOR HANDLE**  
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA  
for Oven under cooktop (MBM)  
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCU800001

**3242729 BLUE PLASTIC HANDLE TERMINAL**  
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700291

**3242354 DOOR LOCK MAGNET**  
distance between magnetic part holes 74 mm  
distance between holes of strike plate 64 mm  
for Fryer (MBM) - Series MAGISTRA



MBM RIC0001384

MBM RTBF300233



Suitable for:

# MBM



**3242288 HANDLE 160x60 mm**  
for Oven under cooktop (MBM) - Series MAGISTRA  
for Oven under cooktop gas (MBM)  
Series MAGIS MAGISTRA



MBM PACU800122

MBM 168204

Suitable for:

**3242035 PLASTIC BLACK SUPPORT FOR HANDLE**  
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA  
for Oven under cooktop (MBM)  
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCU800001

**3242035 PLASTIC BLACK SUPPORT FOR HANDLE**  
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA  
for Oven under cooktop (MBM)  
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCU800001

## Heating elements

**3755663 HEATING ELEMENT 1250W 240V**  
length 415 mm - width 85 mm  
height 70 mm  
for Fry top electric (MBM) EFT106 - EFT46 - EFT66



MBM RTCU600183

**3755235 HEATING ELEMENT 1350W 230V**  
length 450 mm - width 75 mm  
height 80 mm  
for Fry top electric (MBM) - Series OMNIA



MBM RTCU700278

**3755654 HEATING ELEMENT 1500W 230V**  
length 355 mm - width 525 mm  
flange 100x20 mm  
for Oven under cooktop electric (MBM) E6F6  
G6SFE6



MBM RIC0002548

**3755006 HEATING ELEMENT 1500W 240V**  
length 500 mm - width 110 mm  
height 75 mm  
for Bratt pan electric (MBM) - Series 900 MAGISTRA



MBM RTBF800026



Suitable for:

# MBM



**3755661 HEATING ELEMENT 15000W 230V**  
 length 300 mm - width 285 mm  
 with two holes per bulb - complete with cables  
 complete with OR gaskets  
 for Fryer electric (EMMEPI) - Series 900  
 for Fryer electric (GIORIK)  
 for Fryer electric (MBM) EF45 - EF90  
 for Fryer electric (OFFCAR) - Series 700  
 Series 900  
 for Fryer electric (SILKO)



MBM RTBF800318

**3186601 O-RING 04200 EPDM**



MBM RTBF800320

**3755201 HEATING ELEMENT 1530W 240V**  
 length 360 mm - width 200 mm  
 flange 70x22 mm  
 for Bain-marie electric (MBM) - Series MINIMA  
 Series OMNIA



MBM RTCU700280

**3355148 HEATING ELEMENT 2000W 240V**  
 length 280 mm - width 60 mm  
 couplings  $\varnothing$  16 mm  
 for Boiling pan electric (MBM)  
 Series 900 MAGISTRA



MBM RTBF800168

Suitable for:

**3186697 O-RING 0159 EPDM**



MBM RTBF800321

MBM RTCU700565

**3755652 RING NUT 2" FOR HEATING ELEMENT**  
 for Fryer (SILKO) FE72206



MBM RTBF800319

**3755658 HEATING ELEMENT 1850W 240V**  
 length 285 mm - width 45 mm  
 fittings  $\varnothing$  3/8"  
 for Pasta cooker electric (MBM) EC47



MBM RTCU700283

**3755668 HEATING ELEMENT 2000W 240V**  
 length 570 mm - width 100 mm  
 h 70 mm  
 for Fry top electric (MBM) EFT45L - EFT45LC  
 EFT45R - EFT45RC - EFT49L - EFT49LC - EFT49R  
 EFT49RC - EFT90L - EFT90LC - EFT90LR  
 EFT90LRC - EFT90R - EFT90RC



MBM RTBE800038

MBM RTBF800038




# MBM



Suitable for:

**3355214 HEATING ELEMENT 2500W 220V**  
length 530 mm - width 615 mm  
flange 70x22 mm  
for Kitchen electric (MBM) E4F



MBM RTCU900067

MBM RTCU900186

Suitable for:

**3355889 HEATING ELEMENT 2500W 230V**  
external  $\varnothing$  190 mm - total height 70 mm  
flange 70x22 mm  
for Kitchen electric (MBM) E4F6  
for Oven under cooktop electric (GIGA)  
Series COUNTER700 - Series KAPPA900  
Series SNACK650



MBM RIC0001835

**3355057 HEATING ELEMENT 2500W 240V**  
external  $\varnothing$  200 mm - total height 64 mm  
flange 100x22 mm  
for Warm table electric (ZANUSSI)



MBM RTCU700451

MBM RTTAV00105

**3755664 HEATING ELEMENT 2600W 230V**  
external  $\varnothing$  190 mm - overall height 81 mm  
flange 70x22 mm  
for Oven under cooktop electric (MBM) EFOV7



MBM RTCU700650


**3455456 HEATING ELEMENT 3000W 230V**  
length 360 mm - width 65 mm  
height 240 mm - fittings  $\varnothing$  13 mm  
for Fryer electric (MBM) EF12B



MBM 161879

MBM 180580

**3755655 HEATING ELEMENT 3000W 230V**  
length 505 mm - width 645 mm  
flange 100x22 mm  
for Oven under cooktop electric (MBM)  
Series DOMINA - Series MAGIS MAGISTRA



MBM 161662

**3755662 HEATING ELEMENT 3000W 230V**  
length 255 mm - width 55 mm  
height 25 mm - couplings  $\varnothing$  3/8"  
for Pasta cooker electric (MBM) EC77



MBM RTCU700284

**3755667 HEATING ELEMENT 3000W 230V**  
length 445 mm - width 50 mm  
fittings 3/8"  
for Pasta cooker electric (MBM) EC45 - EC49  
EC49T - EC902V - EC992V - EC992VT



MBM RTCU800342



Suitable for:

# MBM



**3755185 HEATING ELEMENT 3200W 240V**  
 length 570 mm - width 520 mm  
 flange 70x22 mm  
 for Oven under cooktop electric (MBM) EF07  
 Series OMNIA



MBM RTCU700281

**3355612 HEATING ELEMENT 3300W 230V**  
 length 250 mm - width 135 mm  
 height 220 mm - flange 160x22 mm  
 for Fryer electric (ELETTOBAR) FRI6



MBM RTCU600250

MBM 230069

**3355613 HEATING ELEMENT 3300W 230V**  
 length 320 mm - width 135 mm  
 height 220 mm - flange 160x22 mm  
 for Fryer electric (ELETTOBAR) FRI9



MBM 230070

**3755657 HEATING ELEMENT 3750W 230V**  
 length 510 mm - width 640 mm  
 flange 70x20 mm  
 for Oven under cooktop electric (MBM)  
 Series DOMINA - Series MAGIS MAGISTRA



MBM 161661

**3755656 HEATING ELEMENT 3900W 230V**  
 length 510 mm - width 545 mm  
 flange 160x20 mm  
 for Oven under cooktop electric (MBM) EF07



MBM RTCU700282

**3355615 HEATING ELEMENT 4950W 230V**  
 length 320 mm - width 130 mm  
 height 220 mm - flange 160x22 mm  
 for Fryer electric (COLGED) FAST151  
 for Fryer electric (ELETTOBAR) FRI9



MBM 230068

**3755669 HEATING ELEMENT 5250W 230V**  
 length 290 mm - width 115 mm  
 with two holes for thermostat probe  
 with cables and mounting kit  
 for Fryer electric (MBM) EF472VT



MBM RIC0003796

MBM RTCU700592

**3186697 O-RING 0159 EPDM**



MBM RTBF800321

MBM RTCU700565



Suitable for:

Suitable for:

**3355616 HEATING ELEMENT 6600W 230V**  
 length 350 mm - width 130 mm  
 height 230 mm - flange 160x22 mm  
 for Fryer electric (COLGED) FAST151  
 for Fryer electric (ELETTOBAR) FRI12



MBM RTCU600235

MBM 230072

**3755666 HEATING ELEMENT 7200/6000W 240/220V**  
 immersed length 495 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Boiling pan electric (MBM) E100I - E100IT9  
 E100I9 - E150IA - E150IT9 - E150I9



MBM RTCP800008

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



MBM 167956

MBM 929046

**3755237 HEATING ELEMENT 7500W 230V**  
 external  $\varnothing$  260 mm - overall height 165 mm  
 flange 142x25 mm



MBM RTFOC00013

MBM RTFOC00433

**3755659 HEATING ELEMENT 9000W 230V**  
 length 290 mm - width 200 mm  
 with two holes for thermostat probe  
 with cables and mounting kit  
 for Fryer electric (MBM) EF46



MBM RIC0003794

MBM RTCU600122

**3250139 EXTERNAL SEEGER FOR HEATING ELEMENT**



MBM RTMIN00283

**3186697 O-RING 0159 EPDM**



MBM RTBF800321

MBM RTCU700565



Suitable for:

# MBM



**3755660 HEATING ELEMENT 9000W 230V**  
 length 290 mm - width 205 mm  
 with two holes for thermostat probe - with cables  
 for Fryer electric (MBM) EF47 - EF47T - EF77  
 EF77T - EF777



MBM RIC0003795  
MBM 180950

MBM RTCU700570

MBM 166410

**3186697 O-RING 0159 EPDM**



MBM RTBF800321

MBM RTCU700565

**3440012 SLOTTED FITTING M10x1**



MBM RTCP900058

**3355349 QUARTZ HEATING ELEMENT 1000W 230V**  
 length 390 mm - flange 130x11 mm  
 for Toaster electric (DIHR) F120 - F60  
 for Toaster electric (ELETTROBAR) 412  
 for Toaster electric (SICOMEX)



MBM 923003

**3755652 RING NUT 2" FOR HEATING ELEMENT**  
 for Fryer (SILKO) FE72206



MBM RTBF800319

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118  
 height 23 mm  
 for Kitchen electric (FAGOR) CE-741 - CE9-41  
 for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
 CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
 CG9-82  
 for Oven under cooktop  
 for Oven under cooktop electric (FAGOR) HE9-10  
 HE9-20  
 for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
 HG9-20



MBM RTCU900004

**3053019 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 25 mm  
 for Oven under cooktop (LOTUS) - Series CF  
 for Oven under cooktop electric (BERTO'S)  
 G9F4E+FE1 - G9F6E+FE1  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop electric (MARENO) FOE-60M  
 for Oven under cooktop gas (BERTO'S) G9F4E+FG1  
 G9F6E+FG1  
 for Oven under cooktop gas (GIGA) CC80G



MBM C0002482

MBM RIC0002482

MBM 01980059512





# MBM



Suitable for:

## 3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



MBM RTCU900027

MBM RTCU900397

Suitable for:

## 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



MBM RTCU900004

## 3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



MBM RTCU900026

MBM RTCU900396

## 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



MBM RTCU900004

## Injectors

### 3500020 GAS JET M10x1 ø 0.80 mm



MBM RTCU900241

### 3500021 GAS JET M10x1 ø 0.95 mm



MBM RTCU700032

MBM RTCU900045

### 3500024 GAS JET M10x1 ø 1.15 mm



MBM RTCU700468

MBM RTCU900246

### 3500025 GAS JET M10x1 ø 1.20 mm



MBM RTCU900236



# MBM



Suitable for:

Suitable for:

**3500027 GAS JET M10x1  $\varnothing$  1.30 mm**

**3500028 GAS JET M10x1  $\varnothing$  1.45 mm**



MBM RTCU700034

MBM RTCU700035

MBM RTCU900035

**3500032 GAS JET M10x1  $\varnothing$  2.00 mm**

**3500060 GAS JET M7x1  $\varnothing$  0.55 mm**



MBM RTCU900038

MBM SN53301280

**3500061 GAS JET M7x1  $\varnothing$  0.80 mm**

**3500062 GAS JET M7x1  $\varnothing$  0.85 mm**



MBM 1260

MBM SN53301220

MBM SN53301221

**3500064 GAS JET M7x1  $\varnothing$  1.20 mm**

**3500065 GAS JET M7x1  $\varnothing$  1.30 mm**



MBM 1230

MBM 1410

**3500069 GAS JET M7x1  $\varnothing$  1.60 mm**

**3500042 GAS JET M9x1  $\varnothing$  1.00 mm**



MBM 1250

MBM RTCU800105

**3500043 GAS JET M9x1  $\varnothing$  1.10 mm**

**3500070 GAS NOZZLE M10x1  $\varnothing$  1.70 mm**



MBM RTCU700026

MBM RTCU700036



## Interference suppression filters

**3160383 INTERFERENCE SUPPRESSION FILTER**  
OHM 100 mF 0.1 VAC 250



MBM RTFOC00023

**3160479 INTERFERENCE SUPPRESSION FILTER 0,47µF**



MBM RTFOC00312

## Knobs

**3241247 BLACK KNOB**  
round hole  $\varnothing$  6 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E



MBM RTCU700413

**3241040 BLACK KNOB  $\varnothing$  65 mm SILK-SCREEN PRINTED**  
D-shaped hole 10x8 mm  
for valve equipped gas COOK TOP tap



MBM RTCU900028

MBM 168345

MBM 168868

**3241042 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D-shaft hole 8x6.5 mm  
for Pot stove (MBM) - Series MAGISTRA



MBM 169337

MBM 169355

**3241187 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (MBM) - Series OMNIA



MBM RTCU700308

MBM 168867

MBM RTCU700309

MBM 168861

**3241528 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (MBM) - Series MINIMA



MBM RTCU600063

MBM 168867

MBM RTCU600064

MBM 168861

**3241530 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Pot stove gas (MBM) - Series DOMINA



MBM 164581

MBM 165927

MBM 168848



Suitable for:

# MBM



**3241523 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Kitchen electric (MBM) E4F  
for Pot stove electric (MBM) E2AR - E6AR



MBM 169340

MBM 169363

**3241531 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Pot stove electric (MBM) - Series DOMINA



MBM 164577

MBM 165926

MBM 168847

MBM 169912

**3241188 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8**  
D shaft hole 8x6.5 mm  
for Pot stove (MBM) - Series OMNIA



MBM RTCU700343

MBM RTCU700344

MBM 168861

MBM 168867

**3241527 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Pot stove (MBM) - Series MAGIS MAGISTRA



MBM 164360

MBM 168852

**3241525 BLACK KNOB ø 75 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for Boiling pan (MBM) E150A  
for Boiling pan electric (MBM) E150IA  
for Pasta cooker electric (MBM) EC45



MBM RTCP800104

**3241126 BLACK KNOB ø 76 mm 170-300°C**  
D shaft hole 10x8 mm  
for Oven under cooktop (MBM) MAGISTRA



MBM RTCU800019

**3241529 BLUE KNOB ø 70 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Kitchen electric (MBM) E4F6  
for Pot stove electric (MBM) E26 - E27 - E27Q  
E4F7 - E4F7Q - E46 - E47 - E47Q - E6FA7  
E6FA7Q - E66 - E67 - E67Q




MBM RTCU700346

MBM RTCU700403

MBM 168877

**3241039 RED KNOB ø 65 mm 0-1-2-3-4-5-6-7-8**  
D shaft hole 8x7 mm  
for EGA COOKTOP OVEN valve



MBM RTCU700031



# MBM



Suitable for:

## 3241524 RED KNOB $\varnothing$ 75 mm 0-1-2-3-4-5-6-7-8

D-shaped hole 10x8 mm  
for Oven under cooktop (MBM)  
Series MAGIS MAGISTRA



MBM 164392

MBM 168855

Suitable for:

## 3241526 RED KNOB $\varnothing$ 75 mm 50-300°C

D shaft hole 6x4.6 mm  
for Fry top electric (MBM) EFT45L - EFT45LC  
EFT45R - EFT45RC - EFT90L - EFT90LC - EFT90LR  
EFT90LRC - EFT90R - EFT90RC  
for Kitchen electric (MBM) E4F  
for Kitchen gas (MBM) G4SFE - G6SFEA



MBM 164389

## 3241185 RED KNOB $\varnothing$ 76 mm 1-2-3-4-5-6-7-8

D shaft hole 10x8 mm  
for Fry top (MBM)  
for Oven under cooktop (MBM)



MBM RTCU800018

## 3241821 RED KNOB $\varnothing$ 76 mm 1-2-3-4-5-6-7-8

D shaft hole 6x4.6 mm  
for Bratt pan (MBM) MAGISTRA GBR - MAGISTRA GBRA



MBM RTBF800085

## 3241127 RED KNOB $\varnothing$ 76 mm 50-300°C

D shaft hole 6x4.6 mm  
for Oven under cooktop (MBM) MAGISTRA



MBM RTCU700076

MBM RTCU800103

## Lamps

### 3221101 GREEN INDICATOR LAMP 230V

head  $\varnothing$  15 mm -  $\varnothing$  hole 13 mm - 120°C  
universal application



MBM RTCU900290

### 3221164 GREEN INDICATOR LAMP 230V

head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
dashboard mounting  
for Salamander (TECNOINOX) - Series SE  
Series SEF - Series SEL



MBM DEL15



# MBM



Suitable for:

**3221329 GREEN INDICATOR LAMP 230V**  
ø head 16 mm - ø hole 10 mm - 150°C  
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



MBM 160505

MBM 161792

MBM 166465

Suitable for:

**3221400 GREEN INDICATOR LAMP 230V**  
ø head 14 mm - ø hole 13 mm



MBM

**3319219 GREY SUPPORT**



MBM 226096

**3221263 HALOGEN LAMP R7s 230W 230V**  
length 117 mm



MBM

**3221025 ORANGE INDICATOR LAMP 230V**  
hole ø 13 mm - head ø 15 mm - 120°C  
universal application



MBM RTCU900072

MBM RTCU900488

**3221095 ORANGE INDICATOR LAMP 230V**  
head ø 13.5 mm - hole ø 10 mm - 120°C  
universal application



MBM 216020

**3221325 ORANGE INDICATOR LAMP 230V**  
head ø 16 mm - hole ø 10 mm - 150°C  
for Bain-marie (MBM) - Series MAGIS MAGISTRA  
for Fry top (MBM) - Series MAGIS MAGISTRA



MBM 160506

MBM 161793

MBM 161794

MBM 166466

**3221329 GREEN INDICATOR LAMP 230V**  
ø head 16 mm - ø hole 10 mm - 150°C  
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



MBM 160505

MBM 161792

MBM 166465

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



MBM RTFOC00658

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C



MBM RTFOC00037



Suitable for:

**MBM**



**3221024 RED INDICATOR LAMP 230V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
universal application



MBM RTCU900071

MBM RTCU900291

**3221025 ORANGE INDICATOR LAMP 230V**  
hole  $\varnothing$  13 mm - head  $\varnothing$  15 mm - 120°C  
universal application



MBM RTCU900072

MBM RTCU900488

**3221139 RED INDICATOR LIGHT 230V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  12 mm - 120°C  
for Panini grill electric (ELETTROBAR) G33 - G39



MBM 216016

## Lava rock grids

**3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm**  
for Lava rock grill gas (MBM) GLP45 - GLP45-P  
GLP90 - GLP90-P



MBM RIC0002637

**3185114 STAINLESS STEEL GRILL 465x315x20 mm**  
for Lava rock grill gas (MBM) GLP47 - GLP77



MBM GACU700256

## Lever ball valves

**3526703 BALLCOCK VALVE  $\varnothing$  1/2"FF**



MBM RTFOC00136

**3526274 WATER VALVE  $\varnothing$  1"FF**  
ball type  
heavy series total flow PN 40  
aluminium lever  
for Fryer gas (CAPIC) CTI - CTIB - TI - TIB



MBM RTBF800073



Suitable for:

# MBM



Suitable for:

## 3526693 WATER VALVE ø 1"MF

ballcock valve  
heavy series with PN 40 total passage  
aluminium lever  
for Bratt pan (ZANUSSI) H900



MBM 160596

## Magnet groups

### 3182009 MAGNETIC UNIT PEL BIG HEADED

ø head 15.5 mm - ø end 14 mm - length 44 mm  
for PEL tap model 22-24



MBM RTCU900075

### 3182011 MAGNETIC UNIT PEL SMALL HEADED

ø head 15 mm - ø end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



MBM

## Microswitches

### 3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV  
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
FC1211G-FC1211E  
for ANGELO PO FRYER 030FE1-030FE1B-70FE  
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
30FES2-30FES2B-091FE28  
for IMESA DRYER ES10-ES55-ES75  
for IMESA WASHING MACHINE  
LM30-LM40-LM55-LM70-LM85  
RC30-RC40-RC55-RC70  
for SIRMAN CUTTER C4-C6-C6VV-C9  
for GRANDIMPIANTI DRYER EMS10-EMS15  
for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
for IPSO CALENDER RI1600/30-RI1600/30AV



MBM RTFOC00035

### 1240120 MICROSWITCH MKV11D15 16A 250V

for Bratt pan (MBM) - Series MAGISTRA



MBM RTBF800113

### 3240123 MICROSWITCH 16A 250V



MBM RTFOC00198





Suitable for:

# MBM



Suitable for:

## Motors

### 3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan  $\varnothing$  150 mm  
for Hot cupboard  
for Warm table



MBM RIC0002339

MBM RTCU700450

MBM RTCU800153

MBM RTFOC00623

## OR and ORM gaskets

### 3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



MBM 456002

### 3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



MBM 167956

MBM 929046

### 3186434 O-RING 0121 EPDM



MBM 456026

### 3186697 O-RING 0159 EPDM



MBM RTBF800321

MBM RTCU700565

### 3186601 O-RING 04200 EPDM



MBM RTBF800320

## Piezo ignitors

### 3001007 PIEZO IGNITER

a  $\varnothing$  22 mm hole is needed for the assembly  
2.4 mm  $\varnothing$  male faston connector  
for Lava rock grill gas (FAGOR)



MBM RIC0000225

MBM RTCU700020

MBM 6010047

### 3001009 PIEZO IGNITER JUNKERS

with faston 6.35x0.8 mm



MBM RTCU900056



Suitable for:

# MBM



Suitable for:

## Pilot burners and accessories

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



MBM RTCP800037

MBM RTCU900133

**3020280 FIXED PILOT BURNER SIT 1 FLAME**  
vertical connection  $\varnothing$  6 mm  
with nozzle  $\varnothing$  0.35 mm  
for Kitchen gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA - Series OMNIA



MBM RTCU700372

**3020279 PILOT GAS JET  $\varnothing$  0.21 mm**  
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700389

**3020058 PILOT GAS JET  $\varnothing$  0.35 mm**  
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700647

**3020142 PILOT LOCKING PLATE**



MBM RTCU700407

MBM 172882

MBM 172883

**3020254 INJECTOR ASSEMBLY FOR BURNER**  
for gas jets M10  
for Pot stove gas (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160324

**3500027 GAS JET M10x1  $\varnothing$  1.30 mm**



MBM RTCU700034

MBM RTCU700035

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



MBM RTCU900014

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
for model PEL 22



MBM RTCU900015



# MBM



Suitable for:

Suitable for:

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



MBM

MBM RTCU700141

**3020084 NUT & OLIVE  $\varnothing$  6 mm**

**3020085 NUT FOR SPARKING PLUG CONNECTION**



MBM RTCU900217

MBM RTCU900215

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**



MBM RTCU900014

MBM RTCU900134

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bratt pan gas (ZANUSSI) - Series R700  
for Kitchen gas (ZANUSSI)

**3020054 PILOT JET  $\varnothing$  0.20 mm**



MBM

MBM LF-3020434

MBM RTCU700228

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



MBM RIC0003481

MBM RTCU900073



Suitable for:

**MBM**



Suitable for:

**3020033 ONE-FLAME PILOT BURNER SIT**  
 multigas nozzle  
 external regulation with 7 mm nut  
 for Oven under cooktop gas (MBM) - Series CLASSICA  
 Series MAGISTRA - Series MEDIUM 70



MBM RTCU900025

**3020454 PILOT BURNER ASSEMBLY KIT**  
 with piezo igniter, thermocouple  
 with ignition cable  
 for Boiling pan gas (MBM) G100



MBM GACP800065

MBM RIC0004528

**3001007 PIEZO IGNITER**  
 a  $\varnothing$  22 mm hole is needed for the assembly  
 2.4 mm  $\varnothing$  male faston connector  
 for Lava rock grill gas (FAGOR)



MBM RIC0000225

MBM RTCU700020

MBM 6010047

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm



MBM RIC0003189

MBM RTCU900010

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



MBM RTCP800058

**3001036 IGNITION CABLE 700 mm**  
 with faston terminal 3x1 mm for ignition  
 with faston terminal  $\varnothing$  2 mm for plug



MBM RTBF700038

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



MBM RTCU900018

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



MBM RTCP800041



# MBM



Suitable for:

**3020279 PILOT GAS JET  $\varnothing$  0.21 mm**  
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700389

Suitable for:

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



MBM RTCP800059

**3020058 PILOT GAS JET  $\varnothing$  0.35 mm**  
for Oven under cooktop gas (MBM) - Series OMNIA



MBM RTCU700647

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



MBM RTCP800040

MBM RTCP800042

**3020054 PILOT JET  $\varnothing$  0.20 mm**



MBM RTCU700228

**3020040 PILOT JET  $\varnothing$  0.30 mm**



MBM RTCU900216

**3020142 PILOT LOCKING PLATE**



MBM RTCU700407

MBM 172882

MBM 172883

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



MBM RTCU900008

**3020113 PILOT OLIVE TARGET  $\varnothing$  4 mm**



MBM RTCP800035

**3020114 PILOT OLIVE TARGET  $\varnothing$  6 mm**



MBM RTCU800183



Suitable for:

# MBM



**3020251 TARGET ONE-FLAME PILOT BURNER SIT**  
 without sparking plug, gas nozzle and gasket  
 for Boiling pan gas (MBM) - Series MAGISTRA  
 for Bratt pan gas (MBM) - Series MAGISTRA  
 for Lava rock grill gas (MARENO) - Series PLG  
 for Solid top range gas (LOTUS) - Series 700  
 Series 900



MBM RTCP800034

**3020085 NUT FOR SPARKING PLUG CONNECTION**



MBM RTCU900215

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



MBM RTCP800041

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



MBM RTCP800040

MBM RTCP800042

**3020114 PILOT OLIVE TARGET  $\varnothing$  6 mm**



MBM RTCU800183

Suitable for:

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



MBM RTCP800037

MBM RTCU900133

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



MBM RTCP800058

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



MBM RTCP800059

**3020113 PILOT OLIVE TARGET  $\varnothing$  4 mm**



MBM RTCP800035

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm



MBM RIC0003189

MBM RTCU900010



Suitable for:

**3020200 THERMOCOUPLE NUT**



MBM RTCP800038

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket with thermocouple fitting for Boiling pan gas (ZANUSSI) - Series HD900 for Fry top gas (ZANUSSI) - Series HD900 Series PR700 for Pasta cooker gas (ZANUSSI) - Series HD900 for Solid top range gas (ZANUSSI) - Series HD900



MBM RIC0003049

MBM 7090028

**3020085 NUT FOR SPARKING PLUG CONNECTION**



MBM RTCU900215

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



MBM RTCP800040

MBM RTCP800042

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



MBM RTCU900019

# MBM



Suitable for:

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



MBM RTCU900019

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



MBM RTCP800037

MBM RTCU900133

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



MBM RTCP800041

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**

male faston M 4x1 mm model CB505/021 Junkers for model P502F total length 82 mm



MBM RIC0003189

MBM RTCU900010



Suitable for:

# MBM



## 3020200 THERMOCOUPLE NUT



MBM RTCP800038

Suitable for:

## 3020401 THREE-FLAME PILOT BURNER

supplied without sparking plug  
with LPG and NATURAL GAS nozzle  
with thermocouple fitting  
with sparking plug fitting  
with pilot pipe fitting



MBM

## 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket  
for Bain-marie gas (FAGOR)  
for Bain-marie gas (GIGA) - Series 650  
Series 700 - Series 900  
for Boiling pan gas (FAGOR)  
for Fry top gas (GIGA) - Series 650 - Series 700  
Series 900  
for Lava rock grill gas (GIGA) - Series 650  
Series 700 - Series 900  
for Oven under cooktop gas (FAGOR)



MBM RTCU900074

## 3020054 PILOT JET $\varnothing$ 0.20 mm



MBM RTCU700228

## 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
total length 65 mm



MBM RIC0003481

MBM RTCU900073

## 3020037 THREE-FLAME PRINTED PILOT BURNER SIT

without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Bratt pan gas (ZANUSSI) - Series H900



MBM RTBF700032

## 3020040 PILOT JET $\varnothing$ 0.30 mm



MBM RTCU900216





# MBM




Suitable for:

Suitable for:

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Lava rock grill gas (ANGELO PO) - Series SNACK

**3020040 PILOT JET  $\varnothing$  0.30 mm**



MBM RTCU700464

MBM RTCU900216

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



MBM RTCU900019

**3020002 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bain-marie gas (FAGOR)  
for Boiling pan gas (FAGOR)  
for Grill gas (ZANUSSI)  
for Oven under cooktop gas (FAGOR)

**3020054 PILOT JET  $\varnothing$  0.20 mm**



MBM

MBM RTCU700228

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



MBM RIC0003481

MBM RTCU900073

**3020009 TWO-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket

**3020040 PILOT JET  $\varnothing$  0.30 mm**



MBM GRCU900011

MBM RTCU900007

MBM RTCU900216



Suitable for:

**3020012 TWO-FLAME PRINTED PILOT BURNER SIT**  
 without sparking plug, gas nozzle and gasket  
 thermocouple fitting included  
 for Bain-marie gas (MBM) GBM45 - GMB90  
 for Bratt pan gas (ZANUSSI) - Series H900



MBM RTBF800034

Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



MBM RTCU900216

## Pressure switches

**3320134 ADJUSTABLE PRESSURE SWITCH 0.2-0.9 BAR**  
 three poles - model PS 14.01  
 connection 1/4" M - 15A 250V  
 for Boiling pan electric (MBM) E100I - E100IT9  
 E100I9 - E150IA - E150IT9 - E150I9 - E50I7



MBM RTCP800143

MBM 170843

## Probes

**3445398 SILICONE PROBE NTC 1500 mm**  
 2-wire probe temperature range -50+120°C  
 bulb  $\varnothing$  6x50 mm



MBM 927335

## Relays

**3351154 BASE OCTAL ES8 10A 400V**  
 8 poles



MBM 927045

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
 2 switching contacts




MBM RTFOC00144



Suitable for:

**3351605 RELAY 60.63 10A 230V 50/60Hz**  
3 switching contacts



MBM RTFOC00144

Suitable for:

**3351602 RELAY 65.31 30A 250V**  
1 cut-off contact  
coil 230V 50/60Hz



MBM 229029

## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



MBM RTBF900037

MBM RTCU900112

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat




MBM RTBF900007

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
rear hole for thermostat  
for Fryer (MORICE)  
for Fryer electric (GIGA) SKF2E - Series 600  
Series 700 - Series 800 - Series 900  
for Grill (MORICE)  
for Hot plate (MORICE)  
for Kitchen (OM GAS) - Series MERCURY  
Series SCORPION  
for Kitchen (THIRODE) - Series 700 - Series 900  
for Kitchen electric (EMMEPI) - Series 650  
Series 700 - Series 750 - Series 900



MBM RTCU900110

**3057139 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



MBM RTFOC00694

**3057186 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Bratt pan (MBM) - Series MAGISTRA



MBM RTCU700212

**3057190 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 600V - max 75°C  
rectangular shaft 4x5 mm  
for Fryer electric (GIORIK) F15 - F20 - F215  
F220 - F920 - F940



MBM RTBF800161



Suitable for:

# MBM



**3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



MBM RTCP900036

Suitable for:

**3057083 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Oven under cooktop (MBM)



MBM RTCU700079

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Bratt pan electric (COMETTO)  
for Hot plate electric (COMETTO)  
for Kitchen electric (EMMEPI) - Series 900  
for Pot stove electric (COMETTO)



MBM RTCU800151

**3057024 SELECTOR SWITCH 0-7 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (EMMEPI) - Series 650  
Series 700 - Series 750  
for Kitchen electric (GICO) - Series 700  
for Kitchen electric (GIGA) - Series 600  
Series 700 - Series 800 - Series 900  
for Kitchen electric (OFFCAR) - Series 700  
Series 900  
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT  
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT  
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE  
94/04CE - 94/04TCE



MBM RTCU700078

## Safety groups for pans and spare parts

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



MBM RTCP900063

**3184043 SAFETY ASSEMBLY  $\varnothing$  1"**  
vertical fitting  $\varnothing$  1"  
complete with safety valve and  
vacuum relief valve  
for STEAM PAN



MBM RIC0004558

MBM RTCP800064

## Solenoid valves

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for solenoid valve ELBI  
rated value +/- 25%



MBM RTFOC00145

MBM 172833

**3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE**  
for solenoid valve ELBI  
rated value +/- 25%



MBM RTFOC00120

MBM 172834



# MBM



Suitable for:

**3120014 SOLENOID VALVE 264 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet  $\varnothing$  10 mm



MBM RTFOC00520

Suitable for:

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



MBM RTFOC00022

**3120505 SOLENOID VALVE 329 24V  $\varnothing$  10 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



MBM LF-3120530

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet  $\varnothing$  10 mm



MBM RTFOC00203

**3120512 SOLENOID VALVE 351 24V  $\varnothing$  14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
3/4" inlet -  $\varnothing$  14 mm outlet



MBM

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz  
for Boiling pan gas (CHARVET)  
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB  
for Kitchen (THIRODE) B7.FV.CF.FG



MBM RTBF800129

MBM RTCU700096



Suitable for:

**MBM**



Suitable for:

## Sparking and detection plugs

### 3020252 ROUND IGNITION ELECTRODE $\varnothing$ 5x35 mm

with silicone lead 590 mm  
overall length 620 mm  
with female faston  
for COOKTOP series MINIMA



MBM RTCU600045

### 3020253 ROUND IGNITION ELECTRODE $\varnothing$ 5x37 mm

with silicone lead 730 mm  
overall length 770 mm  
with female faston  
for Pot stove gas (MBM) - Series MINIMA



MBM RTCU600046

### 3020124 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm

female connection  
overall length 58 mm  
for Fryer gas (ELFRAMO) GBD10 - GB10  
for Fryer gas (KOMEL) KBGD10 - KGB10  
for Pot stove (ROSINOX) RCS2X2FV



MBM RTCP800033

### 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
total length 65 mm



MBM RIC0003481

MBM RTCU900073

### 3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm



MBM RIC0003189

MBM RTCU900010

### 3020230 ROUND SPARKING PLUG $\varnothing$ 7x54 mm

male faston M4x1 mm  
overall length 63 mm  
for COOKING RANGE series 700 PROTAGONISTA NUOVA  
for COOKING RANGE series 900 PROTAGONISTA NUOVA  
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



MBM RTBF800362

## Springs

### 3053297 LID SPRING $\varnothing$ 38x330 mm

for BOILING PAN series MAGIS MAGISTRA-DOMINA



MBM RTCP800026

### 3053296 SPRING FOR HINGE $\varnothing$ 39x340 mm

for BRASIERA EBR9T-EBRVI9T-EBRA9T-EBRAVI9T-GBR9T  
GBRVI9-GBRA9T-GBRAVI9T-EBRA-GBRA



MBM RTBF800103



Suitable for:

# MBM



Suitable for:

## Switches

**3319947 RED BIPOLAR SWITCH 16A 250V**  
with indicator light and push-button cap  
max temperature 100°C  
mounting hole 22x30 mm



MBM RTTAV00039

**3319948 RED BIPOLAR SWITCH 16A 250V**  
with indicator lamp  
max. temperature 120°C  
mounting hole  $\varnothing$  25 mm



MBM RTFOC00585

## Taps for boiling pans

**3183014 SPOUT - CONNECTION 1/2" M**  
swivel spout in chrome plated brass  
spout  $\varnothing$  18 mm  
for Boiling pan (JEMI) - Series 700 - Series 900  
for Boiling pan (MBM) - Series MAGIS MAGISTRA  
for Boiling pan electric (MBM) E100I - E150I  
for Boiling pan gas (MBM) G100 - G150



MBM RTCP800024

**3356139 WATER INLET TAP  $\varnothing$  3/8" F**  
for Boiling pan (CAPIC) W085121



MBM RTCP800065

## Telethermometers

**3441020 TELETHERMOMETER WHITE  $\varnothing$  52 mm 50-250°C**  
metal body  
capillary length 1500 mm  
bulb  $\varnothing$  6x43 mm  
for Fryer



MBM 161827

## Terminal blocks

**3247025 12-POLE PLASTIC TERMINAL BLOCK**  
for cable max 25 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



MBM RTBF900045

**3247018 2-POLE TERMINAL BLOCK FV77 20A 600V**  
for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



MBM 921045



Suitable for:

**3247016 3-POLE TERMINAL BLOCK FV273 40A 450V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



MBM 921044

Suitable for:

**3247011 6-POLE TERMINAL BLOCK FV122 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



MBM 921057

## Thermocouples and accessories

**3440015 INTERRUPTION CONNECTOR M9x1**



MBM RTCP800073

**3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75**



MBM RTCU700391

**3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75**



MBM RTCU600052

**3440012 SLOTTED FITTING M10x1**



MBM RTCP900058

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.**  
female nut M9x1



MBM RTCP800131

**3440050 THERMOCOUPLE FASTON CONN.70 cm**  
threaded coupling M6x0.75  
for Pot stove (MBM) - Series MINIMA



MBM RTCU600039

**3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75**



MBM RTCU600052





# MBM



Suitable for:

**3440087 THERMOCOUPLE M9x1 50 cm COUPLING M6x0.75**  
complete with nut M6x0.75  
for Kitchen (MBM) - Series OMNIA



MBM RTCU700373

MBM RTCU700374

Suitable for:

**3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75**



MBM RTCU700391

**3440126 THERMOCOUPLE SIT M10x1 75 cm**



MBM

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MBM RTCU900023

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



MBM RTCU900023

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



MBM RTCU900023

**3440038 THERMOCOUPLE SIT M9x1 120 cm**



MBM RTCU900061

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



MBM RTCU900061

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



MBM RTCU900061

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



MBM RTCU900024



MBM RTCU900024



Suitable for:

# MBM



**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

Suitable for:



MBM RTCU900024

**3440033 THERMOCOUPLE SIT M9x1 32 cm**

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**



MBM RTCU900021

MBM RTCU900021

**3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS**

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



MBM RTCU900021

MBM RTCU900034

**3440080 THERMOCOUPLE SIT M9x1 40 cm.**

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



MBM RTCU900034

MBM RTCU900034

**3440034 THERMOCOUPLE SIT M9x1 50 cm  
for Fry top gas (SILKO) BG74TLC**

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



MBM RTCU700148

MBM RTCU700148

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



MBM RTCU700148

MBM RIC0003190

MBM RTCU900022



# MBM



Suitable for:

Suitable for:

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



MBM RIC0003190

MBM RTCU900022

MBM RIC0003190

MBM RTCU900022

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



MBM RTCU900060

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



MBM RTCU900060

MBM RTCU900060

**3440144 THERMOCOUPLE SIT 9x1 400 mm**

**3440127 THERMOCOUPLE TARGET M9x1 60 cm**  
with fixing connection M10x1 - model T46 48"  
for pilot burner Robertshaw model 9B  
for gas valve Unitrol 7000



MBM RTCU700296

MBM RTCU900477

**3440105 THERMOCOUPLE WITH FASTON CONN.55 cm**  
threaded coupling M6x0.75  
for Pot stove (MBM) - Series MINIMA

**3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75**



MBM RTCU600021

MBM RTCU600052



Suitable for:

# MBM



Suitable for:

## Thermostatic gas valves

### 3345006 THERMOSTATIC GAS COCK PEL24ST

temperature range 120-320°C  
fitting inlet/outlet M20x1.5 mm  
capillary 900 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
D-shaped pin  $\varnothing$  10x8mm  
for Bratt pan  
for Fry top  
for Oven under cooktop



MBM RTCU800011

MBM 168002

### 3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



MBM RTCU900019

### 3345010 THERMOSTATIC GAS COCK PEL24ST

temperature range 55-110°C  
fitting inlet/outlet M20x1.5 mm  
capillary 900 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x155 mm  
D-shaped pin  $\varnothing$  10x8mm  
for Bain-marie



MBM RTBF800033

### 3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE



MBM RTCU900019

### 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



MBM RTCU900014

### 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



MBM RTCU900014



Suitable for:

**MBM**



Suitable for:

**3345037 THERMOSTATIC GAS COCK PEL24STS**

temperature range 100-300°C  
fitting inlet/outlet M20x1.5 mm  
swivel connections  
capillary 1200 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
D-shaped pin  $\varnothing$  10x8 mm  
for Fry top gas (MBM) GFT49L - GFT49LC - GFT49R  
GFT99L - GFT99LC - GFT99LR - GFT99LRC - GFT99R  
GFT99RC



MBM 160225

MBM 168003

**3345013 THERMOSTATIC GAS COCK PEL25ST**

temperature range 30-90°C  
fitting inlet/outlet M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x155 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Bain-marie



MBM RTCU700363

MBM 168008

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**



MBM RTCP800037

MBM RTCU900133

**3345018 THERMOSTATIC GAS COCK PEL25ST**

temperature range 100-300°C  
fitting inlet/outlet M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Fry top  
for Oven under cooktop



MBM RTCU700289

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**



MBM RTCU900019



Suitable for:

# MBM



Suitable for:

## Thermostats

### 3444568 SINGLE-PHASE THERMOSTAT 105-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1  
for Fryer (MBM) - Series MAGIS MAGISTRA



MBM RTCU700609

MBM 161791

MBM 166488

### 3444564 SINGLE-PHASE THERMOSTAT 140°C

with manual reset  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm  
for Boiling pan (MBM) - Series DOMINA  
Series MAGIS MAGISTRA - Series MAGISTRA



MBM RTCP800067

### 3444107 SINGLE-PHASE THERMOSTAT 220°C

with manual reset  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x142 mm - with adapter nipple bland M9x1  
for Boiling pan (MARENO)  
for Boiling pan (MBM)  
for Boiling pan (OLIS)  
for Fryer (GIORIK)  
for Fryer (MARENO)  
for Fryer (MBM)  
for Fryer (OLIS)



MBM RTBF900094

### 3444019 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm  
for Bain-marie (ZANUSSI)



MBM 023168-00

### 3444278 SINGLE-PHASE THERMOSTAT 360°C

with manual reset  
covered capillary length 890 mm - 16A 230V  
bulb  $\varnothing$  3x200 mm  
for Bratt pan (MBM) - Series DOMINA  
Series MAGISTRA - Series OMNIA



MBM RTBF800076

### 3744099 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  3x230 mm  
for Oven under cooktop (MBM) - Series MINIMA




MBM RTCU600186



Suitable for:

**3444062 SINGLE-PHASE THERMOSTAT 50-320°C**

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Fry top (MBM)  
for Oven under cooktop (MBM)



MBM

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm  
for Bain-marie (GICO) 110 - Series 700  
Series 900 - Series 920  
for Bratt pan (GICO) - Series 700 - Series 900  
Series 920  
for Bratt pan (LOTUS) - Series 700  
for Bratt pan (MBM)  
for Fry top (LOTUS) - Series 600 - Series 650  
for Oven under cooktop (MBM)



MBM RTCU700085

**3444004 THERMOSTAT TR2 0-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



MBM 929044

# MBM



Suitable for:

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



MBM RTCU700455

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1010 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
for Fryer (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fryer electric (GIORIK) - Series FT - FTR3  
FTR5 - FTR6  
for Fryer electric (MBM) EF45 - EF90  
for Fryer electric (ZANUSSI) QFE300 - QFE600



MBM RTBF800163

**3444618 THREE-PHASE THERMOSTAT 135°C**

with manual reset  
covered capillary length 890 mm - 20A 380V  
bulb  $\varnothing$  3x225 mm  
for Bain-marie electric (MBM) EC66 - EC922V  
EC922VT  
for Boiling pan electric (MBM) E100I - E100IT9  
E100I9 - E150IA - E150IT9 - E150I9 - E50I7  
for Pasta cooker electric (MBM) EC45 - EC49  
EC49T - EC902V



MBM RTCP900074



Suitable for:

# MBM



## 3444375 THREE-PHASE THERMOSTAT 225°C

with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x90 mm - with adapter nipple band M10x1  
for Fryer (EMMEPI) - Series 650 - Series 700  
Series 750 - Series 900  
for Fryer (GIORIK) - Series FT  
for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7  
for Fryer electric (MBM) EF45 - EF46 - EF47  
EF472 - EF49 - EF66 - EF77 - EF90 - EF99



MBM RTBF800164

## 3444307 THREE-PHASE THERMOSTAT 230°C

with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
for Fryer electric (BARON) - Series 900



MBM RTBF900081

## 3444812 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x129 mm  
for Bain-marie (DESCO) BME72  
for Bain-marie (MBM) - Series DOMINA  
Series MAGIS MAGISTRA



MBM 160561

## 3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset  
capillary length 1120 mm - 10A 400V  
bulb  $\varnothing$  3x190 mm  
for Fry top electric (TECNOINOX) FTC35E - FTC70E  
FTL35E - FTL70E - FTR35E - FTR70E



MBM RTCU800152

## 3444363 THREE-PHASE THERMOSTAT 420°C

with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x310 mm  
for Bratt pan (LOTUS) - Series 600 - Series 650  
Series 700  
for Bratt pan electric (MBM) EBRA - EBRAV19T  
EBRA9T - EBRI7 - EBRV19T - EBR7 - EBR9T  
for Fry top (LOTUS) - Series 600 - Series 650  
Series 700  
for Oven under cooktop (LOTUS) - Series 700  
Series 900



MBM RTBF800192

## 3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm  
for Fry top (TECNOINOX) - Series 700  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Oven under cooktop (MBM) - Series DOMINA  
Series MAGIS MAGISTRA  
for Oven under cooktop (TECNOINOX) - Series 700  
for Oven under cooktop (ZANUSSI) - Series HD900  
Series N700 - Series N900



MBM RTBF600067

MBM 164332





# MBM



Suitable for:

**3444619 THREE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  3x219 mm  
 for Fry top (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA - Series MINIMA



MBM RTCU600067

Suitable for:

**3444168 THREE-PHASE THERMOSTAT 50-310°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  4x220 mm  
 for Fry top (MBM) - Series CLASSICA



MBM RTCU900257

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0+60°C  
 screw terminal block  
 IMQ approved



MBM RTFC00039

## Water filling taps

**3358005 WATER INLET TAP**  
 inlet  $\varnothing$  1/2" M - outlet  $\varnothing$  10 mm  
 for Bain-marie (MBM) - Series MAGISTRA  
 for Boiling pan (MBM) - Series MAGISTRA  
 for Bratt pan (MBM) - Series MAGISTRA  
 for Pasta cooker (MBM) - Series MAGISTRA



MBM RTCP800018

**3358006 WATER INLET TAP  $\varnothing$  1/2" FF**  
 for Boiling pan (MBM) - Series DOMINA  
 Series MAGIS MAGISTRA  
 for Bratt pan (MBM) - Series OMNIA  
 for Fryer (MBM) - Series MINIMA



MBM RTCU600075

**3359131 WATER INLET TAP  $\varnothing$  3/8" MM**  
 D-shaft  $\varnothing$  10x8 mm  
 for Bain-marie (MBM) - Series DOMINA  
 for Boiling pan (MBM) - Series DOMINA  
 for Fryer (MBM) - Series DOMINA



MBM RTCP700003

MBM 168006



Suitable for:

**MBM**



Suitable for:

## Wheels and accessories

- 3522022 WHEEL  $\varnothing$  175 mm**  
central hole  $\varnothing$  20 mm  
with handle  
for Bratt pan (MBM) - Series MAGISTRA  
Series OMNIA



MBM RTBF800093

MBM 165900

## Wire pan supports

- 3354011 GRID REDUCER FOR MOKA 145x170 mm**  
in chrome plated iron



MBM RTCU900055

- 3354015 GRID REDUCER FOR MOKA 180x180 mm**  
made of chrome plated iron  
for Pot stove (MBM) - Series MAGISTRA  
for Pot stove gas (MBM) GFB1S - GFB2S - GFB3S



MBM RTCU800038

- 3354001 GRID REDUCER FOR MOKA 265x265 mm**  
in stainless steel



MBM RTCU700028