



Spare parts for:

Cooking equipment



Suitable for:

MKN



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

MKN



Suitable for:


Drain taps and accessories

- 3356159 DRAIN TAP \varnothing 2" F**
flanged connection with screw fastening \varnothing 2" F
for Boiling pan (MKN)



MKN 201794

- 3356154 DRAIN TAP \varnothing 1"1/2 F**
with fixed connection \varnothing 1"1/2 F
for Boiling pan (JUNO-RÖDER-SENKING)
for Boiling pan (ZANUSSI)



MKN 201111

- 3356156 DRAIN TAP \varnothing 1"1/2 F**
flanged connection with screw fastening \varnothing 1"1/2 F
for Boiling pan (JUNO-RÖDER-SENKING)
for Boiling pan (KÜPPERSBUSCH)
for Boiling pan (MKN)
for Boiling pan (ZANUSSI)



MKN 201733

Electric hot plates

- 3311094 ELECTRIC HOT PLATE \varnothing 180 mm 1500W 230V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203064

- 3311054 ELECTRIC HOT PLATE 2600W 400V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



MKN 203071

- 3311063 ELECTRIC HOT PLATE 3000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



MKN 203065

- 3311065 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



MKN 203054



Electrical gas valves and accessories

- 3526361 VALVE 822 NOVA \varnothing 1/2"FF**
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷60°C
 power supply 230V 50Hz
 for Bratt pan gas (ZANUSSI) - Series HD900



MKN 201717

Energy regulators

- 3350026 ENERGY ADJUSTER**
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



MKN 203160


- 3350031 ENERGY ADJUSTER**
 contact capacity 400V 7A
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)



MKN 203161

Gas taps and accessories

- 3348029 FITTING FOR PIPE \varnothing 4 mm**
 for model PEL 21-22



MKN 201561



Suitable for:

MKN



Suitable for:

Heating elements

3755224 HEATING ELEMENT 1250W 230V
length 470 mm - width 65 mm
height 60 mm



MKN 574099

3355502 HEATING ELEMENT 1500W 220V
length 440 mm - width 110 mm
connection \varnothing 1/4"
for Bain-marie electric (MKN)



MKN 573000

3355503 HEATING ELEMENT 1500W 220V
length 430 mm - width 140 mm
connection \varnothing 1/4"
for Bain-marie electric (MKN)



MKN 573004

3755247 HEATING ELEMENT 1650W 230V
length 315 mm - width 200 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 574116

3755510 HEATING ELEMENT 1650W 230V
length 260 mm - width 250 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 203556

MKN 574095

3755241 HEATING ELEMENT 1670W 230V
length 100 mm - width 430 mm
height 45 mm
for Bratt pan electric (MKN)



MKN 574084

3355500 HEATING ELEMENT 2000W 220V
length 295 mm - width 45 mm
height 240 mm - connection \varnothing 1/4"
for Fryer electric (MKN)



MKN 572064

3355501 HEATING ELEMENT 2000W 220V
length 305 mm - width 40 mm
height 200 mm - connection \varnothing 1/4"
for Fryer electric (MKN)



MKN 572118



Suitable for:

MKN



3355737 HEATING ELEMENT 2000W 230V

length 400 mm - width 200 mm
fittings \varnothing 14x1.5 mm
for Bain-marie electric (MKN)



MKN 573006

Suitable for:

3755243 HEATING ELEMENT 2000W 230V

length 620 mm - width 100 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 574035

3755245 HEATING ELEMENT 2000W 230V

length 360 mm - width 40 mm
height 240 mm - fittings M14x1.5 mm
for Fryer electric (MKN)



MKN 572076

3755531 HEATING ELEMENT 2500W 230V

length 425 mm - width 260 mm
fittings M14x1.5 mm
for Salamander electric (MKN)



MKN 574094

3755246 HEATING ELEMENT 3300W 230V

length 320 mm - width 40 mm
height 220 mm - fittings M14x1.5 mm
for Fryer electric (MKN)



MKN 572124

3755244 HEATING ELEMENT 5000W 230V

immersed length 275 mm
width 60 mm - flange 81x27.5 mm



MKN 720012

3755242 HEATING ELEMENT 870W 95V

length 490 mm - width 28 mm
height 75 mm - fittings M14x1.5 mm
for Rotisserie electric (MKN)



MKN 574097

Ironmongery (screws,nuts,washers)

3060069 S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588



MKN 201525



Suitable for:

MKN

Suitable for:



Lamps

- 3221068 NEON LAMP FOR OVEN E14 2W 380V**
 dimensions \varnothing 13x30 mm
 for OVEN



MKN 203106

Magnetic groups

- 3182009 MAGNETIC UNIT PEL BIG HEADED**
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



MKN 201526

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



MKN 201527

Microswitches

- 3240820 MICROSWITCH 16A 250V**



MKN 203339

Piezo ignitors

- 3001009 PIEZO IGNITER JUNKERS**
 with faston 6.35x0.8 mm



MKN 201536

- 3001041 PIEZO IGNITER JUNKERS CP101.053**
 a \varnothing 22 mm hole is needed for the assembly
 male faston \varnothing 2.4 mm



MKN 201537



Suitable for:

MKN



Suitable for:

Pilot burners and accessories

3020387 COMPLETE PILOT BURNER



MKN 201820

3020386 PILOT BURNER COVER



MKN 201040

MKN 575286

3020388 PILOT BURNER HEAD



MKN 201819

3020390 PILOT GAS JET \varnothing 0.30 mm NG



MKN 201822

3020021 NATURAL GAS PILOT BURNER CB 505.021
with NATURAL GAS nozzle
with pilot pipe fitting



MKN 201598

3020048 PILOT GAS JET \varnothing 0.21 mm



MKN 201547

3345021 OLIVE FOR PIPE \varnothing 4 mm



MKN 201827

3020050 OLIVE FOR 4 mm \varnothing PIPE



MKN 201560

3020386 PILOT BURNER COVER



MKN 201040

MKN 575286

3020159 PILOT BURNER GPL CB 503.006
with LPG nozzle and pilot olive



MKN 201544

3020048 PILOT GAS JET \varnothing 0.21 mm



MKN 201547



Suitable for:

MKN



3020388 PILOT BURNER HEAD



MKN 201819

Suitable for:

3020048 PILOT GAS JET \varnothing 0.21 mm



MKN 201547

3020390 PILOT GAS JET \varnothing 0.30 mm NG



MKN 201822

3020036

THREE-FLAME PILOT BURNER SIT


with NG nozzle \varnothing 0.35 mm
with 3 positions bracket
for Fry top gas (ZANUSSI) - Series H900
Series R701
for Grill gas (ZANUSSI) - Series R701
for Kitchen gas (ZANUSSI) - Series P1000
for Oven under cooktop gas (ZANUSSI) - Series H900
for Solid top range gas (ZANUSSI) - Series H900



MKN 520997


Rotary switches

3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



MKN 203074

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Pot stove gas (OLIS) 96/04CGFL



MKN 203563

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm



MKN 203564



Suitable for:

MKN

Suitable for:



Solenoid valves

- 3120261 MULLER SOLENOID VALVE 230V \varnothing 12 mm**
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - \varnothing 12 mm outlet



MKN 201160

MKN 201192

Sparking and detection plugs

- 3020026 ROUND IGNITION ELECTRODE \varnothing 9x39 mm**
male connection M4x1 mm
overall length 67 mm



MKN 201570

MKN 201578

- 3020062 ROUND IGNITION ELECTRODE \varnothing 9x39 mm**
model CB505/059 Junkers
overall length 57 mm



MKN 636700

Thermocouples and accessories

- 3440064 NUT FOR THERMOCOUPLE M8x1**



MKN 201524

- 5034845 THERMOCOUPLE SIT M8x1 85 cm**



MKN 201670


Thermostats

- 3444736 SINGLE-PHASE THERMOSTAT 130°C**
with manual reset
capillary length 850 mm - 16A 230V
bulb \varnothing 6x130 mm



MKN 203480

- 3444665 SINGLE-PHASE THERMOSTAT 140-195°C**
complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 880 mm - 16A 250V
bulb \varnothing 6x77 mm - with adapter nipple bland M9x1



MKN 203481



Suitable for:

MKN



3444732 SINGLE-PHASE THERMOSTAT 246°C
 with manual reset
 capillary length 900 mm - 16A 230V
 bulb ø 6x80 mm - with adapter nipple bland M9x1
 for Fryer (MKN)



MKN 203492

3444510 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin ø 6x4.6 mm
 capillary 850 mm - 16A 250V
 bulb ø 6x138 mm - with adapter nipple bland M9x1



MKN 203498

3444698 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin ø 6x4.6 mm
 capillary length 870 mm
 bulb ø 6x113 mm - with adapter nipple bland M9x1
 for Oven under cooktop (AMBASSADE) 1051
 for Pasta cooker (JEMI) - Series 700 - Series 900



MKN 203490

3444669 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 2450 mm - 16A 250V
 bulb ø 6x100 mm - with stuffing gland fitting M9x1



MKN 203173

3444731 SINGLE-PHASE THERMOSTAT 34-114°C
 D-shaped pin ø 6x4.6 mm
 capillary length 900 mm - 16A 230V
 button bulb ø 31 mm



MKN 203167

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin ø 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb ø 3x160 mm
 for Crêpe pan (KRAMPOUZ) RK400
 for Crêpe pan electric (KRAMPOUZ) CEBIA4AO
 for Hot plate electric (REPAGAS) E60 - E64 - E80
 E84



MKN 203500

3444675 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin ø 6x4.6 mm
 capillary length 3150 mm - 16A 250V
 bulb ø 3.1x160 mm



MKN 203500

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb ø 6x90 mm - with stuff.gland coupling M9x1
 with complete tank sealing coupling M12x1



MKN 203067

MKN 203662

2102671 THERMOSTAT TRIPHASE 360°C
with manual reset
capillary length 1780 mm - 16A 400V
bulb \varnothing 4x128 mm



MKN 203938

3444198 THREE-PHASE THERMOSTAT 100-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb \varnothing 6x130 mm
for Fryer (BARON)
for Fryer (BERTO'S)
for Fryer (OLIS) - Series 700 - Series 900
for Fryer electric (FRI FRI) D6 - D8
for Fryer electric (THIRODE) FR10



MKN 203497

3444490 THREE-PHASE THERMOSTAT 100-470°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1000 mm
bulb \varnothing 4x165 mm



MKN 203407

2111236 THREE-PHASE THERMOSTAT 230°C
with automatic reset
covered capillary length 2420 mm - 10A 400V
bulb \varnothing 6x117 mm - with stuffing gland M9x1
for Fry top electric (MKN)



MKN 203489

MKN 203660

2000134 THERMOSTAT 3-PHASE 50-300°C
D-shaft \varnothing 6x4.6 mm
covered capillary length 800 mm
bulb \varnothing 6x77 mm



MKN 203494

3444562 THREE-PHASE THERMOSTAT 100-350°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 16A 230V
bulb \varnothing 6x80 mm
for Bratt pan (CHARVET) 800ESBC/L33



MKN 203406

3444734 THREE-PHASE THERMOSTAT 135°C
with manual reset
covered capillary length 1470 mm - 16A 230V
bulb \varnothing 6x175 mm - with adapter nipple band M9x1



MKN 203493

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1
for Fryer electric (BARON) - Series 900



MKN 900081



Suitable for:

MKN



3444737 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 1430 mm - 16A 230V
 bulb \varnothing 6x177 mm - with adapter nipple band M9x1



MKN 203482

3444738 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 covered capillary length 2600 mm - 16A 230V
 bulb \varnothing 6x177 mm - with adapter nipple band M9x1



MKN 203483

3444739 THREE-PHASE THERMOSTAT 250°C
 with manual reset
 covered capillary length 1470 mm - 10A 400V
 bulb \varnothing 6x100 mm - adapter nipple bland M9x1



MKN 203183

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



MKN 203491

3444190 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 3000 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 with complete tank joint M12x1
 for Bain-marie (MARENO)
 for Bain-marie (SILKO)



MKN 203486

2000135 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 covered capillary length 1710 mm - 10A 400V
 bulb \varnothing 4x120 mm



MKN 203484

3444371 THREE-PHASE THERMOSTAT 70-195°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x135 mm
 for Fryer (GIGA) - Series 600 - Series 700
 Series 800 - Series 900
 for Fryer electric (GIGA) SKF2E
 for Fryer electric (WHIRLPOOL) AGB515 - AGB516
 AGB521 - AGB523 - AGB597 - AGB598



MKN 203497

3444166 THREE-PHASE THERMOSTAT 95-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
 with complete tank joint M12x1
 for Fryer (ZANUSSI)



MKN 200496



Suitable for:

3444745 THREE-PHASE THERMOSTAT 95-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2420 mm - 16A 230V
bulb \varnothing 6x133 mm - with adapter nipple bland M9x1

Suitable for:

3444491 THREE-PHASE THERMOSTAT 95-220°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1480 mm - 16A 400V
bulb \varnothing 6x120 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



MKN 203487



MKN 203499

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm
in stainless steel



MKN 201848

MKN 580265