



Spare parts for:

## Food processing equipment



Suitable for:

# ABM



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

**ABM**



Suitable for:

## Accident prevention devices-protections

### 9014171 POLYCARBONATE CARRIAGE PROTECTION

max.overall dimensions 235x235 mm  
distance between holes 156 mm  
for Slicer (ABM) 935G



ABM

### 9716010 POLYCARBONATE CARRIAGE PROTECTION

max.overall dimensions 180x220 mm  
distance between holes 165 mm  
for Slicer (ABM)



ABM

## Bearings

### 9004011 BEARING 607 ZZ MOUNTED ON BUSHING

external teflon bushing  
external  $\varnothing$  24 mm - internal  $\varnothing$  7 mm - thickness 7 mm  
for Slicer (ABM)  
for Slicer (ARSA)  
for Slicer (BIZERBA)  
for Slicer (GENERAL MACHINE)  
for Slicer (KOLOSSAL)



ABM

## Belts

### 9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES

for Slicer (ABM)  
for Slicer (CELME)  
for Slicer (ESSEDUE) 300  
for Slicer (MARWEL) 30E  
for Slicer (RGV) 250 - 250S  
for Slicer (RHENINGHAUS-TECMAL) STELLINA  
for Slicer (SAMMIC) GC-275  
for Slicer (SIRMAN) CANOVA250CE - CANOVA275CE  
CANOVA300CE - MINI250CE



ABM

### 9003529 V BELT 8x355 mm T14

for Slicer (ABM) 250AGS - 275AGS - 300I  
for Slicer (ABO) 300V  
for Slicer (FAC) 300  
for Slicer (ITALIANA MACCHI) 330  
for Slicer (LEO)  
for Slicer (SIRMAN) 350



ABM

### 9003531 V BELT 8x400 mm T15 3/4

for Slicer (ABM) AGS330 - AGS350S - 935S



ABM

### 9003534 V BELT 8x430 mm T17

for Slicer (ABM) AS300V - AS350V - 835 - 837



ABM



# ABM



Suitable for:

**9003535 V BELT 8x450 mm T17 3/4**  
for Slicer (ABM) 275 - 300M



ABM

Suitable for:

**9003536 V BELT 8x475 mm T18 3/4**  
for Slicer (ABM) AS275V - AS300V  
for Slicer (AUREA) 370I  
for Slicer (ITALIANA MACCHI) 330 - 350 - 370  
for Slicer (SIRMAN) 300V



ABM

**9003537 V BELT 8x530 mm T20 3/4**  
for Slicer (ABM) 330 - 350 - 370V - 835 - 837  
937



ABM

**9003542 V BELT 8x710 mm T28**  
for Slicer (ABM) 330 - 350V



ABM

**9003504 V-BELT 6x280 mm**  
for (OMEGA)  
for (RHENINGHAUS-TECMAL)  
for Slicer (ABM)  
for Slicer (ABO) 220  
for Slicer (FAC) 220



ABM

**9003539 V-BELT 8x580 mm T23**  
for Slicer (ABM) AS330 - 350



ABM

## Blades for meat slicer

**9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES**  
B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fixing screws  
with extraction holes  
forged 100CR6 stainless steel



ABM

**9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES**  
B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



ABM



Suitable for:

# ABM



## 9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



ABM

Suitable for:

## 9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



ABM

## 9006510 ST. STEEL BLADE $\varnothing$ 220-40-3-180 MOD.C

B = external  $\varnothing$  220 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  180 mm  
3 fastening screws  
100CR6 forged stainless steel  
for Slicer (BERKEL) AV35



ABM

## 9006520 ST. STEEL BLADE $\varnothing$ 275-40-4-218 MOD.C

B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  218 mm  
4 fastening screws  
100CR6 forged stainless steel



ABM

## 9006527 ST. STEEL BLADE $\varnothing$ 300-40-4-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel



ABM

## 9006535 ST. STEEL BLADE $\varnothing$ 330-57-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



ABM

## 9006538 ST. STEEL BLADE $\varnothing$ 350-57-4-280 MOD.C

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



ABM

## 9006545 ST. STEEL BLADE $\varnothing$ 370-57-4-300 MOD.C

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
100CR6 forged stainless steel



ABM



Suitable for:

Suitable for:

## 9006503 WHEEL TYPE BLADE $\varnothing$ 330-25.4 mm MOD.A

external  $\varnothing$  330 mm  
central hole  $\varnothing$  25.4 mm  
100CR6 forged stainless steel



ABM

## Bushes

## 9002550 GLACIER BUSH $\varnothing$ 22-19x22 mm

external  $\varnothing$  22 mm  
internal  $\varnothing$  19 mm  
height 22 mm  
for Slicer (ABM) AGS300



ABM

## Eccentrics

## 9707021 PLASTIC ECCENTRIC ABM $\varnothing$ 90 mm

internal hole 18 mm - overall height 35 mm  
grooving 8 mm  
for Slicer (ABM) 2350S - 800G - 800V - 835 - 837



ABM Z9CAM

## Emeries for blades

## 9013003 CUP GRINDERS 40-12-10

A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  12 mm  
H = height 10 mm  
COARSE GRAIN



ABM

## 9013220 EMERY WHEEL WITH STEP AND HUB 50-8-8

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  8 mm  
H = height 8 mm  
COARSE GRAIN  
for Slicer (ABM) AGS350  
for Slicer (HOBART) TI33 - 1712 - 2350  
for Slicer (SIRMAN) GEMMA330 - GEMMA350 - SELCE350  
SELCE370 - VASBS350 - VASBS370 - VCS350  
VCS370



ABM



Suitable for:

# ABM



## 5033433 RIMMED GRINDER 45-10-8

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  10 mm  
H = height 8 mm  
COARSE GRAIN



ABM

## 9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
COARSE GRAIN  
for Slicer (ALA 2000) 8300  
for Slicer (CELME) 220  
for Slicer (RGV) 250  
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



ABM

## 9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (FAC) F300E  
for Slicer (GENERAL MACHINE) GL - GLS - GXL  
for Slicer (MISTRO) B33 - GS350  
for Slicer (RGV) 250A - 350



ABM

## 9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 8 mm  
COARSE GRAIN  
for Slicer (FAC) F300E  
for Slicer (GENERAL MACHINE) GL - GLS - GXL  
for Slicer (HOBART) TA30  
for Slicer (MISTRO) B33 - GS350  
for Slicer (RGV) 250A - 350



ABM

## 9013219 RIMMED GRINDERS WITH HUB 50-8-8


A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  8 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (ABM) AGS350  
for Slicer (BERKEL) CX350  
for Slicer (FIA-BOSTON) STIL  
for Slicer (HOBART) TI33 - 1712 - 2350  
for Slicer (OMAS) TGI330 - TGI350



ABM

## 9013105 RIMMED GRINDERS 40-10-8

A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  10 mm  
H = height 8 mm  
FINE GRAIN  
for Slicer (ABM) 900



ABM





# ABM



Suitable for:

## 9251004 RIMMED GRINDERS 45-10-7

A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  10 mm  
H = height 7 mm  
FINE GRAIN



ABM

Suitable for:

## 9013128 RIMMED GRINDERS 50-6-9

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  6 mm  
H = height 9 mm  
COARSE GRAIN



ABM

## 9013152 RIMMED GRINDERS 52-10-8

A = external  $\varnothing$  52 mm  
B = hole  $\varnothing$  10 mm  
H = height 8 mm  
COARSE GRAIN  
for Slicer (ABM) 90



ABM

## 9013148 STEPPED EMERY WHEEL 45-6-10

A =  $\varnothing$  external  $\varnothing$  45 mm  
B =  $\varnothing$  hole  $\varnothing$  6 mm  
H = height 10 mm  
FINE GRAIN  
for Slicer (ABM) AGS350  
for Slicer (SIRMAN) AUTOMATICA300 - GEMMA300  
GEMMA300CE - QUARZO250 - QUARZO275 - QUARZO300  
VAS250CE - VAS275 - VCO250CE - VCO275CE  
VCO300CE - VCS300CE



ABM

## Gear Protectors

## 9010001 GEAR PROTECTION BIZERBA



ABM

## Knobs

## 9007462 BLACK TIMER KNOB $\varnothing$ 18x155 mm

pin  $\varnothing$  18x95 mm  
knob  $\varnothing$  67 mm  
mounting frame  $\varnothing$  68 mm



ABM



Suitable for:

# ABM



Suitable for:

## Microswitches

**9014014 MAGNETIC MICROSWITCH  $\varnothing$  6x29 mm**  
 0.5A 250V - contact NO  
 with cable length 750 mm  
 for Slicer (ABM) B1200 - F2000 - F3000 - F4000  
 HB3000  
 for Slicer (SO.WE.BO.) - Series CS



ABM Z9AMR

## Pins

**9011000 PIN FOR SLICER BLADE COVER**  
 square part 12x12 mm - hole  $\varnothing$  8 mm  
 fastening thread M12 - overall height 16 mm  
 for Slicer (ABM) 300 - 370 - 937



ABM

**9011001 PIN FOR SLICER BLADE COVER**  
 square part 15x15 mm - hole  $\varnothing$  8 mm  
 fastening thread M12 - overall height 23 mm  
 for Slicer (ABM) 350 - 370  
 for Slicer (OMS) 350 - 370



ABM

## Slice protectors

**9009500 STAINLESS STEEL SLICE GUARD FOR SLICER**  
 external dimensions 100x118 mm  
 distance between holes 70 mm  
 for Slicer (ABM) AGS250 - AGS275 - AGS300



ABM

**9009504 STAINLESS STEEL SLICE GUARD FOR SLICER**  
 external dimensions 192x116 mm  
 distance between holes 129 mm  
 for Slicer (ABM) 350 - 370



ABM

## Tie rods for blade cover

**9013536 BLADE COVER TIE ROD SHAFT 140mm PITCH M8**  
 for Slicer (ABM) AG250



ABM

**9013539 BLADE COVER TIE ROD SHAFT 170mm PITCH M8**  
 micro support  $\varnothing$  13x35 mm  
 for Slicer (ABM) AS350 - AS370



ABM





Suitable for:

**9714010 BLADE COVER TIE ROD SHAFT 170mm PITCH M8**

micro support  $\varnothing$  12x30 mm  
for Slicer (ABM) 350 - 370



ABM

# ABM



Suitable for:

**9013532 BLADE COVER TIE ROD SHAFT 195mm PITCH M6**

micro support  $\varnothing$  10x70 mm  
for Slicer (AMB) AGI300 - AGI330 - GE116



ABM