



Spare parts for:

## Food processing equipment



Suitable for:

# ARSA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ARSA



Suitable for:

## Accident prevention devices-protections

**9716008 POLYCARBONATE CARRIAGE PROTECTION**  
max.overall dimensions 123x250 mm  
for Slicer (ARSA)



ARSA

**9716011 POLYCARBONATE CARRIAGE PROTECTION**  
max.overall dimensions 260x300 mm  
for Slicer (ARSA)



ARSA

**9716012 POLYCARBONATE CARRIAGE PROTECTION**  
max.overall dimensions 300x300 mm  
distance between holes 230 mm  
for Slicer (ARSA)



ARSA

## Bearings

**9004011 BEARING 607 ZZ MOUNTED ON BUSHING**  
external teflon bushing  
external  $\varnothing$  24 mm - internal  $\varnothing$  7 mm -thickness 7 mm  
for Slicer (ABM)  
for Slicer (ARSA)  
for Slicer (BIZERBA)  
for Slicer (GENERAL MACHINE)  
for Slicer (KOLOSSAL)



ARSA

**9063019 BEARING 626 Z MOUNTED ON BUSHING**  
external nylon bushing  
external  $\varnothing$  25 mm -internal  $\varnothing$  6 mm-thickness 7.3 mm  
for Slicer (ARSA)  
for Slicer (CEG)  
for Slicer (OMAS)  
for Slicer (OMEGA)



ARSA

## Belts

**9003552 V BELT 10x670 mm Z27**  
for Slicer (ARSA) 300



ARSA

**9003528 V-BELT 8x315 mm T12 1/5**  
for Slicer (ABO) 300G  
for Slicer (ARSA) 300V - 330  
for Slicer (FAC) 250I  
for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS  
for Slicer (OMAS) GF  
for Slicer (OMEGA)  
for Slicer (REGINA) 250 - 275 - 300



ARSA



## Blades for meat slicer

### 9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  300 mm  
 D = central hole  $\varnothing$  40 mm  
 C = blade internal  $\varnothing$  254 mm  
 4 fixing screws  
 with extraction holes  
 forged 100CR6 stainless steel



ARSA

### 9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  300 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  254 mm  
 4 fastening screws  
 with extraction holes  
 100CR6 forged stainless steel



ARSA

### 9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  330 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  270 mm  
 4 fastening screws  
 with extraction holes  
 100CR6 forged stainless steel



ARSA

### 9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  350 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  280 mm  
 4 fastening screws  
 with extraction holes  
 100CR6 forged stainless steel



ARSA

### 9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  370 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  300 mm  
 4 fastening screws  
 with extraction holes  
 100CR6 forged stainless steel



ARSA

### 9006512 ST. STEEL BLADE $\varnothing$ 250-40-3-200-190 MOD.F

B = external  $\varnothing$  250 mm  
 D = central hole  $\varnothing$  40 mm  
 C = blade internal  $\varnothing$  200 mm  
 A = rise element  $\varnothing$  190 mm  
 3 fastening screws  
 100CR6 forged stainless steel  
 for Slicer (BERKEL) AV35-NEW SERIES



ARSA



Suitable for:

# ARSA



## 9006529 ST. STEEL BLADE $\varnothing$ 300-40-3-250-240 MOD.F

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  250 mm  
A = rise element  $\varnothing$  240 mm  
3 fastening screws  
100CR6 forged stainless steel



ARSA

Suitable for:

## 9006527 ST. STEEL BLADE $\varnothing$ 300-40-4-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel



ARSA

## 9006528 ST. STEEL BLADE $\varnothing$ 300-57-4-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E - TGI330



ARSA

## 9006535 ST. STEEL BLADE $\varnothing$ 330-57-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



ARSA

## 9006538 ST. STEEL BLADE $\varnothing$ 350-57-4-280 MOD.C

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



ARSA

## 9006545 ST. STEEL BLADE $\varnothing$ 370-57-4-300 MOD.C

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
100CR6 forged stainless steel



ARSA

## Emeries for blades

### 9013004 CUP GRINDERS 43-8-10

A = external  $\varnothing$  43 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 10 mm  
 COARSE GRAIN  
 for Slicer (ARSA) LASER  
 for Slicer (REGINA) 300



ARSA

### 9013013 CUP GRINDERS 48-14.3-15

A = external  $\varnothing$  48 mm  
 B = hole  $\varnothing$  14.3 mm  
 H = height 15 mm  
 COARSE GRAIN  
 for Slicer (ABO) MIA300  
 for Slicer (ARSA) G - GP  
 for Slicer (CEG) AG300 - BF - VX350  
 for Slicer (OMAS) A31 - C300 - C350



ARSA

### 9013119 RIMMED GRINDERS 45-8-10

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 10 mm  
 FINE GRAIN  
 for Slicer (ARSA) 350



ARSA

### 9013143 RIMMED GRINDERS 51-14.3-7


A = external  $\varnothing$  51 mm  
 B = hole  $\varnothing$  14.3 mm  
 H = height 7 mm  
 FINE GRAIN  
 for Slicer (ABO) MIA300  
 for Slicer (BERKEL) LP320  
 for Slicer (CEG) AG300 - BF300  
 for Slicer (OMAS) C350CE



ARSA

### 9013110 STEPPED EMERY WHEEL 43-8-10

A = external  $\varnothing$  43 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 10 mm  
 FINE GRAIN  
 for Slicer (ARSA) G - GP - LASER  
 for Slicer (REGINA) 300  
 for Slicer (SIRMAN) VASBS300CE



ARSA



Suitable for:

# ARSA



Suitable for:

## Gears

### 9005503 31-TOOTH GEAR IN TEFLON

external  $\varnothing$  63 mm  
internal  $\varnothing$  36 mm  
height 20 mm  
6 fittings  
gear protection  $\varnothing$  8 mm  
for Slicer (ARSA) Z31



ARSA

### 9005527 31-TOOTH GEAR IN TEFLON

external  $\varnothing$  62.5 mm  
internal  $\varnothing$  36 mm  
height 17 mm  
6 fittings  
gear protection  $\varnothing$  8 mm  
for Slicer (OMAS)



ARSA

### 9212022 5-THREADED WORM SCREW

external  $\varnothing$  27 mm  
hole  $\varnothing$  14 mm  
overall height 33 mm  
for Slicer (ARSA)



ARSA

## Knobs

### 9007449 BLACK TIMER KNOB $\varnothing$ 14x110 mm

pin  $\varnothing$  14x58 mm  
knob  $\varnothing$  66 mm  
mounting frame  $\varnothing$  68 mm  
for Slicer (ARSA)



ARSA LF-5100127

ARSA

### 9007450 BLACK TIMER KNOB $\varnothing$ 14x134 mm

pin  $\varnothing$  14x74 mm  
knob  $\varnothing$  66 mm  
mounting frame  $\varnothing$  68 mm  
clockwise numbering  
for Slicer (ARSA)



ARSA

## Pulleys

### 9318012 COMPLETE PULLEY GROUP

external  $\varnothing$  82 mm -  $\varnothing$  blade fastening 57 mm  
4 fastening holes mounting distance 50 mm  
shaft overall length 50 mm  
shaft  $\varnothing$  17/25 mm  
for Slicer (ARSA) 330 - 350 - 350I - 350V



ARSA





## Switches

### 9319714 PUSH-BUTT.PANEL 2 BUT. I-STOP GREEN-RED

16A 250V  
2 normally open contacts  
mounting hole 22x30 mm  
for Slicer (ARSA)  
for Slicer (DUE GI)



ARSA

### 9319712 PUSH-BUTT.PANEL 2 BUT. STOP-I GREEN-RED

16A 250V  
2 normally open contacts  
mounting hole 22x30 mm  
for Slicer (RGV)



ARSA

### 9319716 PUSH-BUTTON PANEL 2 BUTTONS BLACK-RED

16A 250V  
2 normally open contacts  
mounting hole 22x30 mm  
for Slicer (ARSA)



ARSA

### 9014064 RED MUSHROOM PUSH-BUTTON 4A 400V

1 normally closed contact  
mounting hole  $\varnothing$  22 mm  
for Cutter (DITO ELECTROLUX) K120 - K180  
for Cutter (ZANUSSI) K120 - K180  
for Kneader (DITO ELECTROLUX) PSR100  
for Kneader (ZANUSSI) PSR100  
for Planetary machine (DITO ELECTROLUX) MB40  
XBE60 - XBE80  
for Planetary machine (ZANUSSI) MB40 - XBE60  
XBE80  
for Potato peeler (DITO ELECTROLUX) T10 - T15  
for Potato peeler (ZANUSSI) T10 - T15  
for Vacuum packer (DITO ELECTROLUX) MVS  
for Vacuum packer (ZANUSSI) MVS  
for Vegetables/mozzarella cutter (DITO ELECTROLUX)



ARSA

## Tie rods for blade cover

### 9013502 BLADE COVER TIE ROD SHAFT 220mm PITCH M6

clamp under knob  $\varnothing$  14x10 mm  
for Slicer (ARSA) GP300 - GP330 - GP350



ARSA

### 9013503 BLADE COVER TIE ROD SHAFT 230mm PITCH M8

for Slicer (ARSA) A350 - A370



ARSA