



Spare parts for:

Food processing equipment



Suitable for:

CELME



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


CELME



Suitable for:

Abrasive discs for potato peeler

9735011 VEGETABLE CHOPPER EJECTOR DISC
 external \varnothing 200 mm - with pin groove 26x20 mm
 for Vegetables/mozzarella cutter (LA MINERVA)
 C/ETV - C/ETVS



CELME


9735032 VEGETABLE CHOPPER EJECTOR DISC
 external \varnothing 200 mm - with hole for plug 20x27 mm
 for Vegetables/mozzarella cutter (CELME)



CELME 505557


Accident prevention devices-protections

9716027 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 150x240 mm
 distance between holes 80 mm
 for Slicer (CELME) 300GPR



CELME

9716029 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 150x300 mm
 distance between holes 90 mm
 for Slicer (CELME) 350GPR



CELME

9716065 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 210x178 mm
 distance between holes 49 mm
 for Slicer (CELME) GPE250



CELME 80327



Bearings

3063005 BEARING 6202 2RS NSK

external \varnothing 35 mm - internal \varnothing 15 mm - thickness 11 mm
 for Cutter (GAM) PRATIC3
 for Kneader (FAMA) KG5 - KG8
 for Meat mincer (FIMAR) TR8D
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40
 FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30
 FPP40 - FP30 - FP40
 for Pizza dough stretcher (IGF) B30 - B40 - L30
 L40
 for Potato peeler (DITO ELECTROLUX) T5S
 for Potato peeler (ZANUSSI) T5S
 for Slicer (BRAHER) USA250 - USA280 - USA300
 USA320
 for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300
 H220 - H250 - H275 - H300 - V250



CELME 755620

3063120 BEARING 6202 2RS SKF

\varnothing ext. 35 mm - \varnothing int. 15 mm - thickness 11 mm
 for Cutter (GAM) PRATIC3
 for Kneader (FAMA) KG5 - KG8
 for Meat mincer (FIMAR) TR8D
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40
 FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30
 FPP40 - FP30 - FP40
 for Pizza dough stretcher (IGF) B30 - B40 - L30
 L40
 for Potato peeler (DITO ELECTROLUX) T5S
 for Potato peeler (ZANUSSI) T5S
 for Slicer (BRAHER) USA250 - USA280 - USA300
 USA320
 for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300
 H220 - H250 - H275 - H300 - V250



CELME 755620

9063037 BEARING 626 2Z

external \varnothing 19 mm - internal \varnothing 6 mm - thickness 6 mm
 for Slicer (CEG)
 for Slicer (CELME)
 for Slicer (OBERWERK)
 for Slicer (OMEGA)



CELME

Belts

5027946 BELT MULTIGRIP TB2 360 H26 12 GROOVES

for Vegetables/mozzarella cutter (FIMAR) TAS



CELME

9003662 MULTIGRIP BELT TB2 360 H16 7 GROOVES

for Slicer (CELME)
 for Slicer (FAC) 300I
 for Slicer (FAMA) 302
 for Slicer (NOAW) 350G
 for Slicer (RHENINGHAUS-TECMAL) STAR
 for Slicer (SIRMAN) AGATA250 - AGATA275 - MIRRA275
 MIRRA275CE - MIRRA300 - MIRRA300CE
 MIRRA300UL - QUARZO250 - QUARZO250CE
 QUARZO250UL - QUARZO275 - QUARZO275CE
 QUARZO300 - QUARZO300CE



CELME



CELME



Suitable for:

9003661 MULTIGRIP BELT TB2 360 H20 9 GROOVES

for Slicer (CELME) 330
for Slicer (FAC) 250V - 330
for Slicer (IRONWEED) 300I
for Slicer (NOAW) 300G - 350G - 370G
for Slicer (SWEDLHINGHAUS) 300 - 330



CELME

Suitable for:

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES

for Slicer (ALA) F300E - 8300
for Slicer (BOSTON) 300
for Slicer (FAC) 350V
for Slicer (FIA-BOSTON) 300
for Slicer (GENERAL MACHINE) 350I
for Slicer (NOAW) 300GE
for Slicer (SIRMAN) AGATA300 - AUTOMATICA300CE
AUTOMATICA330CE - GEMMA300 - GEMMA300CE
GEMMA300UL - GEMMA330 - GEMMA330CE
GEMMA330UL - GEMMA350CE - GEMMA350UL
PALLADIO300CE - PALLADIO330CE - PALLADIO350CE



CELME 81481

9062050 MULTIGRIP BELT TB2 400 H24 11 GROOVES

for Slicer (ADMIRAL)
for Slicer (CELME) 350



CELME

9003665 MULTIGRIP BELT 430 TB2 H20 9 GROOVES

for Slicer (CELME)
for Slicer (GENERAL MACHINE) 350V



CELME

9003505 V-BELT 6x300 mm

for Slicer (CELME) 250
for Slicer (OMEGA) 275
for Slicer (REGINA) 220 - 250



CELME

9062093 V-BELT 6x315 mm

for Slicer (CELME)



CELME

9003540 V-BELT 8x600 mm T23 1/2


for Slicer (CELME) MECT



CELME

Blade protectors for slicers

9710080 BLADE COVER CELME GPR300
 external \varnothing 253 mm - square pin 12x12 mm
 thread internal \varnothing 6 mm
 for Slicer (CELME) GPR300



CELME 42708

Blades for meat slicer

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C
 B = external \varnothing 220 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 180 mm
 3 fastening screws
 100CR6 forged stainless steel
 for Slicer (BERKEL) AV35



CELME 17154

9710056 ST.STEEL BLADE \varnothing 250-40-3-218 MOD.C
 B= external \varnothing 250 mm
 D= \varnothing central hole 40 mm
 C= blade internal \varnothing 218 mm
 locking screws n°3
 100CR6 shaped STAINLESS STEEL
 for Slicer (ALA 2000) 827MI
 for Slicer (CELME) GPE250



CELME 17311

9006515 STAINL. STEEL BLADE \varnothing 250-40-3-210 MOD.C
 B = external \varnothing 250 mm
 D = central hole \varnothing 40 mm
 C = blade internal \varnothing 210 mm
 3 fastening screws
 forged 100CR6 stainless steel
 for Slicer (NOAW) TAS



CELME

Covers for sharpener

9002703 COVER LEO S350
 plastic made
 for Slicer (CELME) 350 - 370
 for Slicer (LEO) S350 - 300I - 300V - 330I - 330V
 350I - 350V - 370I - 370V



CELME



Suitable for:

CELME



Suitable for:


Eccentrics

9005017 ALUMINUM ECCENTRIC CELME \varnothing 48 mm
internal hole \varnothing 12 mm - grooving 5 mm
for Slicer (CELME) 220 - 250



CELME

9005025 PLASTIC ECCENTRIC CELME \varnothing 76 mm
internal hole \varnothing 14 mm - grooving 8.5 mm
with external locking notch
for Slicer (CELME) GPR250 - GPR300 - GPR350
GPR370 - VPR300 - VPR350 - VPR370



CELME

Emeries for blades

9013003 CUP GRINDERS 40-12-10
A = external \varnothing 40 mm
B = hole \varnothing 12 mm
H = height 10 mm
COARSE GRAIN



CELME

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8
A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
FINE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



CELME

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8
A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



CELME

9013209 RIMMED GRINDERS WITH HUB 45-6-8
A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 8 mm
FINE GRAIN
for Slicer (FAC) F300E
for Slicer (GENERAL MACHINE) GL - GLS - GXL
for Slicer (MISTRO) B33 - GS350
for Slicer (RGV) 250A - 350



CELME



CELME



Suitable for:

9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (FAC) F300E
 for Slicer (GENERAL MACHINE) GL - GLS - GXL
 for Slicer (HOBART) TA30
 for Slicer (MISTRO) B33 - GS350
 for Slicer (RGV) 250A - 350




CELME

Suitable for:

9013123 RIMMED GRINDERS 45-8-7

A = external \varnothing 45 mm
 B = hole \varnothing 8 mm
 H = height 7 mm
 FINE GRAIN
 for Slicer (CELME) GRP350
 for Slicer (IRONWEED) G330
 for Slicer (MANCONI) MIP330 - MIP350
 for Slicer (RHENINGHAUS-TECMAL) 370



CELME

9013136 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (BERKEL) 935 - 937
 for Slicer (CELME) 350
 for Slicer (IRONWEED) G330 - MARK - MASTER
 SIDRAC



CELME

Feet

9012015 SUCTION FOOT WITH SHAFT M5

length 10 mm
 base \varnothing 35x26 mm



CELME 80138

9012016 SUCTION FOOT WITH SHAFT M6

length 9 mm
 base \varnothing 47x42 mm
 for Slicer (SIRMAN) MAINZ



CELME 80510

Handles

9242041 CARRIAGE HANDLE DISTANCE BW HOLES 110 mm

width 25 mm - height 42 mm
 thread M5 - length 125 mm
 for Slicer (CELME) GPR300



CELME 80490



Suitable for:

CELME



Suitable for:

Knobs

9007519 BLACK KNOB \varnothing 63 mm PITCH M12
without pin
for Slicer (CELME)



CELME

9242040 BLACK KNOB SLIDEWAY \varnothing 67 mm
internal \varnothing 12 mm
for Slicer (CELME) GPR300



CELME 80509

5022095 BLACK LATERAL KNOB WITH PIN \varnothing 25 mm
thread \varnothing 8 mm - overall length 61 mm
for Vegetables/mozzarella cutter (CELME) CHEF 200
CHEF 300



CELME CLPERN0041

CELME 515609

9241020 BLACK TIMER KNOB \varnothing 12x102 mm
pin \varnothing 12x46 mm
knob \varnothing 57 mm
mounting frame \varnothing 61 mm
for Slicer (CELME) 250 - 300



CELME

9007454 BLACK TIMER KNOB \varnothing 12x63 mm
pin \varnothing 12x17 mm
knob \varnothing 40 mm
mounting frame \varnothing 55 mm
for Slicer (CELME) 220



CELME 80134

9007455 BLACK TIMER KNOB \varnothing 12x97 mm
pin \varnothing 12x31 mm
knob \varnothing 57 mm
mounting frame \varnothing 61 mm
for Slicer (CELME) 250 - 300



CELME 80303

9242040 BLACK KNOB SLIDEWAY \varnothing 67 mm
internal \varnothing 12 mm
for Slicer (CELME) GPR300



CELME 80509



Suitable for:

CELME



Suitable for:

Lids for potato peeler

9734013 CUTTER LID ø 188 mm
complete with magnet
for Cutter (GAM) PRATIC3



CELME

9734014 CUTTER LID ø 255 mm
complete with magnet
for Cutter (GAM) PRATIC5 - PRATIC8



CELME

Meat rammers

9014161 MEAT MINCER MASHER ø 51x130 mm
internally hollow
for Meat mincer (CELME) 22



CELME 805559

Motors

9240083 MOTOR P40 230V 50Hz
shaft ø 15x25 mm
for Slicer (CELME) - Series FAP - FA250 - GPE250
Series GPR



CELME 60308D

9240081 MOTOR P60 230V 50Hz
shaft ø 15x30 mm
for Slicer (CELME) - Series FAP - Series GPR
GPR300 - S300



CELME 60504E

9240084 MOTOR 568M-A038-001-93 220V 50Hz
1380rpm
shaft ø 15x20 mm
for Slicer (CELME) FAMILY220 - GE220



CELME 60148



Suitable for:

CELME



Suitable for:

Sharpeners

9701005 BLADE SHARPENER CELME GPR300
without cover
mounting distance 89 mm



CELME 50127

Slice protectors

9711017 ALUMINUM SLICE GUARD
external dimensions 130x90 mm
distance between holes 56 mm
for Slicer (CELME) AF300



CELME 16501

9711018 STAINLESS STEEL SLICE GUARD FOR SLICER
external dimensions 165x90 mm
distance between holes 86 mm
for Slicer (CELME) 350
for Slicer (LEO) 350



CELME

Switches

9319088 DOUBLE GREEN/RED SWITCH 16A 250V
mounting hole 22x30 mm
for Slicer (CELME) FAP300 - GPE250



CELME 60433

9014068 PUSH-BUTT.PANEL 0-I WHITE-BLACK 16A 250V
1 normally closed contact
1 normally open contact
with indicator lamp
mounting hole \varnothing 22 mm
for Bone bandsaw (HUDSON) SEG.235
for Cutter (HUDSON) CUT.03 - CUT.05 - CUT.09
CUT.15
for Food processing accessories (HUDSON) DAN - DVM
for Grater (HUDSON) GR.94/IND - GR.94/12
GR.94/22 - MRG.12/81
for Kneader (GAM) S16 - S20 - S30 - S40
for Meat mincer (HUDSON) TC.12/89 - TC.22/89
TC.32/89
for Potato peeler (HUDSON) PE.04 - PE.08 - PE.12
PE.20 - PE.25



CELME 60959



Suitable for:

Suitable for:

Tie rods for blade cover

9013504 **BLADE COVER TIE ROD SHAFT 125mm PITCH M6**
micro support 45 mm
for Slicer (CELME) FAMILY220 - 220 - 250



CELME 80173

9013030 **BLADE COVER TIE ROD SHAFT 177mm PITCH M6**
micro support \varnothing 12x67 mm
for Slicer (CELME) 300G - 300V



CELME 80492

9013540 **BLADE COVER TIE ROD SHAFT 240mm PITCH M7**
micro support \varnothing 20x25 mm
for Slicer (CELME) GRP350 - GRP370



CELME

9714022 **BLADE COVER TIE ROD SHAFT 155mm PITCH M6**
micro support \varnothing 10x58 mm
for Slicer (CELME) 250



CELME

9714011 **BLADE COVER TIE ROD SHAFT 215mm PITCH M7**
micro support \varnothing 20x95 mm
for Slicer (CELME) VPR350 - VPR370



CELME