



Spare parts for:

Food processing equipment



Suitable for:

DAMPA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11260938





Suitable for:

DAMPA



Suitable for:

Belts

9003852 TOOTHED BELT 225 L 075 H19
for Slicer (DAMPA)



DAMPA

Blades for meat slicer

9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



DAMPA

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C

B = external \varnothing 220 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



DAMPA

9006519 ST. STEEL BLADE \varnothing 275-40-3-220 MOD.C

B = external \varnothing 275 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 220 mm
3 fastening screws
100CR6 forged stainless steel



DAMPA

9006523 ST. STEEL BLADE \varnothing 300-40-3-245 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 245 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (ALA 2000) F300E - 8300 - 8300CE - 9300
9300CE
for Slicer (RGV) DOLLY300/S



DAMPA

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



DAMPA

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



DAMPA



Suitable for:

DAMPA



Suitable for:

Electronic printed-circuit boards

9390060 SINGLE-PHASE ELECTRONIC POWER BOARD

external dimensions 71x74 mm
for Slicer (OMAS) GL300E



DAMPA S3290

Emeries for blades

9013213 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm

B = hole \varnothing 6 mm

H = height 8 mm

FINE GRAIN

for Slicer (ALA 2000) F300E

for Slicer (FAC) F300E - F300I

for Slicer (HOBART) 2301

for Slicer (OMAS) A300 - A31E - A310 - GL - TN

for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



DAMPA

9013214 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm

B = hole \varnothing 6 mm

H = height 8 mm

COARSE GRAIN

for Slicer (FIA-BOSTON) STIL

for Slicer (OMAS) A300 - A31E - GL - TN

for Slicer (RGV) 350

for Slicer (RHENINGHAUS-TECMAL) MONDIAL280



DAMPA