



Spare parts for:

Food processing equipment



Suitable for:

FAC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

FAC



Suitable for:

Accident prevention devices-protections

9716004 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 185x190 mm
 distance between holes 148 mm
 for Slicer (FAC) 250E
 for Slicer (SIRMAN) PERLA195 - PERLA195CEDOM
 PERLA220 - PERLA250 - PERLA250CEDOM - TOPAZ195
 TOPAZ195CEDOM - TOPAZ220 - TOPAZ220CEDOM
 TOPAZ250 - TOPAZ275



FAC


9716085 POLYCARBONATE CARRIAGE PROTECTION
 max.overall dimensions 210x165 mm
 distance between holes 110 mm
 for Slicer (FAC) 250I



FAC

Belts

9062104 MULTIGRIP BELT TB2 266 H16 7 GROOVES
 for Slicer (FAC) 195
 for Slicer (SIRMAN) 195I



FAC

9003654 MULTIGRIP BELT TB2 295 H14 6 GROOVES
 for Slicer (ADMIRAL) 370
 for Slicer (CELME)
 for Slicer (FAC) 220



FAC

9062100 MULTIGRIP BELT TB2 360 H12 6 GROOVES
 for Slicer (FAC) F300CL - 300



FAC

9003661 MULTIGRIP BELT TB2 360 H20 9 GROOVES
 for Slicer (CELME) 330
 for Slicer (FAC) 250V - 330
 for Slicer (IRONWEED) 300I
 for Slicer (NOAW) 300G - 350G - 370G
 for Slicer (SWEDLHINGHAUS) 300 - 330



FAC



Suitable for:

9003506 V BELT 6x320 mm Y343
 for Slicer (ABO)
 for Slicer (ATOMA) 220
 for Slicer (FAC)
 for Slicer (OMAS)
 for Slicer (OMEGA) PASTORE250
 for Slicer (REGINA)
 for Slicer (SWINFORD) 275 - 300



FAC

9003504 V-BELT 6x280 mm
 for (OMEGA)
 for (RHENINGHAUS-TECMAL)
 for Slicer (ABM)
 for Slicer (ABO) 220
 for Slicer (FAC) 220



FAC

9003530 V-BELT 8x375 mm T14 3/4
 for Slicer (ABM) AGS250 - AGS270 - 300I
 for Slicer (ABO) 300V
 for Slicer (ITALIANA MACCHI) 330 - 350
 for Slicer (LEO)
 for Slicer (NOAW) 300 - 350
 for Slicer (SIRMAN) 350



FAC

FAC



Suitable for:

9003529 V BELT 8x355 mm T14
 for Slicer (ABM) 250AGS - 275AGS - 300I
 for Slicer (ABO) 300V
 for Slicer (FAC) 300
 for Slicer (ITALIANA MACCHI) 330
 for Slicer (LEO)
 for Slicer (NOAW) 300
 for Slicer (SIRMAN) 350



FAC

9003528 V-BELT 8x315 mm T12 1/5
 for Slicer (ABO) 300G
 for Slicer (ARSA) 300V - 330
 for Slicer (FAC) 250I
 for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS
 for Slicer (OMAS) GF
 for Slicer (OMEGA)
 for Slicer (REGINA) 250 - 275 - 300



FAC

Blade protectors for slicers

5008253 BLADE COVER FAC F250E
 external \varnothing 262/235 mm
 internal for blade \varnothing 210 mm
 thread external \varnothing 12 mm - thread internal \varnothing 5 mm



FAC

9710092 BLADE COVER FAC 250I-V
 external \varnothing 260 mm - internal \varnothing for blade 208 mm
 fastening internal \varnothing 11 mm
 thread internal \varnothing 6 mm
 for Slicer (FAC) 250I - 250V



FAC



Suitable for:

FAC

Suitable for:



Blades for meat slicer

9006508 ST. STEEL BLADE \varnothing 195-30-3-155 MOD.C

B = external \varnothing 195 mm
D = central hole \varnothing 30 mm
C = blade internal \varnothing 155 mm
3 fastening screws
100CR6 forged stainless steel



FAC

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C

B = external \varnothing 220 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



FAC

9006511 ST. STEEL BLADE \varnothing 250-40-3-210 MOD.E


B = external \varnothing 250 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 210 mm
3 fastening screws
100CR6 forged stainless steel



FAC

9006524 ST. STEEL BLADE \varnothing 300-40-3-250 MOD.C

B = external \varnothing 300 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 250 mm
3 fastening screws
100CR6 forged stainless steel



FAC

9006532 ST. STEEL BLADE \varnothing 330-40-3-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 270 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) 935
for Slicer (LEO) 935



FAC

Electronic printed-circuit boards

9390047 CONTROL BOARD FOR CHANGE OVER SWITCH KIT

external dimensions 58x52 mm
complete with cables
for Slicer (FAC) - Series 195 - Series 250



FAC



Emeries for blades

9013220 EMERY WHEEL WITH STEP AND HUB 50-8-8

A = external \varnothing 50 mm
 B = hole \varnothing 8 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (ABM) AGS350
 for Slicer (HOBART) TI33 - 1712 - 2350
 for Slicer (SIRMAN) GEMMA330 - GEMMA350 - SELCE350
 SELCE370 - VASBS350 - VASBS370 - VCS350
 VCS370



FAC

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 FINE GRAIN
 for Slicer (ALA 2000) 8300
 for Slicer (CELME) 220
 for Slicer (RGV) 250
 for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



FAC

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
 B = hole \varnothing 6 mm
 H = height 7.8 mm
 COARSE GRAIN
 for Slicer (ALA 2000) 8300
 for Slicer (CELME) 220
 for Slicer (RGV) 250
 for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



FAC

9013209 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (FAC) F300E
 for Slicer (GENERAL MACHINE) GL - GLS - GXL
 for Slicer (MISTRO) B33 - GS350
 for Slicer (RGV) 250A - 350



FAC

9013210 RIMMED GRINDERS WITH HUB 45-6-8

A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 COARSE GRAIN
 for Slicer (FAC) F300E
 for Slicer (GENERAL MACHINE) GL - GLS - GXL
 for Slicer (HOBART) TA30
 for Slicer (MISTRO) B33 - GS350
 for Slicer (RGV) 250A - 350



FAC

9013213 RIMMED GRINDERS WITH HUB 50-6-8

A = external \varnothing 50 mm
 B = hole \varnothing 6 mm
 H = height 8 mm
 FINE GRAIN
 for Slicer (ALA 2000) F300E
 for Slicer (FAC) F300E - F300I
 for Slicer (HOBART) 2301
 for Slicer (OMAS) A300 - A31E - A310 - GL - TN
 for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



FAC



Suitable for:

FAC



9013219 RIMMED GRINDERS WITH HUB 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (BERKEL) CX350
for Slicer (FIA-BOSTON) STIL
for Slicer (HOBART) TI33 - 1712 - 2350
for Slicer (OMAS) TGI330 - TGI350



FAC

9013113 STEPPED EMERY WHEEL 45-6-9

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 9 mm
COARSE GRAIN
for Slicer (ALA 2000) F300E
for Slicer (CEG) AG250 - AM300
for Slicer (FAC) F300E - F300I
for Slicer (OMS) GIADA - 250 - 300
for Slicer (SIRMAN) AUTOMATICA300CE - QUARZO250
QUARZO250CE - QUARZO275 - QUARZO275CE
QUARZO300 - QUARZO300CE



FAC

Knobs

9007567 BLACK OVAL KNOB \varnothing 18x46 mm PITCH M5

with pin length 5 mm
for Slicer (FAC)



FAC

9242056 BLACK TIMER KNOB \varnothing 12x82 mm

pin \varnothing 12x32 mm
knob \varnothing 47 mm
mounting frame \varnothing 60 mm
for Slicer (FAC) 220 - 250E
for Slicer (RGV)



FAC

9007502 BLACK TIMER KNOB \varnothing 18x138 mm

pin \varnothing 18x69 mm
knob \varnothing 66 mm
mounting frame \varnothing 69 mm
for Slicer (ESSEDUE) LUNGA 300
for Slicer (FAC)



FAC

9007462 BLACK TIMER KNOB \varnothing 18x155 mm

pin \varnothing 18x95 mm
knob \varnothing 67 mm
mounting frame \varnothing 68 mm
for Slicer (NOAW)



FAC

Motors

5033737 MOTOR 0.35HP 230V 50Hz

1380rpm - capacitor 8 μ F
for Slicer (FAC) F300E - 300 - 300 CL



FAC

FAC LF-5049721

5100780 SINGLE-PHASE MOTOR 0.25HP 230V 50Hz

1380 rpm - capacitor 8 μ F
for Slicer (FAC) F220



FAC



Sharpeners

9000013 BLADE SHARPENER FAC FAMIGLIA CARRIAGE
with cover
fastening to the carriage
for home SLICER



FAC

9000014 BLADE SHARPENER FAC 220-250
with cover



FAC

3701001 BLADE SHARPENER FAC 250-275-310I
without cover
for Slicer (FAC) F250I - F275I - F300E - F300I



FAC


9000016 BLADE SHARPENER FAC 350
with cover
for Slicer (FAC) 350I-CE



FAC

Slice protectors

9009523 ALUMINUM SLICE GUARD PLEXIGLASS
external dimensions 130x65 mm
distance between holes 58 mm
for Slicer (FAC) 300



FAC

9009516 PLEXIGLAS SLICE GUARD FOR SLICER
external dimensions 80x35 mm
distance between holes 47 mm
for Slicer (FAC) 220
for Slicer (SIRMAN) MIRRA220 - MIRRA220CEDOM
MIRRA220UL - PERLA195 - PERLA195CEDOM
PERLA220 - PERLA220CEDOM - TOPAZ195
TOPAZ195CEDOM - TOPAZ220 - TOPAZ220CEDOM



FAC

9009517 PLEXIGLAS SLICE GUARD FOR SLICER
external dimensions 105x45 mm
distance between holes 59 mm
for Slicer (FAC) 250
for Slicer (SIRMAN) AGATA250 - MIRRA250
MIRRA250CEDOM - MIRRA250UL - PERLA250
PERLA250CEDOM - TOPAZ250 - TOPAZ250CEDOM
TOPAZ250CEDOM



FAC



Suitable for:

FAC



Suitable for:

Switches

9319715 PUSH-BUTT.PANEL 2 BUT. I-O WHITE-BLACK

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (FAC)
for Slicer (FIA-BOSTON)
for Slicer (RGV) DOLLY300S - DOLLY350A



FAC

9319712 PUSH-BUTT.PANEL 2 BUT. STOP-I GREEN-RED

16A 250V
2 normally open contacts
mounting hole 22x30 mm
for Slicer (RGV)



FAC

Tie rods for blade cover

9714005 BLADE COVER TIE ROD SHAFT 150mm PITCH M6

micro support \varnothing 10x52 mm
for Slicer (FAC) 250 - 250E
for Slicer (SIRMAN) PERLA250 - PERLA250CEDOM
TOPAZ250 - TOPAZ250CEDOM - TOPAZ275
TOPAZ275CEDOM



FAC

9714012 BLADE COVER TIE ROD SHAFT 160mm PITCH M8

micro support \varnothing 12x27 mm
for Slicer (FAC) 300



FAC