



Spare parts for:

## Food processing equipment



Suitable for:

# IGF



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

IGF


Suitable for:



## Bearings

### 3063018 BEARING 6200 2RS1

external  $\varnothing$  30 mm -internal  $\varnothing$  10 mm -thickness 9 mm  
for Bone bandsaw (LA MINERVA) C165 - E165  
for Pizza dough stretcher (IGF) B30 - B40 - L30  
L40  
for Slicer (BRAHER) MAT292 - MAT320 - MAT350



IGF 2300/B30Z37  
IGF 2300/L40PZ35

IGF 2300/B40Z37  
IGF 2300/L40Z37

IGF 2300/L30Z37

### 3063005 BEARING 6202 2RS NSK

external  $\varnothing$  35 mm -internal  $\varnothing$  15 mm -thickness 11 mm  
for Cutter (GAM) PRATIC3  
for Kneader (FAMA) KG5 - KG8  
for Meat mincer (FIMAR) TR8D  
for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30  
FPP40 - FP30 - FP40  
for Pizza dough stretcher (IGF) B30 - B40 - L30  
L40  
for Potato peeler (DITO ELECTROLUX) T5S  
for Potato peeler (ZANUSSI) T5S  
for Slicer (BRAHER) USA250 - USA280 - USA300  
USA320  
for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300  
H220 - H250 - H275 - H300 - V250



IGF 2300/B30Z41  
IGF 2300/L40Z41

IGF 2300/B40Z41

IGF 2300/L30Z41

### 3063120 BEARING 6202 2RS SKF

$\varnothing$  ext. 35 mm -  $\varnothing$  int. 15 mm - thickness 11 mm  
for Cutter (GAM) PRATIC3  
for Kneader (FAMA) KG5 - KG8  
for Meat mincer (FIMAR) TR8D  
for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
FIP42 - FI30 - FI32 - FI40 - FI42 - FPP30  
FPP40 - FP30 - FP40  
for Pizza dough stretcher (IGF) B30 - B40 - L30  
L40  
for Potato peeler (DITO ELECTROLUX) T5S  
for Potato peeler (ZANUSSI) T5S  
for Slicer (BRAHER) USA250 - USA280 - USA300  
USA320  
for Slicer (FIMAR) HL250 - HL275 - HS250 - HS300  
H220 - H250 - H275 - H300 - V250



IGF 2300/B30Z41  
IGF 2300/L40Z41

IGF 2300/B40Z41

IGF 2300/L30Z41

### 1063901 BEARING 6204 2RS NSK

external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm -thickness 14 mm  
for Kneader (GAM) A30  
for Kneader (IGF) 2200/S25 - 2200/S38  
for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30  
for Meat mincer (FIMAR) 12C - 12TS - 22C - 22TE  
for Mussel cleaner (LA MINERVA) C/E560C - C/E565C  
for Planetary machine (SIGMA) BM10 - BM20 - BM30  
for Potato peeler (ANGELO PO) MPK10 - MPK20 - MPK5  
for Potato peeler (LA MINERVA) C/560 - C/565  
C/570 - C/71  
for Slicer (BRAHER) MAT292 - MAT320 - MAT350  
for Vegetables/mozzarella cutter (DITO ELECTROLUX)  
TRS



IGF 2200/S25Z02

IGF 2200/S38Z02

**3063122 BEARING 6204 2RS SKF**

ø ext. 47 mm - ø int. 20 mm - thickness 14 mm  
 for Kneader (GAM) A30  
 for Kneader (IGF) 2200/S25 - 2200/S38  
 for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30  
 for Meat mincer (FIMAR) 12C - 12TS - 22C - 22TE  
 for Mussel cleaner (LA MINERVA) C/E560C - C/E565C  
 for Planetary machine (SIGMA) BM10 - BM20 - BM30  
 for Potato peeler (ANGELO PO) MPK10 - MPK20 - MPK5  
 for Potato peeler (LA MINERVA) C/560 - C/565  
 C/570 - C/71  
 for Slicer (BRAHER) MAT292 - MAT320 - MAT350  
 for Vegetables/mozzarella cutter (DITO ELECTROLUX)  
 TRS




IGF 2200/S25Z02

IGF 2200/S38Z02

**Belts**

**9062014 LONG BELT ø 8x645 mm**

external ø 215 mm  
 for Pizza dough stretcher (KLEMOR) B30 - L30




IGF 2300/B30Z14

IGF 2300/L30Z14

**9062018 LONG BELT ø 8x884 mm**

external ø 290 mm  
 for Pizza dough stretcher (IGF) B40P - L40P




IGF 2300/B40PZ11

IGF 2300/L40PZ11

**9062016 LONG BELT ø 8x895 mm**

external ø 295 mm  
 for Pizza dough stretcher (KLEMOR) B40 - L40




IGF 2300/B40Z14

IGF 2300/L40Z14

**9062015 SHORT BELT ø 8x540 mm**

external ø 180 mm  
 for Pizza dough stretcher (KLEMOR) B30 - L30  
 for Pizza dough stretcher (PIZZA GROUP) P30A



IGF 2300/B30Z19

IGF 2300/L30Z19

**9062019 SHORT BELT ø 8x620 mm**

external ø 205 mm  
 for Pizza dough stretcher (IGF) B40P - L40P




IGF 2300/B40PZ16

IGF 2300/L40PZ16

**9062017 SHORT BELT ø 8x635 mm**

external ø 210 mm  
 for Pizza dough stretcher (KLEMOR) B40 - L40



IGF 2300/B40Z19

IGF 2300/L40Z19



Suitable for:

IGF



Suitable for:


## Electronic printed-circuit boards

**9014029 ELECTR.CIRCUIT BOARD F/KIT 230/400V 5HP**  
 external dimensions 100x80 mm  
 power supply 230/400V 50/60Hz  
 for ALTERING KIT 9014021-9721000-9721004  
 for Grater (SIRMAN)  
 since 1/01/04  
 GFCE - GF2CE  
 for Meat mincer (FAMA) - Series 12CE  
 Series 12CEUNGER - Series 22CE - Series 22CEUNGER  
 for Meat mincer (SIRMAN)  
 since 1/01/04  
 TCG12ECE - TCG22ECE - TC12ECE - TC22ECE  
 for Potato peeler (SIRMAN) PPJ10CE - PPJ20CE  
 for Vegetables/mozzarella cutter (FAMA)  
 Series CE



IGF

**9390007 ELECTRON.CONTROL CIRCUIT BOARD 70x80 mm**  
 for Kneader (IGF) 2400/S12



IGF 2400/S12Z33

**9390008 ELECTRON.CONTROL CIRCUIT BOARD 87x87 mm**  
 for Kneader (IGF) 2400/S38



IGF 2400/S38Z33


**9390010 ELECTRONIC POWER BOARD 125x60 mm**  
 for Pizza dough stretcher (IGF) L30 - L40



IGF 2300/L30Z10


IGF 2300/L40Z10

**9014129 ELECTRONIC POWER BOARD 230V**  
 external dimensions 95x83 mm  
 for Meat mincer (FAMA) - Series 12CE  
 Series 12CEUNGER - Series 22CE - Series 22CEUNGER  
 for Vegetables/mozzarella cutter (FAMA)  
 Series CE



IGF

**9390009 ELECTRONIC POWER BOARD 80x70 mm**  
 for Pizza dough stretcher (IGF) B30 - B40



IGF 2300/B30Z10

IGF 2300/B40Z10

**Emeries for blades**

**9013130 STEPPED EMERY WHEEL 50-6-8**

A = external  $\varnothing$  50 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 8 mm  
 FINE GRAIN  
 for Slicer (BERKEL) 807 - 835



IGF

**Gears**

**9014054 BIG GEAR  $\varnothing$  64 mm**

internal  $\varnothing$  16 mm - number of teeth 40  
 for Meat mincer (FAMA) - Series CE - Series EXPORT  
 Series 12CE - 22 - 32  
 for Vegetables/mozzarella cutter (FAMA)  
 Series CE - Series EXPORT



IGF

**9212017 BOSS-TO-BOSS GEAR**

internal  $\varnothing$  26 mm  
 for Pizza dough stretcher (FIMAR) FIP30 - FIP40  
 FI30 - FI40 - FPP30 - FPP40 - FP30 - FP40  
 for Pizza dough stretcher (IGF) B30 - B40 - L30  
 L40  
 for Pizza dough stretcher (PIZZA GROUP) M35 - P30  
 P30A - P30AE - P30T - P30TA - P35TA - P40  
 P40A - P40AE - P40T - P40TA - P40TAE - P45A  
 P45HTA - P45TA



IGF 2300/B30Z35  
 IGF 2300/L40Z35

IGF 2300/B40Z35

IGF 2300/L30Z35

**9014052 BRONZE GEAR  $\varnothing$  34 mm**

internal  $\varnothing$  15 mm - number of teeth 19  
 for Meat mincer (FAMA) - Series 8CE  
 Series 8EXPORT



IGF

**9014053 DOUBLE GEAR  $\varnothing$  70/31.6 mm**

large gear external  $\varnothing$  70 mm  
 teeth number 41  
 small gear external  $\varnothing$  31.6 mm  
 18 teeth  
 for FAMA MOZZARELLA CUTTER CE-EXPORT  
 for FAMA MEAT MINCER 12-22-32 CE-EXPORT  
 for FAMA SHROUDED MEAT MINCER 12-22-32 CE-EXPORT  
 for FAMA MEAT MINCER-GRATER CAR. 12 CE-EXPORT  
 for FAMA MEAT MINCER-GRATER CAR. 22 CE-EXPORT  
 for FAMA MEAT MINCER-GRATER 12-22 CE-EXPORT  
 for Meat mincer (FAMA) - Series CE - Series EXPORT  
 Series 12CE - 22 - 32  
 for Vegetables/mozzarella cutter (FAMA)  
 Series CE - Series EXPORT



IGF



Suitable for:

IGF



**5032788 EXTERNAL GEAR**

extern.ø 47 mm - hole ø 14 mm - height 34 mm  
male gear - total teeth 19  
for Pizza dough stretcher (IGF) 2300/L30  
2300/L40



IGF 2300/L30Z36

IGF 2300/L40Z36

**5030496 INTERNAL GEAR**

external ø 47 mm - hole ø 25 mm - height 34 mm  
male gear - total teeth 19  
for Pizza dough stretcher (IGF) 2300/B30  
2300/B40 - 2300/L30 - 2300/L40



IGF 2300/L30Z43

IGF 2300/L40Z43

**9014055 SMALL GEAR ø 25 mm**

internal ø 10 mm - number of teeth 13  
for Meat mincer (FAMA) - Series CE - Series EXPORT  
Series 12CE - 22 - 32  
for Meat mincer (SIRMAN) TCG12 - TCG22E  
for Vegetables/mozzarella cutter (FAMA)  
Series CE - Series EXPORT



IGF

**9212024 THICKNESS ADJUSTER 51x43 mm**

for Pizza dough stretcher (IGF) B40 - L40  
2300/L30



IGF 2300/L30Z40

IGF 2300/L40Z40

**Inlet holes for meat mincers**

**9014546 CAST IR.MEAT MINCER MOUTH 12 FAMA**

thread ø 80 mm  
coupling external ø 73x95 mm  
overall length 136 mm  
rear hole ø 33 mm  
MODEL FOR TWO-NOTCH BLADES  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT



IGF

**9014126 CAST IR.MEAT MINCER MOUTH 12 UNGER FAMA**

thread ø 80 mm  
coupling external ø 72x95 mm  
overall length 157 mm  
rear hole ø 33.5 mm  
MODEL FOR TWO-NOTCH BLADES



IGF

**9014059 CAST IR.MEAT MINCER MOUTH 22FAMA**

thread ø 94 mm  
coupling external ø 81x93.5 mm  
overall length 148 mm  
rear hole ø 36 mm  
MODEL FOR TWO-NOTCH BLADES



IGF

**9014125 S/STEEL MEAT MINCER MOUTH 12 FAMA**

thread ø 82 mm  
coupling external ø 72x93 mm  
overall length 135 mm  
rear hole ø 33 mm  
MODEL FOR TWO-NOTCH BLADES



IGF



**Knives for meat mincers**

**9014607 S.STEEL KNIFE F/M.MINCER MOD.22 HUNGER**  
 model UNGER INTERCHANGEABLE BLADES H82/22  
 oval hole 17x13 mm



IGF

**9014602 STAINLESS STEEL KNIFE F/MEAT MINCER 22**  
 model ENTERPRISE 22 self-sharpening  
 external ø 73 mm - square hole 13x13 mm



IGF

**Knobs**

**9016043 BLACK INLET HOLDING HANDLE ø 40 mm**  
 with pin pitch M8  
 with pin length 25 mm  
 for Meat mincer (FAMA) 8



IGF

**9007003 BLACK INLET HOLDING HANDLE ø 60 mm**  
 with pin pitch M10  
 with pin length 25 mm  
 for Meat mincer (FAMA) - Series 12CE - 22



IGF

**Lids for potato peeler**

**9734014 CUTTER LID ø 255 mm**  
 complete with magnet  
 for Cutter (GAM) PRATIC5 - PRATIC8



IGF

**9016045 PLASTIC COVER ø 98 mm**  
 for MOTOR COVER-GRATER UNIT



IGF

**Meat hold arm**

**9016053 CHEESE PRESSING LEVER 12-22**  
 complete with pin and screw  
 for Meat mincer (FAMA) - Series 12CE  
 Series 12EXPORT - Series 22CE - Series 22EXPORT



IGF



Suitable for:

IGF

Suitable for:



## Microswitches

**9014016 MAGNETIC MICROSWITCH E5101A**  
 0.5A 250V - contact NO - head 32x13x8 mm  
 with cable length 750 mm  
 for Meat mincer (FAMA) TGI8 - TG8  
 for Vegetables/mozzarella cutter (SIRMAN)  
 TMCOPALLCE - TMCOPINOXCE



IGF

**3240189 MICRO SWITCH M1DX20 10A 250V**  
 for Kneader (FAMA) KG5 - KG8  
 for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
 2200/S38 - 2200/S42 - 2200/S70 - 2400/S12  
 2400/S16 - 2400/S25 - 2400/S38



IGF 2200/S07Z16  
 IGF 2200/S25Z16  
 IGF 2200/S70Z16  
 IGF 2400/S16Z22  
 IGF 2400/S25Z46

IGF 2200/S12Z16  
 IGF 2200/S38Z16  
 IGF 2400/S12Z22  
 IGF 2400/S16Z46  
 IGF 2400/S38Z22

IGF 2200/S16Z16  
 IGF 2200/S42Z16  
 IGF 2400/S12Z46  
 IGF 2400/S25Z22  
 IGF 2400/S38Z46

**9240011 MICROSWITCH CAP**  
 for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
 2200/S38 - 2200/S42 - 2200/S70



IGF 2200/S07Z15  
 IGF 2200/S25Z15  
 IGF 2200/S70Z15

IGF 2200/S12Z15  
 IGF 2200/S38Z15

IGF 2200/S16Z15  
 IGF 2200/S42Z15

**9014051 MICROSWITCH 12A 250V**  
 for Cutter (SIRMAN) C4CE - C4VTCE - C4VVCE - C6CE  
 C6VTCE - C6VVCE - C9VVCE



IGF

## Pins

**9015018 CONVEYOR SHAFT 12-22 FAMA**  
 external  $\varnothing$  25 mm - overall length 78 mm  
 for Meat mincer (FAMA) - Series 12CE  
 Series 12EXPORT - Series 22CE - Series 22EXPORT



IGF

**9015069 PIN FOR MEAT MINCER 12 FAMA**  
 shaft  $\varnothing$  9.9 mm  
 square part 11.5x11.5 mm  
 thread  $\varnothing$  12x20 mm



IGF

**9015070 PIN FOR MEAT MINCER 22 FAMA**  
 shaft  $\varnothing$  11 mm  
 square part 12.6x12.6 mm  
 thread  $\varnothing$  12x20 mm



IGF

**9015071 PIN FOR MEAT MINCER 32 FAMA**  
 shaft  $\varnothing$  13 mm  
 square part 14.2x14.2 mm  
 thread  $\varnothing$  20x25 mm  
 flange  $\varnothing$  25 mm



IGF



Suitable for:

Suitable for:

**9015074 PIN FOR MEAT MINCER 8 FAMA-FIMAR**

shaft  $\varnothing$  8.5 mm  
square part 10x10 mm  
thread  $\varnothing$  10x16 mm



IGF

**Pizza dough stretchers rolls and spares**

**9733006 BOTTOM EXTERNAL ROLLER  $\varnothing$  46x307 mm**  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z30

IGF 2300/L30Z30

**9733012 BOTTOM EXTERNAL ROLLER  $\varnothing$  49x408 mm**  
for Pizza dough stretcher (IGF) B40 - B40P - L40 L40P



IGF 2300/B40PZ28  
IGF 2300/L40Z30

IGF 2300/B40Z30

IGF 2300/L40PZ28

**9733005 BOTTOM INTERNAL ROLLER  $\varnothing$  49x307 mm**  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z29

IGF 2300/L30Z29

**9733007 BOTTOM INTERNAL ROLLER  $\varnothing$  49x408 mm**  
for Pizza dough stretcher (IGF) B40 - L40



IGF 2300/B40PZ27  
IGF 2300/L40Z29

IGF 2300/B40Z29

IGF 2300/L40PZ27

**9733010 TOP EXTERNAL ROLLER  $\varnothing$  46x307 mm**  
for Pizza dough stretcher (IGF) B40P - L40P



IGF 2300/B40PZ48

IGF 2300/L40PZ48

**9733002 TOP EXTERNAL ROLLER  $\varnothing$  48x176 mm**  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z50

IGF 2300/L30Z50

**9733004 TOP EXTERNAL ROLLER  $\varnothing$  48x217 mm**  
for Pizza dough stretcher (IGF) B40 - L40



IGF 2300/B40Z50

IGF 2300/L40Z50

**9733009 TOP INTERNAL ROLLER  $\varnothing$  46x307 mm**  
for Pizza dough stretcher (IGF) B40P - L40P




IGF 2300/B40PZ44

IGF 2300/L40PZ44



Suitable for:

**9733001 TOP INTERNAL ROLLER  $\varnothing$  48x176 mm**  
for Pizza dough stretcher (IGF) B30 - L30



IGF 2300/B30Z46

IGF 2300/L30Z46

**IGF**



Suitable for:

**9733003 TOP INTERNAL ROLLER  $\varnothing$  48x217 mm**  
for Pizza dough stretcher (IGF) B40 - L40



IGF 2300/B40Z46

IGF 2300/L40Z46

## Plates for mincers

**9015740 INOX PLATE MOD.H82/22/10 UNGER**  
model H82/22 UNGER self-sharpening  
ejection hole  $\varnothing$  10 mm  
external  $\varnothing$  81.6 mm - central hole  $\varnothing$  22,2 mm



IGF

**9015731 INOX PLATE MOD.H82/22/2 UNGER**  
model H82/22 UNGER self-sharpening  
ejection hole  $\varnothing$  2 mm  
external  $\varnothing$  81.6 mm - central hole  $\varnothing$  22,2 mm



IGF

## Rating-plates

**9399005 CONTROL PLATE**  
dimensions 85x75 mm  
for Kneader (IGF) 2400/S12



IGF 2400/S12Z34

**9399006 CONTROL PLATE**  
dimensions 106x90 mm  
for Kneader (IGF) 2400/S38



IGF 2400/S38Z34

## Rolls for graters and spares

**9733527 GRATER ROLLER MOD.8 FIMAR**  
external  $\varnothing$  60 mm -  $\varnothing$  central hole 20 mm  
roller length 112 mm (without flanges)



IGF

**9016042 GRATER ROLLER PUNCHED MOD.12-22 FAMA**  
external  $\varnothing$  75 mm -  $\varnothing$  central hole 26 mm  
roller length 142 mm (without flanges)



IGF

**9016041 ST.STEEL ROLLER F/GRATER MOD.12-22 FAMA**  
external  $\varnothing$  75 mm - central hole  $\varnothing$  26 mm  
roller length 142 mm (without flange)



IGF



**Rotary switches**

**9057003 SELECTOR SWITCH 0-2 POSITIONS -2 SPEEDS**  
 contact capacity 16A 600V - ma 60/75°C  
 shaft 7x8 mm  
 for Kneader (IGF) 2200/S16 - 2200/S25 - 2200/S38  
 2200/S42 - 2200/S70 - 2400/S12 - 2400/S16  
 2400/S25 - 2400/S38



- |                 |                 |                 |
|-----------------|-----------------|-----------------|
| IGF 2200/S07Z36 | IGF 2200/S12Z35 | IGF 2200/S12Z36 |
| IGF 2200/S16Z35 | IGF 2200/S16Z36 | IGF 2200/S25Z35 |
| IGF 2200/S25Z36 | IGF 2200/S38Z35 | IGF 2200/S38Z36 |
| IGF 2200/S42Z35 | IGF 2200/S42Z36 | IGF 2200/S70Z35 |
| IGF 2200/S70Z36 | IGF 2400/S12Z67 | IGF 2400/S12Z68 |
| IGF 2400/S16Z67 | IGF 2400/S16Z68 | IGF 2400/S25Z67 |
| IGF 2400/S25Z68 | IGF 2400/S38Z67 | IGF 2400/S38Z68 |

**9057004 SINGLE-PHASE SEL.SWITCH 0-1 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 shaft 7x8 mm  
 input connection 1-3  
 output connection 2-4  
 for Kneader (IGF) 2200/S16 - 2200/S42 - 2400/S12  
 2400/S16 - 2400/S25 - 2400/S38



- |                  |                  |                  |
|------------------|------------------|------------------|
| IGF 2200/S12MZ35 | IGF 2200/S16MZ35 | IGF 2200/S25MZ35 |
| IGF 2200/S38MZ35 | IGF 2200/S42MZ35 | IGF 2400/S12MZ68 |
| IGF 2400/S16MZ68 | IGF 2400/S25MZ68 | IGF 2400/S38MZ68 |

**9057005 THREE-PHASE SELECTOR SW. 0-1 POSITIONS**  
 contact capacity 16A 600V - max 60/75°C  
 shaft 7x8 mm  
 input connection 1-3-5  
 output connection 2-4-6  
 for Kneader (IGF) 2200/S12 - 2200/S16 - 2200/S25  
 2200/S38 - 2200/S42 - 2200/S70 - 2400/S12  
 2400/S16 - 2400/S25 - 2400/S38



- |                  |                  |                  |
|------------------|------------------|------------------|
| IGF 2200/S07TZ35 | IGF 2200/S12TZ35 | IGF 2200/S16TZ35 |
| IGF 2200/S25TZ35 | IGF 2200/S38TZ35 | IGF 2200/S42TZ35 |
| IGF 2400/S12TZ68 | IGF 2400/S16TZ68 | IGF 2400/S25TZ68 |
| IGF 2400/S38TZ68 |                  |                  |

**Scrolls**

**9014122 COMPLETE ALUMINUM SCROLL 22 FAMA**  
 scroll ø 64x130 mm - clamp ø 33 mm  
 fitting pin length 31 mm  
 for Meat mincer (FAMA) - Series 22CE  
 Series 22EXPORT



**9014124 COMPLETE CAST IRON SCROLL UNGER 22 FAMA**  
 scroll ø 64x130 mm - clamp ø 32 mm  
 fitting pin length 54 mm  
 for Meat mincer (FAMA) - Series 22CE  
 Series 22EXPORT





Suitable for:

**9014702 COMPLETE CAST IRON SCROLL 12 FAMA**  
scroll  $\varnothing$  54x120 mm - fitting  $\varnothing$  30x10 mm  
fitting pin length 29 mm  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT



IGF

**9014120 COMPLETE STAINLESS STEEL SCROLL 12 FAMA**  
scroll  $\varnothing$  54x120 mm - clamp  $\varnothing$  30 mm  
fitting pin length 29 mm  
for Meat mincer (FAMA) - Series 12CE  
Series 12EXPORT



IGF

**9014058 COMPLETE STAINLESS STEEL SCROLL 8 FAMA**  
scroll  $\varnothing$  45x112 mm - fitting  $\varnothing$  25x11 mm  
fitting height 10.4 mm  
for Meat mincer (FAMA) - Series 8CE  
Series 8EXPORT



IGF

**IGF**



Suitable for:

**9014705 COMPLETE CAST IRON SCROLL 22 FAMA**  
scroll  $\varnothing$  64x130 mm - fitting  $\varnothing$  33 mm  
fitting pin length 31 mm  
for Meat mincer (FAMA) - Series 22CE  
Series 22EXPORT



IGF

**9014123 COMPLETE STAINLESS STEEL SCROLL 22 FAMA**  
scroll  $\varnothing$  64x130 mm - clamp  $\varnothing$  30 mm  
fitting pin length 31 mm  
for Meat mincer (FAMA) - Series 22CE  
Series 22EXPORT



IGF

## Springs

**9250005 DOUGH SCRAPING SPRINGS  $\varnothing$  20/17x80 mm**  
for PIZZA STRETCHER L30-L40-B30-B40



IGF 2300/B30Z27  
IGF 2300/L40Z27

IGF 2300/B40Z27

IGF 2300/L30Z27



**Switches**

**9319021 BLUE SWITCH 10A 600V**  
 1 normally open contact  
 with push-button cap  
 mounting hole  $\varnothing$  22 mm  
 for Pizza dough stretcher (IGF) 2300/B30  
 2300/B40



IGF 2300/B30Z06

IGF 2300/B40Z06

**9319020 DIGITAL RECTAN.PUSH-BUTTON PANEL OFF-ON**  
 with cable  
 external dimensions 60x70 mm  
 for Pizza dough stretcher (IGF) 2300/L30  
 2300/L40



IGF 2300/L30Z06

IGF 2300/L40Z06

**9014057 DIGITAL RECTANGULAR PUSH-BUTT.PANEL O-I**  
 with cable  
 external dimensions 67x40 mm  
 for Meat mincer (FAMA) - Series 8CE



IGF

**9014068 PUSH-BUTT.PANEL O-I WHITE-BLACK 16A 250V**  
 1 normally closed contact  
 1 normally open contact  
 with indicator lamp  
 mounting hole  $\varnothing$  22 mm  
 for Bone bandsaw (HUDSON) SEG.235  
 for Cutter (HUDSON) CUT.03 - CUT.05 - CUT.09  
 CUT.15  
 for Food processing accessories (HUDSON) DAN - DVM  
 for Grater (HUDSON) GR.94/IND - GR.94/12  
 GR.94/22 - MRG.12/81  
 for Kneader (GAM) S16 - S20 - S30 - S40  
 for Meat mincer (HUDSON) TC.12/89 - TC.22/89  
 TC.32/89  
 for Potato peeler (HUDSON) PE.04 - PE.08 - PE.12  
 PE.20 - PE.25



IGF

**Water tight seals and rings**

**9014136 OIL SEAL 12-22-32**  
 external  $\varnothing$  40 mm - internal  $\varnothing$  25 mm - height 7 mm  
 for Mussel cleaner (DUPLEX-AGUSTONI) EXPORT4C  
 EXPORT8C  
 for Potato peeler (DUPLEX-AGUSTONI) EXPORT15  
 EXPORT20 - EXPORT25 - EXPORT4 - EXPORT6  
 EXPORT8 - OCEA10 - OCEA10SP - OCEA15  
 OCEA15SP - OCEA3 - OCEA5 - OCEA5SP  
 for Potato peeler (ZANUSSI) MP12 - MP20 - MP50



IGF



Suitable for:

IGF



Suitable for:

## Wheels and accessories

9522201 ALUMINIUM MINCER WHEEL MOD.12 FAMA



IGF

9016044 FAMA ALUMINIUM WHEEL MOD.22



IGF

## Whisks, hooks and flat beaters

9740029 CHROME-PLATED HOOK  $\varnothing$  16 mm  
overall height with fitting 295 mm  
for Kneader (IGF) 2200/S07



IGF 2200/S07Z06

9740031 CHROME-PLATED HOOK  $\varnothing$  20 mm  
overall height with coupling 315 mm  
for Kneader (IGF) 2400/S12 - 2400/S16



IGF 2400/S12Z13

IGF 2400/S16Z13

9740030 CHROME-PLATED IRON HOOK  $\varnothing$  20 mm  
overall height with coupling 315 mm  
for Kneader (IGF) 2200/S12 - 2200/S16



IGF 2200/S12Z06

IGF 2200/S16Z06