



Spare parts for:

**Food processing equipment**



Suitable for:

**OBERWERK**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11261216





Suitable for:

# OBERWERK



Suitable for:

## Bearings

### 9063037 BEARING 626 ZZ

external  $\varnothing$  19 mm-internal  $\varnothing$  6 mm-thickness 6 mm  
for Slicer (CEG)  
for Slicer (CELME)  
for Slicer (OBERWERK)  
for Slicer (OMEGA)



OBERWERK

## Belts

### 9003751 MULTIGRIP BELT J 381 H21 8 GROOVES

for Slicer (OBERWERK) 300 - 330  
for Slicer (RHENINGHAUS-TECMAL)



OBERWERK

### 9003756 MULTIGRIP BELT J 483 H21 8 GROOVES

for Slicer (NOAW) 300V  
for Slicer (OMEGA) 370VX  
for Vegetables/mozzarella cutter (SIRMAN) TM  
TMALL



OBERWERK

### 9003757 MULTIGRIP BELT J 508 H24 9 GROOVES

for Slicer (IRONWEED)  
for Slicer (ITALIANA MACCHI) 370V  
for Slicer (OBERWERK)  
for Slicer (OMEGA)  
for Slicer (OMS) 300C  
for Slicer (VANDALL)  
for Vegetables/mozzarella cutter (LA MINERVA)  
C/ETV - C/ETVS



OBERWERK

### 9003548 V BELT 10x460 mm Z18

for Slicer (OBERWERK) 350V



OBERWERK



Suitable for:

**9003507 V BELT 6x330 mm Y352**  
for Slicer (ABO) 220 - 250 - 275 - 300G - 300V  
for Slicer (AGHETTO UNIVERSAL) 275G  
for Slicer (ATOMA)  
for Slicer (LEO) 275 - 300  
for Slicer (OBERWERK)  
for Slicer (OMEGA) AG300  
for Slicer (SWINFORD)



OBERWERK

Suitable for:

**9003516 V BELT 6x425 mm Y441**  
for Slicer (ABO) 350 - 370V  
for Slicer (OBERWERK) 275V  
for Slicer (SWINFORD)



OBERWERK

## Blades for meat slicer

**9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES**  
B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fixing screws  
with extraction holes  
forged 100CR6 stainless steel



OBERWERK

**9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES**  
B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OBERWERK

**9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES**  
B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OBERWERK

**9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES**  
B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OBERWERK



Suitable for:

# OBERWERK



## 9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



OBERWERK

Suitable for:

## 9006518 ST. STEEL BLADE $\varnothing$ 275-40-3-218 MOD.C

B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  218 mm  
3 fastening screws  
100CR6 forged stainless steel



OBERWERK

## 9006520 ST. STEEL BLADE $\varnothing$ 275-40-4-218 MOD.C

B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  218 mm  
4 fastening screws  
100CR6 forged stainless steel



OBERWERK

## 9006527 ST. STEEL BLADE $\varnothing$ 300-40-4-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel



OBERWERK

## 9006528 ST. STEEL BLADE $\varnothing$ 300-57-4-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E - TG1330



OBERWERK

## 9006534 ST. STEEL BLADE $\varnothing$ 330-40-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



OBERWERK

## 9006535 ST. STEEL BLADE $\varnothing$ 330-57-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



OBERWERK

## 9006538 ST. STEEL BLADE $\varnothing$ 350-57-4-280 MOD.C

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



OBERWERK



Suitable for:

Suitable for:

## 9006545 ST. STEEL BLADE $\varnothing$ 370-57-4-300 MOD.C

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
100CR6 forged stainless steel



OBERWERK

## Eccentrics

### 9005007 ALUMINUM ECCENTRIC OBERWERK $\varnothing$ 75 mm


internal hole  $\varnothing$  14 mm - grooving 8 mm  
for Slicer (OBERWERK)  
for Slicer (RHENINGHAUS-TECMAL)



OBERWERK

### 9005036 ALUMINUM ECCENTRIC OBERWERK $\varnothing$ 75 mm

internal hole  $\varnothing$  8 mm - grooving 8 mm  
for Slicer (OBERWERK)



OBERWERK

## Emeries for blades

### 9013005 RIMMED GRINDERS 43-12-10

A = external  $\varnothing$  43 mm  
B = hole  $\varnothing$  12 mm  
H = height 8 mm  
COARSE GRAIN  
round type



OBERWERK

### 9013111 RIMMED GRINDERS 43-12-8

A = external  $\varnothing$  43 mm  
B = hole  $\varnothing$  12 mm  
H = height 8 mm  
FINE GRAIN



OBERWERK

### 9013019 RIMMED GRINDERS 50-12-10

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  12 mm  
H = height 10 mm  
COARSE GRAIN  
round type



OBERWERK

### 9013140 RIMMED GRINDERS 50-12-10

A = external  $\varnothing$  50 mm  
B = hole  $\varnothing$  12 mm  
H = height 10 mm  
FINE GRAIN



OBERWERK



Suitable for:

**OBERWERK**



Suitable for:

---

## Microswitches

---

**9014087 MICROSWITCH FOR BLADE COVER**

bushing external  $\varnothing$  14 mm  
central hole  $\varnothing$  8.5 mm  
for Slicer (OBERWERK)



OBERWERK

---

## Tie rods for blade cover

---

**9714027 BLADE COVER TIE ROD SHAFT 260mm PITCH M8**

for Slicer (OBERWERK) 350V



OBERWERK