



Spare parts for:

Food processing equipment



Suitable for:

OMEGA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11261223





Suitable for:

OMEGA



Suitable for:

Accident prevention devices-protections

9014175 POLYCARBONATE CARRIAGE PROTECTION

max. overall dimensions 200x260 mm
distance between holes 120 mm
for Slicer (OMEGA) 350



OMEGA

Bearings

9063031 BEARING \varnothing 20 mm

external \varnothing 20 mm - internal \varnothing 5 mm - thickn. 8 mm
for Slicer (CEG)
for Slicer (OMEGA)



OMEGA

9004001 BEARING 607 ZZ

external \varnothing 19 mm - internal \varnothing 7 mm - thickness 6 mm
for Slicer (OMEGA)



OMEGA

9063036 BEARING 608 Z MOUNTED ON BUSHING

external nylon bushing
external \varnothing 28 mm - internal \varnothing 8 mm - thickness 9 mm
for Slicer (ABO)
for Slicer (AGHETTO UNIVERSAL)
for Slicer (OMEGA)
for Slicer (REGINA)



OMEGA

9004012 BEARING 608 ZZ MOUNTED ON BUSHING

external teflon bushing
external \varnothing 26 mm - internal \varnothing 8 mm - thickness 7 mm
for Slicer (OMEGA) V33



OMEGA



Suitable for:

9063005 BEARING 6205 2RS

external \varnothing 52 mm -internal \varnothing 25 mm-thickness 15 mm
 for Grater (SIRMAN)
 since 1/01/03
 GF
 for Kneader (OEM) FX/RVE - F301/2
 for Kneader (PIZZA GROUP) - Series TF - Series TR TRM22
 for Kneader (SIGMA) TAURO22 - TAURO25 - TAURO30
 for Meat mincer (FAMA) - Series 12CE
 for Planetary machine (DITO ELECTROLUX) BE20
 BM20 - XBM40
 for Planetary machine (SIGMA) BM10 - BM20 - BM30
 for Planetary machine (ZANUSSI) BE20 - BM20
 XBM40
 for Potato peeler (DITO ELECTROLUX) T10S - T15S



OMEGA LF-5049922

Suitable for:

9063019 BEARING 626 Z MOUNTED ON BUSHING

external nylon bushing
 external \varnothing 25 mm -internal \varnothing 6 mm-thickness 7.3 mm
 for Slicer (ARSA)
 for Slicer (CEG)
 for Slicer (OMAS)
 for Slicer (OMEGA)



OMEGA

9063037 BEARING 626 2Z

external \varnothing 19 mm-internal \varnothing 6 mm-thickness 6 mm
 for Slicer (CEG)
 for Slicer (CELME)
 for Slicer (OBERWERK)
 for Slicer (OMEGA)



OMEGA

Belts

9062090 BELT MULTIGRIP J 432 H28 11 GROOVES

for Slicer (ABO) 370
 for Slicer (CEG) 370
 for Slicer (MARWEL) AZ350 - AZ390
 for Slicer (OMEGA)



OMEGA

9003751 MULTIGRIP BELT J 381 H21 8 GROOVES

for Slicer (OBERWERK) 300 - 330
 for Slicer (RHENINGHAUS-TECMAL)



OMEGA



Suitable for:

9003764 MULTIGRIP BELT J 457 H24 9 GROOVES
for Slicer (OMEGA) PL5



OMEGA

9003757 MULTIGRIP BELT J 508 H24 9 GROOVES
for Slicer (IRONWEED)
for Slicer (ITALIANA MACCHI) 370V
for Slicer (OBERWERK)
for Slicer (OMEGA)
for Slicer (OMS) 300C
for Slicer (VANDALL)
for Vegetables/mozzarella cutter (LA MINERVA)
C/ETV - C/ETVS



OMEGA

9003506 V BELT 6x320 mm Y343
for Slicer (ABO)
for Slicer (ATOMA) 220
for Slicer (FAC)
for Slicer (OMAS)
for Slicer (OMEGA) PASTORE250
for Slicer (REGINA)
for Slicer (SWINFORD) 275 - 300



OMEGA

9003512 V BELT 6x372 mm Y394
for Slicer (ABO) 300V - 330 - 350 - 370
for Slicer (LARIO CURIONI) 275
for Slicer (LEO) 350
for Slicer (OMEGA) V330AS
for Slicer (RHENINGHAUS-TECMAL)



OMEGA

OMEGA



Suitable for:

9003756 MULTIGRIP BELT J 483 H21 8 GROOVES
for Slicer (NOAW) 300V
for Slicer (OMEGA) 370VX
for Vegetables/mozzarella cutter (SIRMAN) TM
TMALL



OMEGA

9003544 V BELT 10x355 mm Z14
for Slicer (ABO) 330G - 350G - 370G
for Slicer (OMEGA) V33



OMEGA

9003507 V BELT 6x330 mm Y352
for Slicer (ABO) 220 - 250 - 275 - 300G - 300V
for Slicer (AGHETTO UNIVERSAL) 275G
for Slicer (ATOMA)
for Slicer (LEO) 275 - 300
for Slicer (OBERWERK)
for Slicer (OMEGA) AG300
for Slicer (SWINFORD)



OMEGA

9003515 V BELT 6x400 mm Y425
for Slicer (AGHETTO UNIVERSAL) 275V
for Slicer (OMEGA)
for Slicer (RHENINGHAUS-TECMAL) 330



OMEGA



OMEGA



Suitable for:

9062053 V-BELT 10x375 mm Z14 3/4
for Slicer (OMEGA) V33



OMEGA

Suitable for:

9003546 V-BELT 10x424 mm Z16 3/4
for Slicer (FIA-BOSTON) 350
for Slicer (ITALIANA MACCHI) 370
for Slicer (OMEGA) V33



OMEGA

9003547 V-BELT 10x438 mm Z17 1/4
for Slicer (OMEGA) V33



OMEGA

9003549 V-BELT 10x475 mm Z18 3/4
for Slicer (NOAW) 350 - 350V
for Slicer (OMEGA) V33
for Slicer (OMS) 350G



OMEGA

9003504 V-BELT 6x280 mm
for (OMEGA)
for (RHENINGHAUS-TECMAL)
for Slicer (ABM)
for Slicer (ABO) 220
for Slicer (FAC) 220



OMEGA

9003505 V-BELT 6x300 mm
for Slicer (CELME) 250
for Slicer (OMEGA) 275
for Slicer (REGINA) 220 - 250



OMEGA

9003528 V-BELT 8x315 mm T12 1/5
for Slicer (ABO) 300G
for Slicer (ARSA) 300V - 330
for Slicer (FAC) 250I
for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS
for Slicer (OMAS) GF
for Slicer (OMEGA)
for Slicer (REGINA) 250 - 275 - 300



OMEGA



Suitable for:

OMEGA



Suitable for:

Blades for meat slicer

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



OMEGA

9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



OMEGA

9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
with extraction holes
100CR6 forged stainless steel



OMEGA

9006510 ST. STEEL BLADE \varnothing 220-40-3-180 MOD.C

B = external \varnothing 220 mm
D = central hole \varnothing 40 mm
C = blade internal \varnothing 180 mm
3 fastening screws
100CR6 forged stainless steel
for Slicer (BERKEL) AV35



OMEGA

9006528 ST. STEEL BLADE \varnothing 300-57-4-254 MOD.C


B = external \varnothing 300 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 254 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E - TGI330



OMEGA

9006535 ST. STEEL BLADE \varnothing 330-57-4-270 MOD.C

B = external \varnothing 330 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 270 mm
4 fastening screws
100CR6 forged stainless steel



OMEGA

9006538 ST. STEEL BLADE \varnothing 350-57-4-280 MOD.C

B = external \varnothing 350 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 280 mm
4 fastening screws
100CR6 forged stainless steel
for Slicer (OMAS) C30E



OMEGA

9006545 ST. STEEL BLADE \varnothing 370-57-4-300 MOD.C

B = external \varnothing 370 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 300 mm
4 fastening screws
100CR6 forged stainless steel



OMEGA



Suitable for:

OMEGA



Suitable for:

9006546 ST. STEEL BLADE \varnothing 380-57-4-310 MOD.C

B = external \varnothing 380 mm
D = central hole \varnothing 57 mm
C = blade internal \varnothing 310 mm
4 fastening screws
100CR6 forged stainless steel



OMEGA

Covers for sharpener

9002701 COVER ITALIANA MACCHI AV350 CE

plastic made
upper rectangular part dimensions 135x160 mm
for Slicer (OMEGA) AV350CE - VX350CE - VX380CE



OMEGA

Eccentrics

9707014 PLASTIC ECCENTRIC NOAW \varnothing 84 mm

internal hole \varnothing 18 mm - groove 8 mm
for Slicer (NOAW) 370G
for Slicer (OMEGA)



OMEGA

Emeries for blades

9013010 CUP GRINDERS 45-8-11

A = external \varnothing 45 mm
B = hole \varnothing 8 mm
H = height 11 mm
COARSE GRAIN
for Slicer (KOLOSSAL) MIP350
for Slicer (MANCONI) MIP350
for Slicer (RHENINGHAUS-TECMAL) 370



OMEGA

9013013 CUP GRINDERS 48-14.3-15

A = external \varnothing 48 mm
B = hole \varnothing 14.3 mm
H = height 15 mm
COARSE GRAIN
for Slicer (ABO) MIA300
for Slicer (ARSA) G - GP
for Slicer (CEG) AG300 - BF - VX350
for Slicer (OMAS) A31 - C300 - C350



OMEGA




Suitable for:

OMEGA



9013100 RIMMED GRINDERS 40-6-10

A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 10 mm
FINE GRAIN



OMEGA

Suitable for:

9013140 RIMMED GRINDERS 50-12-10

A = external \varnothing 50 mm
B = hole \varnothing 12 mm
H = height 10 mm
FINE GRAIN



OMEGA

9013143 RIMMED GRINDERS 51-14.3-7

A = external \varnothing 51 mm
B = hole \varnothing 14.3 mm
H = height 7 mm
FINE GRAIN
for Slicer (ABO) MIA300
for Slicer (BERKEL) LP320
for Slicer (CEG) AG300 - BF300
for Slicer (OMAS) C350CE



OMEGA LF-5041209

OMEGA

9731001 RIMMED GRINDERS 59-14.3-7.5

A = external \varnothing 59 mm
B = hole \varnothing 14.3 mm
H = height 7.5 mm
FINE GRAIN
for Slicer (CEG) VX350
for Slicer (OMEGA) VXCE



OMEGA

9013147 RIMMED GRINDERS 63-14.3-10

A = external \varnothing 63 mm
B = hole \varnothing 14.3 mm
H = height 10 mm
FINE GRAIN
for Slicer (BERKEL) 7/12



OMEGA

9013148 STEPPED EMERY WHEEL 45-6-10

A = \varnothing external \varnothing 45 mm
B = \varnothing hole \varnothing 6 mm
H = height 10 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (SIRMAN) AUTOMATICA300 - GEMMA300
GEMMA300CE - QUARZO250 - QUARZO275 - QUARZO300
VAS250CE - VAS275 - VCO250CE - VCO275CE
VCO300CE - VCS300CE



OMEGA

Suitable for:

Suitable for:

9013113 STEPPED EMERY WHEEL 45-6-9

A = external \varnothing 45 mm
 B = hole \varnothing 6 mm
 H = height 9 mm
 COARSE GRAIN
 for Slicer (ALA 2000) F300E
 for Slicer (CEG) AG250 - AM300
 for Slicer (FAC) F300E - F300I
 for Slicer (OMS) GIADA - 250 - 300
 for Slicer (SIRMAN) AUTOMATICA300CE - QUARZO250
 QUARZO250CE - QUARZO275 - QUARZO275CE
 QUARZO300 - QUARZO300CE



OMEGA

Gaskets and seals

5009872 COVER GASKET

length 1120 mm
 for Potato peeler (CEG) PL10



OMEGA

Knobs

9007508 BLACK KNOB FOR CARRIAGE \varnothing 60 mm M10

without pin
 for Slicer (OMEGA)
 for Slicer (SIRMAN)



OMEGA

9007509 BLACK KNOB FOR CARRIAGE \varnothing 66 mm M12

without pin
 for Slicer (OMEGA)



OMEGA

9241701 BLACK TIMER KNOB \varnothing 18x121 mm

pin \varnothing 18x58 mm
 knob \varnothing 66 mm
 mounting frame \varnothing 69 mm
 for Slicer (OMEGA) DM370



OMEGA

9007462 BLACK TIMER KNOB \varnothing 18x155 mm

pin \varnothing 18x95 mm
 knob \varnothing 67 mm
 mounting frame \varnothing 68 mm
 for Slicer (NOAW)



OMEGA



Suitable for:

9007504 BLACK TIMER KNOB \varnothing 18x320 mm
pin \varnothing 18x250 mm
knob \varnothing 66 mm
mounting frame \varnothing 69 mm
for Slicer (OMEGA) VX380



OMEGA

OMEGA



Suitable for:

9007503 TIMER KNOB \varnothing 18x205 mm
bezel \varnothing 69 mm
for SLICER model VX350



OMEGA

Pins

9015023 PIN FOR MEAT MINCER 22 CEG
shaft \varnothing 11 mm
square part 12.6x12.6 mm
eccentric pin \varnothing 16x32 mm
eccentric flange \varnothing 22 mm



OMEGA

9015025 PIN FOR MEAT MINCER 22 CEG
shaft \varnothing 11 mm
square part 12.6x12.6 mm
pin \varnothing 20x32 mm
oval flange \varnothing 20x32 mm



OMEGA

9015026 PIN FOR MEAT MINCER 32 CEG
shaft \varnothing 13 mm
square part 14.2x14.2 mm
thread \varnothing 20x25 mm
pitch 10 - 3/4" gas
conical flange \varnothing 23-20 mm



OMEGA

9015027 PIN FOR MEAT MINCER 32 CEG
shaft \varnothing 13 mm
square part 14.2x14.2 mm
pin \varnothing 20x32 mm
oval flange \varnothing 20x32 mm



OMEGA

9011018 PIN FOR SLICER BLADE COVER
key insert 19 mm - hole \varnothing 6 mm
fastening thread M16 - overall height 19 mm
for Slicer (OMEGA) 350
for Slicer (RGV) 300 - 300S



OMEGA

9010502 PLATE RELEASING PIN 85 mm
thread \varnothing 14 mm



OMEGA



Suitable for:

OMEGA



Suitable for:

Slice protectors

9711013 PLEXIGLAS SLICE GUARD FOR SLICER

external dimensions 200x77 mm
distance between holes 143 mm
for Slicer (OMEGA) VX350CE



OMEGA

Tie rods for blade cover

9013520 BLADE COVER TIE ROD SHAFT 140mm PITCH M8

for Slicer (OMEGA) 330V



OMEGA

9013519 BLADE COVER TIE ROD SHAFT 180mm PITCH M6

hose with counterboring \varnothing 18x42 mm
for Slicer (OMEGA) 350



OMEGA

9714017 BLADE COVER TIE ROD SHAFT 215mm PITCH M8

micro support \varnothing 18x30 mm
for Slicer (OMEGA) 350VX



OMEGA

9714018 BLADE COVER TIE ROD SHAFT 225mm PITCH M8

micro support \varnothing 18x35 mm
for Slicer (OMEGA) 350VXCE



OMEGA