



Spare parts for:

Food processing equipment



Suitable for:

OMS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

OMS



Suitable for:

Accident prevention devices-protections

5027371 CARRIAGE GUARD POLYCARBONATE
 max dimensions 145x210 mm
 distance between holes 86 mm - with MA6 screws
 for ANGELO PO SLICER AFT35VS
 for OMS SLICER TGL250-TG220



OMS

9014177 FINGER PROTECTION FOR PLATE
 width 40 mm - height 80 mm
 overall height 165 mm - distance bw holes 24 mm
 for Slicer (OMS)



OMS

Belts

9062020 BELT MULTIGRIP TB2 330 H12 5 GROOVES
 for Slicer (GENERAL MACHINE) 250I
 for Slicer (MISTRO) 220
 for Slicer (OMS) 220I
 for Slicer (RHENINGHAUS-TECMAL) STELLINA220
 STELLINA250
 for Slicer (SAMMIC) GC-220 - GC-250



OMS

9003757 MULTIGRIP BELT J 508 H24 9 GROOVES
 for Slicer (IRONWEED)
 for Slicer (ITALIANA MACCHI) 370V
 for Slicer (OBERWERK)
 for Slicer (OMEGA)
 for Slicer (OMS) 300C
 for Slicer (VANDALL)
 for Vegetables/mozzarella cutter (LA MINERVA)
 C/ETV - C/ETVS



OMS

9062037 MULTIGRIP BELT TB2 430 H16 7 GROOVES
 for Slicer (ATOMA)
 for Slicer (OMS) 250V - 275V
 for Slicer (SIRMAN) GALILEO350AUTOCE
 GALILEO350CE - GALILEO350STDCE - GALILEO370CE
 GALILEO370STDCE - GALILEO385CE
 GALILEO385STDCE - VAS250CE - VAS275CE
 VCO250CE - VCO275CE - 250V - 275V



OMS LF-9062094

9003549 V-BELT 10x475 mm Z18 3/4
 for Slicer (NOAW) 350 - 350V
 for Slicer (OMEGA) V33
 for Slicer (OMS) 350G



OMS

Blades for meat slicer

9006510 ST. STEEL BLADE ø 220-40-3-180 MOD.C

B = external ø 220 mm
 D = central hole ø 40 mm
 C = blade internal ø 180 mm
 3 fastening screws
 100CR6 forged stainless steel
 for Slicer (BERKEL) AV35



OMS

9006525 ST. STEEL BLADE ø 300-40-3-254 MOD.C

B = external ø 300 mm
 D = central hole ø 40 mm
 C = blade internal ø 254 mm
 3 fastening screws
 100CR6 forged stainless steel



OMS

Bushes

9002562 GLACIER BUSH ø 25-22x20 mm

external ø 25 mm
 internal ø 22 mm
 height 20 mm
 for Slicer (LEO) LEADERS35
 for Slicer (OMS) G330



OMS

9002500 GLACIER BUSH ø 25-22x25 mm

external ø 25 mm
 internal ø 22 mm
 height 25 mm
 for Slicer (BRAHER) MAT292 - MAT320 - MAT350



OMS

Eccentrics

9707010 PLASTIC ECCENTRIC OMS ø 85 mm
 internal hole ø 18 mm - grooving 8 mm
 for Slicer (OMS) CE



OMS

9707005 PLASTIC ECCENTRIC SIRMAN ø 85 mm
 internal hole ø 18 mm - groove 8 mm
 with external stopping notch
 for Slicer (SIRMAN) AUTOMATICA350CE - QUARZO250
 QUARZO250UL - QUARZO275 - QUARZO300
 SELCE350CE - SELCE370CE



OMS



Suitable for:

OMS



Suitable for:

Electronic printed-circuit boards

9014169 ELECTRONIC POWER BOARD 230/400V

external dimensions 127x43 mm
for Slicer (ANGELO PO) AFC30MS - AFC30S - AFC35
AFT30S - AFT30VS - AFT33S - AFT35 - AFT35VS
for Slicer (FIMAR) HL300 - HS300 - H300 - H330
H350 - H370 - K300 - K330 - K350 - K370 - V300
V330 - V350 - V370
for Slicer (OMS) - Series 350



OMS

Emeries for blades

9731005 RIMMED GRINDER 43-6-8

A = external \varnothing 43 mm
B = hole \varnothing 6 mm
H = height 8 mm
COARSE GRAIN
for Slicer (OMAS) 300CE



OMS

9013201 RIMMED GRINDERS WITH HUB 40-6-7.8

A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
FINE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



OMS

9013202 RIMMED GRINDERS WITH HUB 40-6-7.8


A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (ALA 2000) 8300
for Slicer (CELME) 220
for Slicer (RGV) 250
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



OMS

9013219 RIMMED GRINDERS WITH HUB 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (BERKEL) CX350
for Slicer (FIA-BOSTON) STIL
for Slicer (HOBART) T133 - 1712 - 2350
for Slicer (OMAS) TGI330 - TGI350



OMS




Suitable for:

OMS



9013101 RIMMED GRINDERS 40-6-7.8

A = external \varnothing 40 mm
B = hole \varnothing 6 mm
H = height 7.8 mm
FINE GRAIN



OMS

9013135 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
FINE GRAIN
for Slicer (BERKEL) 935 - 937
for Slicer (IRONWEED) MARK - SIDRAC
for Slicer (SWEDLHINGHAUS) 3350



OMS

9013136 RIMMED GRINDERS 50-8-8

A = external \varnothing 50 mm
B = hole \varnothing 8 mm
H = height 8 mm
COARSE GRAIN
for Slicer (BERKEL) 935 - 937
for Slicer (CELME) 350
for Slicer (IRONWEED) G330 - MARK - MASTER
SIDRAC



OMS

9013151 RIMMED GRINDERS 51-8-7.5

A = external \varnothing 51 mm
B = hole \varnothing 8 mm
H = height 7.5 mm
FINE GRAIN



OMS

9013148 STEPPED EMERY WHEEL 45-6-10

A = \varnothing external \varnothing 45 mm
B = \varnothing hole \varnothing 6 mm
H = height 10 mm
FINE GRAIN
for Slicer (ABM) AGS350
for Slicer (SIRMAN) AUTOMATICA300 - GEMMA300
GEMMA300CE - QUARZO250 - QUARZO275 - QUARZO300
VAS250CE - VAS275 - VCO250CE - VCO275CE
VCO300CE - VCS300CE



OMS

9013113 STEPPED EMERY WHEEL 45-6-9

A = external \varnothing 45 mm
B = hole \varnothing 6 mm
H = height 9 mm
COARSE GRAIN
for Slicer (ALA 2000) F300E
for Slicer (CEG) AG250 - AM300
for Slicer (FAC) F300E - F300I
for Slicer (OMS) GIADA - 250 - 300
for Slicer (SIRMAN) AUTOMATICA300CE - QUARZO250
QUARZO250CE - QUARZO275 - QUARZO275CE
QUARZO300 - QUARZO300CE



OMS



Suitable for:

OMS



Suitable for:

Microswitches

9014018 MICROSWITCH 16A 250V

for Slicer (SIRMAN) AGATA250 - AUTOMATICA300CE
 AUTOMATICA330CE - AUTOMATICA350CE
 AUTOMATICA370CE - CANOVA250CE - CANOVA275CE
 CANOVA300CE - GALILEO350AUTOCE - GALILEO350CE
 GALILEO350STDCE - GALILEO370CE
 GALILEO370STDCE - GALILEO385CE
 GALILEO385STDCE - GEMMA300 - GEMMA300CE
 GEMMA300UL - GEMMA330 - GEMMA330CE
 GEMMA330UL - GEMMA350CE - LEONARDO300BSCE
 LEONARDO300VCOCE - LEONARDO300VCSCCE
 LEONARDO330BSCE - LEONARDO330VCOCE
 LEONARDO330VCSCCE - LEONARDO350BSCE
 LEONARDO350BSTOPCE - LEONARDO350BS2TOPCE
 LEONARDO350VCSCCE - LEONARDO350VCSTOPCE
 LEONARDO370BSCE - LEONARDO370BSTOPCE



OMS

Motors

5024960 MOTOR TRIFASE 230/400V 50/60Hz

1400rpm
 for Slicer (ANGELO PO) AFT30S
 for Slicer (OMAS) AFT300 GRAVITA'



OMS

Pins

9011001 PIN FOR SLICER BLADE COVER

square part 15x15 mm - hole \varnothing 8 mm
 fastening thread M12 - overall height 23 mm
 for Slicer (ABM) 350 - 370
 for Slicer (OMS) 350 - 370



OMS



Sharpeners

9701009 **BLADE SHARPEN.OMS-AMB 250-275-300-300CE**
without cover
for Slicer (OMS) 250 - 275 - 300 - 300CE



OMS

9701002 **BLADE SHARPENER OMS 350**
with cover
for Slicer (OMS) TV350VERTICALE



OMS

9701018 **BLADE SHARPENER KOLOSSAL 300-350-IEV**
without cover
for Slicer (ABM) 330CE - 350CE - 370CE
for Slicer (KOLOSSAL) 300I&V - 350I&V
for Slicer (OMS) 330CE - 350CE - 370CE
for Slicer (MANCONI) 350IK



OMS

Slice protectors

9711014 **STAINLESS STEEL SLICE GUARD FOR SLICER**
external dimensions 200x110 mm
distance between holes 118 mm
for Slicer (OMS) 350



OMS

9711015 **STAINLESS STEEL SLICE GUARD FOR SLICER**
external dimensions 180x65 mm
distance between holes 62 mm
for Slicer (OMS) 300I



OMS

Tie rods for blade cover

5036739 **BLADE COV.TIE ROD PIN 225 mm THREAD M8**
micro switch holder \varnothing 12x25 mm
for Slicer (OMS) TGI350



OMS

9714019 **BLADE COVER TIE ROD PIN 235 mm PITCH M8**
microswitch holder \varnothing 12x40 mm
for Slicer (OMS) TG350



OMS



Suitable for:

9013531 BLADE COVER TIE ROD SHAFT 146mm PITCH M6

for Slicer (OMS) 220
for Slicer (RGV) DOLLY250 - DOLLY250/S



OMS

OMS



Suitable for:

9013530 BLADE COVER TIE ROD SHAFT 190mm PITCH M8

microswitch holder length 75 mm
micro support \varnothing 12x22 mm
first micro fitting \varnothing 12x23 mm
for Slicer (OMS) TV300 - TV330



OMS