



Spare parts for:

**Food processing equipment**



Suitable for:

**REGINA**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2013-11261320





Suitable for:

# REGINA

Suitable for:



## Bearings

### 9063036 BEARING 608 Z MOUNTED ON BUSHING

external nylon bushing  
external  $\varnothing$  28 mm - internal  $\varnothing$  8 mm -thickness 9 mm  
for Slicer (ABO)  
for Slicer (AGHETTO UNIVERSAL)  
for Slicer (OMEGA)  
for Slicer (REGINA)



REGINA

## Belts

### 9003506 V BELT 6x320 mm Y343

for Slicer (ABO)  
for Slicer (ATOMA) 220  
for Slicer (FAC)  
for Slicer (OMAS)  
for Slicer (OMEGA) PASTORE250  
for Slicer (REGINA)  
for Slicer (SWINFORD) 275 - 300



REGINA

### 9003505 V-BELT 6x300 mm

for Slicer (CELME) 250  
for Slicer (OMEGA) 275  
for Slicer (REGINA) 220 - 250



REGINA

### 9003528 V-BELT 8x315 mm T12 1/5

for Slicer (ABO) 300G  
for Slicer (ARSA) 300V - 330  
for Slicer (FAC) 250I  
for Slicer (GENERAL MACHINE) 300 - 330 - 350GLS  
for Slicer (OMAS) GF  
for Slicer (OMEGA)  
for Slicer (REGINA) 250 - 275 - 300



REGINA



Suitable for:

# REGINA



Suitable for:

## Blades for meat slicer

### 9006558 BLADE 300-40-4-254 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fixing screws  
with extraction holes  
forged 100CR6 stainless steel



REGINA

### 9006560 BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



REGINA

### 9006539 BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



REGINA

### 9006562 BLADE 370-57-4-300 MOD.C W/EXTRACT.HOLES

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
with extraction holes  
100CR6 forged stainless steel



REGINA

### 9006518 ST. STEEL BLADE $\varnothing$ 275-40-3-218 MOD.C

B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  218 mm  
3 fastening screws  
100CR6 forged stainless steel



REGINA

### 9006520 ST. STEEL BLADE $\varnothing$ 275-40-4-218 MOD.C


B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  218 mm  
4 fastening screws  
100CR6 forged stainless steel



REGINA

### 9006525 ST. STEEL BLADE $\varnothing$ 300-40-3-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
3 fastening screws  
100CR6 forged stainless steel



REGINA

### 9006527 ST. STEEL BLADE $\varnothing$ 300-40-4-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
4 fastening screws  
100CR6 forged stainless steel



REGINA



# REGINA



Suitable for:

## 9006535 ST. STEEL BLADE $\varnothing$ 330-57-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



REGINA

Suitable for:

## 9006538 ST. STEEL BLADE $\varnothing$ 350-57-4-280 MOD.C

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



REGINA

## 9006545 ST. STEEL BLADE $\varnothing$ 370-57-4-300 MOD.C

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
100CR6 forged stainless steel



REGINA

## Bushes

### 9002530 NYLON BUSHING $\varnothing$ 18-13x15 mm

external  $\varnothing$  18 mm  
internal  $\varnothing$  13 mm  
height 15 mm



REGINA

## Eccentrics

### 9005008 PLASTIC ECCENTRIC REGINA $\varnothing$ 70 mm

internal hole  $\varnothing$  14 mm - grooving 9 mm  
for Slicer (MARWEL)  
for Slicer (REGINA)



REGINA



## Emeries for blades

### 9013004 CUP GRINDERS 43-8-10

A = external  $\varnothing$  43 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 10 mm  
 COARSE GRAIN  
 for Slicer (ARSA) LASER  
 for Slicer (REGINA) 300



REGINA

### 9013013 CUP GRINDERS 48-14.3-15

A = external  $\varnothing$  48 mm  
 B = hole  $\varnothing$  14.3 mm  
 H = height 15 mm  
 COARSE GRAIN  
 for Slicer (ABO) MIA300  
 for Slicer (ARSA) G - GP  
 for Slicer (CEG) AG300 - BF - VX350  
 for Slicer (OMAS) A31 - C300 - C350



REGINA

### 9013020 CUP GRINDERS 51-8-12

A = external  $\varnothing$  51 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 12 mm  
 COARSE GRAIN  
 for Slicer (BERKEL) AV35 - GF400 - GF800 - TV350  
 for Slicer (KOLOSSAL) MIP330 - MIP350  
 for Slicer (MANCONI) MIP330 - MIP350  
 for Slicer (REGINA) 350  
 for Slicer (RGV) 350



REGINA

### 9013111 RIMMED GRINDERS 43-12-8

A = external  $\varnothing$  43 mm  
 B = hole  $\varnothing$  12 mm  
 H = height 8 mm  
 FINE GRAIN



REGINA

### 9013135 RIMMED GRINDERS 50-8-8

A = external  $\varnothing$  50 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 8 mm  
 FINE GRAIN  
 for Slicer (BERKEL) 935 - 937  
 for Slicer (IRONWEED) MARK - SIDRAC  
 for Slicer (SWEDLHINGHAUS) 3350



REGINA

### 9013143 RIMMED GRINDERS 51-14.3-7

A = external  $\varnothing$  51 mm  
 B = hole  $\varnothing$  14.3 mm  
 H = height 7 mm  
 FINE GRAIN  
 for Slicer (ABO) MIA300  
 for Slicer (BERKEL) LP320  
 for Slicer (CEG) AG300 - BF300  
 for Slicer (OMAS) C350CE



REGINA



Suitable for:

# REGINA



Suitable for:

## 9013110 STEPPED EMERY WHEEL 43-8-10

A = external  $\varnothing$  43 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 10 mm  
 FINE GRAIN  
 for Slicer (ARSA) G - GP - LASER  
 for Slicer (REGINA) 300  
 for Slicer (SIRMAN) VASBS300CE



REGINA

## Gears

### 9005520 COMPLETE 31-TOOTH GEAR IN NYLON

external  $\varnothing$  63 mm  
 internal  $\varnothing$  38 mm  
 height 20 mm  
 6 fittings  
 gear protection  $\varnothing$  8 mm  
 for REGINA SLICER  
 for Slicer (REGINA)



REGINA

### 9005521 COMPLETE 35-TOOTH GEAR IN NYLON

external  $\varnothing$  70 mm  
 internal  $\varnothing$  36 mm  
 height 20 mm  
 6 fittings  
 gear protection  $\varnothing$  8 mm  
 for Slicer (REGINA) 370



REGINA

## Knobs

### 9007450 BLACK TIMER KNOB $\varnothing$ 14x134 mm

pin  $\varnothing$  14x74 mm  
 knob  $\varnothing$  66 mm  
 mounting frame  $\varnothing$  68 mm  
 clockwise numbering  
 for Slicer (ARSA)



REGINA



Suitable for:

# REGINA

Suitable for:



## Magnets

### 9014010 OVAL FLANGE WITH DOUBLE MAGNET

central hole  $\varnothing$  12 mm  
for Slicer (REGINA)



REGINA

## Pins

### 9011020 BUSHING FOR BLADE COVER THREAD

hole  $\varnothing$  6 mm - fixing thread M12  
overall height 8 mm  
for Slicer (REGINA)



REGINA

### 9011021 BUSHING FOR BLADE COVER THREAD

hole  $\varnothing$  8 mm - fixing thread M14  
overall height 9 mm  
for Slicer (REGINA)



REGINA

### 9710091 BUSHING FOR BLADE COVER THREAD

hole  $\varnothing$  6 mm - fixing thread M12  
overall height 6 mm  
for Slicer (REGINA)



REGINA

## Tie rods for blade cover

### 9013526 BLADE COVER TIE ROD SHAFT 200mm PITCH M6

for REGINA SLICER OLD TYPE  
for Slicer (REGINA)



REGINA

### 9013527 BLADE COVER TIE ROD SHAFT 205mm PITCH M8

for REGINA SLICER NEW TYPE  
for Slicer (REGINA) 300V - 350I - 350V - 370I



REGINA