





Suitable for:

Suitable for:

## Accident prevention devices-protections

### 9716019 POLYCARBONATE CARRIAGE PROTECTION

max.overall dimensions 150x255 mm  
distance between holes 80 mm  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

### 9716032 POLYCARBONATE CARRIAGE PROTECTION

max.overall dimensions 170x250 mm  
distance between holes 115 mm  
for Slicer (RHENINGHAUS-TECMAL) MONDIAL250  
MONDIAL280 - MONDIAL300



RHENINGHAUS-TECMAL

### 9014170 POLYCARBONATE PLATE PROTECTION

max.overall dimensions 240x165 mm  
distance between holes 117 mm  
for Slicer (RHENINGHAUS-TECMAL) BETA330 - BETA350  
HF - MONDIAL - PRIMA300



RHENINGHAUS-TECMAL

## Bearings

### 9004010 BEARING 626 Z MOUNTED ON BUSHING

external nylon bushing  
external  $\varnothing$  22 mm - internal  $\varnothing$  6 mm -thickness 6 mm  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

## Belts

### 9062020 BELT MULTIGRIP TB2 330 H12 5 GROOVES

for Slicer (GENERAL MACHINE) 250I  
for Slicer (MISTRO) 220  
for Slicer (OMS) 220I  
for Slicer (RHENINGHAUS-TECMAL) STELLINA220  
STELLINA250  
for Slicer (SAMMIC) GC-220 - GC-250



RHENINGHAUS-TECMAL

### 9003751 MULTIGRIP BELT J 381 H21 8 GROOVES

for Slicer (OBERWERK) 300 - 330  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL



# RHENINGHAUS-TECMAL



Suitable for:

**9003760 MULTIGRIP BELT J 610 H19 7 GROOVES**  
for Potato peeler (PASQUINI) PSP700CE10KG  
PSP70010KG  
for Slicer (RHENINGHAUS-TECMAL) BETA300 - LUXOR350  
LUXOR370



RHENINGHAUS-TECMAL

Suitable for:

**9062030 MULTIGRIP BELT J 610 H28 11 GROOVES**  
for Potato peeler (ANGELO PO) MPK10 - MPK20  
for Potato peeler (LA MINERVA) C/E565 - C/E570  
C/565 - C/570  
for Potato peeler (SIRMAN) PPJ10CE - PPJ20CE



RHENINGHAUS-TECMAL

**9003761 MULTIGRIP BELT J 660 H19 7 GROOVES**  
for Slicer (RHENINGHAUS-TECMAL) BETA330 - BETA350  
MONDIAL250 - MONDIAL280 - MONDIAL300



RHENINGHAUS-TECMAL

**9003763 MULTIGRIP BELT J 711 H19 7 GROOVES**  
for Potato peeler (ROGA)  
for Slicer (RHENINGHAUS-TECMAL) MONDIAL330  
MONDIAL350



RHENINGHAUS-TECMAL

**9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES**  
for Slicer (ABM)  
for Slicer (CELME)  
for Slicer (ESSEDUE) 300  
for Slicer (MARWEL) 30E  
for Slicer (RGV) 250 - 250S  
for Slicer (RHENINGHAUS-TECMAL) STELLINA  
for Slicer (SAMMIC) GC-275  
for Slicer (SIRMAN) CANOVA250CE - CANOVA275CE  
CANOVA300CE - MINI250CE



RHENINGHAUS-TECMAL

**9003662 MULTIGRIP BELT TB2 360 H16 7 GROOVES**  
for Slicer (CELME)  
for Slicer (FAC) 300I  
for Slicer (FAMA) 302  
for Slicer (NOAW) 350G  
for Slicer (RHENINGHAUS-TECMAL) STAR  
for Slicer (SIRMAN) AGATA250 - AGATA275 - MIRRA275  
MIRRA275CE - MIRRA300 - MIRRA300CE  
MIRRA300UL - QUARZO250 - QUARZO250CE  
QUARZO250UL - QUARZO275 - QUARZO275CE  
QUARZO300 - QUARZO300CE



RHENINGHAUS-TECMAL

**9003671 MULTIGRIP BELT TB2 598 H12 5 GROOVES**  
for Slicer (RHENINGHAUS-TECMAL) PRISMA250



RHENINGHAUS-TECMAL

**9003673 MULTIGRIP BELT TB2 660 H12 5 GROOVES**  
for Cutter (SIRMAN) C4 - C4VT - C4W - C6 - C6VT  
C6W  
for Slicer (RHENINGHAUS-TECMAL) PRISMA300



RHENINGHAUS-TECMAL



# RHENINGHAUS-TECMAL



Suitable for:

**9003674 MULTIGRIP BELT TB2 675 H16 7 GROOVES**  
for Slicer (RHENINGHAUS-TECMAL) PRISMA300



RHENINGHAUS-TECMAL

Suitable for:

**9003512 V BELT 6x372 mm Y394**  
for Slicer (ABO) 300V - 330 - 350 - 370  
for Slicer (LARIO CURIONI) 275  
for Slicer (LEO) 350  
for Slicer (OMEGA) V330AS  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

**9003515 V BELT 6x400 mm Y425**  
for Slicer (AGHETTO UNIVERSAL) 275V  
for Slicer (OMEGA)  
for Slicer (RHENINGHAUS-TECMAL) 330



RHENINGHAUS-TECMAL

**9003520 V BELT 6x565 mm Y588**  
for Slicer (RHENINGHAUS-TECMAL) 350LUXOR  
370LUXOR



RHENINGHAUS-TECMAL

**9003523 V BELT 6x640 mm Y665**  
for Slicer (RHENINGHAUS-TECMAL) BETA300 - BETA330



RHENINGHAUS-TECMAL

**9003524 V BELT 6x675 mm Y700**  
for Slicer (RHENINGHAUS-TECMAL) BETA350  
MONDIAL250 - MONDIAL280 - MONDIAL300



RHENINGHAUS-TECMAL

**9003504 V-BELT 6x280 mm**  
for (OMEGA)  
for (RHENINGHAUS-TECMAL)  
for Slicer (ABM)  
for Slicer (ABO) 220  
for Slicer (FAC) 220



RHENINGHAUS-TECMAL

**9003510 V-BELT 6x352 mm Y381**  
for Slicer (ABO) 330 - 350 - 370G  
for Slicer (BERKEL) 730 - 935 - 937  
for Slicer (CEG) BF  
for Slicer (LEO) 300 - 330  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

## Blade guides

- 9016061** **BLADE GUIDE  $\varnothing$  40 mm RHENINGHAUS**  
 external  $\varnothing$  40 mm  
 height 10 mm  
 for Bone bandsaw (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL


## Blade protectors for slicers

- 9706102** **BLADE COVER MONDIAL BETA 300**



RHENINGHAUS-TECMAL

- 9002766** **BLADE COVER RHENINGHAUS BETA/MONDIAL 350**  
 $\varnothing$  ext. overall 387 mm  
 $\varnothing$  int. blade 280 mm  
 $\varnothing$  ext. thread 10 mm -  $\varnothing$  int. thread 6 mm



RHENINGHAUS-TECMAL


## Blades for meat slicer

- 9006560** **BLADE 330-57-4-270 MOD.C W/EXTRACT.HOLES**  
 B = external  $\varnothing$  330 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  270 mm  
 4 fastening screws  
 with extraction holes  
 100CR6 forged stainless steel



RHENINGHAUS-TECMAL

- 9006539** **BLADE 350-57-4-280 MOD.C W/EXTRACT.HOLES**  
 B = external  $\varnothing$  350 mm  
 D = central hole  $\varnothing$  57 mm  
 C = blade internal  $\varnothing$  280 mm  
 4 fastening screws  
 with extraction holes  
 100CR6 forged stainless steel



RHENINGHAUS-TECMAL

- 9006510** **ST. STEEL BLADE  $\varnothing$  220-40-3-180 MOD.C**  
 B = external  $\varnothing$  220 mm  
 D = central hole  $\varnothing$  40 mm  
 C = blade internal  $\varnothing$  180 mm  
 3 fastening screws  
 100CR6 forged stainless steel  
 for Slicer (BERKEL) AV35



RHENINGHAUS-TECMAL

- 9006512** **ST. STEEL BLADE  $\varnothing$  250-40-3-200-190 MOD.F**  
 B = external  $\varnothing$  250 mm  
 D = central hole  $\varnothing$  40 mm  
 C = blade internal  $\varnothing$  200 mm  
 A = rise element  $\varnothing$  190 mm  
 3 fastening screws  
 100CR6 forged stainless steel  
 for Slicer (BERKEL) AV35-NEW SERIES



RHENINGHAUS-TECMAL



# RHENINGHAUS-TECMAL



Suitable for:

## 9006518 ST. STEEL BLADE $\varnothing$ 275-40-3-218 MOD.C

B = external  $\varnothing$  275 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  218 mm  
3 fastening screws  
100CR6 forged stainless steel



RHENINGHAUS-TECMAL

Suitable for:

## 9006530 ST. STEEL BLADE $\varnothing$ 300-40-3-250-245 MOD.F


B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  250 mm  
A = rise element  $\varnothing$  245 mm  
3 fastening screws  
100CR6 forged stainless steel  
for Slicer (RHENINGHAUS-TECMAL) BETA300  
MONDIAL300



RHENINGHAUS-TECMAL

## 9006525 ST. STEEL BLADE $\varnothing$ 300-40-3-254 MOD.C

B = external  $\varnothing$  300 mm  
D = central hole  $\varnothing$  40 mm  
C = blade internal  $\varnothing$  254 mm  
3 fastening screws  
100CR6 forged stainless steel



RHENINGHAUS-TECMAL

## 9006535 ST. STEEL BLADE $\varnothing$ 330-57-4-270 MOD.C

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  270 mm  
4 fastening screws  
100CR6 forged stainless steel



RHENINGHAUS-TECMAL

## 9006536 ST. STEEL BLADE $\varnothing$ 330-57-4-273-265 MOD.F

B = external  $\varnothing$  330 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  273 mm  
A = rise element  $\varnothing$  265 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (RHENINGHAUS-TECMAL) BETA330  
MONDIAL330



RHENINGHAUS-TECMAL

## 9006538 ST. STEEL BLADE $\varnothing$ 350-57-4-280 MOD.C

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  280 mm  
4 fastening screws  
100CR6 forged stainless steel  
for Slicer (OMAS) C30E



RHENINGHAUS-TECMAL

## 9006541 ST. STEEL BLADE $\varnothing$ 350-57-4-285 MOD.F

B = external  $\varnothing$  350 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  285 mm  
A = rise element  $\varnothing$  285 mm  
4 fastening screws  
100CR6 forged stainless steel



RHENINGHAUS-TECMAL

## 9006545 ST. STEEL BLADE $\varnothing$ 370-57-4-300 MOD.C

B = external  $\varnothing$  370 mm  
D = central hole  $\varnothing$  57 mm  
C = blade internal  $\varnothing$  300 mm  
4 fastening screws  
100CR6 forged stainless steel




RHENINGHAUS-TECMAL

## Castors, rollers and accessories

### 9004028 NYLON CARRIAGE WHEEL $\varnothing$ 18-6x8 mm

external  $\varnothing$  18 mm  
internal  $\varnothing$  6 mm  
height 8 mm



RHENINGHAUS-TECMAL

### 9004002 NYLON WHEEL $\varnothing$ 26-8x10 mm

external  $\varnothing$  26 mm  
internal  $\varnothing$  8 mm  
height 10 mm



RHENINGHAUS-TECMAL

### 9004023 TEFLON CARRIAGE WHEEL $\varnothing$ 22-6x10 mm

internal steel bushing  
external  $\varnothing$  22 mm  
internal  $\varnothing$  6 mm  
height 10 mm



RHENINGHAUS-TECMAL

## Covers for sharpener

### 9002707 COVER RHENINGHAUS BETA/MONDIAL

aluminum made  
for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL



RHENINGHAUS-TECMAL

## Eccentrics

### 9005010 ALUMINUM ECCENTRIC $\varnothing$ 74 mm

internal hole  $\varnothing$  14 mm - grooving 9 mm  
for Slicer (RHENINGHAUS-TECMAL) BETA VT - LUXOR VT  
MONDIAL



RHENINGHAUS-TECMAL

### 9005007 ALUMINUM ECCENTRIC OBERWERK $\varnothing$ 75 mm

internal hole  $\varnothing$  14 mm - grooving 8 mm  
for Slicer (OBERWERK)  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL



Suitable for:

**9005009 BAKELITE ECCENTRIC  $\varnothing$  103 mm**  
internal hole  $\varnothing$  14 mm - groove 8 mm  
with external stopping notch  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

Suitable for:

**9707007 PLASTIC ECCENTRIC  $\varnothing$  56 mm**  
internal hole  $\varnothing$  12 mm - grooving 6.5 mm  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

**9005018 PLASTIC UNIVERSAL ECCENTRIC  $\varnothing$  56 mm**  
internal hole  $\varnothing$  12 mm - groove 6 mm  
for Slicer (RHENINGHAUS-TECMAL) PRM/STT-L



RHENINGHAUS-TECMAL

## Emeries for blades

**9013006 CUP GRINDERS 45-6-15**  
A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  6 mm  
H = height 15 mm  
COARSE GRAIN  
for Slicer (BERKEL) 835  
for Slicer (FIA-BOSTON) MAX  
for Slicer (GENERAL MACHINE) GLE - GLS - GXL  
for Slicer (RHENINGHAUS-TECMAL) HF350  
for Slicer (SIRMAN) GEMMA300



RHENINGHAUS-TECMAL

**9013010 CUP GRINDERS 45-8-11**  
A = external  $\varnothing$  45 mm  
B = hole  $\varnothing$  8 mm  
H = height 11 mm  
COARSE GRAIN  
for Slicer (KOLOSSAL) MIP350  
for Slicer (MANCONI) MIP350  
for Slicer (RHENINGHAUS-TECMAL) 370



RHENINGHAUS-TECMAL

**9013011 CUP GRINDERS 48-8-15**  
A = external  $\varnothing$  48 mm  
B = hole  $\varnothing$  8 mm  
H = height 15 mm  
COARSE GRAIN



RHENINGHAUS-TECMAL

**9013201 RIMMED GRINDERS WITH HUB 40-6-7.8**  
A = external  $\varnothing$  40 mm  
B = hole  $\varnothing$  6 mm  
H = height 7.8 mm  
FINE GRAIN  
for Slicer (ALA 2000) 8300  
for Slicer (CELME) 220  
for Slicer (RGV) 250  
for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



RHENINGHAUS-TECMAL





Suitable for:

**9013202 RIMMED GRINDERS WITH HUB 40-6-7.8**

A = external  $\varnothing$  40 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 7.8 mm  
 COARSE GRAIN  
 for Slicer (ALA 2000) 8300  
 for Slicer (CELME) 220  
 for Slicer (RGV) 250  
 for Slicer (RHENINGHAUS-TECMAL) JADE - MONDIAL



RHENINGHAUS-TECMAL

Suitable for:

**9013209 RIMMED GRINDERS WITH HUB 45-6-8**

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 8 mm  
 FINE GRAIN  
 for Slicer (FAC) F300E  
 for Slicer (GENERAL MACHINE) GL - GLS - GXL  
 for Slicer (MISTRO) B33 - GS350  
 for Slicer (RGV) 250A - 350



RHENINGHAUS-TECMAL

**9013213 RIMMED GRINDERS WITH HUB 50-6-8**

A = external  $\varnothing$  50 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 8 mm  
 FINE GRAIN  
 for Slicer (ALA 2000) F300E  
 for Slicer (FAC) F300E - F300I  
 for Slicer (HOBART) 2301  
 for Slicer (OMAS) A300 - A31E - A310 - GL - TN  
 for Slicer (RHENINGHAUS-TECMAL) HF350 - MONDIAL280



RHENINGHAUS-TECMAL

**9013214 RIMMED GRINDERS WITH HUB 50-6-8**


A = external  $\varnothing$  50 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 8 mm  
 COARSE GRAIN  
 for Slicer (FIA-BOSTON) STIL  
 for Slicer (OMAS) A300 - A31E - GL - TN  
 for Slicer (RGV) 350  
 for Slicer (RHENINGHAUS-TECMAL) MONDIAL280



RHENINGHAUS-TECMAL

**9013101 RIMMED GRINDERS 40-6-7.8**

A = external  $\varnothing$  40 mm  
 B = hole  $\varnothing$  6 mm  
 H = height 7.8 mm  
 FINE GRAIN



RHENINGHAUS-TECMAL

**9731003 RIMMED GRINDERS 45-12-8**

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  12 mm  
 H = height 8 mm  
 FINE GRAIN



RHENINGHAUS-TECMAL

**9013123 RIMMED GRINDERS 45-8-7**

A = external  $\varnothing$  45 mm  
 B = hole  $\varnothing$  8 mm  
 H = height 7 mm  
 FINE GRAIN  
 for Slicer (CELME) GRP350  
 for Slicer (IRONWEED) G330  
 for Slicer (MANCONI) MIP330 - MIP350  
 for Slicer (RHENINGHAUS-TECMAL) 370



RHENINGHAUS-TECMAL



Suitable for:

Suitable for:

**Gear Protectors**

**9010003 COMPLETE GEAR PROTECTION OMAS**



RHENINGHAUS-TECMAL

**Gears**

**9005513 31-TOOTH GEAR IN TEFLON**

external  $\varnothing$  63 mm  
internal  $\varnothing$  36 mm  
height 20 mm  
6 fittings  
gear protection  $\varnothing$  6 mm  
for Slicer (KOLOSSAL)



RHENINGHAUS-TECMAL

**Handles**

**9014151 CARRIAGE HANDLE DISTANCE BW HOLES 134 mm**

thread  $\varnothing$  6 mm - length 150 mm  
for Slicer (RHENINGHAUS-TECMAL) 350HF



RHENINGHAUS-TECMAL

**Knobs**

**9007545 BLACK KNOB  $\varnothing$  40 mm PITCH M10**  
with pin length 30 mm  
for Slicer (RHENINGHAUS-TECMAL)



RHENINGHAUS-TECMAL

**9241014 BLACK TIMER KNOB  $\varnothing$  12x100 mm**  
pin  $\varnothing$  12x54 mm  
knob 40x38 mm  
mounting frame  $\varnothing$  50 mm  
for Slicer (RHENINGHAUS-TECMAL) PRIMA 250  
PRIMA 300



RHENINGHAUS-TECMAL



Suitable for:

Suitable for:

- 9007505 BLACK TIMER KNOB  $\varnothing$  14x125 mm**  
pin  $\varnothing$  14x55 mm  
knob  $\varnothing$  62 mm  
mounting frame  $\varnothing$  70 mm  
for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL



RHENINGHAUS-TECMAL

## Pins

- 9011021 BUSHING FOR BLADE COVER THREAD**  
hole  $\varnothing$  8 mm - fixing thread M14  
overall height 9 mm  
for Slicer (REGINA)



RHENINGHAUS-TECMAL

- 9015060 PIN FOR MEAT MINCER 22 RHENINGHAUS**  
shaft  $\varnothing$  11 mm  
square part 12.6x12.6 mm  
pin  $\varnothing$  16x30 mm  
oval flange  $\varnothing$  24x16 mm



RHENINGHAUS-TECMAL

- 9011022 PIN FOR SLICER BLADE COVER**  
fitting for blade cover with fitting cone  
hole  $\varnothing$  6 mm - fastening thread M10  
overall height 15 mm  
for Slicer (RHENINGHAUS-TECMAL) LUXOR



RHENINGHAUS-TECMAL

## Rolls for graters and spares

- 9016514 STAINL.STEEL GRATER ROLLER RHENINGHAUS**  
external  $\varnothing$  w/ points 76 mm -  $\varnothing$  central hole 25 mm  
overall roller length 147 mm



RHENINGHAUS-TECMAL



## Rotary switches

- 9057016 SELECTOR SWITCH 0-1 POSITION SET**  
 with indicator light  
 with cable length 470 mm  
 for Slicer (RHENINGHAUS-TECMAL) - Series BETA  
 Series MONDIAL



RHENINGHAUS-TECMAL

## Sharpeners

- 9000042 BLADE SHARPENER RGV**  
 with knob - without cover  
 for Slicer (ALA 2000) 960 - 965 - 980 - 985  
 for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL  
 START



RHENINGHAUS-TECMAL

- 9701001 BLADE SHARPENER RHENINGHAUS BETA**  
 with cover  
 for Slicer (RHENINGHAUS-TECMAL) BETA - MONDIAL



RHENINGHAUS-TECMAL

- 9000043 BLADE SHARPENER MONDIAL/BETA 300-330-350**  
 without cover  
 for Slicer (RHENINGHAUS-TECMAL) BETA300 - BETA330  
 BETA350 - MONDIAL300 - MONDIAL330 - MONDIAL350



RHENINGHAUS-TECMAL

## Springs

- 9008500 SPRING FOR CARRIAGE**  
 external  $\varnothing$  16 mm  
 internal  $\varnothing$  13.5 mm  
 height 27 mm



RHENINGHAUS-TECMAL

- 9008501 SPRING FOR CARRIAGE**  
 external  $\varnothing$  27 mm  
 internal  $\varnothing$  22 mm  
 height 21 mm



RHENINGHAUS-TECMAL

## Tie rods for blade cover

**9013528** **BLADE COVER TIE ROD SHAFT 155mm PITCH M6**  
for Slicer (RGV) DOLLY250 - DOLLY250/S  
for Slicer (RHENINGHAUS-TECMAL) LUXOR



RHENINGHAUS-TECMAL

**9013546** **BLADE COVER TIE ROD SHAFT 73 mm PITCH M6**  
thread length 15/25 mm  
for Slicer (RHENINGHAUS-TECMAL) - Series BETA  
Series MONDIAL



RHENINGHAUS-TECMAL

**9714026** **BLADE COVER TIE ROD SHAFT 225mm PITCH M6**  
for Slicer (RHENINGHAUS-TECMAL) 300TG



RHENINGHAUS-TECMAL

**9013529** **BLADE COVER TIE 73 mm PITCH M6**  
without pin  
maximum handgrip  $\varnothing$  105 mm  
handgrip minimum  $\varnothing$  60 mm  
complete with magnet for micro  
for Slicer (RHENINGHAUS-TECMAL) - Series BETA  
Series MONDIAL



RHENINGHAUS-TECMAL