



Spare parts for:

## Commercial refrigeration



Suitable for:

# ANGELO PO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# ANGELO PO



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ANGELO PO 32M7130

ANGELO PO 32V5790

**3240503 AXIAL VENTILATOR SUNON 92x92x25 mm**  
ball bearings  
230V 50/60Hz 14,5W 2350rpm  
SF23092A 2092HBT.GN



ANGELO PO 3113740

ANGELO PO 3205930

## Bearings

**3063900 BEARING FOR DRAWER GUIDE ø 24 mm**  
for Refrigerated table



ANGELO PO 36G2810

## Capacitors, electrical

**3068014 CAPACITOR µF 8 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



ANGELO PO 32Z2490

**3068101 STARTING CAPACITOR 43/52µF 330V**



ANGELO PO 32V1490

## Compressors and spares

**3070012 COMPRESSOR CUBIGEL GL60TB CSIR**  
220/240V. 50Hz  
power 1/5 Hp, displacement 5.67 cc  
gas R134a HMBP  
for Refrigerated cupboard (MONDIAL ELITE) KPVX40  
KPV40  
for Refrigerated cupboard (WHIRLPOOL) AGB774  
AGB840



ANGELO PO 34D6390

**3070013 COMPRESSOR CUBIGEL GL80TB CSIR**  
220/240V 50Hz  
power 1/5 Hp, displacement 7.57 cc  
gas R134a HMBP  
for Refrigerated cupboard (MONDIAL ELITE) KPVX60  
KPV60  
for Refrigerated cupboard (WHIRLPOOL) AGB777  
AGB780



ANGELO PO 34D6500



Suitable for:

**3070014 COMPRESSOR CUBIGEL GL90TB CSIR**  
 220/240V 50Hz  
 power 1/4 Hp, displacement 8.85 cc  
 gas R134a HMBP



ANGELO PO 34D6510

Suitable for:

**3070015 COMPRESSOR CUBIGEL GP12TB CSIR**  
 220/240V 50Hz  
 power 1/3 Hp, displacement 12.00 cc  
 gas R134a HMBP



ANGELO PO 34D6520

ANGELO PO 34D6760

**3070218 COMPRESSOR EMBRACO EMT6144Z CSIR**  
 220/240V 50Hz  
 power 1/6 Hp, displacement 5.20 cc  
 gas R134a HMBP  
 ASPERA



ANGELO PO 34D6390


**3070174 COMPRESSOR EMBRACO NEK6187Z CSIR**  
 220/240V 50Hz  
 power 1/3 Hp, displacement 10.00 cc  
 gas R134a HMBP  
 ASPERA



ANGELO PO 34D5490

## Contactors

**3446562 CONTACTOR LOVATO BF0901A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



ANGELO PO 3100940


**3454022 CONTACTOR LOVATO BF1201A**  
 coil 12A 230V 50/60Hz 5.7Kw  
 3 normally closed contacts  
 1 normally closed auxiliary contact



ANGELO PO 3100910

ANGELO PO 32Z2083


**3446587 CONTACTOR LOVATO BF2600A**  
 coil 26A 230V 50/60Hz 13Kw  
 3 normally open contacts  
 no auxiliary contact



ANGELO PO 3110890

ANGELO PO 32Z2091

**3446557 CONTACTOR LOVATO BG0901A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



ANGELO PO 32V6550




Suitable for:

# ANGELO PO



Suitable for:


**3446556 CONTACTOR LOVATO BG0910A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ANGELO PO 32V1880


## Drip trays for refrigeration

**3015004 DRIP TRAY**  
 for G5-SP120-SP135  
 for Refrigerated cupboard (ANGELO PO) SP120  
 SP135



ANGELO PO 36Z6431

**3015905 DRIP TRAY**  
 610x300x50 mm



ANGELO PO 36Z0300

## Evaporators

**3123004 EVAPORATOR ROLL BOND**  
 dimensions 892x430 mm  
 with capillary



ANGELO PO 34D4280

ANGELO PO 34D4400

**3123903 EVAPORATOR ROLL BOND**  
 dimensions 1340x430 mm  
 (old series)  
 for Refrigerated cupboard (SAGI)



ANGELO PO 34D0360

## Fans for motors

**3240964 SUCTION BLADE  $\varnothing$  250 mm 28°**



ANGELO PO 32M2260



## Fittings

3526811 ACCESS VALVE ODS  $\varnothing$  6 mm



ANGELO PO 33A1200

## Fuses

3049073 QUICK ACTING FUSE 10x38 - 10 PCS  
500V 10A



ANGELO PO 32V6210


3049043 QUICK ACTING FUSE 5x20 - 10 PCS  
250V 500mA



ANGELO PO 3201540


## Gaskets for refrigerators

3186949 MIDDLE EDGED GASKET 1360x660 mm  
magnetic - white colour  
for REFRIGERATOR




ANGELO PO 37Q0450

3286093 MIDDLE EDGED GASKET 1560x660 mm  
magnetic - grey color




ANGELO PO 37Q0760

3186948 MIDDLE EDGED GASKET 383x298 mm  
magnetic - grey colour




ANGELO PO 37Q2050

3186947 MIDDLE EDGED GASKET 605x375 mm  
magnetic - grey colour  
for TABLES




ANGELO PO 37Q2040

3186841 MIDDLE EDGED GASKET 610x580 mm  
magnetic - grey colour  
for TABLES



ANGELO PO 37Q2380

3186952 MIDDLE EDGED GASKET 614x595 mm  
white colour - magnet only on 3 sides



ANGELO PO 37Q0470




# ANGELO PO



Suitable for:


**3286092 MIDDLE EDGED GASKET 755x660 mm**  
magnetic - grey color



ANGELO PO 37Q0770


Suitable for:

**3786452 SNAP-IN GASKET 582x384 mm**  
magnetic - grey colour  
for Refrigerated cupboard (ANGELO PO) 6MAA




ANGELO PO 37Q4710

**3186624 SNAP-IN GASKET 1505x665 mm**  
magnetic - grey color  
for Refrigerated cupboard (SAGI)  
Series RX - VD70  
for Refrigerated cupboard (SAGI) AS140




ANGELO PO 37Q5450

**3186625 SNAP-IN GASKET 1530x670 mm**  
magnetic - grey color  
for Refrigerated cupboard (SAGI) F40




ANGELO PO 37Q0210

**3186089 SNAP-IN GASKET 1550x650 mm**  
magnetic - grey color  
for REFRIGERATORS




ANGELO PO 37Q1890

**3786577 SNAP-IN GASKET 1595x605 mm**  
magnetic - grey colour  
for Refrigerated cupboard (ANGELO PO) S1200 - S600  
for Refrigerated cupboard (SAGI) E1200 - E600




ANGELO PO 37Q4850

**3186940 SNAP-IN GASKET 1600x685 mm**  
magnetic - grey colour  
for REFRIGERATOR




ANGELO PO 37Q2590

**3186626 SNAP-IN GASKET 1610x605 mm**  
magnetic - grey color  
for Refrigerated cupboard (SAGI) - Series ESPACE




ANGELO PO 37Q1020

**3186700 SNAP-IN GASKET 1618x668 mm**  
magnetic - grey colour



ANGELO PO 37Q4370

**3186944 SNAP-IN GASKET 381x254 mm**  
magnetic - grey color  
for REFRIGERATED TABLES




ANGELO PO 37Q7690



Suitable for:

**3186623 SNAP-IN GASKET 383x265 mm**  
magnetic - grey color  
for 1/2 DRAWER




ANGELO PO 37Q3950

ANGELO PO 37Q4720


Suitable for:

**3186946 SNAP-IN GASKET 580x385 mm**  
magnetic - grey colour  
for TABLES




ANGELO PO 37Q7590

**3786247 SNAP-IN GASKET 590x385 mm**  
magnetic - grey colour  
for Refrigerated table (ODIC) TAG370NTV




ANGELO PO 37Q3870

**3786583 SNAP-IN GASKET 610x460 mm**  
magnetic - grey colour




ANGELO PO 37Q4140

**3186630 SNAP-IN GASKET 715x670 mm**  
magnetic - grey colour  
for Refrigerated cupboard (SAGI) - Series RX




ANGELO PO 37Q5460

**3186095 SNAP-IN GASKET 755x655 mm**  
magnetic - grey color  
for REFRIGERATORS




ANGELO PO 37Q2010

**3786005 SNAP-IN GASKET 765x670 mm**  
magnetic - color grey



ANGELO PO 37Q4470

**3186941 SNAP-IN GASKET 780x685 mm**  
magnetic - grey colour  
for REFRIGERATOR



ANGELO PO 37Q2600

## Grids for refrigerator-oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



ANGELO PO G610

ANGELO PO 3012000

ANGELO PO 36M3540

**3185055 CHROME PLATED GRID GN 2/1 530x650 mm**



ANGELO PO G241

ANGELO PO 36A0990



# ANGELO PO



Suitable for:

**3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm**  
grey colour



ANGELO PO 36A2430

**3185967 PLASTIC-COATED GRID 535x517 mm**



ANGELO PO 36A2550

**3185966 PLASTIC-COATED GRID 555x670 mm**



ANGELO PO 36A3020


**3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



ANGELO PO G241X

Suitable for:

**3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm**  
white colour  
for Refrigerated cupboard (ZANUSSI)



ANGELO PO RGP/2-1

ANGELO PO 36A0710

ANGELO PO 36A3630

**3185920 PLASTIC-COATED GRID 555x510 mm**



ANGELO PO 36A3010


**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm



ANGELO PO G610X

## Handles

**3242924 BLACK DOOR HANDLE 8745 426x28xh40 mm**  
distance between holes 376 mm  
insert in aluminium



ANGELO PO 36M4040






## Handles

### 3242921 RH-LH LOCKING HANDLE W/OUT KEYLOCK 560CR

length 230 mm - mounting distance 110 mm  
 lunghezza base 150x23x30h mm  
 interasse 110 mm



ANGELO PO 36M0470

### 3242922 STRIKE FOR DOOR CATCH



ANGELO PO 36M0480

### 3242922 STRIKE FOR DOOR CATCH



ANGELO PO 36M0480

## Heating elements

### 3355916 HEATING ELEMENT 100W 220V in copper braided cable 5320 mm for half door




ANGELO PO 32G1820

### 3355919 HEATING ELEMENT 150W 220V for evaporator in copper braiding cable 7000 mm for Refrigerated cupboard (ANGELO PO) for Refrigerated cupboard (SAGI)



ANGELO PO 32G1810

### 3355917 HEATING ELEMENT 400W 220V length 435 mm - width 330 mm for Refrigerated cupboard (ANGELO PO) for Refrigerated cupboard (SAGI)



ANGELO PO 32G1840

### 3355915 HEATING ELEMENT 60W 220V in silicone cable 6600 mm for inner door



ANGELO PO 32G1790



Suitable for:

# ANGELO PO



Suitable for:

## Hinges, catches and accessories

**3053524 BOTTOM HINGE BRACKET**  
for Refrigerated table (ANGELO PO) K16APGPZ  
K16XPZAP - SA16AGB - SA16GB



ANGELO PO 30T2050


ANGELO PO 30T2051

**3053908 BRACKET BUSHING 22 x 22 mm**  
for Refrigerated cupboard (STUDIO 54) OASI700  
for Refrigerated cupboard (WHIRLPOOL) AFW1400  
AFW700 - OASI1400



ANGELO PO 3178300

**3053944 HINGE FERMOD 176**  
with square shaft 8 mm  
for Refrigerated cupboard (ANGELO PO) 607



ANGELO PO 36M2460

**3053920 LONG PIN HINGE INTERTECNICA 28L**  
with square pin 7.5 mm  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI) APP113



ANGELO PO 36G6520

**3053921 LOWER BRACKET**  
for Refrigerated cupboard (ANGELO PO)  
for Refrigerated cupboard (SAGI)



ANGELO PO 30T5810

**3053924 UPPER LEFT HAND DOOR HINGE**  
for REFRIGERATORS 650-1400 lt.(old model)  
for Refrigerated cupboard (ANGELO PO)  
for Refrigerated cupboard (SAGI)



ANGELO PO 36M0350

**3053923 UPPER RIGHT HAND DOOR HINGE**  
for REFRIGERATORS 650-1400 lt. (old model)  
for Refrigerated cupboard (ANGELO PO)  
for Refrigerated cupboard (SAGI)



ANGELO PO 36M0340

## Ironmongery (screws,nuts,washers)

**3523086 LOW HEXAGONAL BRASS NUT  $\varnothing$  3/4"**



ANGELO PO 36Q1100



## Knobs

**3241913 THERMOSTAT KNOB  $\varnothing$  54 mm**  
hole  $\varnothing$  6x4 mm



ANGELO PO 36M5060

## Lamps

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

**3221011 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 3106730

ANGELO PO 32W0790

ANGELO PO 32W0791

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 3106710

ANGELO PO 32W1330


ANGELO PO 32W1331

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 32W1340

**3221059 OVEN LAMP E27 40W 230V**  
max temperature 300°C  
for OVEN-PIZZA OVEN  
for REFRIGERATORS



ANGELO PO 32W2350

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ANGELO PO 32W1340



Suitable for:

# ANGELO PO




**3221921 WATERTIGHT LAMP RECEPTACLE 190x100 mm**  
for Refrigerated cupboard (ANGELO PO)  
for Refrigerated cupboard (SAGI)



ANGELO PO 32W2360

Suitable for:

**3221059 OVEN LAMP E27 40W 230V**  
max temperature 300°C  
for OVEN-PIZZA OVEN  
for REFRIGERATORS



ANGELO PO 32W2350

## Locks

**3388902 COMPLETE LOCK**  
cylindre  $\varnothing$  19x21 mm.



ANGELO PO 36M0140

ANGELO PO 36M5020

**3388905 LOCK COMPLETE**  
cylinder  $\varnothing$  19x21 mm



ANGELO PO 36M7070

## Microswitches

**3240176 DOOR MICROSWITCH MN-5310 10A 250V**  
for Refrigerated cupboard (ANGELO PO) SP65NN  
65NN



ANGELO PO 32W1410


**3240498 MAGNETIC MICROSWITCH  $\varnothing$  10x33 mm**  
1A 250V 50W - NO contact  
with cable length 2000 mm



ANGELO PO 32W1890

ANGELO PO 32W3460

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels



ANGELO PO 32W4240

**3240148 MICROSWITCH MAGNET 63x19x11 mm**



ANGELO PO 3023650

ANGELO PO 32W0870

ANGELO PO 32W1680

Suitable for:

**3240820 MICROSWITCH 16A 250V**



ANGELO PO 32W1320

Suitable for:

**3240526 MICROSWITCH 250V 1A**

for Refrigerated cupboard (WHIRLPOOL) - Series CM  
Series CR - Series EDVNN - Series EMVNN  
Series ESR - Series EUKR



ANGELO PO 32W3770

**3240813 MICROSWITCH 250V 15A**



ANGELO PO 32W1320

## Motors

**3240211 5-POLE MOTOR ELCO 10W**

230V 50/60Hz 1300rpm 38W Input  
VN 10-20  
for Refrigerated cupboard (IARP) CF700A



ANGELO PO 32M1060

ANGELO PO 32M4041

ANGELO PO 32M4371

**3240210 5-POLE MOTOR ELCO 5 W**

230V 50/60Hz 1300rpm 32W Input  
VN 5-13



ANGELO PO 32M4350

ANGELO PO 32M4351

## Probes

**3445335 PROBE NTC IP68 3000 mm**

temperature range  $-50+110^{\circ}\text{C}$   
bulb  $\varnothing 6 \times 15$  mm watertight  
for Refrigerated cupboard (ILSA) - Series AE  
Series AH - Series TEMG - Series TMMG  
for Refrigerated cupboard (INFRICO)  
for Refrigerated cupboard (WHIRLPOOL) AGB704  
AGB705 - AGB707 - AGB708 - AGB709 - AGB711  
AGB712 - AGB713 - AGB714 - AGB715 - AGB717  
AGB718 - AGB719 - AGB720 - AGB728 - AGB729  
AGB730 - AGB731 - AGB732 - AGB733 - AGB734  
AGB735 - AGB736 - AGB737 - AGB738 - AGB895  
AGB896 - AGB897  
for Refrigerated table (ILSA) - Series TRMG  
for Refrigerated table (INFRICO)  
for Refrigerated table (WHIRLPOOL) AGB721 - AGB722



ANGELO PO 32V6010

**3445107 PTC PVC PROBE 3000 mm**

2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
bulb  $\varnothing 6 \times 40$  mm



ANGELO PO 32V0150



Suitable for:


# ANGELO PO



Suitable for:

## Relays

**3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts



ANGELO PO 32V7100

ANGELO PO 32Z2000

**3351602 RELAY 65.31 30A 250V 50/60Hz**  
1 cut-off contact



ANGELO PO 32V3720

## Shock absorbers

**5046865 GAS SPRING SUSPA 16-1 10757A 150N**  
overall length 170 mm  
holes  $\varnothing$  6 mm distance 160 mm  
for REFRIGERATED SHOWCASE A1IRISFISH



ANGELO PO 36H1860


**5044891 GAS SPRING SUSPA 16-1 10757A 200N**  
overall length 170 mm  
fixing holes  $\varnothing$  6 mm distance 160 mm  
for Display cabinet refrigerated (ENOFRIGO) GRAFFITI1400



ANGELO PO 36H1140

## Supports

**3391014 GRID SUPPORT**



ANGELO PO 36G8640

**3391911 GRIDS SUPPORT 650x56x35 mm**  
for 8 grids



ANGELO PO 36D9470

**3391912 SHELF HOOK**



ANGELO PO 3600280

**3391912 SHELF HOOK**



ANGELO PO 3600280

Suitable for:

**3391910 SHELF SUPPORT 650x47x35 mm**  
for 8 shelves



ANGELO PO 35T5060

Suitable for:

**3391912 SHELF HOOK**



ANGELO PO 3600280


## Switches

**3319920 BLACK TWO-POLE SWITCH 16A 250V**



ANGELO PO 32W4150

**3319646 GREEN/ORANGE CAM**




ANGELO PO 33Q6440

**3319943 CHANGE OVER SWITCH BUTTON 16A 250V**  
16(4)A 250V - max temperature 120°C  
lead connector 6.35x0.8 mm  
mounting hole 11x30 mm  
for Refrigerated cupboard (ANGELO PO) 1400 - 1403  
600 - 650



ANGELO PO 32W0090

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator light and switch cover  
screen printing 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



ANGELO PO 32W0631

**3319940 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator lamp and protection cap  
mounting hole 22x30 mm



ANGELO PO 32W2331

ANGELO PO 32W2990

**3319951 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
max temperature 125°C  
lead connector 6.35x0.8 mm  
mounting hole 25x27 mm



ANGELO PO 32W0990

ANGELO PO 32W3970



Suitable for:

# ANGELO PO



Suitable for:

## 3319941 WHITE SINGLE POLE CHANGE OVER SWITCH

16(4)A 250V - silk-screen printing I - II  
with indicator lamp and light switch cover  
max temperature 125°C  
lead connector 6.35x0.8 mm  
mounting hole 22x30 mm  
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32W3190

## Tangential fans

## 3526150 TANGENTIAL FAN 180 mm LEFT

230V 50/60Hz - ø 60 mm - 25 W  
operating temperature -30°+135°C  
for Refrigerated cupboard (MONDIAL ELITE)  
EBA171122 KKPRO600



ANGELO PO 32M0050

ANGELO PO 32M0521

ANGELO PO 32M5920

## Telethermometers

## 3441913 TELETHERMOMETER -40+40°C

dimensions 58x25 mm  
covered capillary 2530 mm  
plastic covered bulb ø 6x60 mm



ANGELO PO 32Z6400

ANGELO PO 32Z7120

## 3441003 WHITE TELETHERMOMETER ø 60 mm -40+40°C

metal case  
covered capillary length 2000 mm  
plasticized bulb ø 6x150 mm  
for Refrigerated cupboard



ANGELO PO 32Z3190

## Terminal blocks

## 3247003 2-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 20x21x18 mm



ANGELO PO 3000060

## 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ANGELO PO 32D0171




Suitable for:

Suitable for:

## 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V




ANGELO PO 32D0250

ANGELO PO 32D0251

## Thermostats

### 3444172 THERMOSTAT -35+35°C TR711N

3 contacts 15A 250V  
capillary 1500 mm  
bulb  $\varnothing$  6x110 mm  
D shaft  $\varnothing$  6x4.6 mm




ANGELO PO 32Z6310

ANGELO PO 32Z7110

### 3241913 THERMOSTAT KNOB $\varnothing$ 54 mm

hole  $\varnothing$  6x4 mm



ANGELO PO 36M5060

### 3444932 THERMOSTAT RANCO K50 L3207


2 contacts 6A 250V  
capillary 1500 mm  
COLD -10.0°C - WARM +10.0°C  
D shaft  $\varnothing$  6x4.6 mm



ANGELO PO 32Z6360

### 3444931 THERMOSTAT RANCO K52 L4512


2 contacts 6A 250V  
double capillary  
capillaries 2100 mm - 1850 mm  
COLD -6,4°C - WARM +8,5°C  
COLD -6.0°C - WARM +8.8°C  
D shaft  $\varnothing$  6x4.6 mm



ANGELO PO 32Z0920

### 3444930 THERMOSTAT T50 -30+30°C

3 contacts 6A 250V  
with adjusting screw  
capillary length 1450 mm  
bulb  $\varnothing$  6x105 mm



ANGELO PO 32Z1090



Suitable for:

ANGELO PO




Suitable for:

## Timers

### 3322024 TIMER D94.44L 1 CAM

6 hours - 10 minutes  
220V 50/60HZ  
clockwise rotation



ANGELO PO 32Z2420

ANGELO PO 32Z2421

## Transformers

### 3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ANGELO PO 32Z3470

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**  
via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
www.lfircambi724.it - www.lfircambi724.mobi  
info@lfircambi.it  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
www.lfspareparts724.com - www.lfspareparts724.mobi  
export@lfspareparts.com

**FRANCE**



**EPGC Sas**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
www.epgc.com  
www.epgc724.mobi  
epgc@epgc.com

**DEUTSCHLAND**



**LF GmbH**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
www.lfersatzteile724.de  
www.lfersatzteile724.mobi  
info@lfersatzteile.de

**SCHWEIZ**



**LF GmbH Verkaufsbüro**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
www.lfersatzteile724.ch  
www.lfersatzteile724.mobi  
info@lfersatzteile.ch

**ESPAÑA**



**LF Repuestos Horeca S.L.U.**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tif. +34 91 477 91 00  
Fax +34 91 477 90 81  
www.lfrepuestos724.es  
www.lfrepuestos724.mobi  
info@lfrepuestos.es

**UNITED KINGDOM**



**LF Spare Parts Ltd.**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
www.lfspareparts724.co.uk  
www.lfspareparts724.mobi  
info@lfspareparts.co.uk

**RUSSIA**



**OOO LF**  
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
www.lfspareparts724.ru  
www.lfspareparts724.mobi  
info@lfspareparts.ru

**CHINA**



**LF China**  
Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
www.lfspareparts724.com  
www.lfspareparts724.mobi  
china@lfspareparts.com