



Spare parts for:

Commercial refrigeration



Suitable for:

ASPERA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





ASPERA



COMPRESSOR EMBRACO R134a HMBP



LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-10	-5	0	+5		
3070229	EMT37HDP	1/10	3.40	RSIR	4.3	137	0.8	166	213	266	327	220-240/1/50	
3070107	EMT45HDR	1/8	3.97	CSIR	5.0	170	1.1	205	258	315	388	220-240/1/50	
3070158	EMT50HDP	1/6	4.50	RSIR	6.4	190	1.2	230	288	358	440	220-240/1/50	
3070162	EM65HHR	1/6	5.54	CSIR	-	300	1.8	304	388	484	592	220-240/1/50	
3070218	EMT6144Z	1/6	5.20	CSIR	8.5	222	1.4	282	352	435	532	220-240/1/50	
3070219	EMT6160Z	1/5	6.76	CSIR	9.8	300	1.7	358	448	552	670	220-240/1/50	
3070172	NEK6160Z	1/4L	7.28	CSIR	11.5	297	1.9	329	418	527	653	220-240/1/50	
3070220	EMT6170Z	1/4L	7.69	CSIR	10.4	356	2.0	400	500	614	740	220-240/1/50	
3070173	NEK6170Z	1/4	8.40	CSIR	12.4	347	2.1	400	503	626	768	220-240/1/50	
3070174	NEK6187Z	1/3	10.00	CSIR	16.1	410	2.6	447	569	715	884	220-240/1/50	
3070175	NEK6210Z	3/8	12.12	CSIR	16.1	497	2.8	535	690	862	1050	220-240/1/50	
3070176	NEK6212Z	1/2L	14.30	CSIR	19.5	602	3.5	626	788	981	1205	220-240/1/50	
3070177	NEK6214Z	1/2	16.80	CSIR	21.2	775	4.7	714	902	1117	1363	220-240/1/50	
3070178	NT6215Z	1/2	17.40	CSIR	21.0	638	3.9	722	938	1188	1472	220-240/1/50	
3070179	NT6217Z	5/8	20.40	CSIR	25.0	773	4.7	909	1125	1385	1712	220-240/1/50	
3070180	NT6220Z	3/4	22.40	CSIR	28.0	862	5.2	984	1212	1498	1844	220-240/1/50	
3070050	NJ6220Z	3/4	26.20	CSIR	35.0	978	5.7	1104	1471	1881	2330	230/1/50	
3070053	NJ6220ZX	3/4	26.20	3 Ph	10.0	875	1.6	1104	1471	1881	2330	380-440/3/50-60	
3070052	NJ6226Z	1	34.37	CSR	31.0	1232	6.0	1350	1764	2226	2732	220-240/1/50	
3070054	NJ6226ZX	1	34.37	3 Ph	12.0	1190	2.3	1350	1764	2226	2732	380-440/3/50-60	

Condensation temperature +54.4°C

COMPRESSOR EMBRACO R134a LBPP



LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-30	-25	-20	-10		
3070222	EMT22HLP	1/12	3.00	RSIR	3.0	62	0.4	47	67	91	156	220-240/1/50	
3070223	EMT36HLP	1/10	3.97	RSIR	3.8	85	0.6	74	98	130	215	220-240/1/50	
3070153	EMT43HLP	1/8L	4.85	RSIR	4.7	102	0.7	91	121	159	262	220-240/1/50	
3070190	EMT49HLP	1/8	5.56	RSIR	4.8	114	0.8	103	137	180	293	220-240/1/50	
3070152	EMT60HLP	1/6	6.76	RSIR	6.2	151	1	120	159	209	346	220-240/1/50	
3070237	NEK2116Z	1/5	7.40	CSIR	10	-	-	90	136	184	305	220-240/1/50	
3070231	NBT1118Z	1/4L	8.40	RSCR	6.9	151	0.6	150	204	271	446	220-240/1/50	
3070185	NE2121Z	1/4	9.27	CSIR	12.6	229	1.4	166	229	303	592	220-240/1/50	

Condensation temperature +54.4°C



ASPERA




COMPRESSOR EMBRACO R404a-R507 HMBP



LF Code	Model	Motor power HP	Displacement cm ³	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-10	-5	0	+5		
3070215	EMT6144GK	1/5	3.97	CSIR	7.7	284	1.6	360	438	530	630	220-240/1/50	
3070216	EMT6152GK	1/4L	4.50	CSIR	8.5	327	1.8	396	483	582	695	220-240/1/50	
3070181	NEK6144GK	1/4L	4.52	CSIR	9.6	313	1.8	368	451	549	660	220-240/1/50	
3070217	EMT6165GK	1/4	5.20	CSIR	10.4	394	2.2	448	550	667	801	220-240/1/50	
3070182	NEK6165GK	1/4	6.20	CSIR	12.4	471	2.5	520	626	751	895	220-240/1/50	
3070183	NEK6181GK	1/3	7.28	CSIR	12.0	515	3.0	565	689	836	1006	220-240/1/50	
3070184	NEK6210GK	3/8	8.78	CSIR	10.1	628	3.5	669	821	999	1205	220-240/1/50	
3070040	NEK6213GK	1/2	12.12	CSIR	20.0	982	5.5	919	1120	1350	1610	220-240/1/50	
3070191	NT6217GK	1/2	12.60	CSR	25.0	813	4.9	915	1140	1404	1708	220-240/1/50	
3070186	NEK6217GK	5/8	14.30	CSR	21.5	1010	4.9	1120	1360	1630	1932	220-240/1/50	
3070187	NT6220GK	5/8	14.50	CSR	29.5	930	4.1	1126	1395	1700	2044	220-240/1/50	
3070188	NT6222GK	3/4	17.40	CSR	37.0	1105	5.8	1280	1590	1930	2308	220-240/1/50	
3070274	NT6224GK	1	20.44	CSR	29.0	1271	6.0	1532	1896	2310	2773	220-240/1/50	
3070189	NT6226GK	1.1	22.40	CSR	38.0	1376	6.6	1744	2144	2598	3095	220-240/1/50	
3070010	NJ9226GK	1.1	21.70	CSR	27.5	1325	5.8	1584	1998	2470	2998	230/1/50	
3070020	NJ9226GS	1.1	21.70	3 Ph	10.0	1118	2.4	1584	1998	2470	2998	380-440/3/50-60	
3070018	NJ9232GK	1.2	26.20	CSR	33.7	1673	7.2	1953	2458	3182	4070	230/1/50	
3070027	NJ9232GS	1.2	26.20	3 Ph	13.0	1615	2.9	1953	2458	3182	4070	380-440/3/50-60	
3070019	NJ9238GK	1.5	32.70	CSR	43.0	2109	9.6	2485	2956	3509	4563	230/1/50	
3070028	NJ9238GS	1.5	32.70	3 Ph	22.0	2000	4.0	2485	2956	3509	4563	380-440/3/50-60	

Condensation temperature +54.4°C

COMPRESSOR EMBRACO R404a-R507 LBP



LF Code	Model	Motor power HP	Displacement cm ³	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-30	-25	-20	-15		
3070230	EMT2117GK	1/5	4.50	CSIR	7.7	181	1.1	172	226	288	360	220-240/1/50	
3070224	EMT2121GK	1/4L	5.20	CSIR	8.5	214	1.3	225	285	356	442	220-240/1/50	
3070163	NEK2121GK	1/4L	5.45	CSIR	9.6	219	1.4	199	259	334	422	220-240/1/50	
3070225	EMT2125GK	1/4	5.96	CSIR	9.8	251	1.6	256	327	410	507	220-240/1/50	
3070164	NEK2125GK	1/4	6.20	CSIR	12.4	279	2.0	243	314	398	494	220-240/1/50	
3070165	NEK2130GK	1/3	7.40	CSIR	16.0	303	2.2	279	374	469	588	220-240/1/50	
3070166	NEK2134GK	1/3	8.78	CSIR	16.1	358	2.3	327	442	544	679	220-240/1/50	
3070120	NEK2150GK	1/2	12.12	CSIR	19.5	497	3.1	445	570	716	888	220-240/1/50	



ASPERA



LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-30	-25	-20	-15		
3070167	NEK2168GK	5/8	14.30	CSR	18.5	520	2.6	500	650	828	1030	220-240/1/50	
3070168	NT2168GK	5/8	14.50	CSR	25.0	462	2.4	435	585	762	968	220-240/1/50	
3070169	NT2178GK	3/4	17.40	CSR	25.0	564	2.6	544	735	956	1206	220-240/1/50	
3070170	NT2180GK	1	20.40	CSR	35.0	704	3.3	648	856	1100	1380	220-240/1/50	
3070171	NT2192GK	1.1	22.40	CSR	35.0	744	3.5	754	998	1280	1598	220-240/1/50	
3070123	NJ2192GK	1.2	26.00	CSR	26.0	854	4.0	752	1120	1345	1725	220-240/1/50	
3070046	NJ2192GS	1.2	26.00	3 Ph	13.0	913	1.9	752	1120	1345	1725	380-440/3/50-60	
3070226	NT2212GK	1.3	27.80	CSR	33.0	999	5.0	970	1270	1624	2030	220-240/1/50	
3070045	NJ2212GK	1.7	34.37	CSR	36.0	1097	5.3	945	1333	1775	2273	220-240/1/50	
3070047	NJ2212GS	1.7	34.37	3 Ph	13.0	1139	2.0	945	1333	1775	2273	380-440/3/50-60	

Condensation temperature +54.4°C

COMPRESSOR EMBRACO R600a LBP



EM

LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-30	-25	-20	-15		
3070202	EMT26CLP	1/10	5.19	RSCR	-	69	0.45	59	77	103	130	220-240/1/50	
3070203	EMT40CLP	1/8	7.23	RSCR	-	95	0.64	86	111	147	184	220-240/1/50	
3070204	EMT46CLP	1/6	7.96	RSCR	-	105	0.72	97	124	162	203	220-240/1/50	
3070238	EMX70CLC	1/5	11.14	RSCR	5.8	110	0.55	143	174	222	283	220-240/1/50	
3070255	EMX80CLT	1/5	12.21	RSCR	7.8			212				220-240/1/50	
3070205	NBM1116Y	1/5	12.30	RSIR	7.1	143	1.00	145	176	225	285	220-240/1/50	
3070206	NBM1118Y	1/4	14.28	RSIR	8.1	162	1.1	167	203	260	330	220-240/1/50	

Condensation temperature +54.4°C

COMPRESSOR EMBRACO R290 HMBP



EMT

NEK

NT

LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-10	-5	0	+5		
3070262	EMT6144U	1/5	4.50	CSIR	7.7	235	1.3	293	354	423	508	220-240/1/50	
3070263	EMT6152U	1/4	5.20	CSIR	8.5	277	1.2	362	432	514	612	220-240/1/50	
3070264	EMT6165U	1/4	5.96	CSIR	10.4	330	2.1	415	495	590	700	220-240/1/50	
3070265	NEK6181U	1/3	7.28	CSIR	12	386	2.4	447	548	664	793	220-240/1/50	
3070273	NEK6210U	3/8	8.78	CSIR	16.1	459	2.8	549	670	811	969	220-240/1/50	
3070266	NEK6213U	1/2	12.12	CSIR	19.3	692	4.2	763	927	1112	1317	220-240/1/50	
	NEK6217U	5/8	14.30	CSIR	24	824	4.9	875	1060	1271	1508	220-240/1/50	



ASPERA



LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-10	-5	0	+5		
	NT6217U	5/8	14.50	CSIR	25	693	4.0	792	987	1215	1473	220-240/1/50	
	NT6220U	3/4	17.40	CSR	30	806	4.3	976	1215	1492	1806	220-240/1/50	
	NT6222U	1	20.44	CSR	30	953	4.9	1177	1471	1803	2174	220-240/1/50	
	NT6224U	1 1/4	22.40	CSR	26			1274	1583	1938	2336	220-240/1/50	
	NT6230U			CSR								220-240/1/50	

Condensation temperature +54.4°C

COMPRESSOR EMBRACO R290 LBP



EMT NEK NT

LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-30	-25	-20	-15		
3070270	EMT2117U	1/5	3.97	CSIR	7.7	130	1	120	155	195	242	220-240/1/50	
3070260	EMT2121U	1/4	5.57	CSIR	7.7	182	1.1	156	200	252	311	220-240/1/50	
3070267	EMT2125U	1/3	5.96	CSIR	9.8	204	1.4	176	225	282	348	220-240/1/50	
	NEK2125U	1/3	7.28	CSIR	12.4	242	1.7	187	237	299	374	220-240/1/50	
3070261	EMT2130U	1/3	6.76	CSIR	12.4		1.5	196	251	315	389	220-240/1/50	
3070268	NEK2134U	1/2	10.00	CSIR	13.1	330	2	269	338	423	523	220-240/1/50	
3070259	NEK2150U	1/2	13.54	CSIR	19.5	444	3	339	435	550	683	220-240/1/50	
3070269	NEK2160U	3/4	16.80	CSR	21			428	547	688	848	220-240/1/50	
	NT2160U	3/4	17.40	CSR	21	487	2.5	381	501	644	811	220-240/1/50	
3070271	NT2170U	3/4	20.44	CSR	25	580	2.9	476	620	788	981	220-240/1/50	
3070272	NT2180U	1	22.40	CSR	35	642	3.2	536	697	886	1101	220-240/1/50	
	NT2210U	1 1/4	27.8	CSR	33	844	4.4	677	875	1108	1374	220-240/1/50	

Condensation temperature +54.4°C



Suitable for:

ASPERA



Suitable for:

Compressors and spares

3070038 COMPRESSOR T2155GK CSR BOX LBP R404a

power 5/8 Hp, displacement 14.50 cc

220/240V 50Hz

ASPERA



ASPERA T2155GK