



Spare parts for:

## Commercial refrigeration



Suitable for:

# BONNET



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2014-02271546





Suitable for:

# BONNET



Suitable for:

## Axial motors

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



BONNET 304194

**3340001 AXIAL VENTILATOR EBM 119x119x38 mm**  
ball bearings  
230V 50Hz 19W 2650rpm  
4656Z



BONNET 780002656

BONNET 906107

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



BONNET 904191

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



BONNET 2001118H


BONNET 304259

**3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



BONNET 2001119H

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and EEC 92/31 regulat



BONNET 2000001

BONNET 2001120H

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and EEC 92/31 regulat



BONNET 2000059

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



BONNET 3709E



## Fuses


**3049045 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 800mA



BONNET 2001921H


## Gaskets for refrigerators

**3786270 SNAP-IN GASKET 1520x640 mm**  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE)  
ANTARTICA5 614000 - Series NEPTUNE - 616533  
for Refrigerated cupboard (BONNET) S100D11




BONNET S138P11

**3786274 SNAP-IN GASKET 1550x660 mm**  
magnetic  
for Refrigerated cupboard (BONNET) BIOSTORE RI630  
RI1360



BONNET 74306

**3786266 SNAP-IN GASKET 582x398 mm**  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE) DR700



BONNET S255P11

## Grids for refrigerator-oven

**3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



BONNET 635022



Suitable for:


# BONNET



Suitable for:


## Handles

**3242349 LOCKING HANDLE 621 WITH KEY LOCK**  
213x104xh50 mm




BONNET 21273E

**3242583 RH-LH CATCH WITH LOCK 885 CR**  
straight handgrip  
length 206x28 mm  
mounting distance 104 mm  
aggancio regolabile interasse 31 mm




BONNET 906392

**3242948 RH/LH LOCKING HANDLE WITH KEY LOCK 795CR**  
straight handle  
base length 254x30 mm  
distance between holes 133 mm  
adjustable catch between 9 and 22 mm



BONNET 74441


**3242947 RH/LH LOCKING HANDLE WITHOUT LOCK 791 CR**  
curved handle  
length 254x30 mm - mounting distance 133 mm  
adjustable catch between 9 and 22 mm



BONNET 71261E


## Hinges, catches and accessories

**3053391 CHROME PLATED HINGE 361**  
length 140 mm - mounting distance 30-35 mm  
for door thickness from 37 mm gasket included




BONNET 71258E

**3053427 HINGE 362 LH WITH RAMP**  
length 150 mm - mounting distance 110-80 mm




BONNET 74445

**3053426 HINGE 362 RH WITH RAMP**  
length 150 mm - mounting distance 110-80 mm



BONNET 74444

**3053400 HINGE 481 HP WITH RAMP**  
mounting distance 30 mm



BONNET S090P01

BONNET 621090



## Lamps


**3221025 ORANGE INDICATOR LAMP 230V**  
 hole  $\varnothing$  13 mm - head  $\varnothing$  15 mm - 120°C  
 universal application



BONNET 904300

BONNET 904360


**3221059 OVEN LAMP E27 40W 230V**  
 max temperature 300°C  
 for OVEN-PIZZA OVEN  
 for REFRIGERATORS



BONNET 308463

## Microswitches

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
 3 locking positions  
 the kit includes 5 levers:  
 lever 75 mm - lever 27 mm - lever 15 mm  
 lever 15 mm with wheels - lever 27 mm with wheels



BONNET 300688

## Motors

**3340106 MOTOR ELCO VN 10-20/1796**  
 NEC7T10ZVN001  
 230V 50/60Hz 1300rpm 38W Input  
 shaft length 120 mm - with bearings  
 back fastening  
 complete with stainless steel bracket h=100 mm



BONNET R45536

**3805017 MOTOR FAN 10 W WITH RING**  
 230V 50/60Hz  
 suction fan  $\varnothing$  200 mm  
 VN10.20/1410



BONNET

**3805009 MOTOR FAN 5 W WITH RING**  
 230V 50/60Hz  
 suction fan  $\varnothing$  154 mm  
 VN5.13.115.154.31



BONNET

**3805010 MOTOR FAN 5 W WITH RING**  
 230V 50/60Hz  
 suction fan  $\varnothing$  170 mm  
 NA5.13.606.172/22



BONNET



Suitable for:

### 3805011 MOTOR VENTILATOR 10W WITH RING

230V 50/60Hz  
suction fan ø 200 mm  
VN10.20/118.A200.31



BONNET

### 3240580 SHADED-POLE MOTOR EBM 10W

230V 50/60Hz 1300rpm 36W Input  
M4Q045-CA03-75  
for Refrigerated cupboard (FRIGINOX) G/GL2  
for Refrigerated cupboard (FRIGINOX) AT1



BONNET 2010047

Suitable for:

### 3805008 MOTOR VENTILATOR 5W WITH RING

230V 50/60Hz  
suction fan ø 154 mm  
VN5.13.154.34/618



BONNET

### 3240627 SHADED-POLE MOTOR EBM 18W


230V 50/60Hz 1300rpm 70W Input  
M4Q045-DA01-75



BONNET 2010048

### 3240628 SHADED-POLE MOTOR EBM 25W

230V 50/60Hz 1300rpm 90W Input  
M4Q045-EA01-75



BONNET 2010049

## Relays

### 3351901 RELAY 60.62 10A 230V 50/60Hz


2 switching contacts



BONNET 2001867H

### 3351605 RELAY 60.63 10A 230V 50/60Hz


3 switching contacts



BONNET 2001887H

### 3351021 RELAY 62.82 16A 230V 50/60Hz


2 switching contacts



BONNET 2001873H

### 3351602 RELAY 65.31 30A 250V 50/60Hz

1 cut-off contact




BONNET 2001929H




## Thermostats

**3444880 THERMOSTAT DANFOSS 077B-7002**  
 4 contacts 6A 250V  
 capillary 1300 mm  
 COLD -21°/-11,5°C - WARM 0°/-7,5°C  
 D-shaped pin ø 6x4.6 mm  
 with defrosting button



BONNET 1176389

**3444882 THERMOSTAT DANFOSS 077B-7004**  
 4 contacts 6A 250V  
 capillary 1600 mm  
 COLD -11°/-5°C - WARM +3,5°/-1°C  
 D-shaped pin ø 6x4.6 mm



BONNET 1176387

**3444883 THERMOSTAT DANFOSS 077B-7005**  
 3 contacts 6A 250V  
 capillary 2300 mm  
 COLD -32,5°/-21°C - WARM -1,5°/-7,5°C  
 D-shaped pin ø 6x4.6 mm



BONNET 1176388

## Timers

**3322900 TIMER HAGER EH710 24h**  
 dimension 72x72 mm  
 minimum programming interval 10 minutes  
 minimum interval between 2 switches 20 seconds  
 250V 16A



BONNET 42587E

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**  
via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [www.lfricambi724.mobi](http://www.lfricambi724.mobi)  
[info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspaceparts.com](mailto:export@lfspaceparts.com)

**FRANCE**



**EPGC Sas**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)

**DEUTSCHLAND**



**LF GmbH**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)

**SCHWEIZ**



**LF GmbH Verkaufsbüro**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)

**ESPAÑA**



**LF Repuestos Horeca S.L.U.**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tif. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos724.es](http://www.lfrepuestos724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)

**UNITED KINGDOM**



**LF Spare Parts Ltd.**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.co.uk](mailto:info@lfspaceparts.co.uk)

**RUSSIA**



**OOO LF**  
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.ru](mailto:info@lfspaceparts.ru)

**CHINA**



**LF China**  
Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspaceparts.com](mailto:china@lfspaceparts.com)