



Spare parts for:

Commercial refrigeration



Suitable for:

DEXION



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

DEXION



Suitable for:

Axial motors

3240520 AXIAL FAN EBM \varnothing 150x55 mm
ball bearings
230V 50Hz 45W 2800rpm
W2S130-AA03-01 - 7855 ES



DEXION 014685-00

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



DEXION 013480-00

3240518 AXIAL FAN EBM 92x92x25 mm
24Vdc 2.3W 2700rpm
3414N



DEXION 019041-00

DEXION 019731-00

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



DEXION 013480-01

3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



DEXION 014680-00

Bearings

3063926 BEARING FOR DRAWER GUIDE \varnothing 25 mm
for Refrigerated table



DEXION 010006-00

DEXION 010006-00R

3063902 DRAWER SLIDEWAY BEARING \varnothing 28 mm



DEXION 010008-01

DEXION 010008-01R



Capacitors, electrical

3068016 CAPACITOR μF 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



DEXION

3068019 CAPACITOR μF 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



DEXION

3068024 CAPACITOR μF 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations




DEXION

3068027 CAPACITOR μF 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



DEXION

3068008 CAPACITOR μF 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



DEXION

3068010 CAPACITOR μF 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



DEXION

3068014 CAPACITOR μF 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



DEXION

3240556 CAPACITOR WITH CABLE 1,5 μF



DEXION 019051-00

3240554 CAPACITOR WITH CABLE 3 μF



DEXION 019056-00



Suitable for:

DEXION



Suitable for:

Compressors and spares

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
220/240V 50Hz
power 1/4 Hp, displacement 8.85 cc
gas R134a HMBP



DEXION 022260-00

3070045 COMPRESSOR EMBRACO NJ2212GK CSR
220/240V 50Hz
power 1.5 Hp, displacement 34.37 cc
gas R404a/R507 LBP
ASPERA



DEXION 019034-00

3070082 COMPRESSOR SECOP FR8.5CL CSIR
220/230V 50Hz
power 1/4 HP - displacement 7.95 cc
gas R404a/R507 LBP
103U2890-HST DANFOSS



DEXION 018599-00

3070039 COMPRESSOR SECOP FR8.5G CSIR
220/230V 50Hz
power 1/4L Hp - displacement 7.95 cc
gas R134a HMBP
103G6780-HST DANFOSS



DEXION 014614-00

3070073 COMPRESSOR SECOP SC12CL CSIR
220/230V 50Hz
power 3/8 HP - displacement 12.87 cc
gas R404a/R507 LBP
104L2623-HST DANFOSS



DEXION 015132-00

3070077 COMPRESSOR SECOP TL5G CSIR
220/230V 50Hz
power 1/6 Hp - displacement 5.10 cc
gas R134a HMBP
103G4550-HST DANFOSS



DEXION 015128-00

Contactors

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



DEXION

3351202 CONTACTOR AEG LS07 7A 230V 3Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



DEXION

3351049 CONTACTOR SIEMENS 3RT1016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



DEXION

Electronic printed-circuit boards

3445276 REMOTE DISPLAY LAE SMD12RU10
 for SSD90



DEXION 020523-00


3445277 REMOTE DISPLAY LAE SMD34RU
 for SMD90/SSD90



DEXION 020522-00

Electronic thermostats and controllers


3445376 CONTROLLER ELIWELL ID PLUS 961
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 pause defrosting
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



DEXION 019497-00


DEXION 024169-00

3445374 CONTROLLER LAE AT1-5AS2E-G
 230V 50/60Hz
 1 relay output 16A for compressor
 1 programmable relay output 7A
 1 selectable NTC/PTC probe (not included)
 front dimension 77x35xdepth 70 mm
 mounting hole 71x29 mm



DEXION 020518-01

3445296 CONTROLLER LAE LCD32Q4E-AS
 230V 50/60Hz
 depth 75 mm
 1 relay output 20A for compressor - faston 6.3 mm
 1 relay output 12A for defrosting - faston 6.3 mm
 1 relay output 8A for fans - faston 6.3 mm
 1 relay output 8A for aux - faston 6.3 mm
 2 digital inputs (door microswitch, programmable)
 2 NTC probes (not included)
 front dimension 170x38 mm
 mounting hole 150x31 mm



DEXION 021226-00

3445289 POWER MODULE LAE SSD90C65E-C
 230V 50/60Hz
 1 relay output 20A for compressor
 1 relay output 12A for defrosting
 5 relay outputs 8A for fans, light, alarm, aux
 3 PTC probes (not included)
 1 door microswitch digital input
 RS485
 dimension 165x125 mm



DEXION 020520-00

DEXION 020520-00R



Suitable for:

DEXION



Suitable for:

Feet

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with fixed screw M12x25 mm



DEXION

Filters for refrigeration

3160529 FILTER SPORLAN C-0325 \varnothing 1/4"-6 mm
length 97 mm \varnothing 44 mm
solid cartridge



DEXION 014615-00

Fuses

3049019 DELAY FUSE 5x20 - 10 PCS
250V 4A



DEXION

3049041 QUICK ACTING FUSE 5x20 - 10 PCS
250V 315mA



DEXION

3049045 QUICK ACTING FUSE 5x20 - 10 PCS
250V 800mA



DEXION


3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



DEXION


Gaskets for refrigerators

3786002 MIDDLE EDGED DOOR GASKET 424x198 mm
magnetic - white colour



DEXION 017104-00

3186080 MIDDLE EDGED GASKET 390x185 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 012365-00


DEXION 012365-00-R



Suitable for:

Suitable for:


3186086 MIDDLE EDGED GASKET 390x206 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 012361-00

DEXION 012361-00-R

3186081 MIDDLE EDGED GASKET 390x310 mm
magnetic - white colour
for REFRIGERATED COUNTERS




DEXION 012363-00

DEXION 012363-00-R

DEXION 025696-00


3186969 MIDDLE EDGED GASKET 422x255 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 013464-00

DEXION 013464-00-R


3186571 MIDDLE EDGED GASKET 424x302 mm
magnetic - white color
for DRAWER



DEXION 017102-00


DEXION 017102-00-R

3186570 MIDDLE EDGED GASKET 424x182 mm
magnetic - white colour
for DRAWER



DEXION 017103-00


3186082 MIDDLE EDGED GASKET 435x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 012362-00

DEXION 012362-00-R


3186967 MIDDLE EDGED GASKET 538x422 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 012889-00

DEXION 012889-00-R


3186727 MIDDLE EDGED GASKET 630x424 mm
magnetic - white
for REFRIGERATED COUNTERS series



DEXION 017101-00


DEXION 017101-00-R

3186573 MIDDLE EDGED GASKET 630x630 mm
magnetic - white color



DEXION 017107-00

3186572 MIDDLE EDGED GASKET 635x495 mm
magnetic - white colour




DEXION 017106-00



Suitable for:


3186840 MIDDLE EDGED GASKET 635x598 mm
magnetic - white colour
for COUNTERS



DEXION 014052-00 DEXION 014052-00-R


Suitable for:

3186083 MIDDLE EDGED GASKET 640x390 mm
magnetic -white colour
for REFRIGERATED COUNTERS




DEXION 012364-00 DEXION 012364-00-R DEXION 025695-00R

3186968 MIDDLE EDGED GASKET 678x538 mm
magnetic - white colour
for REFRIGERATED COUNTERS




DEXION 012888-01 DEXION 012888-01-R

3186965 SNAP-IN DOOR GASKET 1550x690 mm
magnetic -white colour
for REFRIGERATOR




DEXION 011535-00 DEXION 011535-00R

3786254 SNAP-IN GASKET 1554x688 mm
magnetic - black colour
for glass door



DEXION 017464-00

3186966 SNAP-IN GASKET 750x690 mm
magnetic - white colour
for REFRIGERATOR



DEXION RIC0002904 DEXION 011537-00 DEXION 011537-00R

Grids for refrigerator-oven

3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm
grey colour



DEXION OA000-00-023


3185966 PLASTIC-COATED GRID 555x670 mm



DEXION OA000-00-021


Handles

3242960 RH-LH DOOR HANDLE W/OUT KEY LOCK 1825
distance between holes 158 mm
plate dimensions 181x33 mm



DEXION 1825-R

3242948 RH/LH LOCKING HANDLE WITH KEY LOCK 795CR
straight handle
base length 254x30 mm
distance between holes 133 mm
adjustable catch between 9 and 22 mm



DEXION 795CR-R



Heating elements

3355660 HEATING ELEMENT 135W 230V
length 470 mm - width 150 mm
for condense evaporation



DEXION 013532-00R
DEXION 019430-02R

DEXION 019430-01
DEXION 019430-03R

DEXION 019430-02

3355932 HEATING ELEMENT 46W 230V
for half-door frame
length 7550 mm



DEXION 011525-00

DEXION 011525-00R

3355930 HEATING ELEMENT 550W 230V
length 425 mm - width 250 mm




DEXION 011526-00

DEXION 011526-01

DEXION 011526-01-R

3355934 HEATING ELEMENT 82W 230V
for condensate evaporator
length 250 mm
width 150 mm



DEXION 012336-00-R
DEXION 012336-02-R

DEXION 012336-01-R

DEXION 012336-02

3355661 HEATING ELEMENT 87W 240V
length 470 mm
width 65 mm



DEXION 012335-00

DEXION 012335-01

DEXION 012335-01-R

Hinges, catches and accessories

3053946 LEFT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R

DEXION 011573-00R




Suitable for:

DEXION



Suitable for:

3053930 SHORT PIN HINGE INTERTECNICA 28XC
 with square pin 7.5 mm
 for Refrigerated cupboard (STUDIO 54) OASIS1400
 OASIS700
 for Refrigerated cupboard (WHIRLPOOL) AFW1400
 AFW700
 for Refrigerated cupboard (AFINOX) AR300LT



DEXION 022104-00

3053258 UPPER HINGE LEFT/LOWER RIGHT



DEXION RIC0002971
DEXION 011563-00R

DEXION 011563-00

DEXION 011563-00-R

3053946 LEFT HAND DOOR RETURN SPRING

length 148 mm
 ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING

length 148 mm
 ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R

DEXION 011573-00R

3053259 UPPER HINGE RIGHT/LOWER LEFT



DEXION 011561-00

DEXION 011561-00R

3053946 LEFT HAND DOOR RETURN SPRING

length 148 mm
 ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING

length 148 mm
 ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R

DEXION 011573-00R



Lamps

3221935 GREEN INDICATOR LAMP 230V
 mounting hole 30x11 mm - 120°C
 for Refrigerated cupboard (DEXION)
 for Refrigerated table (DEXION)



DEXION 013472-00-R

3221117 GREEN INDICATOR LAMP 400V
 head ø 18 mm - hole ø 12 mm - 150°C



DEXION 011486-00-R

DEXION 5229054

Locks

3388905 LOCK COMPLETE
 cylinder ø 19x21 mm



DEXION 013494-00

DEXION 013494-00R

3388910 LOCK COMPLETE
 cylinder ø 19x16 mm



DEXION 013486-00

DEXION 013486-00R

3388916 LOCK COMPLETE
 cylinder ø 19x39 mm
 for Refrigerated cupboard (FRIULINOX) - Series AF
 Series AFP - Series AFVTR - AG60 - Series AP
 Series AR - Series ARF - Series ARP - Series ARR
 Series ARVTR - EN1 - EN2



DEXION

Microswitches

3240825 MICROSWITCH MODEL DC 007323 250V 1.5A
 with 60-cm cable



DEXION 012730-00

DEXION 012730-00R

3240123 MICROSWITCH 16A 250V



DEXION



Suitable for:

DEXION



Suitable for:

Motors


3240211 5-POLE MOTOR ELCO 10W
 230V 50/60Hz 1300rpm 38W Input
 VN 10-20
 for Refrigerated cupboard (IARP) CF700A



DEXION 012725-00-R

Relays

3351900 RELAY B2-3 250V 16A
 tripolar changeover switch



DEXION


3351901 RELAY 60.62 10A 230V 50/60Hz
 2 switching contacts



DEXION 019032-00-R


DEXION 01903200R

3351605 RELAY 60.63 10A 230V 50/60Hz
 3 switching contacts




DEXION

3351021 RELAY 62.82 16A 230V 50/60Hz
 2 switching contacts



DEXION

3351602 RELAY 65.31 30A 250V 50/60Hz
 1 cut-off contact



DEXION

Springs

3053947 HALF DOOR UPPER SPRING



DEXION 011574-00

DEXION 011574-00R



Supports

3391911 GRIDS SUPPORT 650x56x35 mm
for 8 grids



DEXION SAG000053

Switches

3319965 GREEN SINGLE POLE SWITCH 16A 250V
16(4)A 250V - with indicator lamp
0-1 silk-screen printing
max temperature 120°C
lead connector 6.35x0.8 mm
mounting hole 11x30 mm




DEXION 013473-00-R

DEXION 017462-00

DEXION 017462-00-R

3319966 ORANGE SINGLE POLE SWITCH 16A 250V
16(4)A 250V - with indicator light
fan silk-screen printing
max temperature 120°C
lead connector 6.35x0.8 mm
mounting hole 11x30 mm



DEXION 013474-00-R

Tangential fans


3526019 TANGENTIAL BLOWER QL45 180 mm RIGHT
230V 50/60Hz - ø 45 mm
QLK45/1800 A108-2513L-93 vr



DEXION 012726-00-R

Terminal blocks

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



DEXION

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



DEXION



Suitable for:

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



DEXION


DEXION



Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



DEXION

Thermostatic valves for refrigeration

3150046 DANFOSS ORIFICE 00
068-2003



DEXION 013485-00

3150041 THERMOSTATIC EXPANSION VALVE TN2 R134a
with internal equalizer
inlet 3/8"saе
outlet 1/2"saе
operating range -40°/+10°C
DANFOSS 068Z3346



DEXION 014607-00


3150043 THERMOSTATIC EXPANSION VALVE TS2 R404a
with internal equalizer
inlet 3/8"saе
outlet 1/2"saе
operating range -40°/+10°C
DANFOSS 068Z3400



DEXION 018597-00

Thermostats

3444172 THERMOSTAT -35+35°C TR711N
3 contacts 15A 250V
capillary 1500 mm
bulb ø 6x110 mm
D shaft ø 6x4.6 mm



DEXION 012727-00

3444911 THERMOSTAT RANCO K50 L3078
2 contacts 6A 250V
capillary 2000 mm
COLD -7.0°C - WARM +7.5°C
D shaft ø 6x4.6 mm




DEXION 013475-00

DEXION 013475-00-R



Suitable for:

3444957 THERMOSTAT RANCO K50 L3194
 2 contacts 6A 250V
 capillary 1800 mm
 COLD +1.0°C - WARM +10.0°C
 D shaft \varnothing 6x4.6 mm




DEXION 013471-00

DEXION 013471-00-R

Suitable for:

3444956 THERMOSTAT RANCO K50P1117
 2 contacts 6A 250V
 capillary length 2000 mm
 COLD -34°C - WARM -12°C
 D shaft \varnothing 6x4.6 mm




DEXION 013477-00

DEXION 013477-00-R

Timers


3322024 TIMER D94.44L 1 CAM
 6 hours - 10 minutes
 220V 50/60HZ
 clockwise rotation



DEXION 013467-00

DEXION 013467-00-R

3322901 TIMER SB3.82
 24 hours cycle (1 - 12)
 defrosting from 2 to 60 minutes
 with fan delay
 230V 50Hz



DEXION 012720-01-R

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



DEXION 014675-00-R

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA
via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com

FRANCE



EPGC Sas
13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk

RUSSIA



OOO LF
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru

CHINA



LF China
Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com