



Spare parts for:

## Commercial refrigeration



Suitable for:

# ELECTROLUX



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# ELECTROLUX



Suitable for:

## Axial motors

**3240519 AXIAL FAN EBM 119x119x38 mm**  
ball bearing  
230V 50Hz 19W 2650rpm  
4656N



ELECTROLUX

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ELECTROLUX 0C1478

ELECTROLUX 0C4106

ELECTROLUX 0C4423

ELECTROLUX 0E2261

ELECTROLUX 002656

ELECTROLUX 002690

ELECTROLUX 058855

**3240502 AXIAL FAN SUNON 80x80x25 mm**  
ball bearings  
230V 50/60Hz 14W 2450rpm  
SF23080AT-2082HBL.GN



ELECTROLUX 006125

**3240515 AXIAL VENTILATOR EBM 80x80x38 mm**  
ball bearings  
230V 50Hz 12W 2800rpm  
8556N



ELECTROLUX 083528

## Bearings

**3063900 BEARING FOR DRAWER GUIDE  $\varnothing$  24 mm**  
for Refrigerated table



ELECTROLUX 0A8292

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0U0403

ELECTROLUX 056148

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 037269

ELECTROLUX 047541

ELECTROLUX 047883



Suitable for:

**3068024 CAPACITOR  $\mu\text{F}$  16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0A2914

ELECTROLUX 0C1187

ELECTROLUX 0H6812

Suitable for:

**3068002 CAPACITOR  $\mu\text{F}$  2.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 0E0174


**3068027 CAPACITOR  $\mu\text{F}$  20 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 0H1044

ELECTROLUX 047744

**3068008 CAPACITOR  $\mu\text{F}$  5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 0K9108


ELECTROLUX 037268

**3068010 CAPACITOR  $\mu\text{F}$  6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX 049260

**3068014 CAPACITOR  $\mu\text{F}$  8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX 049126

**3068040 RUNNING CAPACITOR  $15\mu\text{F}$  450V**  
 $\varnothing 40 \times 98\text{h mm}$



ELECTROLUX 089915

**3068036 RUNNING CAPACITOR  $25\mu\text{F}$  450V**  
 $\varnothing 45 \times 98\text{h mm}$



ELECTROLUX 005135

**3068101 STARTING CAPACITOR  $43/52\mu\text{F}$  330V**



ELECTROLUX 0A8764

ELECTROLUX 086359

**3068103 STARTING CAPACITOR  $88/103\mu\text{F}$  330V**



ELECTROLUX 0KQ662

ELECTROLUX 083449

ELECTROLUX 086174



Suitable for:

**ELECTROLUX**



Suitable for:

## Centrifugal fans

### 3240591 RADIAL VENTILATOR R2E190-A026-73

230V 50/60Hz 58W 0,26A 2500rpm  
ø 190 mm - capacitor 2µF (not included)  
for Refrigerated cupboard (STUDIO 54) OASIS1400  
OASIS700  
for Refrigerated cupboard (WHIRLPOOL) AFW1400  
AFW1410 - AFW700 - AFW710



ELECTROLUX 0E5666

## Check-safety valves for refrigeration

### 3150016 SAFETY VALVE 3060/23C300 30 bar

inlet 1/4"npt - outlet 3/8"sae



ELECTROLUX 092141

## Clamps

### 3449457 HOSE CLAMP 60-80

for pipes ø 60÷80 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ELECTROLUX 046853

## Compensation valves for refrigeration

### 3526800 COMPENSATION VALVE MINI EL/TN

ø 60 mm  
for positive temperature  
without heating element



ELECTROLUX 081971



## Compressors and spares

**3070011 COMPRESSOR CUBIGEL GL45TB CSIR**  
 power 1/6 HP. displacement 4.50 cc  
 220/240V 50Hz  
 CUBIGEL



ELECTROLUX 085501

**3070012 COMPRESSOR CUBIGEL GL60TB CSIR**  
 220/240V. 50Hz  
 power 1/5 Hp, displacement 5.67 cc  
 gas R134a HMBP  
 for Refrigerated cupboard (MONDIAL ELITE) KPVX40  
 KPV40  
 for Refrigerated cupboard (WHIRLPOOL) AGB774  
 AGB840



ELECTROLUX 085876

**3070013 COMPRESSOR CUBIGEL GL80TB CSIR**  
 220/240V 50Hz  
 power 1/5 Hp, displacement 7.57 cc  
 gas R134a HMBP  
 for Refrigerated cupboard (MONDIAL ELITE) KPVX60  
 KPV60  
 for Refrigerated cupboard (WHIRLPOOL) AGB777  
 AGB780



ELECTROLUX 083735

**3070014 COMPRESSOR CUBIGEL GL90TB CSIR**  
 220/240V 50Hz  
 power 1/4 Hp, displacement 8.85 cc  
 gas R134a HMBP



ELECTROLUX 083718

**3070015 COMPRESSOR CUBIGEL GP12TB CSIR**  
 220/240V 50Hz  
 power 1/3 Hp, displacement 12.00 cc  
 gas R134a HMBP



ELECTROLUX 083752

**3070051 COMPRESSOR CUBIGEL GP14TB CSIR**  
 220/240V 50Hz  
 power 3/8 Hp, displacement 14.00 cc  
 gas R134a HMBP



ELECTROLUX 083728

**3070086 COMPRESSOR CUBIGEL GS34TB CSR**  
 220/240V 50Hz  
 power 1 Hp, displacement 34.4 cc  
 gas R134a HMBP



ELECTROLUX 084763

**3070031 COMPRESSOR CUBIGEL MP12FB CSIR**  
 220/240V 50Hz  
 power 3/8 Hp, displacement 12.00 cc  
 gas R404a/R507 LBP  
 for Refrigerated cupboard (MONDIAL ELITE) KNX60  
 KN60  
 for Refrigerated cupboard (WHIRLPOOL) AGB777  
 AGB778



ELECTROLUX 087001



Suitable for:

# ELECTROLUX



**3070032 COMPRESSOR CUBIGEL MP14FB CSIR**  
220/240V 50Hz  
power 1/2 Hp, displacement 14.00 cc  
gas R404a/R507 LBP



ELECTROLUX 0A9615

**3070066 COMPRESSOR CUBIGEL MS34FB CSR**  
220/240V 50Hz  
power 1.5 Hp, displacement 34.42 cc  
gas R404a/R507 LBP



ELECTROLUX 0A9727

ELECTROLUX 084499

**3070033 COMPRESSOR CUBIGEL MX18FBa CSR**  
220/240V 50Hz  
power 5/8 Hp, displacement 18.39 cc  
gas R404a/R507 LBP



ELECTROLUX 091221

**3070218 COMPRESSOR EMBRACO EMT6144Z CSIR**  
220/240V 50Hz  
power 1/6 Hp, displacement 5.20 cc  
gas R134a HMBP  
ASPERA



ELECTROLUX 0S0590

**3070123 COMPRESSOR EMBRACO NJ2192GK CSR**  
220/240V, 50Hz  
power 1.2 Hp, displacement 26.20 cc  
gas R404a/R507 LBP  
ASPERA



ELECTROLUX 084076

ELECTROLUX 099654

**3070045 COMPRESSOR EMBRACO NJ2212GK CSR**  
220/240V 50Hz  
power 1.5 Hp, displacement 34.37 cc  
gas R404a/R507 LBP  
ASPERA



ELECTROLUX 085097

**3070018 COMPRESSOR EMBRACO NJ9232GK CSR**  
220/240v 50Hz  
power 1.2 Hp, displacement 26.20 cc  
gas R404a/R507 HMBP  
ASPERA



ELECTROLUX 092906

**3070027 COMPRESSOR EMBRACO NJ9232GS**  
400V 3Ph 50Hz  
power 1.2 Hp, displacement 26.20 cc  
gas R404a/R507 HMBP  
ASPERA



ELECTROLUX 085563



Suitable for:

**3070028 COMPRESSOR EMBRACO NJ9238GS**  
 400V 3Ph 50Hz  
 power 1.5 Hp, displacement 32.70 cc  
 gas R404a/R507  
 ASPERA



ELECTROLUX 089761

Suitable for:

**3070170 COMPRESSOR EMBRACO NT2180GK CSR**  
 220/240V 50Hz  
 power 1 Hp, displacement 20.40 cc  
 gas R404a/R507 LBP  
 ASPERA  
 for Refrigerated cupboard (ZANUSSI) RS13FX42F



ELECTROLUX 093735

**3070068 COMPRESSOR SECOP SC15G CSIR**  
 220/230V 50Hz  
 power 3/8 Hp - displacement 15.28 cc  
 gas R134a HMBP  
 104G8520-HST DANFOSS



ELECTROLUX 0T5270

**3070130 COMPRESSOR TECUMSEH CAJ9480Z CSR**  
 220/240V 50Hz  
 Rotalock suction connection  
 power 5/8 Hp, displacement 15.2 cc  
 gas R404a/R507 HMBP



ELECTROLUX 0D2530

ELECTROLUX 0D2530+089652

ELECTROLUX 089652

ELECTROLUX 089652+0D2530

## Condensers

**3068901 CONDENSER STN 8324 1x230 mm**  
 output 1125W DT 15°C  
 300x90x250h



ELECTROLUX 082229

## Contactors


**3446561 CONTACTOR LOVATO BF0910A**  
 coil 9A 230V 50/60Hz 4.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ELECTROLUX 003027

ELECTROLUX 004206

**3454022 CONTACTOR LOVATO BF1201A**  
 coil 12A 230V 50/60Hz 5.7Kw  
 3 normally closed contacts  
 1 normally closed auxiliary contact



ELECTROLUX 0KD792




Suitable for:

# ELECTROLUX




**3446506 CONTACTOR LOVATO BF2510A**  
 25A 400V 12.5Kw  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



ELECTROLUX 0K4938

ELECTROLUX 054928

**3446552 CONTACTOR LOVATO BG0610A**  
 coil 6A 230V 50/60Hz 2.2Kw  
 3 normally open contacts  
 1 normally open auxiliary contact




ELECTROLUX 086215

**3446214 CONTACTOR LOVATO BG09T4A**  
 4KW 400V 9A - 4 normally open contacts  
 coil 230V 50/60Hz



ELECTROLUX

**3446557 CONTACTOR LOVATO BG0901A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



ELECTROLUX 086169

**3446556 CONTACTOR LOVATO BG0910A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally open auxiliary contact




ELECTROLUX 048519

ELECTROLUX 075796

## Door catches

**3398900 DOOR CATCH - 3 PIECES**



ELECTROLUX 082225



## Doors

### 3058002 INNER DOOR FOR REFRIGERATOR

dimensions 670x1570 mm  
grey  
old series



ELECTROLUX 081292

## Drip trays for refrigeration

### 3015900 DRIP TRAY

530x325x40 mm  
gastronorm 1/1  
for Refrigerated cupboard (ZANUSSI) - Series ALF  
Series ALN - Series ALP  
for Refrigerated table (ZANUSSI) - Series MVR



ELECTROLUX 080803

### 3015008 STAINLESS STEEL DRIP TRAY

300x145x35 mm  
for Refrigerated cupboard (ZANUSSI)




ELECTROLUX 083813

## Electronic printed-circuit boards

### 3390086 DISPLAY CIRCUIT BOARD 185x50 mm

cable length 500 mm  
for Refrigerated cupboard (ZANUSSI) ADF110ES




ELECTROLUX 087481

## Electronic thermostats and controllers

### 4091642 CONTROLLER CAREL IRELCOHN215


115/230V 50/60Hz  
1 relay output 12A  
3 relay outputs 8A  
2 NTC probes (not included)  
2 digital inputs  
ELECTROLUX-ZANUSSI configuration



ELECTROLUX 091642

### 4091609 CONTROLLER CAREL IRELF0EN215

115/230V 50/60Hz  
2 relay outputs 8A  
1 relay output 6A  
2 NTC probes (not included)  
1 digital input  
ELECTROLUX-ZANUSSI configuration



ELECTROLUX 091609





Suitable for:

# ELECTROLUX




Suitable for:

**4092355** **CONTROLLER CAREL IRELF0HN245**  
 115/230V  
 1 relay output 12A  
 2 relay outputs 8A  
 3 NCT probes (not included)  
 1 digital input  
 ELECTROLUX-ZANUSSI configuration



ELECTROLUX 092355

**3445375** **CONTROLLER ELIWELL ID PLUS 902**  
 230V 50/60Hz  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



ELECTROLUX 050295

**3445028** **PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm  
 for Refrigerated cupboard (ZANUSSI) - Series ADF  
 Series ADN



ELECTROLUX 087832

ELECTROLUX 092176

**3445070** **PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX 050302

ELECTROLUX 083583

**3445399** **CONTROLLER ELIWELL ID PLUS 902**  
 12Vac/dc  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32x59 mm  
 mounting hole 71x29 mm



ELECTROLUX 050296

ELECTROLUX 082388

ELECTROLUX 082396

**3445028** **PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm  
 for Refrigerated cupboard (ZANUSSI) - Series ADF  
 Series ADN



ELECTROLUX 087832

ELECTROLUX 092176

ELECTROLUX 082484



Suitable for:

Suitable for:


**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583

**3445376 CONTROLLER ELIWELL ID PLUS 961**  
 230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 pause defrosting  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



ELECTROLUX 089903

**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583

**3445378 CONTROLLER ELIWELL ID PLUS 974**  
 230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 relay output 8A for defrosting  
 1 relay output 5A for fans  
 2 selectable NTC/PTC/PT1000 probes (not included)  
 1 programmable digital/temperature input  
 1 programmable digital input  
 TTL input for copy card connection  
 with buzzer  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



ELECTROLUX 0S0788

ELECTROLUX 008904

ELECTROLUX 089904

ELECTROLUX 089913

ELECTROLUX 099276

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm  
 for Refrigerated cupboard (ZANUSSI) - Series ADF  
 Series ADN



ELECTROLUX 087832

ELECTROLUX 092176

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm  
 for Refrigerated cupboard (ZANUSSI) - Series ADF  
 Series ADN



ELECTROLUX 087832

ELECTROLUX 092176



Suitable for:

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ELECTROLUX 0S0302


ELECTROLUX 083583

# ELECTROLUX



Suitable for:

**3445402 CONTROLLER ELIWELL ID PLUS 974**  
12Vac/dc  
1 relay output 2Hp for compressor  
1 relay output 8A for defrosting  
1 relay output 5A for fans  
2 selectable NTC/PTC/PT1000 probes (not included)  
1 programmable digital/temperature input  
1 programmable digital input  
TTL input for copy card connection  
with buzzer  
front dimension 74x32xdepth 59 mm  
mounting hole 71x29 mm



ELECTROLUX 088395

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583

**3445028 PROBE NTC PVC 4000 mm**  
temperature field -30°+80°C  
bulb ø 6x20 mm  
for Refrigerated cupboard (ZANUSSI) - Series ADF  
Series ADN



ELECTROLUX 087832

ELECTROLUX 092176

## Evaporators

**3123906 EVAPORATOR D4150 690x315x105 mm**  
for Refrigerated cupboard (ZANUSSI) AKP230  
ALN220 - ALN240 - ALP220 - ALP240 - IKN220  
IKP220 - ILN220 - ILN240 - ILP220 - ILP240  
ISN220 - ISP220



ELECTROLUX 082231

**3123907 EVAPORATOR D4151 315x125x105 mm**  
for Refrigerated cupboard (ZANUSSI) ILNN220  
ILN110 - ILP110 - ILP120




ELECTROLUX 082211



Suitable for:


**3068902** **EVAPORATOR D4241 395x250x100 mm**  
for Refrigerated table (ZANUSSI)



ELECTROLUX 082732

Suitable for:

**3123141** **EVAPORATOR ECO D52686**  
size 430x100x60 mm  
for Refrigerated cupboard (ZANUSSI) ESMLR60  
MLP600 - MLP601 - MLP602 - MLP609



ELECTROLUX 0A9106

**3123142** **EVAPORATOR ECO D53733**  
size 935x 100x110 mm  
for Refrigerated cupboard (ZANUSSI) MLP130  
MLP131 - MLP132 - MLP139



ELECTROLUX 0A9210

**3123135** **EVAPORATOR ECO 57752**  
455x300x110 mm  
for Refrigerated cupboard (ZANUSSI) AKS110  
ASS110 - IKP220N - IKS110 - ILS110 - ISS110



ELECTROLUX 082410

**3123140** **EVAPORATOR ECO 81111**  
size 450x115x95 mm  
for Refrigerated cupboard (ZANUSSI) ESMLF60  
MLC600 - MLC601 - MLC602 - MLPC09



ELECTROLUX 0A9212

**3123086** **EVAPORATOR ROLL BOND**  
dimensions 895x520 mm  
with capillary  
for Refrigerated cupboard (ZANUSSI)




ELECTROLUX 0A9550

**40A9672** **EVAPORATOR 460x205x200 mm**  
for Refrigerated cupboard (ZANUSSI) ADF220  
ADN220 - AEF220 - AEF240 - AEN220 - AEN240  
ALN220 - ALN240 - ASF220 - ASN220



ELECTROLUX 0A9672

**3123001** **EVAPORATOR 57602 410x230x130 mm**  
for 650 L  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 0A9681

ELECTROLUX 087402



Suitable for:

# ELECTROLUX



Suitable for:

## Fans for motors

**3240394 PUSHER FAN  $\varnothing$  230 mm 28°**  
for Refrigerated cupboard (ZANUSSI) C04NVF4D



ELECTROLUX 085532

**3240220 SUCTION BLADE  $\varnothing$  200 mm 28°**  
for Refrigerated cupboard (MONDIAL ELITE) KNX60  
KN60  
for Refrigerated cupboard (WHIRLPOOL) AGB777  
AGB778



ELECTROLUX 0KM741

ELECTROLUX 082874

ELECTROLUX 084041

**3240222 SUCTION BLADE  $\varnothing$  230 mm 28°**



ELECTROLUX 0A8420

ELECTROLUX 082230

ELECTROLUX 086327

**3240964 SUCTION BLADE  $\varnothing$  250 mm 28°**



ELECTROLUX 086311

**3240965 SUCTION BLADE  $\varnothing$  300 mm 28°**



ELECTROLUX 0KM740

ELECTROLUX 087797

## Feet

**3313036 ADJUSTABLE S/STEEL FOOT  $\varnothing$  1" x h 115 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 115÷205 mm



ELECTROLUX 032550

**3313045 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with square flange 74x74x2.5 mm  
adjustable height 135÷235 mm



ELECTROLUX 048579





Suitable for:

**3313110 ADJUSTABLE STAINLESS STEEL FOOT  $\varnothing$  2"**  
 adjustable 145-230 mm  
 flange 130x90 mm  
 for Refrigerated cupboard (ZANUSSI) AKF110  
 ALF110 - ASF110 - FVNE061 - RSD36



ELECTROLUX 0A9138

Suitable for:

**3313109 FOOT M8xh39 mm**  
 base  $\varnothing$  39 mm  
 for Refrigerated cupboard (WHIRLPOOL) EC406  
 Series EKE - EN406 - EP406 - MP402 - MRL402  
 NEPA40 - NEPV40 - RW24  
 for Refrigerated cupboard (ZANUSSI) EC406  
 Series EKE - EN406 - EP406 - MP402 - MRL402  
 NEPA40 - NEPV40 - RW24



ELECTROLUX 0A8640

**3313003 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
 with rectangular flange 100x90 mm



ELECTROLUX 057536

**3313001 STAINLESS STEEL FOOT  $\varnothing$  2" HEIGHT 125 mm**



ELECTROLUX 053792

## Filters for refrigeration

**3160913 ANTIACID DEHYDRATOR FILTER 4305/2**  
 1/4"MM sae lenght 119 mm  $\varnothing$  52 mm  
 with solid cartridge - CODE INT.052  
 nominal cubature 80 cm<sup>3</sup>



ELECTROLUX 086312

**3160401 COPPER FILTER 15 g**  
 3 ways - inlet 6.5-6.5 mm outlet 2.6 mm  
 $\varnothing$  16 mm - length 170 mm  
 for Refrigerated cupboard (WHIRLPOOL) - Series IKN  
 for Refrigerated cupboard (ZANUSSI) - Series IKN



ELECTROLUX 083854

**3160244 COPPER FILTER 30 g**  
 2 ways - inlet 6.5 mm outlet 6.5 mm  
 $\varnothing$  24 mm - length 140 mm



ELECTROLUX 0A9410



Suitable for:

# ELECTROLUX



Suitable for:

## Fittings

**3526812 ACCES VALVE WITH TUBE 10 cm ø 6 mm**



ELECTROLUX 0A8171

**3526023 VALVE INTERNAL MECHANISM**



ELECTROLUX 085290

## Fuses

**3049003 DELAY FUSE 5x20 - 10 PCS**  
250V 100mA



ELECTROLUX 086338

**3049012 DELAY FUSE 5x20 - 10 PCS**  
250V 800mA



ELECTROLUX 0C2301

**3049038 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 160mA



ELECTROLUX 002820

**3049040 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 250mA



ELECTROLUX 002920

**3049041 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 315mA



ELECTROLUX 0W3499

ELECTROLUX 005032

ELECTROLUX 4005032

**3049042 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 400mA



ELECTROLUX 002750

**3049044 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 630mA



ELECTROLUX 058871

**3049049 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 2A



ELECTROLUX 0A8438



Suitable for:

Suitable for:


**3049052 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 4A



ELECTROLUX 057783

## Gaskets for refrigerators


**3186075 MIDDLE EDGED GASKET 1570x670 mm**  
magnetic - white colour



ELECTROLUX 0A8048


ELECTROLUX 081293

**3186926 MIDDLE EDGED GASKET 382x335 mm**  
magnetic - white colour  
for Refrigerated table (ZANUSSI) - Series TR




ELECTROLUX 084025

**3186080 MIDDLE EDGED GASKET 390x185 mm**  
magnetic - white colour  
for REFRIGERATED COUNTERS




ELECTROLUX 0A8083

**3186769 MIDDLE EDGED GASKET 390x198 mm**  
magnetic - color white




ELECTROLUX 0A8379

**3186081 MIDDLE EDGED GASKET 390x310 mm**  
magnetic - white colour  
for REFRIGERATED COUNTERS




ELECTROLUX 0A8079

**3186082 MIDDLE EDGED GASKET 435x390 mm**  
magnetic - white colour  
for REFRIGERATED COUNTERS




ELECTROLUX 0A8081

**3186925 MIDDLE EDGED GASKET 590x382 mm**  
magnetic - white colour  
for Refrigerated table (ZANUSSI) - Series TR



ELECTROLUX 084026

**3186083 MIDDLE EDGED GASKET 640x390 mm**  
magnetic -white colour  
for REFRIGERATED COUNTERS




ELECTROLUX 0A8075



Suitable for:

**3186070 MIDDLE EDGED GASKET 770x670 mm**  
magnetic - white colour



ELECTROLUX 0A8049


ELECTROLUX 081294

# ELECTROLUX




Suitable for:

**4088076 SNA-IN GASKET 1699x618 mm**  
magnetic  
for Refrigerated cupboard (ZANUSSI) APF22B  
APF223 - APF224 - APP11B - APP113 - APP114  
APP224 - CM06RFWM - CM06RF3M - CM06RF4M  
CM13FFWM - CM13FF3M - CM13FF4M - M06P0M1C  
M06P2M1C - M06P9M1C - M13COM2C - M13C2M2C  
M13C9M2C




ELECTROLUX 088076

**3186914 SNAP-IN DOOR GASKET 1470x690 mm**  
magnetic - grey colour  
for REFRIGERATORS




ELECTROLUX 0A8365

**3186928 SNAP-IN DOOR GASKET 1530x660 mm**  
magnetic - grey colour  
for REFRIGERATOR




ELECTROLUX 082375

**3186846 SNAP-IN DOOR GASKET 1530x665 mm**  
magnetic - black colour  
for CABINETS




ELECTROLUX 082586

**3186933 SNAP-IN DOOR GASKET 1570x665 mm**  
magnetic - grey colour  
for REFRIGERATOR (old type)




ELECTROLUX 0A8225

**3186920 SNAP-IN DOOR GASKET 325x170 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) - Series TRN



ELECTROLUX 082740

**3186923 SNAP-IN DOOR GASKET 385x155 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) - Series MVR  
Series TRN




ELECTROLUX 031694



Suitable for:


**3186930 SNAP-IN DOOR GASKET 385x215 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) TR1202 - TR1221  
TR1603 - TR1622 - TR1641 - TR2004



ELECTROLUX 081772


Suitable for:

**3186921 SNAP-IN DOOR GASKET 385x275 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) - Series TRN




ELECTROLUX 082759

**3186932 SNAP-IN DOOR GASKET 385x335 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) TR1202 - TR1221  
TR1603 - TR1622 - TR1641 - TR2004




ELECTROLUX 081815

**3186931 SNAP-IN DOOR GASKET 600x385 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) TR1202 - TR1221  
TR1603 - TR1622 - TR1641 - TR2004




ELECTROLUX 081805

**3186929 SNAP-IN DOOR GASKET 735x660 mm**  
magnetic - grey colour  
for REFRIGERATOR




ELECTROLUX 082424

**3186917 SNAP-IN DOOR GASKET 760x665 mm**  
magnetic - grey colour  
for REFRIGERATORS




ELECTROLUX 0A8230

**3786465 SNAP-IN GASKET 1545x635 mm**  
magnetic - colour grey




ELECTROLUX 083851

**3186919 SNAP-IN GASKET 1480x640 mm**  
magnetic - grey  
for Refrigerated cupboard (WHIRLPOOL) ADN110  
ADN220 - AKN110 - AKN220 - ASN110 - ASN220  
C14RM - KDNE662 - RSD36 - RS212 - RVNM051  
RVNM061 - RVNM142  
for Refrigerated cupboard (ZANUSSI) E14COD2C




ELECTROLUX 087129

**3186077 SNAP-IN GASKET 1500x710 mm**  
magnetic - grey colour



ELECTROLUX 081724

**3786378 SNAP-IN GASKET 1512x642 mm**  
magnetic - color grey




ELECTROLUX 089735





Suitable for:


**3186845 SNAP-IN GASKET 1515x685 mm**  
magnetic - grey colour  
for 400 L CABINET



ELECTROLUX 0A8647


Suitable for:

**3186599 SNAP-IN GASKET 1531x682 mm**  
magnetic - grey color  
for Refrigerated cupboard (WHIRLPOOL) RW24  
for Refrigerated cupboard (ZANUSSI) RS24




ELECTROLUX 085719

**3186074 SNAP-IN GASKET 1544x652 mm**  
magnetic - grey color




ELECTROLUX 081943

**3186076 SNAP-IN GASKET 1570x670 mm**  
magnetic - grey colour




ELECTROLUX 080959

**3186505 SNAP-IN GASKET 1695x600 mm**  
magnetic-colour grey  
for Refrigerated cupboard (WHIRLPOOL) - Series APF  
Series APP  
for Refrigerated cupboard (ZANUSSI) - Series APF  
Series APP - M13P0M2C 728260




ELECTROLUX 087357

**3186507 SNAP-IN GASKET 1700x612 mm**  
magnetic - grey colour  
for REFRIGERATOR 600 L




ELECTROLUX 0A9099

**3786482 SNAP-IN GASKET 1705x663 mm**  
magnetic - grey colour  
for Refrigerated cupboard (WHIRLPOOL) WDE752  
WE751 - WZ751  
for Refrigerated cupboard (ZANUSSI) WE751



ELECTROLUX 087824

**3786549 SNAP-IN GASKET 1805x740 mm**  
magnetic - grey colour  
for Refrigerated cupboard (ALPENINOX)  
for Refrigerated cupboard (WHIRLPOOL) EWDE602  
EWDZ602 - EWE601 - EWZ601  
for Refrigerated cupboard (ZANUSSI) EWDE602  
EWDZ602 - EWE601 - EWZ601




ELECTROLUX 0A9180



Suitable for:


**4088028 SNAP-IN GASKET 374x363 mm**  
magnetic



ELECTROLUX 088028


Suitable for:

**3186485 SNAP-IN GASKET 385x170 mm**  
magnetic-colour grey  
for Refrigerated table (ZANUSSI) - Series EDON  
Series EDORN




ELECTROLUX 0A8752

**3786484 SNAP-IN GASKET 407x175 mm**  
magnetic - colour grey  
for Refrigerated table (ZANUSSI) - Series EDON  
Series RCDR - Series TRNA - Series TRRN




ELECTROLUX 088484

**3186486 SNAP-IN GASKET 407x270 mm**  
magnetic-colour grey  
for Refrigerated table (WHIRLPOOL) - Series EDON  
Series RCDR - Series TRNA - Series TRRN  
for Refrigerated table (ZANUSSI) - Series EDON  
Series TRN




ELECTROLUX 087691

**3786483 SNAP-IN GASKET 441x366 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) DRPAF12 - DRPAF16  
SSDPC12 - SSDPC16




ELECTROLUX 088055

**3786400 SNAP-IN GASKET 510x435 mm**  
magnetic - grey colour  
for Display cabinet refrigerated (ZANUSSI) SAL25




ELECTROLUX 0A9647

**3186487 SNAP-IN GASKET 570x405 mm**  
magnetic-colour grey  
for Refrigerated table (WHIRLPOOL) - Series EDON  
Series RCDR - Series TRNA - Series TRRN  
for Refrigerated table (ZANUSSI) - Series TRN



ELECTROLUX 087664

**3186922 SNAP-IN GASKET 580x385 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) - Series TRN



ELECTROLUX 082725




Suitable for:

# ELECTROLUX




**3786553 SNAP-IN GASKET 580x407 mm**  
magnetic - grey colour  
for Refrigerated table (ZANUSSI) STRP1101




ELECTROLUX 089183

Suitable for:  
**4099531 SNAP-IN GASKET 585x415 mm**  
magnetic  
for Refrigerated table (ZANUSSI) HB4P




ELECTROLUX 099531

**5048656 SNAP-IN GASKET 590x385 mm**  
magnetic - colour grey  
for Refrigerated table (ZANUSSI) - Series TRN




ELECTROLUX 082725

**3786586 SNAP-IN GASKET 590x397 mm**  
magnetic - grey color




ELECTROLUX 0A9565

**3186484 SNAP-IN GASKET 595x465 mm**  
magnetic-colour grey  
for Refrigerated table (ZANUSSI) - Series EDON  
Series EDORN - Series ZBRAV




ELECTROLUX 0A8992

**3186600 SNAP-IN GASKET 685x590 mm**  
magnetic - grey color  
for Refrigerated cupboard (ZANUSSI) PFF119




ELECTROLUX 087451

**3186488 SNAP-IN GASKET 710x650 mm**  
magnetic - grey colour  
for Refrigerated cupboard (ZANUSSI) - Series ADN



ELECTROLUX 0A9741

**3186071 SNAP-IN GASKET 730x710 mm**  
magnetic - grey colour



ELECTROLUX 081725

## Glues

**3180021 THERMAL MASTIC 228 g PM8 TUBE**  
pasta termoconduttrice  
temperatura di utilizzo -45°+105°C



ELECTROLUX 049196

**Grids for refrigerator-oven****3185054 CHROME PLATED GRID GN 1/1 530x325 mm**

ELECTROLUX 057468

**3185055 CHROME PLATED GRID GN 2/1 530x650 mm**

ELECTROLUX 025020


ELECTROLUX 081883

**3185911 PLASTIC COVERED GRID 530x530 mm**  
for Refrigerated cupboard (ZANUSSI)


ELECTROLUX 082904

**3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm**  
grey colour

ELECTROLUX 082729

**3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm**  
white colour  
for Refrigerated cupboard (ZANUSSI)


ELECTROLUX 082885

**Guard grids****3185088 FAN GRILLE  $\varnothing$  200 mm**  
height 25 mm  
distance between mounting holes 236 mm

ELECTROLUX 083440

**Guides****3189001 LEFT-HAND DRAWER SLIDEWAY 620x30 mm**  
for Refrigerated table (ZANUSSI) - Series TRNP

ELECTROLUX 082742

**3063900 BEARING FOR DRAWER GUIDE  $\varnothing$  24 mm**  
for Refrigerated table

ELECTROLUX 0A8292



# ELECTROLUX



Suitable for:

**3189903 LEFT-HAND DRAWER SLIDEWAY 580x60 mm**  
for Refrigerated table (ZANUSSI) - Series TRN-EDON



ELECTROLUX 082761

**3391013 LEFT-RIGHT GRILL SLIDE 620x20 mm - 2 PCS**  
for Refrigerated cupboard (ZANUSSI) - Series ADN



ELECTROLUX 0A9680

ELECTROLUX 093851

**3189937 RH SHELF SLIDEWAY 565x20 mm**  
for REFRIGERATED TABLES




ELECTROLUX 082720

**3189000 RIGHT-HAND DRAWER SLIDEWAY 620x30 mm**  
for Refrigerated table (ZANUSSI) - Series TRNP



ELECTROLUX 082743

**3189940 RIGHT-HAND OVEN SHELF SLIDEWAY 645x20 mm**  
for REFRIGERATORS ALPENINOX (old model)



ELECTROLUX 0A8042


**3189009 SLIPPER FOR GLAS**



ELECTROLUX 083893

Suitable for:

**3189941 LEFT-HAND OVEN SHELF SLIDEWAY 645x20 mm**  
for REFRIGERATORS ALPENINOX (old model)



ELECTROLUX 0A8045

**3189936 LH SHELF SLIDEWAY 565x20 mm**  
for REFRIGERATED TABLES




ELECTROLUX 082719

**3189902 RIGHT-HAND DRAWER SLIDEWAY 580x60 mm**  
for Refrigerated table (ZANUSSI) - Series TRN-EDON



ELECTROLUX 082760

**3063900 BEARING FOR DRAWER GUIDE ø 24 mm**  
for Refrigerated table



ELECTROLUX 0A8292

**3391907 SHELF SLIDEWAYS 580x20 mm**



ELECTROLUX 082206


ELECTROLUX 082263

ELECTROLUX 093850



## Handles

**3242923 BLACK DOOR HANDLE 8730 276x28xh40 mm**  
 distance between holes 226 mm  
 insert in aluminium



ELECTROLUX 031529

**3242907 DOOR HANDLE ø 24x204 mm**



ELECTROLUX 081728

**3242906 DOOR HANDLE BASE 315x175 mm**




ELECTROLUX 054261

**3242907 DOOR HANDLE ø 24x204 mm**



ELECTROLUX 081728

**3242914 DOOR HANDLE WITH INSERT 5210-25**  
 distance between fixing holes 222 mm



ELECTROLUX 081838

ELECTROLUX 081846

**3242916 DOOR HANDLE WITH INSERT 5210-40**  
 distance between holes 376 mm



ELECTROLUX 081906+082448

**3242910 GREEN DOOR HANDLE ø 24x203 mm**



ELECTROLUX 081726

**3242061 HANDLE CAP**



ELECTROLUX 081727

**3242061 HANDLE CAP**



ELECTROLUX 081727

**3242133 LEFT PLASTIC HEAD**



ELECTROLUX 082728




Suitable for:

Suitable for:

## 3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188

RAHRBACH - distance between holes 150 mm  
base lenght 185.5x23.5x33.2h mm



ELECTROLUX 002278

ELECTROLUX 055510

ELECTROLUX 056459

## 3242131 PLASTIC HANDLE length 430 mm for REFRIGERATED TABLE



ELECTROLUX 082726

## 3242133 LEFT PLASTIC HEAD



ELECTROLUX 082728


## 3242132 RIGHT PLASTIC HEAD



ELECTROLUX 082727

## 3242579 RH-LH CATCH WITHOUT LOCK 570 CR

straight handgrip  
length 230x23 mm  
mounting distance 110 mm  
altezza aggancio 16,5 mm



ELECTROLUX 032156

## 3242132 RIGHT PLASTIC HEAD



ELECTROLUX 082727

## Heating elements

### 3455466 CARTRIDGE HEATING ELEMENT PTC 110W 230V


cartridge length 120 mm  $\varnothing$  12 mm  
power in absence of water 10W  
fitting 3/8"G  
cable length 1000 mm



ELECTROLUX 083814

### 3355911 CARTRIDGE HEATING ELEMENT 95W 230V

bulb:  $\varnothing$  12x120 mm  
connection  $\varnothing$  16 mm  
capillary length 4000 mm  
for TRAY  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 083814



Suitable for:

**3355903 HEATING ELEMENT 105W 220V**  
length 430 mm - width 47 mm  
height 120 mm  
for Refrigerated table (ZANUSSI) - Series TRN



ELECTROLUX 082731

**3355906 HEATING ELEMENT 160W 220V**  
length 380 mm - width 60 mm  
for Refrigerated table (ZANUSSI) - Series TRN



ELECTROLUX 082733

**3355901 HEATING ELEMENT 350W 220V**  
length 470 mm - width 65 mm  
height 90 mm  
for Refrigerated table (ZANUSSI)



ELECTROLUX 083530

**3355982 HEATING ELEMENT 480W 230V**  
length 365 mm - width 80 mm  
height 190 mm  
for Refrigerated cupboard (IRF)  
Series BASIC SHOP700-TNN/V  
Series SIRIUS1300-TNN/V



ELECTROLUX 088377


Suitable for:

**3355905 HEATING ELEMENT 120W 220V**  
length 210 mm - width 110 mm  
connection  $\varnothing$  14 mm  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082188

**3355900 HEATING ELEMENT 335W 220V**  
length 265 mm - width 320 mm  
for Refrigerated cupboard (WHIRLPOOL) - Series ALN  
Series ILF  
for Refrigerated cupboard (ZANUSSI)  
for Refrigerated table (ZANUSSI)



ELECTROLUX 083093

**3755271 HEATING ELEMENT 450W 230V**  
length 370 mm  
width 35 mm  
height 95 mm  
for EVAPORATOR  
for Refrigerated cupboard (ZANUSSI) ADN120  
ADNF220 - ADNN220 - ADN111 - AEN110 - AEN120  
ALN110 - ALN120 - ARDN110 - RGD36 - WDE752



ELECTROLUX 0A9683

**3355902 HEATING ELEMENT 540W 220V**  
length 735 mm  
width 310 mm  
for Refrigerated cupboard (WHIRLPOOL) - Series AKN  
Series ALF - Series ALN - Series IKF - Series IKN  
Series ILF - Series ISF - Series ISN  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082279



Suitable for:

**3355904 HEATING ELEMENT 610W 220V**  
length 480 mm - width 250 mm  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 0A8017

Suitable for:

**3355908 HEATING ELEMENT 85W 220V**  
length 495 mm - width 60 mm  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 0A8134

## Hinges, catches and accessories

**3053523 BOTTOM HINGE**  
for Refrigerated cupboard (ZANUSSI) WE751 - WZ751



ELECTROLUX 087826

**3053908 BRACKET BUSHING 22 x 22 mm**  
for Refrigerated cupboard (STUDIO 54) OASI700  
for Refrigerated cupboard (WHIRLPOOL) AFW1400  
AFW700 - OASI1400



ELECTROLUX 081654

**3053913 DOOR BUSH**  
for REFRIGERATED TABLES  
for Refrigerated table (ZANUSSI) TR1221 - TR1603  
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ELECTROLUX 081807

**3053914 DOOR BUSH PIN**  
ø 5x20 mm  
for Refrigerated table (ZANUSSI)



ELECTROLUX 082757

**3053915 GRIPPING ASSEMBLY WITH SPRING**  
for Refrigerated cupboard (ZANUSSI) ADN111  
ADN221 - RVNE06 - RVNE14



ELECTROLUX 082587

**3053917 LEFT-HAND BRACKET**  
for Refrigerated cupboard (ZANUSSI) ADN111  
ADN221 - RVNE06 - RVNE14



ELECTROLUX 082499

ELECTROLUX 087136

**3053916 RIGHT-HAND BRACKET**  
for Refrigerated cupboard (ZANUSSI) ADN111  
ADN221 - RVNE06 - RVNE14



ELECTROLUX 082501

ELECTROLUX 087135



Suitable for:

**3053540 HINGE**  
for Refrigerated cupboard (ZANUSSI) MP402 - MRL402



ELECTROLUX 0A9549

**3704002 LOWER BUSH**  
for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC600 - MLC601 - MLC602  
MLP130 - MLP131 - MLP132 - MLP601 - MLP602  
MP402 - MRL402



ELECTROLUX 082964

**3704003 UPPER BUSH**  
for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132  
MLC600 - MLC601 - MLC602 - MLP130 - MLP131  
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ELECTROLUX 082965

**3053518 HINGE BUSH**



ELECTROLUX 083875

Suitable for:

**3704009 HINGE SUPPORT BUSH**  
for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132  
MLC600 - MLC601 - MLC602 - MLP130 - MLP131  
MLP132 - MLP601 - MLP602 - MP402 - MRL402




ELECTROLUX 0A9092

**3324006 PIN**  
for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132  
MLC600 - MLC601 - MLC602 - MLP130 - MLP131  
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ELECTROLUX 082962

**3053905 HINGE CENTRAL BRACKET**  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082374



Suitable for:

## 3704009 HINGE SUPPORT BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132  
MLC600 - MLC601 - MLC602 - MLP130 - MLP131  
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ELECTROLUX 0A9092

Suitable for:

## 3053917 LEFT-HAND BRACKET

for Refrigerated cupboard (ZANUSSI) ADN111  
ADN221 - RVNE06 - RVNE14



ELECTROLUX 082499

ELECTROLUX 087136

## 3053912 LEFT-HAND HINGE

for Refrigerated table (ZANUSSI) TR1221 - TR1603  
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ELECTROLUX 081808

## 3053913 DOOR BUSH

for REFRIGERATED TABLES  
for Refrigerated table (ZANUSSI) TR1221 - TR1603  
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ELECTROLUX 081807

## 3053914 DOOR BUSH PIN


ø 5x20 mm  
for Refrigerated table (ZANUSSI)



ELECTROLUX 082757

## 3053920 LONG PIN HINGE INTERTECNICA 28L

with square pin 7.5 mm  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI) APP113



ELECTROLUX 081653

ELECTROLUX 082219

## 3704002 LOWER BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC600 - MLC601 - MLC602  
MLP130 - MLP131 - MLP132 - MLP601 - MLP602  
MP402 - MRL402



ELECTROLUX 082964

## 3053909 LOWER LEFT-RIGHT HAND BRACKET

for hinge  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082256

## 3053908 BRACKET BUSHING 22 x 22 mm

for Refrigerated cupboard (STUDIO 54) OASI700  
for Refrigerated cupboard (WHIRLPOOL) AFW1400  
AFW700 - OASI1400



ELECTROLUX 081654



Suitable for:

**3324006 PIN**

for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132  
MLC600 - MLC601 - MLC602 - MLP130 - MLP131  
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ELECTROLUX 082962

Suitable for:

**3053916 RIGHT-HAND BRACKET**

for Refrigerated cupboard (ZANUSSI) ADN111  
ADN221 - RVNE06 - RVNE14




ELECTROLUX 082501

ELECTROLUX 087135

**3053930 SHORT PIN HINGE INTERTECNICA 28XC**

with square pin 7.5 mm  
for Refrigerated cupboard (STUDIO 54) OASIS1400  
OASIS700  
for Refrigerated cupboard (WHIRLPOOL) AFW1400  
AFW700  
for Refrigerated cupboard (AFINOX) AR300LT



ELECTROLUX 083876

**3053901 SPRING CATCH**

for Refrigerated cupboard (ALPENINOX)



ELECTROLUX 0A8039

**3053928 RIGHT SPRING  $\varnothing$  15x132 mm**

for Refrigerated cupboard (ALPENINOX)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082178

**3053929 LEFT SPRING  $\varnothing$  15 x 132 mm**

for Refrigerated cupboard (ALPENINOX)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082179



Suitable for:

## 3053522 TOP HINGE

for Refrigerated cupboard (ZANUSSI) WE751 - WZ751



ELECTROLUX 087822

Suitable for:

## 3704003 UPPER BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60  
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132  
MLC600 - MLC601 - MLC602 - MLP130 - MLP131  
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ELECTROLUX 082965

## Insulators

### 3180024 INSULATING SHELL FOR THERMOSTATIC VALVE


suitable against condensate and  
ice formation  
in network polyethylene foam with closed  
cells and CL1, M1 certification



ELECTROLUX 089614

## Interference suppression filters

### 3160099 INTERFERENCE SUPPRESSION FILTER 0.47 $\mu$ F



ELECTROLUX 046217

## Knobs

### 3241903 THERMOSTAT KNOB

for Refrigerated cupboard (ZANUSSI)  
Series KOMPACT - Series LUX - Series SLIM



ELECTROLUX 082916

### 3241905 THERMOSTAT KNOB $\varnothing$ 26 mm

hole  $\varnothing$  6x4 mm




ELECTROLUX 081690



Suitable for:

**3241907 THERMOSTAT KNOB  $\varnothing$  35 mm**  
hole  $\varnothing$  6x4 mm



ELECTROLUX 0A8203

Suitable for:

**3241900 THERMOSTAT KNOB  $\varnothing$  50 mm**  
hole  $\varnothing$  6x4 mm  
for Self service counter (ZANUSSI)



ELECTROLUX 080837

## Lamps

**3221005 GREEN INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 026456

ELECTROLUX 053148

ELECTROLUX 053154


**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2224

ELECTROLUX 058544

**3221914 LAMP SCREEN 105x65 mm**  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 081697

**3221006 ORANGE INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 045272

ELECTROLUX 053149

ELECTROLUX 053155

**3221112 ORANGE INDICATOR LAMP 220V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
application to the board



ELECTROLUX 053811+053812

**3221011 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2225

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2224

ELECTROLUX 058544



Suitable for:

# ELECTROLUX




**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2408

**3221014 ORANGE INDICATOR LIGHT 220V**  
mounting hole 30x22 mm - 125°C  
universal application



ELECTROLUX 0KM981

**3221004 RED INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 053153

**3221005 GREEN INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 026456

ELECTROLUX 053148

ELECTROLUX 053154

**3221006 ORANGE INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ELECTROLUX 045272

ELECTROLUX 053149

ELECTROLUX 053155

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ELECTROLUX 0A2408



## Locks

**3388010 LOCK COMPLETE**  
 cylinder  $\varnothing$  18x15 mm  
 for Refrigerated cupboard (WHIRLPOOL)  
 for Refrigerated cupboard (ZANUSSI) ESMLF60  
 ESMLR60 - MLC600 - MLC601 - MLC602 - MLP130  
 MLP131 - MLP132 - MLP600 - MLP601 - MLP602



ELECTROLUX 0A8655

**3388900 LOCK COMPLETE**  
 cylinder  $\varnothing$  19x39 mm  
 for Refrigerated cupboard (ZANUSSI) IKN110  
 IKN220 - ISF110 - ISF220 - ISN110 - ISN220  
 ISP110 - ISP220 - ISS110 - ISS220



ELECTROLUX 0KM805

ELECTROLUX 081694

**3388910 LOCK COMPLETE**  
 cylinder  $\varnothing$  19x16 mm



ELECTROLUX 0A8053

## Measuring tools

**3394207 BLACK DIGITAL THERMOMETER F/PANEL MOUNT.**  
 battery powered  
 front battery  
 RANGE  $-50^{\circ}+70^{\circ}\text{C}$   
 precision  $\pm 1^{\circ}\text{C}$   
 resolution  $0.1^{\circ}\text{C}$   
 remote probe length 1600 mm  
 dimensions 62.5x29.5x19 mm



ELECTROLUX 099993

**3394952 DIGITAL THERMOMETER PDT300/1C**  
 probe protected by its case  
 range  $-50+150^{\circ}\text{C}/-58+300^{\circ}\text{F}$   
 resolution  $0,1^{\circ}$  - precision  $\pm 1^{\circ}\text{C}$   
 auto power-off  
 memory button - ON/OFF button



ELECTROLUX 0S2040

## Microswitches

**3240854 LEFT MICROSWITCH C3006 WHITE**  
 250V 0.3A  
 for Refrigerated cupboard (MONDIAL ELITE) KPVX40  
 KPVX60 - KPV40 - KPV60  
 for Refrigerated cupboard (WHIRLPOOL) AGB774  
 AGB779 - AGB780 - AGB840



ELECTROLUX 084403

**9014016 MAGNETIC MICROSWITCH E5101A**  
 0.5A 250V - contact NO - head 32x13x8 mm  
 with cable length 750 mm



ELECTROLUX 083881




Suitable for:

# ELECTROLUX



**3240469 MAGNETIC MICROSWITCH E7101B**  
50VA 250V - NO contact - head 50x19 mm




ELECTROLUX 049621

Suitable for:  
**3240148 MICROSWITCH MAGNET 63x19x11 mm**




ELECTROLUX 049627

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels



ELECTROLUX 069484

**3240294 MICROSWITCH E3111 WHITE**  
3 contacts 250V 5A  
for Refrigerated cupboard (WHIRLPOOL) - Series CM  
Series CR - Series EDVNN - Series EMVNN  
Series ESR - Series EUKR



ELECTROLUX 087485

**3240155 MICROSWITCH FR530A 3A 400V**  
for COLD ROOMS DOORS



ELECTROLUX 046884

**3240148 MICROSWITCH MAGNET 63x19x11 mm**




ELECTROLUX 049627

**3240123 MICROSWITCH 16A 250V**



ELECTROLUX 0K1505

**3240820 MICROSWITCH 16A 250V**



ELECTROLUX 0KB678

ELECTROLUX 046286

ELECTROLUX 047485

**3240401 ACTUATOR FOR MICROSWITCH**  
for OVEN




ELECTROLUX 054902





Suitable for:

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm




ELECTROLUX 045404

ELECTROLUX 45404

Suitable for:

**3240166 MOUNTING PLATE FOR MICROSWITCH**  
external dimensions 46x26 mm



**3240526 MICROSWITCH 250V 1A**  
for Refrigerated cupboard (WHIRLPOOL) - Series CM  
Series CR - Series EDVNN - Series EMVNN  
Series ESR - Series EUKR



ELECTROLUX 0A9383

ELECTROLUX 045404

ELECTROLUX 45404

## Motors


**3240490 MOTOR ELCO 45W 3FBT 50-40/15**  
230V 50/60Hz 1300rpm 120W Input  
with capacitor 2 $\mu$ F  
for bracket fastening 4 screws M4  
distance 31 mm  
shaft length 22 mm



ELECTROLUX 087799

ELECTROLUX 088013

**3240881 MOTOR EMI 101M-50130/3**  
230V 50/60Hz 130W 1300rpm  
with thermal protection



ELECTROLUX 0KM759

**3240920 MOTOR FAN 10W WITH RING**  
fan  $\varnothing$  230 mm  
for Refrigerated cupboard (ZANUSSI) - Series AKP  
Series ALN - Series ALP - Series IKN - Series ILP



ELECTROLUX 081703

**3240921 MOTOR FIME C09R1731**  
230V 50/60Hz  
fan  $\varnothing$  100 mm



ELECTROLUX 0A9308



Suitable for:

# ELECTROLUX



Suitable for:

**3240631 MOTOR 35W EMI 83D-2535**  
 230V 50/60Hz 1300rpm 95W Input  
 with starting capacitor 2.5µF  
 4 screws M4 for flange and bracket mounting  
 distance 17 mm  
 shaft length 34 mm



ELECTROLUX 0KM742

**3240211 5-POLE MOTOR ELCO 10W**  
 230V 50/60Hz 1300rpm 38W Input  
 VN 10-20  
 for Refrigerated cupboard (IARP) CF700A



ELECTROLUX 0S0561

ELECTROLUX 081393

ELECTROLUX 086207

**3240220 SUCTION BLADE ø 200 mm 28°**  
 for Refrigerated cupboard (MONDIAL ELITE) KNX60  
 KN60  
 for Refrigerated cupboard (WHIRLPOOL) AGB777  
 AGB778



ELECTROLUX 0KM741

ELECTROLUX 082874

ELECTROLUX 084041

**3240902 5-POLE MOTOR ELCO 16W**  
 230V 50/60Hz 1300rpm 65W Input  
 VN 16-25



ELECTROLUX 0S0562

ELECTROLUX 086310

**3240220 SUCTION BLADE ø 200 mm 28°**  
 for Refrigerated cupboard (MONDIAL ELITE) KNX60  
 KN60  
 for Refrigerated cupboard (WHIRLPOOL) AGB777  
 AGB778




ELECTROLUX 0KM741

ELECTROLUX 082874

ELECTROLUX 084041

**3240903 5-POLE MOTOR ELCO 25W**  
 230V 50/60Hz 1300rpm 95W Input  
 VNT 25-40



ELECTROLUX 0S0563

ELECTROLUX 081394

**3240220 SUCTION BLADE ø 200 mm 28°**  
 for Refrigerated cupboard (MONDIAL ELITE) KNX60  
 KN60  
 for Refrigerated cupboard (WHIRLPOOL) AGB777  
 AGB778



ELECTROLUX 0KM741

ELECTROLUX 082874

ELECTROLUX 084041



Suitable for:

**3240904 5-POLE MOTOR ELCO 34W**  
230V 50/60Hz 1300rpm 120W Input  
VNT 34-45



ELECTROLUX 0KM742

Suitable for:

**3240220 SUCTION BLADE ø 200 mm 28°**  
for Refrigerated cupboard (MONDIAL ELITE) KNX60  
KN60  
for Refrigerated cupboard (WHIRLPOOL) AGB777  
AGB778



ELECTROLUX 0KM741

ELECTROLUX 082874

ELECTROLUX 084041

**3240210 5-POLE MOTOR ELCO 5 W**  
230V 50/60Hz 1300rpm 32W Input  
VN 5-13



ELECTROLUX 0KD790

## Pressure reducers

**7103403 WATER PRESSURE ADJUSTER 3/8 FF**  
for NIGARA FOUNTAIN SL 120R



ELECTROLUX 0PR626

## Pressure valves for refrigeration

**3526550 PRESSURE VALVE V46AA-9950 G 3/8"**  
pressure range 5..18 bar  
capillary length 750 mm - fitting to be welded



ELECTROLUX 086246



Suitable for:

# ELECTROLUX



Suitable for:

## Probes

**3445046 EVAPORATOR PROBE 2000 mm**  
 bulb  $\varnothing$  6x20 mm  
 for Refrigerated cupboard (WHIRLPOOL)  
 Series ADNF - Series ALN - Series ARDN  
 Series EDON - Series KLN - Series KLP  
 for Refrigerated cupboard (ZANUSSI) - Series ADF  
 Series ADN



ELECTROLUX 087654

ELECTROLUX 092174

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field  $-30^{\circ}+80^{\circ}\text{C}$   
 bulb  $\varnothing$  6x20 mm  
 for Refrigerated cupboard (ZANUSSI) - Series ADF  
 Series ADN



ELECTROLUX 087832

ELECTROLUX 092176

**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
 bulb  $\varnothing$  6x40 mm



ELECTROLUX 0S0302

ELECTROLUX 083583

## Rating-plates


**3319327 CONTROL PANEL**  
 for Refrigerated cupboard (ZANUSSI) 12800100.1



ELECTROLUX 0A8881

## Relays

**3351900 RELAY B2-3 250V 16A**  
 tripolar changeover switch



ELECTROLUX 046001

**1351021 RELAY G7L-2A-TUB 25A 240V**



ELECTROLUX 088267



Suitable for:

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
2 switching contacts




ELECTROLUX 0D0013  
ELECTROLUX 083215

ELECTROLUX 058857

ELECTROLUX 069882

Suitable for:

**3351605 RELAY 60.63 10A 230V 50/60Hz**  
3 switching contacts




ELECTROLUX 056446  
ELECTROLUX 085296

ELECTROLUX 056466  
ELECTROLUX 086214


ELECTROLUX 056510

**3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts



ELECTROLUX 0PE302

**3351602 RELAY 65.31 30A 250V 50/60Hz**  
1 cut-off contact



ELECTROLUX 085647

## Solenoid valves

**3120189 CASTEL COIL 110V HM2**  
50/60 Hz



ELECTROLUX

**3120910 CASTEL COIL 230V HM2**  
50/60 Hz



ELECTROLUX 085289

**3120917 COIL PARKER YB14 220V 14W WITH CABLE**  
50/60Hz



ELECTROLUX 086051

ELECTROLUX 086534

**3120912 SOLENOID VALVE 1028/2 ø 1/4"-6 mm**  
direct action NC



ELECTROLUX 087965

**3120158 SOLENOID VALVE 1068/M10 ø 10 mm**  
diaphragm NC



ELECTROLUX 089075



Suitable for:

# ELECTROLUX



Suitable for:

## Springs

**3053929 LEFT SPRING  $\varnothing$  15 x 132 mm**  
for Refrigerated cupboard (ALPENINOX)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082179

**3053928 RIGHT SPRING  $\varnothing$  15x132 mm**  
for Refrigerated cupboard (ALPENINOX)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082178

**3053919 SPRING**



ELECTROLUX 053342

**3441906 SPRING FOR KNOB**



ELECTROLUX 082792

**3250901 TORSION SPRING FOR RIGHTHAND HINGE**  
dimensions  $\varnothing$  14x132 mm  
wire:  $\varnothing$  2.4 x 19 turns



ELECTROLUX 088516

## Supports

**3391041 BRACKET 184x25 mm**  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082257

**3391010 GRILL SUPPORT 540x27x18 mm**  
for back lower mounting  
for 9 grills  
for old series  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI) - Series ASF  
Series ASN - Series ASP - Series ASS - Series DVC  
Series DVN - Series EDVN - Series EDVP  
Series EMVN - Series ISF - Series ISN - Series ISP  
Series ISS - Series MVP



ELECTROLUX 082317





Suitable for:

**3391001 GRILL SUPPORT 540x48x18 mm**  
 for lower lateral mounting  
 for 9 grills  
 for old series  
 for Refrigerated cupboard (WHIRLPOOL)  
 for Refrigerated cupboard (ZANUSSI) - Series ASF  
 Series ASN - Series ASP - Series ASS - Series DVC  
 Series DVN - Series EDVN - Series EDVP  
 Series EMVN - Series ISF - Series ISN - Series ISP  
 Series ISS - Series MVP



ELECTROLUX 081957

Suitable for:

**3391009 GRILL SUPPORT 720x27x18 mm**  
 for back upper mounting  
 for 12 grills  
 for old series  
 for Refrigerated cupboard (WHIRLPOOL)  
 for Refrigerated cupboard (ZANUSSI) - Series ASF  
 Series ASN - Series ASP - Series ASS - Series DVC  
 Series DVN - Series EDVN - Series EDVP  
 Series EMVN - Series ISF - Series ISN - Series ISP  
 Series ISS - Series MVP



ELECTROLUX 082316

**3391002 GRILL SUPPORT 720x48x18 mm**  
 for back lateral mounting  
 for 12 grills  
 for old series  
 for Refrigerated cupboard (WHIRLPOOL)  
 for Refrigerated cupboard (ZANUSSI) - Series ASF  
 Series ASN - Series ASP - Series ASS - Series DVC  
 Series DVN - Series EDVN - Series EDVP  
 Series EMVN - Series ISF - Series ISN - Series ISP  
 Series ISS - Series MVP



ELECTROLUX 080811

ELECTROLUX 081958

**3391035 TRAY SUPPORT**



ELECTROLUX 031970

## Switches

**3319920 BLACK TWO-POLE SWITCH 16A 250V**



ELECTROLUX 0A8754

**3319923 BLACK/RED CAM**




ELECTROLUX 0A8272

**3319299 BUTTON 0-1**  
 for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 0A8691

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
 16(4)A 250V  
 with indicator light and switch cover  
 screen printing 0 - I  
 max temperature 120°C  
 mounting hole 22x30 mm



ELECTROLUX 053810



Suitable for:

# ELECTROLUX



**3319013 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator lamp and switch cover  
"0 - II" symbol screenprinted  
max temperature 120°C  
mounting hole 22x30 mm



ELECTROLUX 053837

Suitable for:

**3319330 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - silk-screen printing 0-1  
with indicator light  
mounting hole  $\varnothing$  25 mm  
for Refrigerated cupboard (ZANUSSI) - Series KLN  
Series KLP




ELECTROLUX 087655

**3319928 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
max temperature 120°C  
mounting hole  $\varnothing$  25 mm




ELECTROLUX 054518

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



ELECTROLUX 053979

**3319944 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
0-I silk-screen printing  
temperature max 120°C  
mounting hole 22x30 mm



ELECTROLUX 056703

**3319951 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
max temperature 125°C  
lead connector 6.35x0.8 mm  
mounting hole 25x27 mm



ELECTROLUX 085987

ELECTROLUX 099274

**3319972 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
ON - OFF silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



ELECTROLUX 082873

**3319936 GREEN BIPOLAR SWITCH 250V 16A**  
16(4)A 250V - max temperature 120°C  
with green indicator light  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 082486



Suitable for:

**3319967 GREEN SINGLE-POLE SWITCH 16A 250V**  
 16(4)A 250V - max temperature 120°C  
 mounting hole 11x30 mm



ELECTROLUX 004110

Suitable for:

**3319930 GREEN SWITCH SPL61 16A 250V**  
 with indicator lamp  
 mounting hole  $\varnothing$  25 mm  
 lead connector 6.35x0.8 mm



ELECTROLUX 082337


**1319202 GREEN TWO-POLE SWITCH 16A 250V**  
 16(4)A 250V - with indicator lamp  
 silk-screen printing 0 - I  
 temperature max 120°C  
 mounting hole 22x30 mm



ELECTROLUX 056703


ELECTROLUX 081680

**3319932 GREY SINGLE POLE CHANGEOVER SWITCH**  
 16(4)A 250V - silk-screen printing I - II  
 max temperature 120°C  
 lead connector 6.35x0.8 mm  
 mounting hole 22x30 mm



ELECTROLUX 082473

**3319415 KEY SUPPORTING BODY**  
 for all models



ELECTROLUX 083050

**3319922 SINGLE POLE CHANGEOVER SWITCH**  
 lead connector 6.35x0.8 mm



ELECTROLUX 0A8273

**3319923 BLACK/RED CAM**



ELECTROLUX 0A8272

**3319921 SINGLE-POLE SWITCH 16A 250V**



ELECTROLUX 0A8274

**3319923 BLACK/RED CAM**



ELECTROLUX 0A8272




Suitable for:

# ELECTROLUX




**3319328 SWITCHES BUTTON**



ELECTROLUX 0A8747

Suitable for:

**3319329 SWITCHES BUTTON**



ELECTROLUX 0A8692

**3319924 SWITCHES BUTTON**



ELECTROLUX 083200

**3319925 SWITCHES BUTTON**



ELECTROLUX 083201

**3319931 WHITE BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
silk-screen printing 0-1  
mounting hole 22x30 mm  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI)



ELECTROLUX 081679

ELECTROLUX 082390

**3319929 WHITE SWITCH SPL60 16A 250V**  
with indicator lamp  
mounting hole  $\varnothing$  25 mm  
lead connector 6.35x0.8 mm



ELECTROLUX 082328

## Tangential fans

**3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT**  
230V 50/60Hz -  $\varnothing$  45 mm  
QLK45/1200 A36-2513L-93



ELECTROLUX 081795

**3526900 TANGENTIAL BLOWER QLK45 300 mm LEFT**  
230V 50/60Hz -  $\varnothing$  45 mm  
QLK45/0030 A35-2524L-70



ELECTROLUX 082730

**3526019 TANGENTIAL BLOWER QL45 180 mm RIGHT**  
230V 50/60Hz -  $\varnothing$  45 mm  
QLK45/1800 A108-2513L-93 vr



ELECTROLUX 0A8087

**3526150 TANGENTIAL FAN 180 mm LEFT**  
230V 50/60Hz -  $\varnothing$  60 mm - 25 W  
operating temperature  $-30^{\circ}+135^{\circ}\text{C}$   
for Refrigerated cupboard (MONDIAL ELITE)  
EBA171122 KKPRO600



ELECTROLUX 0A2272

ELECTROLUX 0A3008

Suitable for:

Suitable for:


**3526966 TANGENTIAL FAN 300 mm LEFT**  
230V 50/60Hz -  $\varnothing$  60 mm - 26 W  
operating temperature  $-30^{\circ}+135^{\circ}\text{C}$



ELECTROLUX 083737

## Tapes

**3394158 SMOOTH ALUMINIUM BAND 50 m**



ELECTROLUX 006451

## Telethermometers

**3441002 BLACK TELETHERMOMETER  $\varnothing$  52 mm  $-40+40^{\circ}\text{C}$**   
metal case  
covered capillary length 2500 mm  
plasticized bulb  $\varnothing$  7.5x40 mm  
for Refrigerated cupboard



ELECTROLUX 081792

**3441001 BLACK TELETHERMOMETER 58x25 mm  $-40+40^{\circ}\text{C}$**   
covered capillary length 2500 mm  
bulb  $\varnothing$  8.4x25 mm  
for Refrigerated cupboard (ZANUSSI) - Series IKN  
Series ISP



ELECTROLUX 082613

ELECTROLUX 083101

**3441003 WHITE TELETHERMOMETER  $\varnothing$  60 mm  $-40+40^{\circ}\text{C}$**   
metal case  
covered capillary length 2000 mm  
plasticized bulb  $\varnothing$  6x150 mm  
for Refrigerated cupboard



ELECTROLUX 081512



Suitable for:

# ELECTROLUX



Suitable for:

## Terminal blocks

### 3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



ELECTROLUX 0W3543

### 3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 25x22x21 mm



ELECTROLUX 053805

### 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELECTROLUX 046357

### 3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 40x18x16 mm



ELECTROLUX 054042

### 3247011 6-POLE TERMINAL BLOCK FV122 40A 600V


for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELECTROLUX 046347

### 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ELECTROLUX 005420

ELECTROLUX 058613

## Thermostats

### 3744052 SAFETY THERMOSTAT



ELECTROLUX 0KK203

### 3444448 SAFETY THERMOSTAT 40°C

cable length 1400 mm



ELECTROLUX 0A9671





Suitable for:

**3444971 THERMOSTAT END-DEFROSTING**  
 37T31-501513  
 L25 - 10C - C0015  
 for Refrigerated cupboard (WHIRLPOOL) - Series AKN  
 Series ALN - Series ILN - PDVN901



ELECTROLUX 083113

Suitable for:

**3444515 THERMOSTAT FOR END OF DEFROSTING**  
 37T31-501510  
 L7-8C J0350



ELECTROLUX 083106

**3444518 THERMOSTAT FOR END OF DEFROSTING 20°C**  
 cable length 1400 mm



ELECTROLUX 085940

**3444911 THERMOSTAT RANCO K50 L3078**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD -7.0°C - WARM +7.5°C  
 D shaft  $\varnothing$  6x4.6 mm




ELECTROLUX 0A8089

**3241907 THERMOSTAT KNOB  $\varnothing$  35 mm**  
 hole  $\varnothing$  6x4 mm




ELECTROLUX 0A8203

**3444897 THERMOSTAT RANCO K50 L3295**  
 2 contacts 6A 250V  
 capillary 1300 mm



ELECTROLUX 0KD779

**3444919 THERMOSTAT RANCO K50 P1115**  
 2 contacts 6A 250V  
 capillary 2000 mm  
 COLD +1.5°C - WARM +11.0°C  
 D shaft  $\varnothing$  6x4.6 mm



ELECTROLUX 083520

**3441906 SPRING FOR KNOB**



ELECTROLUX 082792





Suitable for:

**3241905 THERMOSTAT KNOB  $\varnothing$  26 mm**  
hole  $\varnothing$  6x4 mm




# ELECTROLUX



Suitable for:


ELECTROLUX 081690

**3444931 THERMOSTAT RANCO K52 L4512**  
2 contacts 6A 250V  
double capillary  
capillaries 2100 mm - 1850 mm  
COLD -6,4°C - WARM +8,5°C  
COLD -6.0°C - WARM +8.8°C  
D shaft  $\varnothing$  6x4.6 mm



ELECTROLUX 0A8653

**3444916 THERMOSTAT RANCO K55 L5026**  
2 contacts 6A 250V  
capillary 2000 mm  
COLD -0.5°C - WARM +8.5°C  
D shaft  $\varnothing$  6x4.6 mm




**3241905 THERMOSTAT KNOB  $\varnothing$  26 mm**  
hole  $\varnothing$  6x4 mm



ELECTROLUX 082025

**3444906 THERMOSTAT RANCO K55 L5027**  
2 contacts 6A 250V  
capillary 2000 mm  
COLD -5.0°C - WARM +8.5°C  
D shaft  $\varnothing$  6x4.6 mm  
for Refrigerated cupboard (ZANUSSI)  
Series KOMPACT - Series LUX - Series SLIM



ELECTROLUX 081690

**3241903 THERMOSTAT KNOB**  
for Refrigerated cupboard (ZANUSSI)  
Series KOMPACT - Series LUX - Series SLIM




ELECTROLUX 081689

ELECTROLUX 082916

Suitable for:

**3444909 THERMOSTAT RANCO K55 L5070**

2 contacts 6A 250V  
capillary length 2500 mm  
COLD -22°C - WARM -7.5°C  
D shaft  $\varnothing$  6x4.6 mm



ELECTROLUX 082985

Suitable for:

**3241905 THERMOSTAT KNOB  $\varnothing$  26 mm**


hole  $\varnothing$  6x4 mm



ELECTROLUX 081690

**3444905 THERMOSTAT RANCO K55 L5078**

2 contacts 6A 250V  
capillary 2000 mm  
COLD +1.4°C - WARM +10.5°C  
D shaft  $\varnothing$  6x4.6 mm  
for Refrigerated cupboard (ZANUSSI)  
Series KOMPACT - Series LUX - Series SLIM



ELECTROLUX 083125

**3241903 THERMOSTAT KNOB**

for Refrigerated cupboard (ZANUSSI)  
Series KOMPACT - Series LUX - Series SLIM



ELECTROLUX 082916

**3744066 THERMOSTAT RANCO K55 L5079**

6A 250V  
capillary 2000 mm  
COLD -2°C - WARM +11°C  
for Refrigerated cupboard (ZANUSSI) - Series EDVC  
Series EDVN - Series EDVP - Series EMVC  
Series EMVN - Series EMVP - Series IKF  
Series IKN - Series IKS



ELECTROLUX 083135

**3344012 THERMOSTAT RANCO K55 L5080**

2 contacts 6A 250V  
capillary 1600 mm  
COLD -3°C - WARM +10°C  
D shaft  $\varnothing$  6x4.6 mm  
for Refrigerated cupboard (WHIRLPOOL) MLC130  
MLC131 - MLC132 - MLP130 - MLP131 - MLP132  
for Refrigerated table (WHIRLPOOL) SAL250  
Series TRN



ELECTROLUX 083147

**3444447 THERMOSTAT RANCO K55 P5851**

2 contacts 6A 250V  
capillary 2500 mm  
D-shaped pin 6x4,6 mm  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI) C04PVG4D  
730432




ELECTROLUX 087516



Suitable for:

**3444921 THERMOSTAT RANCO K60 L2034**  
 2 contacts 6A 250V  
 capillary 1500 mm  
 COLD -17°C - WARM -10°C  
 for Refrigerated table (ZANUSSI) - Series DCB




ELECTROLUX 081378

**3241900 THERMOSTAT KNOB Ø 50 mm**  
 hole Ø 6x4 mm  
 for Self service counter (ZANUSSI)



ELECTROLUX 080837

**3444516 THERMOSTAT RANCO K60 L2112**  
 2 contacts 6A 250V  
 capillary 2500 mm  
 for Self service counter refrigerated (ZANUSSI)



ELECTROLUX 083177


Suitable for:

**3441906 SPRING FOR KNOB**



ELECTROLUX 082792

**3444517 THERMOSTAT RANCO K60 L2141**  
 2 contacts 6A 250V  
 capillary 800 mm  
 for Self service counter refrigerated (WHIRLPOOL)  
 DLP14/F - DLP21/F - DL14/F - DL21/F  
 for Self service counter refrigerated (ZANUSSI)  
 DLP14/F - DLP21/F - DL14/F - DL21/F



ELECTROLUX 083178

## Timers

**3322902 TIMER EWTS70 12V**  
 for Refrigerated cupboard (ZANUSSI) - Series ALP  
 Series ILN - Series ILP - Series ILS



ELECTROLUX 082485

**3322900 TIMER HAGER EH710 24h**  
 dimension 72x72 mm  
 minimum programming interval 10 minutes  
 minimum interval between 2 switches 20 seconds  
 250V 16A




ELECTROLUX 083517



Suitable for:

**3322239** **TIMER RZ-2001-21**  
230V 50Hz  
cycle 4h 15min  
for Refrigerated cupboard (ZANUSSI) 400L



ELECTROLUX 084986

Suitable for:

**3322901** **TIMER SB3.82**  
24 hours cycle (1 - 12)  
defrosting from 2 to 60 minutes  
with fan delay  
230V 50Hz



ELECTROLUX 081983

## Transformers

**3445110** **TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ELECTROLUX 0A2269  
ELECTROLUX 083833

ELECTROLUX 004120

ELECTROLUX 082378

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**  
via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [www.lfricambi724.mobi](http://www.lfricambi724.mobi)  
[info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspaceparts.com](mailto:export@lfspaceparts.com)

**FRANCE**



**EPGC Sas**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)

**DEUTSCHLAND**



**LF GmbH**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)

**SCHWEIZ**



**LF GmbH Verkaufsbüro**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)

**ESPAÑA**



**LF Repuestos Horeca S.L.U.**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tif. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos724.es](http://www.lfrepuestos724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)

**UNITED KINGDOM**



**LF Spare Parts Ltd.**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.co.uk](mailto:info@lfspaceparts.co.uk)

**RUSSIA**



**000 LF**  
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.ru](mailto:info@lfspaceparts.ru)

**CHINA**



**LF China**  
Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspaceparts.com](mailto:china@lfspaceparts.com)