



Spare parts for:

## Commercial refrigeration



Suitable for:

# FERMOD



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


# FERMOD



Suitable for:


## Bodies

**3028001 CURTAIN OF TRANSPARENT PVC**  
50 m roll - width 190 mm thickness 2 mm  
suitable for cold rooms TN(0°C)



FERMOD 90201


**3028020 CURTAIN OF TRANSPARENT PVC**  
roll 50 m - width 190 mm thickness 2 mm  
suitable for cold rooms BT(-20°C)



FERMOD 90200

## Gaskets and seals

**3786257 GASKET 10xh19 mm**  
colour white



FERMOD 00010BL025-11

## Gaskets for refrigerators

**2105210 COLD ROOM DOOR GASKET 2311 - 24 m**  
colour black  
dimensions 20x10 mm



FERMOD 02311NR024

FERMOD 2311


**2101890 COLD ROOM DOOR GASKET 8511 - 8 m**  
colour black  
dimensions 35x11



FERMOD 08511NR008

FERMOD 8511

**3186792 COLD ROOM GASKET G502**  
colour black  
bar 4000 mm




FERMOD 00502NR400

FERMOD 502




## Handles

**3242386 CATCH RH-LH WITHOUT LOCK 880 CR**  
 straight handle  
 length 205x28 mm  
 mounting distance 104 mm  
 aggancio regolabile interasse 31 mm



FERMOD 880.01


**3242545 CATCH WITHOUT STRIKE 921HP**



FERMOD 70921HP120

FERMOD 921.HP

**3242547 SEAL FOR LOCK 80 mm**



FERMOD CALE80.02

FERMOD SHIM80.02


FERMOD 6128191

**3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm for 921HP**



FERMOD 6407800

**3242546 SEAL FOR LOCK 50 mm**



FERMOD CALE50.02

FERMOD SHIM50.02


FERMOD 6127991

**3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm for 921HP**



FERMOD 6407200

**3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm for 921HP**  
 with micro switch in the strike  
 allowing to control:  
 open/closed door indicator  
 opening/closing operation count  
 alarm disconnection  
 evaporators and ventilators stop  
 Operating voltages 12 V (10 A) - 24 V (5A)  
 with cable 1500 mm



FERMOD 6407700CAP



Suitable for:

**3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm**  
for 921 HP



FERMOD 6407700

**3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm**  
for 921HP



FERMOD 6671900

FERMOD 6676400

**3242564 CATCH 129**  
complete with strike



FERMOD 00129XX


FERMOD 129

**3242750 CATCH 431 WITH LOCK**  
with internal safety handle  
door thickness from 40 to 66 mm



FERMOD 00431XX066

**3242752 CATCH 431 WITH LOCK**  
with internal safety handle  
door thickness from 116 to 165 mm



FERMOD 00431XX165

# FERMOD




Suitable for:

**3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm**  
for 921HP



FERMOD 6676300

**3242558 CATCH 158**  
complete with strike and cap



FERMOD 00158XX

FERMOD 158

**3242751 CATCH 431 WITH LOCK**  
with internal safety handle  
door thickness from 67 to 115 mm



FERMOD 00431XX115

**3242585 CLOSING CATCH**  
distance between holes 31 mm



FERMOD 6001801




Suitable for:

Suitable for:

**3242578 CLOSING STRIKE**

**3242560 CLOSING STRIKE 620/621**





FERMOD 6192623

FERMOD 6358602

**3242395 DOOR SHIM FITTING 27/42 mm**

**3242399 DOOR SHIM FITTING 42/57 mm**





FERMOD 6407203

FERMOD 6407803

**3242359 DOOR SHIM FITTING 52/72 mm**  
for lock 920/921

**3242360 DOOR SHIM FITTING 69/89 mm**  
for lock 920/921



FERMOD 6407703

FERMOD 6671803

FERMOD 6676303


**3242362 GREEN CAP**



FERMOD 15618V-EX

**3242369 HANDLE 651**  
complete with fastening - distance 44-16.5 mm  
handle mounting distance 35-44-45.5 mm

**3242585 CLOSING CATCH**  
distance between holes 31 mm



FERMOD 0065101

FERMOD 6001801

**3242595 LOCK STRIKE**



FERMOD 6001301




Suitable for:

# FERMOD



## 3242370 HANDLE 652

complete with fastening - distance 42-14.5 mm  
handle mounting distance 31-35-36 mm



FERMOD 0065201

FERMOD 652.01

Suitable for:

## 3242585 CLOSING CATCH

distance between holes 31 mm



FERMOD 6001801

## 3242361 INTERNAL RELEASE PUSH-BUTTON


for lock 620/621/920/921



FERMOD 6384200120


## 3242356 LH LOCK 1220 WITH 3 POINTS

1 external handle  
2 locks and 2 lock clamps



FERMOD 1220.02

## 3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 6413802

## 3242571 LH-RH CELL HANDLE 1225

mounting distance 168-19 mm  
sizes 190x36x45 mm



FERMOD 1225.01

FERMOD 122501CHR

## 3242578 CLOSING STRIKE



FERMOD 6192623

## 3242595 LOCK STRIKE



FERMOD 6001301



Suitable for:

**3242358 LOCKING HANDLE WITHOUT CLAMP 921**  
with key lock  
245x108xh52 mm




FERMOD 70921XX120

FERMOD 921


Suitable for:

**3242395 DOOR SHIM FITTING 27/42 mm**




FERMOD 6407203

**3242399 DOOR SHIM FITTING 42/57 mm**



FERMOD 6407803


**3242360 DOOR SHIM FITTING 69/89 mm**  
for lock 920/921



FERMOD 6671803

FERMOD 6676303

**3242359 DOOR SHIM FITTING 52/72 mm**  
for lock 920/921



FERMOD 6407703


**3242563 LOCK ASSEMBLY**  
for 921HP



FERMOD 1273608

FERMOD 1273808


**3242357 LOCKING HANDLE WITHOUT CLAMP 920**  
without key lock  
245x108xh52 mm



FERMOD 70920XX120


FERMOD 920

**3242395 DOOR SHIM FITTING 27/42 mm**




FERMOD 6407203

**3242399 DOOR SHIM FITTING 42/57 mm**



FERMOD 6407803

**3242359 DOOR SHIM FITTING 52/72 mm**  
for lock 920/921




FERMOD 6407703



Suitable for:

**3242360 DOOR SHIM FITTING 69/89 mm**  
for lock 920/921



FERMOD 6671803


FERMOD 6676303

# FERMOD



Suitable for:


**3242348 LOCKING HANDLE 620**  
without key lock  
213x104xh50 mm



FERMOD 0062002120


FERMOD 620.02

**3242560 CLOSING STRIKE 620/621**



FERMOD 6358602


**3242396 SHIM 15 mm**  
for door thickness 42/57 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

**3242397 SHIM 30 mm**  
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

**3242398 SHIM 40 mm**  
for door thickness 67/80 mm




FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

**3242349 LOCKING HANDLE 621 WITH KEY LOCK**  
213x104xh50 mm




FERMOD 0062102120

FERMOD 621.02

FERMOD 62102080

**3242560 CLOSING STRIKE 620/621**




FERMOD 6358602





Suitable for:

**3242396 SHIM 15 mm**  
for door thickness 42/57 mm



FERMOD CALE-15.02


FERMOD SHIM15.02

# FERMOD



Suitable for:

**3242397 SHIM 30 mm**  
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

**3242398 SHIM 40 mm**  
for door thickness 67/80 mm




FERMOD CALE-40.02

FERMOD SHIM40.02


FERMOD 6119702

**3242355 RH LOCK 1220 WITH 3 POINTS**  
1 external handle  
2 locks and 2 lock clamps



FERMOD 1220.02


**3242554 SUPPLEMENTARY LOCK 90x52 mm**



FERMOD 64136

FERMOD 6413802


**3242583 RH-LH CATCH WITH LOCK 885 CR**  
straight handgrip  
length 206x28 mm  
mounting distance 104 mm  
aggancio regolabile interasse 31 mm



FERMOD 0088501


FERMOD 885.01

**3242584 RH-LH CATCH WITH LOCK 885 CR HP**  
straight handgrip  
length 206x28 mm  
mounting distance 104 mm  
aggancio regolabile interasse 31 mm



FERMOD 885.HP

**3242582 RH-LH CATCH WITH LOCK 885 PV**  
straight handgrip - black plastic made  
length 206x28 mm  
mounting distance 104 mm  
aggancio regolabile interasse 31 mm



FERMOD 00885.PV

FERMOD 885.PV




Suitable for:

Suitable for:

## 3242579 RH-LH CATCH WITHOUT LOCK 570 CR

straight handgrip  
length 230x23 mm  
mounting distance 110 mm  
altezza aggancio 16,5 mm



FERMOD 005702114

FERMOD 570.21


## 3242922 STRIKE FOR DOOR CATCH



FERMOD 60761

## 3242581 RH-LH CATCH WITHOUT LOCK 880 PV

straight handgrip - black plastic made  
length 206x28 mm  
mounting distance 104 mm  
aggancio regolabile interasse 31 mm




FERMOD 00880PV

FERMOD 880.PV

## 3242960 RH-LH DOOR HANDLE W/OUT KEY LOCK 1825


distance between holes 158 mm  
plate dimensions 181x33 mm



FERMOD 01825

## 3242921 RH-LH LOCKING HANDLE W/OUT KEYLOCK 560CR

length 230 mm - mounting distance 110 mm  
lunghezza base 150x23x30h mm  
interasse 110 mm



FERMOD 005602114

FERMOD 560.21


## 3242922 STRIKE FOR DOOR CATCH



FERMOD 60761

## 3242946 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR

straight handle  
base length 254x30 mm  
distance between holes 133 mm  
adjustable catch between 9 and 22 mm



FERMOD 0079001

FERMOD 790.01






# FERMOD



Suitable for:

**3242396 SHIM 15 mm**  
for door thickness 42/57 mm




FERMOD CALE-15.02

FERMOD SHIM15.02

FERMOD 6119502

Suitable for:

**3242397 SHIM 30 mm**  
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

**3242398 SHIM 40 mm**  
for door thickness 67/80 mm




FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

**3242557 STRIKE**



FERMOD 6033402

**3242922 STRIKE FOR DOOR CATCH**



FERMOD 60761

**3242042 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

**3242562 STRIKE FOR SUPPLEMENTARY LOCK**



FERMOD 10335


FERMOD 1033602

**3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm**  
for 921HP



FERMOD 6407200

**3242573 STRIKE HP FOR DOOR THICKNESS 27/43 mm**



FERMOD 6677100

FERMOD 6677100-10

**3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm**  
for 921HP




FERMOD 6407800



Suitable for:

**3242574 STRIKE HP FOR DOOR THICKNESS 44/60 mm**




FERMOD 667200

FERMOD 667200-10

Suitable for:

**3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm**  
 for 921HP  
 with micro switch in the strike  
 allowing to control:  
 open/closed door indicator  
 opening/closing operation count  
 alarm disconnection  
 evaporators and ventilators stop  
 Operating voltages 12 V (10 A) - 24 V (5A)  
 with cable 1500 mm



FERMOD 6407700CAP

**3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm**  
 for 921 HP



FERMOD 6407700

**3242575 STRIKE HP FOR DOOR THICKNESS 61/77 mm**



FERMOD 6677300

**3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm**  
 for 921HP



FERMOD 6676300

**3242576 STRIKE HP FOR DOOR THICKNESS 78/94 mm**



FERMOD 6677400

**3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm**  
 for 921HP



FERMOD 6671900

FERMOD 6676400


**3242577 STRIKE HP FOR DOOR THICKNESS 95/111 mm**



FERMOD 6677500


FERMOD 6677500-10

**3242551 SUPPLEMENTARY LOCK**  
 mounting distance 121-136 mm



FERMOD 6303602

**3242554 SUPPLEMENTARY LOCK 90x52 mm**



FERMOD 64136

FERMOD 6413802




Suitable for:

Suitable for:

## 3242550 3-POINT LH CATCH 1926 WITH KEY

## 3242557 STRIKE

- including:
- 1 external handle
- 2 blocks
- 2 strike blocks
- 1 internal hooking button




FERMOD 0192602G

FERMOD 6926.02.G

FERMOD 6033402

## 3242551 SUPPLEMENTARY LOCK mounting distance 121-136 mm




FERMOD 6303602

## 3242553 3-POINT RH CATCH 1221 WITH KEY

## 3242562 STRIKE FOR SUPPLEMENTARY LOCK

- including:
- 1 external handle
- 2 blocks
- 2 strike blocks
- 1 internal hooking button




FERMOD 1221.02

FERMOD 10335

FERMOD 1033602

## 3242554 SUPPLEMENTARY LOCK 90x52 mm





FERMOD 64136

FERMOD 6413802

## 3242549 3-POINT RH CATCH 1926 WITH KEY

## 3242557 STRIKE

- including:
- 1 external handle
- 2 blocks
- 2 strike blocks
- 1 internal hooking button



FERMOD 1926.02.D


FERMOD 6926.02.D

FERMOD 6033402



## Hinges, catches and accessories


**3053388 CHROME PLATED HINGE 306**  
length 96 mm - mounting distance 38 mm



FERMOD 0030601DET

FERMOD 306.01


**3053389 CHROME PLATED HINGE 308**  
length 120 mm - mounting distance 50 mm



FERMOD 0030801

FERMOD 308.01


**3053363 CHROME PLATED HINGE 309**  
length 130 mm - mounting distance 50 mm



FERMOD 0030901

FERMOD 309.01


**3053390 CHROME PLATED HINGE 360**  
length 140 mm - mounting distance 30-35 mm  
for door thickness from 27 mm gasket included



FERMOD 0036001

FERMOD 360.01


**3053391 CHROME PLATED HINGE 361**  
length 140 mm - mounting distance 30-35 mm  
for door thickness from 37 mm gasket included



FERMOD 0036101

FERMOD 361.01


**3053384 CHROME PLATED HINGE 401**  
length 96 mm - mounting distance 64-32 mm



FERMOD 0040121

FERMOD 401.21

**3053386 CHROME PLATED HINGE 402**  
length 96 mm - mounting distance 64-32 mm



FERMOD 0040221


FERMOD 402.21

**3053561 CHROME PLATED HINGE 456 WITH RAMP**  
mounting distance 32-16 mm



FERMOD 0045601


**3053399 CHROME PLATED HINGE 525**  
length 134 mm - mounting distance 30.5 mm



FERMOD 0052501

FERMOD 525.01

**3053401 CHROME PLATED HINGE 525**  
length 134 mm - mounting distance 30.5 mm  
with brass bushings



FERMOD 0052501LAI

FERMOD 525.01.LAI




Suitable for:

# FERMOD



**3053392 CHROME PLATED HINGE 710**  
length 113 mm




FERMOD 007100122

FERMOD 710.01


Suitable for:

**3053394 CHROME PLATED HINGE 730**  
length 222 mm  
thickness 22 mm




FERMOD 730.01.22

**3053395 CHROME PLATED HINGE 730**  
length 222 mm  
thickness 27 mm



FERMOD 007300127

**3053377 CHROME-PLATED HINGE 720 mm**



FERMOD 007200127

FERMOD 720.01

**3053941 HINGE FERMOD 175**  
with cross pin  
for Refrigerated cupboard (BONNET)  
MB3+GI S050C01  
for Refrigerated cupboard (FRIGINOX) G/GL2



FERMOD 0017501HAU

FERMOD 175

**3053944 HINGE FERMOD 176**  
with square shaft 8 mm  
for Refrigerated cupboard (ANGELO PO) 607



FERMOD 0017601HAU

FERMOD 176

**3053396 HINGE WITH SPRING 125 mm**  
for door thickness 25/35 mm  
adjustable spring



FERMOD 0452600

FERMOD 4526


**3053397 HINGE WITH SPRING 150 mm**  
for door thickness 25/40 mm  
adjustable spring



FERMOD 0452800


FERMOD 4528

**3053365 HINGE 1370**  
distance between holes 50 mm



FERMOD 01370

**3053430 HINGE 1371 WITH RAMP**  
mounting distance 50 mm



FERMOD 1371








Suitable for:


**3053429 HINGE 471 HP WITH RAMP**  
mounting distance 30 mm



FERMOD 00471HP      FERMOD 471HP


Suitable for:

**3053562 HINGE 473 HP WITH RAMP**  
vertical adjustment  
mounting distance 30 mm




FERMOD 00473RVHP

**3053400 HINGE 481 HP WITH RAMP**  
mounting distance 30 mm




FERMOD 00481HP      FERMOD 481      FERMOD 481.HP

**3053406 HINGE 546**  
mounting distance 60-32 mm




FERMOD 0054602      FERMOD 546.02

**3053407 HINGE 746**  
length 170 mm - mounting distance 144-34 mm




FERMOD 0074602

**3053409 HINGE 758 WITH RAMP AND SPRING LH**  
length 262 mm  
mounting distance 232-45 mm




FERMOD 758.02

**3053408 HINGE 758 WITH RAMP AND SPRING RH**  
length 262 mm  
mounting distance 232-45 mm




FERMOD 758.02

**3053499 LONG PIN HINGE FERMOD 176**  
with square pin 8 mm




FERMOD 6108001IT

**3053559 PAINTED HINGE 446**  
mounting distance 32-16 mm



FERMOD 0044602      FERMOD 446.02

**3053560 PAINTED HINGE 456 WITH RAMP**  
mounting distance 32-16 mm



FERMOD 0045602      FERMOD 456.02





Suitable for:

# FERMOD



**3380028 SHELF 1080x360 mm**  
 with removable grids N.2 300x330 mm  
 N.1 420x330 mm  
 dishwasher safe  
 capacity 175 kg



FERMOD 64260

**3380048 SHELF 1080x460 mm**  
 with removable grids N.2 300x430 mm  
 N.1 420x430 mm mod.6611  
 dishwasher safe  
 capacity 175 kg




FERMOD 64268

**2102225 SHELF 1080x560 mm**  
 with removable grids N.2 300x531 mm  
 N.1 420x531 mm mod.6611  
 for dishwasher washing  
 capacity 175 kg



FERMOD 64276

**3380029 SHELF 1200x360 mm**  
 with removable grids N.1 300x330 mm  
 N.2 420x330 mm mod.6611  
 dishwasher safe  
 capacity 175 kg




FERMOD 64261

**3380049 SHELF 1200x460 mm**  
 with removable grids N.1 300x430 mm  
 N.2 420x430 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64269

**2102226 SHELF 1200x560 mm**  
 with removable grids N.1 300x531 mm  
 N.2 420x531 mm mod.6611  
 for dishwasher washing  
 capacity 175 kg



FERMOD 64277

**3380030 SHELF 1320x360 mm**  
 with removable grids N.3 420x330 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64262

**3380050 SHELF 1320x460 mm**  
 with removable grids N.3 420x430 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64270



# FERMOD



Suitable for:

**2102227 SHELF 1320x560 mm**  
with removable grids  
N.3 420x531 mm mod.6611  
for dishwasher washing  
capacity 175 kg



FERMOD 64278

Suitable for:

**3380034 SHELF 1500x360 mm**  
with removable grids N.2 300x330 mm  
N.2 420x330 mm mod.6611  
dishwasher safe  
capacity 175 kg



FERMOD 64263

**3380055 SHELF 1500x460 mm**  
with removable grids N.2 300x430 mm  
N.2 420x430 mm mod.6611  
dishwasher safe  
capacity 175 kg




FERMOD 64271

**2102228 SHELF 1500x560 mm**  
with removable grids N.2 300x531 mm  
N.2 420x531 mm mod.6611  
for dishwasher washing  
capacity 175 kg



FERMOD 64279

**3380035 SHELF 1620x360 mm**  
with removable grids N.1 300x330 mm  
N.3 420x330 mm mod.6611  
dishwasher safe  
capacity 120 kg



FERMOD 64356

**3380057 SHELF 1620x460 mm**  
with removable grids N.1 300x430 mm  
N.3 420x430 mm mod.6611  
dishwasher safe  
capacity 120 kg




FERMOD 64357

**2102229 SHELF 1620x560 mm**  
with removable grids N.1 300x531 mm  
N.3 420x531 mm mod.6611  
for dishwasher washing  
capacity 120 kg



FERMOD 64358

**3380036 SHELF 1740x360 mm**  
with removable grids N.4 420x330 mm mod.6611  
dishwasher safe  
capacity 120 kg



FERMOD 64359



Suitable for:

# FERMOD



**3380059 SHELF 1740x460 mm**  
 with removable grids N.4 420x430 mm mod.6611  
 dishwasher safe  
 capacity 120 kg



FERMOD 64360

**2102529 SHELF 1740x560 mm**  
 with removable grids N.4 420x531 mm mod.6611  
 for dishwasher washing  
 capacity 120 kg



FERMOD 64361

**3380024 SHELF 660x360 mm**  
 with removable grids N.2 300x330 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64256

**3380044 SHELF 660x460 mm**  
 with removable grids N.2 300x430 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64264

**3380025 SHELF 780x360 mm**  
 with removable grids N.1 300x330 mm  
 N.1 420x330 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64257

**3380045 SHELF 780x460 mm**  
 with removable grids N.1 300x430 mm  
 N.1 420x430 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64265

**2102222 SHELF 780x560 mm**  
 with removable grids N.1 300x531 mm  
 N.1 420x531 mm mod.6611  
 for dishwasher washing  
 capacity 175 kg



FERMOD 64273

**3380026 SHELF 900x360 mm**  
 with removable grids N.2 420x330 mm mod.6611  
 dishwasher safe  
 capacity 175 kg



FERMOD 64258



# FERMOD



Suitable for:

**3380046 SHELF 900x460 mm**  
with removable grids N.2 420x430 mm mod.6611  
dishwasher safe  
capacity 175 kg



FERMOD 64266

Suitable for:

**2102223 SHELF 900x560 mm**  
with removable grids N.2 420x531 mm mod.6611  
for dishwasher washing  
capacity 175 kg




FERMOD 64274

**3380027 SHELF 960x360 mm**  
with removable grids N.3 300x330 mm mod.6611  
dishwasher safe  
capacity 175 kg




FERMOD 64259

**3380047 SHELF 960x460 mm**  
with removable grids N.3 300x430 mm mod.6611  
dishwasher safe  
capacity 175 kg



FERMOD 64267

**2102224 SHELF 960x560 mm**  
with removable grids N.3 300x531 mm mod.6611  
for dishwasher washing  
capacity 175 kg



FERMOD 64275

**3380060 UPRIGHT 1685hx360 mm**  
with adjustable foot



FERMOD 6425311

**3380067 UPRIGHT 1685hx460 mm**  
with adjustable foot



FERMOD 6425411

**2102528 UPRIGHT 1685hx560 mm**  
with adjustable foot



FERMOD 6425511

**2102212 UPRIGHT 1800hx460 mm**  
with adjustable foot



FERMOD 6425411180

**2102220 UPRIGHT 2100hx560 mm**  
with adjustable foot



FERMOD 6425511210

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**  
via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [www.lfricambi724.mobi](http://www.lfricambi724.mobi)  
[info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspaceparts.com](mailto:export@lfspaceparts.com)

**FRANCE**



**EPGC Sas**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)

**DEUTSCHLAND**



**LF GmbH**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)

**SCHWEIZ**



**LF GmbH Verkaufsbüro**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)

**ESPAÑA**



**LF Repuestos Horeca S.L.U.**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tif. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos724.es](http://www.lfrepuestos724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)

**UNITED KINGDOM**



**LF Spare Parts Ltd.**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.co.uk](mailto:info@lfspaceparts.co.uk)

**RUSSIA**



**OOO LF**  
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.ru](mailto:info@lfspaceparts.ru)

**CHINA**



**LF China**  
Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspaceparts.com](mailto:china@lfspaceparts.com)