



Spare parts for:

## Commercial refrigeration



Suitable for:

# FRIULINOX



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*





Suitable for:

# FRIULINOX



Suitable for:

## Axial motors

**3240520 AXIAL FAN EBM  $\varnothing$  150x55 mm**  
ball bearings  
230V 50Hz 45W 2800rpm  
W2S130-AA03-01 - 7855 ES



FRIULINOX 996073

## Capacitors, electrical

**3068002 CAPACITOR  $\mu$ F 2.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



FRIULINOX 995750

## Centrifugal fans

**3340150 RADIAL VENTILATOR R2E190-A026-36**  
230V 50/60Hz 58W 0.26A 2500rpm  
 $\varnothing$  190 mm - capacitor  $2\mu\text{F}$  (not included)



FRIULINOX 996074

## Compressors and spares

**3070014 COMPRESSOR CUBIGEL GL90TB CSIR**  
220/240V 50Hz  
power 1/4 Hp, displacement 8.85 cc  
gas R134a HMBP



FRIULINOX 995783

**3070015 COMPRESSOR CUBIGEL GP12TB CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 12.00 cc  
gas R134a HMBP



FRIULINOX 995784

Suitable for:

**3070218 COMPRESSOR EMBRACO EMT6144Z CSIR**  
 220/240V 50Hz  
 power 1/6 Hp, displacement 5.20 cc  
 gas R134a HMBP  
 ASPERA



FRIULINOX 995741

Suitable for:

**3070123 COMPRESSOR EMBRACO NJ2192GK CSR**  
 220/240V, 50Hz  
 power 1.2 Hp, displacement 26.20 cc  
 gas R404a/R507 LBP  
 ASPERA



FRIULINOX 995767

**3070045 COMPRESSOR EMBRACO NJ2212GK CSR**  
 220/240V 50Hz  
 power 1.5 Hp, displacement 34.37 cc  
 gas R404a/R507 LBP  
 ASPERA



FRIULINOX 995711

**3070050 COMPRESSOR EMBRACO NJ6220Z CSIR**  
 220/240V 50Hz  
 power 3/4 Hp, displacement 26.20 cc  
 gas R134a HMBP  
 ASPERA



FRIULINOX 995769

**3070052 COMPRESSOR EMBRACO NJ6226Z CSR**  
 220/240V 50Hz  
 power 1 Hp, displacement 34.37 cc  
 gas R134a HMBP  
 ASPERA



FRIULINOX 996135

**3070010 COMPRESSOR EMBRACO NJ9226GK CSR**  
 220/240V 50Hz  
 power 1.1 Hp, displacement 21.70 cc  
 gas R404a/R507 HMBP  
 ASPERA



FRIULINOX 995925

**3070028 COMPRESSOR EMBRACO NJ9238GS**  
 400V 3Ph 50Hz  
 power 1.5 Hp, displacement 32.70 cc  
 gas R404a/R507  
 ASPERA



FRIULINOX 995926

**3070082 COMPRESSOR SECOP FR8.5CL CSIR**  
 220/230V 50Hz  
 power 1/4 HP - displacement 7.95 cc  
 gas R404a/R507 LBP  
 103U2890-HST DANFOSS



FRIULINOX 995875



Suitable for:

# FRIULINOX



**3070208 COMPRESSOR SECOP NL10MF CSIR**  
 220/230V 50/60Hz  
 power 1/3 Hp - displacement 10.10 cc  
 gas R134a MBP  
 DANFOSS 105G6885



FRIULINOX 996355

**3070227 COMPRESSOR SECOP NL6.1MF CSIR**  
 220/230V 50/60Hz  
 power 1/6 Hp - displacement 6.13 cc  
 gas R134a MBP  
 DANFOSS 105G6660



FRIULINOX 996352

**3070221 COMPRESSOR SECOP NL7.3MF CSIR**  
 220/230V 50/60Hz  
 power 1/4L Hp - displacement 7.27 cc  
 gas R134a MBP  
 DANFOSS 105G6772



FRIULINOX 996353

**3070207 COMPRESSOR SECOP NL8.4MF CSIR**  
 220/240V 50Hz  
 power 1/4 Hp - displacement 8.35 cc  
 gas R134a MBP  
 DANFOSS 105G6879



FRIULINOX 996354

**3070241 COMPRESSOR TECUMSEH AE4430Y CSIR**  
 220/240V 50Hz  
 power 1/4 Hp, displacement 8.0 cc  
 gas R134a HMBP



FRIULINOX 995873

**3070038 COMPRESSOR T2155GK CSR BOX LBP R404a**  
 power 5/8 Hp, displacement 14.50 cc  
 220/240V 50Hz  
 ASPERA



FRIULINOX 995485

## Drip trays for refrigeration

**3015009 DRIP TRAY**  
 520x65x30 mm




FRIULINOX 995605




## Electronic thermostats and controllers

**3445399 CONTROLLER ELIWELL ID PLUS 902**  
 12Vac/dc  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32x59 mm  
 mounting hole 71x29 mm




FRIULINOX 995237

**3445401 CONTROLLER ELIWELL ID PLUS 971**  
 12Vac/dc  
 1 relay output 2Hp for compressor  
 1 relay output 8A for defrosting  
 2 selectable NTC/PTC/PT1000 probes (not included)  
 1 programmable digital/temperature input  
 1 programmable digital input  
 TTL input for copy card connection  
 with buzzer  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm  
 for Refrigerated cupboard (ZANUSSI) - Series ADN  
 Series ADS



FRIULINOX 995697


**3445378 CONTROLLER ELIWELL ID PLUS 974**  
 230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 relay output 8A for defrosting  
 1 relay output 5A for fans  
 2 selectable NTC/PTC/PT1000 probes (not included)  
 1 programmable digital/temperature input  
 1 programmable digital input  
 TTL input for copy card connection  
 with buzzer  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



FRIULINOX 996198

## Evaporators

**3123002 EVAPORATOR D70038 650x300x145 mm**  
 for 1200 L  
 for Refrigerated cupboard (FRIULINOX)



FRIULINOX 935675

**3123003 EVAPORATOR 500x300x135 mm**  
 for 600 L  
 for Refrigerated cupboard (FRIULINOX)



FRIULINOX 935674



Suitable for:


# FRIULINOX



Suitable for:

## Fans for motors

**3240222 SUCTION BLADE ø 230 mm 28°**



FRIULINOX 935640

## Filters for refrigeration

**3160913 ANTIACID DEHYDRATOR FILTER 4305/2**  
1/4"MM sae lenght 119 mm ø 52 mm  
with solid cartridge - CODE INT.052  
nominal cubature 80 cm<sup>3</sup>



FRIULINOX 995136


**3160239 COPPER FILTER 15 g**  
2 ways - inlet 6.5 mm outlet 2.6 mm  
ø 19 mm - length 120 mm  
for Refrigerated cupboard (MONDIAL ELITE)  
BACCHUS WOOD TM40M - BPR40 - KPR40 - KPVX40  
KPVX60 - KPV40 - KPV60  
for Refrigerated cupboard (WHIRLPOOL) AGB773  
AGB774 - AGB779 - AGB780 - AGB781 - AGB839  
AGB840



FRIULINOX 995376

## Gaskets for refrigerators

**3286526 COLD ROOM GASKET - 25 m**  
grey color  
dimensions 40x20 mm



FRIULINOX 945006

FRIULINOX 996077

**3286525 COLD ROOM GASKET - 6 m**  
grey color  
dimensions 40x20 mm



FRIULINOX 945006

FRIULINOX 996077

**3286526 COLD ROOM GASKET - 25 m**  
grey color  
dimensions 40x20 mm




FRIULINOX 945006

FRIULINOX 996077

Suitable for:


**3186769 MIDDLE EDGED GASKET 390x198 mm**  
magnetic - color white



FRIULINOX 925016


Suitable for:

**3186081 MIDDLE EDGED GASKET 390x310 mm**  
magnetic - white colour  
for REFRIGERATED COUNTERS




FRIULINOX 925017

**3786057 MIDDLE EDGED GASKET 414x390 mm**  
magnetic - color white  
for drawer 2/3 GN1/1




FRIULINOX 925018

**3786058 MIDDLE EDGED GASKET 595x198 mm**  
magnetic - color white  
for drawer 1/3 GN2/1




FRIULINOX 925019

**3786059 MIDDLE EDGED GASKET 595x306 mm**  
magnetic - color white  
for drawer 1/2 GN2/1




FRIULINOX 925020

**3786060 MIDDLE EDGED GASKET 595x414 mm**  
magnetic - color white  
for drawer 2/3 GN2/1




FRIULINOX 925021

**3786055 MIDDLE EDGED GASKET 634x390 mm**  
magnetic - color white




FRIULINOX 925013

**3786054 MIDDLE EDGED GASKET 634x465 mm**  
magnetic - color white




FRIULINOX 925015

**3786056 MIDDLE EDGED GASKET 634x595 mm**  
magnetic - color white  
for door GN2/1 complete



FRIULINOX 925014

**3186070 MIDDLE EDGED GASKET 770x670 mm**  
magnetic - white colour



FRIULINOX 935046





Suitable for:

Suitable for:

**3786229 SNAP-IN DOOR GASKET 1190x550 mm**  
magnetic - grey colour

**3786237 SNAP-IN DOOR GASKET 1525x690 mm**  
magnetic - grey colour



FRIULINOX FR935215



FRIULINOX 935215

FRIULINOX FR935306

FRIULINOX 935306

**3786236 SNAP-IN DOOR GASKET 1570x670 mm**  
magnetic - grey colour

**3786240 SNAP-IN DOOR GASKET 390x200 mm**  
magnetic - grey colour



FRIULINOX FR935185



FRIULINOX 935185

FRIULINOX FR925053

FRIULINOX 925053

**3786233 SNAP-IN DOOR GASKET 407x296 mm**  
magnetic - grey colour

**3786234 SNAP-IN DOOR GASKET 416x198 mm**  
magnetic - grey colour



FRIULINOX FR925158



FRIULINOX 925158

FRIULINOX FR925159

FRIULINOX 925159

**5037465 SNAP-IN DOOR GASKET 600x405 mm**  
magnetic

**3786232 SNAP-IN DOOR GASKET 626x407 mm**  
magnetic - grey colour





FRIULINOX 925721

FRIULINOX FR925156

FRIULINOX 925156

**3786239 SNAP-IN DOOR GASKET 630x390 mm**  
magnetic - grey colour

**3786231 SNAP-IN DOOR GASKET 635x590 mm**  
magnetic - grey colour



FRIULINOX FR925052



FRIULINOX 925052

FRIULINOX FR925067

FRIULINOX 925067

**3786230 SNAP-IN DOOR GASKET 640x430 mm**  
magnetic - grey colour

**3786238 SNAP-IN DOOR GASKET 750x690 mm**  
magnetic - grey colour



FRIULINOX FR925104

FRIULINOX 925104

FRIULINOX FR935307


FRIULINOX 935307





Suitable for:

**3786235 SNAP-IN DOOR GASKET 770x670 mm**  
magnetic - grey colour




FRIULINOX FR935186

FRIULINOX 935186


Suitable for:

**3786378 SNAP-IN GASKET 1512x642 mm**  
magnetic - color grey




FRIULINOX 935819

**5022908 SNAP-IN GASKET 1570x615 mm**  
magnetic - colour grey



FRIULINOX 935813


**3786241 SNAP-IN GASKET 390x305 mm**  
magnetic - grey colour



FRIULINOX FR925054


FRIULINOX 925054

**3786275 SNAP-IN GASKET 393x192 mm**  
magnetic - grey colour  
for Refrigerated table (OLIS) KTRS44




FRIULINOX 925675

**3186511 SNAP-IN GASKET 410x185 mm**  
magnetic - grey colour



FRIULINOX 925283


**3186509 SNAP-IN GASKET 410x285 mm**  
magnetic - grey colour  
for Refrigerated table (FRIULINOX) TRS/37 - TRS/57



FRIULINOX 077FR925282

FRIULINOX 925282


**3186976 SNAP-IN GASKET 420x390 mm**  
magnetic - grey colour



FRIULINOX FR925055


FRIULINOX 925055

**3786666 SNAP-IN GASKET 465x310 mm**  
magnetic - grey color  
for Refrigerated table (FRIULINOX) TR75



FRIULINOX 925043

**3186583 SNAP-IN GASKET 485x290 mm**  
magnetic - grey color  
for Refrigerated table (FRIULINOX) - Series TR EN




FRIULINOX FR925315

FRIULINOX 925315



Suitable for:

**3186510 SNAP-IN GASKET 597x410 mm**  
magnetic - grey colour  
for Refrigerated table (FRIULINOX) TRS/37 - TRS/57




FRIULINOX 077FR925281

FRIULINOX 925281

Suitable for:


**5000087 SNAP-IN GASKET 630x480 mm**  
magnetic - grey color



FRIULINOX FR925198

FRIULINOX 925198

**3786696 SNAP-IN GASKET 761x622 mm**  
magnetic - grey



FRIULINOX 935812

## Grids for refrigerator-oven

**3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm**  
grey colour



FRIULINOX 990028

**3185152 PLASTIC-COATED GRID 600x400 mm**



FRIULINOX 990026

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm**  
thickness 7 mm



FRIULINOX 990039


**3185940 STAINLESS STEEL GRID 600x400 mm**  
thickness 7 mm



FRIULINOX 990040

## Guard grids


**3185093 FAN GRILLE ø 230 mm**  
height 27 mm  
distance between mounting holes 266 mm



FRIULINOX 995442

## Guides

**3189934** RIGHT/LEFTHAND SHELF SLIDEWAYS 630x22 mm



FRIULINOX 990029


**3189007** SLIDEWAYS COUPLE FOR GN2/1  
dimension 650x22 mm



FRIULINOX 990057


## Handles

**3242740** CATCH 7225 WITH LOCK  
with internal safety push-button  
complete with strike hook 27/42 mm




FRIULINOX 945624

**3242916** DOOR HANDLE WITH INSERT 5210-40  
distance between holes 376 mm



FRIULINOX 935507

**3242960** RH-LH DOOR HANDLE W/OUT KEY LOCK 1825  
distance between holes 158 mm  
plate dimensions 181x33 mm



FRIULINOX 945028

## Heating elements

**3355955** HEATING ELEMENT 52W 230V  
for whole door  
length 4400 mm  
for Refrigerated cupboard (FRIULINOX)  
Series AFMNSC



FRIULINOX 935353

**3355956** HEATING ELEMENT 68W 230V  
for half door  
length 5800 mm  
for Refrigerated cupboard (FRIULINOX)  
Series AFMNSC



FRIULINOX 935354



Suitable for:

# FRIULINOX



Suitable for:

## Hinges, catches and accessories

**3053257 BOTTOM HINGE RIGHT-LEFT**  
complete with spring  
for Refrigerated table (FRIULINOX) - Series STAR  
TR3/7 - TR75/3



FRIULINOX 925273

**3053952 CABINET STAINLESS STEEL SPRING CATCH**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935318

**3053956 LOWER LEFT HAND HINGE**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935311

**3053955 LOWER RIGHT HAND HINGE**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935310


FRIULINOX 935316

**5058363 LOWER RIGHT HINGE KIT**




FRIULINOX 965548

**5011820 UPPER HINGE**  
shaft  $\varnothing$  6x9 mm



FRIULINOX 925272

**3053951 UPPER LEFT HAND DOOR HINGE**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935309

**3053952 CABINET STAINLESS STEEL SPRING CATCH**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935318

**3053954 LEFT HAND DOOR SPRING**  
for Refrigerated cupboard (FRIULINOX) AR6MNSC  
AR7MNSC



FRIULINOX 935058

FRIULINOX 936086

Suitable for:

**3053950 UPPER RIGHT HAND DOOR HINGE**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935308

Suitable for:

**3053952 CABINET STAINLESS STEEL SPRING CATCH**  
for Refrigerated cupboard (FRIULINOX)  
Series ARMNSC



FRIULINOX 935318

**3053953 RIGHT HAND DOOR SPRING**  
for Refrigerated cupboard (FRIULINOX) AR6MNSC  
AR7MNSC



FRIULINOX 935057

FRIULINOX 936085

## Insulators

**3180037 INSULATING SHELL FOR THERMOSTATIC VALVE**  
suitable against condensate and  
ice formation



FRIULINOX 995776

## Knobs

**3241930 THERMOSTAT KNOB  $\varnothing$  26 mm**  
hole  $\varnothing$  6x4 mm



FRIULINOX 995440

## Lamps

**3221957 RED INDICATOR LAMP 230V**  
mounting hole 30x22 mm  
for Refrigerated cupboard (FRIULINOX) - Series AR



FRIULINOX 995269

**3221956 YELLOW INDICATOR LAMP 230V**  
mounting hole 30x22 mm  
for Refrigerated cupboard (FRIULINOX) - Series AR



FRIULINOX 995402



Suitable for:

# FRIULINOX



Suitable for:

## Liquid and moisture indicators

**3201014 MOISTURE INDICATORS 1/4"FM sae 3950/22**



FRIULINOX 995423

## Locks

**3388917 COMPLETE LOCK**

cylinder ø 19x25 mm  
for Refrigerated cupboard (MONDIAL ELITE)  
BACCHUS GENIUS WOOD 40 - BPR40 - KNX40 - KNX60  
KN40 - KN60 - KPR40 - KPVX40 - KPV40 - KPV60  
for Refrigerated cupboard (WHIRLPOOL) AGB773  
AGB774 - AGB775 - AGB776 - AGB777 - AGB778  
AGB779 - AGB780 - AGB781 - AGB839 - AGB840



FRIULINOX 935356

**3388916 LOCK COMPLETE**

cylinder ø 19x39 mm  
for Refrigerated cupboard (FRIULINOX) - Series AF  
Series AFP - Series AFVTR - AG60 - Series AP  
Series AR - Series ARF - Series ARP - Series ARR  
Series ARVTR - EN1 - EN2



FRIULINOX 935400

## Microswitches

**3240820 MICROSWITCH 16A 250V**



FRIULINOX 995264

## Motors

**3240580 SHADED-POLE MOTOR EBM 10W**

230V 50/60Hz 1300rpm 36W Input  
M4Q045-CA03-75  
for Refrigerated cupboard (FRIGINOX) G/GL2  
for Refrigerated cupboard (FRIGINOX) AT1



FRIULINOX 995525

**3240211 5-POLE MOTOR ELCO 10W**

230V 50/60Hz 1300rpm 38W Input  
VN 10-20  
for Refrigerated cupboard (IARP) CF700A



FRIULINOX 935630



## Pressure switches


- 3320902 PRESSURE CONTROL 016-H6758 PED**  
for high pressure



FRIULINOX 995240

## Pressure valves for refrigeration

- 3526551 PRESSURE VALVE V46AA-9609 G 3/8"**  
pressure range 5..23 bar  
capillary 750 mm with fitting 1/4" sae  
high pressure field to prevent from water hammer  
at low flow rate



FRIULINOX 995492

## Probes

- 3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



FRIULINOX 995500

FRIULINOX 995562


- 3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55°+150°C  
bulb ø 6x40 mm



FRIULINOX 995571

## Relays

- 3351902 RELAY AR 5118 30A 250V**  
single pole switch  
power relay



FRIULINOX 995345

- 3351901 RELAY 60.62 10A 230V 50/60Hz**  
2 switching contacts



FRIULINOX 995399



Suitable for:



Suitable for:

## Springs

**3053954 LEFT HAND DOOR SPRING**  
for Refrigerated cupboard (FRIULINOX) AR6MNSC  
AR7MNSC



FRIULINOX 935058

FRIULINOX 936086

**3053953 RIGHT HAND DOOR SPRING**  
for Refrigerated cupboard (FRIULINOX) AR6MNSC  
AR7MNSC



FRIULINOX 935057

FRIULINOX 936085

## Switches

**3319944 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V - with indicator light  
0-I silk-screen printing  
temperature max 120°C  
mounting hole 22x30 mm



FRIULINOX 995257

**3319945 GREEN MONOPOLAR CHANGE OVER SW.16A 250V**  
16(4)A 250V  
with independent yellow indicator light  
max temperature 120°C  
lead connector 6.35x0.8 mm  
mounting hole 22x30 mm  
for Refrigerated cupboard (FRIULINOX) - Series AR



FRIULINOX 995516

## Tangential fans

**3526951 TANGENTIAL BLOWER 180 mm LEFT WITH CABLE**  
230V 50/60Hz - ø 60 mm  
operating temperature -30°+40°C



FRIULINOX 995634

**3526033 TANGENTIAL BLOWER 270 mm LEFT W/CABLE**  
230V 50/60Hz - ø 60 mm  
operating temperature -30°+40°C



FRIULINOX 995773

**3526025 TANGENTIAL BLOWER 300 mm RIGHT W/CABLE**  
230V 50/60Hz - ø 60 mm  
operating temperature -30°+40°C



FRIULINOX 935581





## Thermostats

### 3444801 THERMOSTAT F2000 +30+90°C

3 contacts 10A 250V  
capillary 1500 mm  
bulb  $\varnothing$  6x115 mm



FRIULINOX 995574

### 3444993 THERMOSTAT F2000 -35+35°C

3 contacts 10A 250V  
capillary 1500 mm  
bulb  $\varnothing$  6x115 mm



FRIULINOX 995921

### 3444940 THERMOSTAT RANCO K22 L2557

3 contacts 6A 250V  
capillary length 2250 mm  
COLD -5°C. - WARM +13°C.  
for Refrigerated cupboard (MARENO) - Series AF/M  
Series EF - Series SF  
for Refrigerated table (MARENO) - Series TR



FRIULINOX 995352

### 3444916 THERMOSTAT RANCO K55 L5026

2 contacts 6A 250V  
capillary 2000 mm  
COLD -0.5°C - WARM +8.5°C  
D shaft  $\varnothing$  6x4.6 mm



FRIULINOX 995395

## Timers

### 3322901 TIMER SB3.82

24 hours cycle (1 - 12)  
defrosting from 2 to 60 minutes  
with fan delay  
230V 50Hz



FRIULINOX 995339

## Transformers

### 3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



FRIULINOX 995252

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



**LF SpA**  
via Voltri, 80 - 47522 Cesena (FC) ITALIA  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfricambi724.it](http://www.lfricambi724.it) - [www.lfricambi724.mobi](http://www.lfricambi724.mobi)  
[info@lfricambi.it](mailto:info@lfricambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspaceparts.com](mailto:export@lfspaceparts.com)

**FRANCE**



**EPGC Sas**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tél. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)

**DEUTSCHLAND**



**LF GmbH**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)

**SCHWEIZ**



**LF GmbH Verkaufsbüro**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)

**ESPAÑA**



**LF Repuestos Horeca S.L.U.**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tif. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos724.es](http://www.lfrepuestos724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)

**UNITED KINGDOM**



**LF Spare Parts Ltd.**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.co.uk](mailto:info@lfspaceparts.co.uk)

**RUSSIA**



**OOO LF**  
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspaceparts.ru](mailto:info@lfspaceparts.ru)

**CHINA**



**LF China**  
Room 102, House 8, Lane 725, Mao Tai Rd.  
Changning Dist. - 200336 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspaceparts.com](mailto:china@lfspaceparts.com)