



Spare parts for:

Commercial refrigeration



Suitable for:

IARP



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2014-02271621





Suitable for:

IARP



Suitable for:

Axial motors


3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



IARP 0221007

Compensation valves for refrigeration

3526243 COMPENSATION VALVE STOCK
ø 50 mm
without heating element



IARP 0400080

IARP 0400080+...

Compressors and spares

3070260 COMPRESSOR EMBRACO EMT2121U CSIR
220/240V 50/60Hz
power 1/4 Hp, displacement 5.57 cc
gas R290 LBP
ASPERA



IARP 0210663

3070261 COMPRESSOR EMBRACO EMT2130U CSIR
220/240V 50/60Hz
power 1/3 Hp - displacement 6.74 cc
gas R290 LBP
ASPERA



IARP 0210963

3070158 COMPRESSOR EMBRACO EMT50HDP RSIR
220/240V 50Hz
power 1/6 Hp, displacement 4.50 cc
gas R134a HMBP
ASPERA



IARP 0210607

3070162 COMPRESSOR EMBRACO EM65HHR CSIR
220/240V 50Hz
power 1/6 Hp, displacement 5.54 cc
gas R134a HMBP



IARP 0210611

Suitable for:

3070259 COMPRESSOR EMBRACO NEK2150U CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 13.54 cc
 gas R290 LBP
 ASPERA



IARP 0210557

Suitable for:

3070069 COMPRESSOR SECOP SC18G CSIR
 220/230V 50Hz
 power 1/2 Hp - displacement 17.70 cc
 gas R134a HMBP
 104G8820-HST DANFOSS



IARP 0210109

3070155 COMPRESSOR SECOP SC21G CSR
 220/230V 50Hz
 power 5/8 Hp - displacement 20.95 cc
 gas R134a HMBP
 104G8140-HST DANFOSS



IARP 0210107

Delaying devices

5051952 TIMER DELAY SWITCH FTIMERB
 230V 50/60Hz



IARP 3302173


Electronic thermostats and controllers

3445293 CONTROLLER EUREMA TE11E
 230V 50/60Hz
 1 relay output 16A for compressor
 front dimension 63x31x58 mm
 mounting hole 52x25 mm



IARP 3304410

5057236 CONTROLLER EUREMA TE32E
 for power supply and control relays. see module TE32POT, connection via multipolar cable.
 2 probe inputs (not included)
 1 door microswitch input



IARP 3303605



Suitable for:

3445294 DIGITAL THERMOMETER EUREMA TE01

230V 50/60Hz
1 PTC probe (not included)
front dimension 63x31x58 mm
mounting hole 52x25 mm



IARP 0205115

IARP



Suitable for:

5060764 DIGITAL THERMOMETER EUREMA TE01DEF

230V 50/60Hz
1 PTC probe (not included)
1 dF input 230V
with 10 min probe's inertia simulation
front dimension 63x31x73 mm
mounting hole 57x26 mm



IARP 3301028

5052857 POWER MODULE SLAVE EUREMA TE32EPOT

230V
3 relays (compressor-defrosting-fan)
for REFRIGERATOR ABX400PV




IARP 3303038

Evaporators

3123098 EVAPORATOR 16T 4R 450x105x90 mm


for EKO42/VFP32
for Display cabinet (IARP) EKO42 - VFP32



IARP 0119172

3123078 ROLL BOND EVAPORATOR


sizes 530x420 mm
complete with capillary 0.8x2200 mm
for Display cabinet (IARP) EIS10V



IARP 0119135

3123079 ROLL BOND EVAPORATOR


sizes 430x340 mm
complete with capillary 0.8x3700 mm
for Display cabinet (IARP) FRIGOBAR2001



IARP 0119154

3123080 ROLL BOND EVAPORATOR

sizes 390x325 mm
complete with capillary 0.66x2500 mm
for Display cabinet (IARP) EIS8



IARP 0119189



Suitable for:

3123081 ROLL BOND EVAPORATOR
 dimensions 725x380 mm
 complete with capillary 0.9x2500 mm
 for Refrigerated cupboard (IARP) AB400 - AB500
 ARMONY42



IARP 0119157

Suitable for:

3123082 ROLL BOND EVAPORATOR
 sizes 1185x305 mm
 complete with capillary
 for Refrigerated cupboard (IARP) ABX700P



IARP 0119031

Feet


3313054 FOOT M10xh43 mm



IARP 0403014


Gaskets for refrigerators

3186716 SNAP-IN GASKET 1390x585 mm
 magnetic - grey colour
 for Display cabinet (IARP) VFP33




IARP 0313178

3186724 SNAP-IN GASKET 1391x634 mm
 magnetic - grey colour
 for Display cabinet (IARP) EIS43 - STAR43 - VFP110
 for Refrigerated cupboard (IARP) EIS42 - EIS55
 STAR42 - STAR55




IARP 0313010

5031363 SNAP-IN GASKET 1525x720 mm
 magnetic - grey color
 for Refrigerated cupboard (IARP) ABX500PV - AB500N
 AB500PV



IARP 0313220

3786147 SNAP-IN GASKET 1540x655 mm
 magnetic - grey color
 for Refrigerated cupboard (IARP) 140BT STOCK



IARP 0313221




Suitable for:

IARP




3186722 SNAP-IN GASKET 1545x630 mm
magnetic - colour grey
for Refrigerated cupboard (IARP) ABX700 - AB700



IARP 0313206


Suitable for:

3186721 SNAP-IN GASKET 1550x730 mm
magnetic - grey colour
for Refrigerated cupboard (IARP) ABX500 - AB500




IARP 0313200

3186723 SNAP-IN GASKET 1619x740 mm
magnetic - grey colour
for Refrigerated cupboard (IARP) - Series EC
Series EF




IARP 0313207

5052559 SNAP-IN GASKET 1680x730 mm
magnetic
for Refrigerated cupboard (IARP) AB600




IARP 0313291

3186719 SNAP-IN GASKET 1713x558 mm
magnetic - black colour
for Display cabinet (IARP) EKO42




IARP 0313007

3186720 SNAP-IN GASKET 1722x550 mm
magnetic - grey colour
for Refrigerated cupboard (IARP) ABX400 - AB400



IARP 0313205


3186717 SNAP-IN GASKET 637x576 mm
magnetic - colour grey
for upper part
for Display cabinet (IARP) K2



IARP 0313190


IARP 3300913

5052553 SNAP-IN GASKET 640x595 mm
magnetic - colour grey



IARP 0313196

3186718 SNAP-IN GASKET 903x637 mm
magnetic - colour grey
for lower part
for Display cabinet (IARP) K2




IARP 0313191

IARP 3300917



Grids for refrigerator-oven

3185163 **PLASTIC COVERED GRID 440x429 mm**
for Refrigerated cupboard (IARP) EIS28 - EIS315




IARP 0427598

3185164 **PLASTIC COVERED GRID 455x360 mm**
for Refrigerated cupboard (IARP) AB400N - AB400PV




IARP 0427222

3185165 **PLASTIC COVERED GRID 490x385 mm**
for Refrigerated cupboard (IARP) GOCCIA42



IARP 0427688

3185162 **PLASTIC COVERED GRID 510x429 mm**
for Refrigerated cupboard (IARP) EKO42CL
RUGIADA42




IARP 0427570

3185167 **PLASTIC COVERED GRID 526x418 mm**
old series
per STAR/EIS 32/42
for Display cabinet (IARP) STAR32
for Refrigerated cupboard (IARP) EIS32 - EIS42.2
STAR42.2



IARP 0427743

3185166 **PLASTIC COVERED GRID 528x418 mm**
for Refrigerated cupboard (IARP) EIS32




IARP 0427738

3185171 **PLASTIC COVERED GRID 532x390 mm**
for Refrigerated cupboard (IARP) EIS34 - EIS45.2
STAR45.2




IARP 0427744

3185170 **PLASTIC COVERED GRID 532x475 mm**
for Refrigerated cupboard (IARP) EIS55.2
STAR55.2




IARP 0427591

3185173 **PLASTIC COVERED GRID 556x480 mm**
for Refrigerated cupboard (IARP) EIS104.2



IARP 0427740

3185168 **PLASTIC COVERED GRID 569x412 mm**
for Refrigerated cupboard (IARP) EIS42.2
STAR42.2



IARP 0427678



Suitable for:

3185169 PLASTIC COVERED GRID 633x503 mm
for Refrigerated cupboard (IARP) AB500N - AB500P
AB500PV




IARP 0427137

3185175 PLASTIC COVERED GRID 649x538 mm
for Refrigerated cupboard (IARP) AB600N - AB600P
AB600PV



IARP 0427709

3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm
white colour
for Refrigerated cupboard (ZANUSSI)




IARP 0427396

IARP




Suitable for:

3185172 PLASTIC COVERED GRID 642x450 mm
for Refrigerated cupboard (IARP) ECX600P - EFX600N



IARP 0427000

3185176 PLASTIC COVERED GRID 650x532 mm
for Refrigerated cupboard (IARP) AB700N - AB700P



IARP 0427663

Heating elements

3355877 HEATING ELEMENT 170W 230V
length 490 mm - width 70 mm
height 100 mm



IARP 3602882

3455030 HEATING ELEMENT 233W 230V
length 195 mm - width 130 mm
height 170 mm
for condensate evaporator
for Refrigerated cupboard (IARP) GEMMA - INPULS
PUNTO FRESCO




IARP 0205376

Suitable for:

Suitable for:


- 3455031 HEATING ELEMENT 500W 230V**
 length 500 mm - width 120 mm
 height 80 mm
 for Refrigerated cupboard (IARP) EIS45 - EIS55
 STOK45 - STOK55



IARP 0205292

Hinges, catches and accessories


- 5025681 UPPER RIGHT HINGE**
 pin \varnothing 7 mm
 for Refrigerated cupboard (IARP) STAR 42.2



IARP 0415134

Interference suppression filters

- 3160099 INTERFERENCE SUPPRESSION FILTER 0.47 μ F**



IARP 3302470

Measuring tools

- 3394213 DIGITAL THERMOMETER -40+70°C WHITE**
 capillary length 3000 mm
 bulb \varnothing 5x20 mm
 button battery (GPA 76)
 battery life 1 year approx.
 embedding mounting with 45x25 mm hole
 for REFRIGERATORS,COLD ROOMS,REFRIGERATED COUNTERS



IARP 3302476

- 3394260 WALL THERMOMETER -40+40°C**
 dimensions 174x30 mm
 distance between mounting holes 163 mm



IARP 0406041



Suitable for:

IARP



Suitable for:

Microswitches

5052973 **MICROSWITCH ELTEK 250V 0.25A**
3 contacts - pin 24 mm




IARP 0202097

3240862 **MICROSWITCH TM1307 15A 250V**
for Refrigerated cupboard (IARP) ECX600 - EFX600



IARP 0202031

3240863 **MICROSWITCH 1051.03 0.25A 250V**
for Refrigerated cupboard (IARP) STOCK



IARP 0202054

3240864 **RIGHT MICROSWITCH C3006 WHITE**
250V 0.3A
for Refrigerated cupboard (IARP) - Series AB
Series STAR



IARP 0202070

Motors

3340166 **ELECTRONIC MOTOR ECM 12-15**
230V 50/60Hz 14W 1400rpm
with bearings



IARP 0220087

3340167 **ELECTRONIC MOTOR ECM 20-25**
230V 50/60Hz 25W 1400rpm
with bearings



IARP 0220088

3340111 **MOTOR ELCO 16W WITH BEARINGS**
230V 50/60Hz 1300rpm 65W Input
forward, backward fastening
with 2 screws M4 26mm
VN 16-25/1457



IARP 0221140

3240865 **MOTOR FIME C09R1863**
230V 50/60Hz 5W



IARP 0221122



Racks

3185177 RACK BRACKET LEFTHAND
for SHELLY/GEMMA



IARP 0430158

3185178 RACK BRACKET RIGHTHAND
for SHELLY/GEMMA



IARP 0430157

3185179 RACK SHELF 1190x405 mm
for Refrigerated cupboard (IARP) SHELLY120
SHELLY240



IARP 0427099


3185180 RACK SHELF 1785x405 mm
for Refrigerated cupboard (IARP) SHELLY180



IARP 0427235

Rings

3240970 RING ø 200 mm
external ø 246 mm
internal ø 206 mm



IARP 0221116

Sensors

3390243 WATER LEVEL SENSOR L143
250V 50W 1A



IARP 3300790

IARP 3301779

Solenoid valves

3120207 DANFOSS COIL 10W 220V WITH CABLE
018F7952



IARP 3303462

3120336 SOLENOID VALVE EVR 3 ø 6 mm
NC
32G1005



IARP 0189040



Suitable for:

3120338 SOLENOID VALVE EVR 3 ø 6 mm
NC
nominal orifice ø 3.2 mm



IARP 0189035

IARP




Suitable for:

3120339 SOLENOID VALVE EVR 6 ø 10 mm
NC
nominal orifice ø 6 mm



IARP 0189036

3120337 SOLENOID VALVE EVR 6 ø 10 mm NO
32F1295



IARP 0189037

Telethermometers

3441077 TELETHERMOMETER ø 52 mm -40+40°C
capillary 1500 mm
bulb ø 6x50 mm



IARP 0406042

3441078 TELETHERMOMETER ROF88 -40+40°C
dimensions 58x25 mm
covered capillary 2000 mm
bulb ø 6x30 mm



IARP 0406038

Thermostats

3744108 DANFOSS THERMOSTAT 077B-3379
insulated contacts EBD 6A 250V
capillary 1500 mm
COLD +0°C - WARM +10°C - DT 4°C
D-shaped pin ø 6x4.6 mm



IARP 0225181

3444858 END-DEFROSTING THERMOSTAT L10-10C
+6°-3°C



IARP 3301567



Suitable for:

3744109 RANCO THERMOSTAT K50 BS3492
 insulated contacts EBD 6A 250V
 capillary 2500 mm
 COLD -26°C - WARM -19°C - DT 3°C
 D-shaped pin ø 6x4.6 mm



IARP 3304724


Suitable for:

3444824 SAFETY THERMOSTAT LM7-P5121 120°C
 2 contacts
 capillary length 1500 mm
 spiral bulb ø 6,3x60 mm



IARP 3303443

3444868 THERMOSTAT DANFOSS 077 B3517
 3 contacts 6A 250V
 capillary 900 mm
 for fixed end-defrosting
 Alternative Ranco K50 L7201
 for Refrigerated cupboard (IARP) EIS104 - EIS32
 EIS42 - STAR42 - STAR52



IARP 0225081

IARP 0225185

3444866 THERMOSTAT DANFOSS 077B-0345
 3 contacts 6A 250V
 capillary 1200 mm
 COLD -10°C - WARM +7°C - DT12°C
 D-shaft ø 6 x 4.6 mm
 for Refrigerated cupboard (IARP) - Series EKO
 Series GOCCIA - Series RUGIADA



IARP 3304195


3444873 THERMOSTAT DANFOSS 077B-2397
 3 contacts 6A 250V
 capillary 1500 mm
 COLD -32°C - WARM -10,5°C - DT8°C
 D-shaft ø 6 x 4.6 mm
 Alternative Ranco K22 P1351



IARP 0225095

IARP 3305084

3444859 THERMOSTAT DANFOSS 077B-3317 EBD
 3 contacts 6A 250V
 capillary 2000 mm
 COLD -30°C - WARM -18°C - DT6°C
 D-shaped pin ø 6x4.6 mm
 Alternative Ranco K22 P1350 - Danfoss 077B-0437
 for Refrigerated cupboard (IARP) EIS45 - EIS55
 STAR45 - STAR55



IARP 0225093

IARP 0225178

3444871 THERMOSTAT DANFOSS 077B-3374 EBD
 2 contacts 6A 250V
 capillary 1000 mm
 COLD -4.5°C - WARM +7.5°C - DT6°C
 D-shaped pin ø 6x4.6 mm
 alternative Ranco K50 L3319
 for Refrigerated cupboard (IARP) EIS28COCACOLA
 EIS315COCACOLA



IARP 0225088

IARP 3306115

3444869 THERMOSTAT RANCO K22 L1067
 3 contacts 6A 250V
 capillary 1500 mm
 COLD -34°C - WARM -10°C - DT3.5°C
 D-shaft ø 6 x 4.6 mm
 for Refrigerated cupboard (IARP) STOK140 - STOK70



IARP 0225008




Suitable for:

IARP



3444877 THERMOSTAT RANCO K22 L1089
 3 contacts 6A 250V
 capillary 1200 mm
 COLD -35°C - WARM -10°C - DT10°C
 D-shaft \varnothing 6 x 4.6 mm
 for ALGIDA



IARP 3304124

3444863 THERMOSTAT RANCO K22 L2086
 3 contacts 6A 250V
 capillary 2500 mm
 COLD -30°C - WARM -18°C - DT5°C
 D-shaped pin \varnothing 6x4.6 mm
 same as K50L3452
 for Display cabinet refrigerated (IARP)




IARP 0225104

3444876 THERMOSTAT RANCO K22 L2088
 3 contacts 6A 250V
 capillary 2500 mm
 COLD -20°C - WARM -10°C - DT3.5°C
 D-shaft \varnothing 6 x 4.6 mm
 for semifreddo




IARP 0225105

3444874 THERMOSTAT RANCO K22 L8103
 3 contacts 6A 250V
 capillary 1500 mm
 COLD -5°C - WARM +10°C - DT3°C
 D-shaft \varnothing 6 x 4.6 mm
 for Refrigerated cupboard (IARP) AB400 - AB500
 AB600



IARP 3304241

3444867 THERMOSTAT RANCO K50 BS3528
 2 contacts 6A 250V
 capillary 800 mm
 COLD -1.5°C - WARM +14°C - DT3.5°C
 D-shaped pin \varnothing 6 x 4.6 mm
 for drinks refrigerator
 Alternatively K50 L3284
 for Refrigerated cupboard (IARP)



IARP 0225010


IARP 0225186

3444875 THERMOSTAT RANCO K50 L3210
 2 contacts 6A 250V
 capillary 2500 mm
 COLD -30°C - WARM -23°C - DT6°C
 D-shaft \varnothing 6 x 4.6 mm
 for Refrigerated cupboard (IARP) AB400 - AB500
 AB600




IARP 3301323

3444878 THERMOSTAT RANCO K50 L3313
 2 contacts 6A 250V
 capillary 1500 mm
 D-shaft \varnothing 6 x 4.6 mm
 for Coca Cola FRESH PONT
 alternative 077B1032
 for Display cabinet refrigerated (IARP)



IARP 3300683


3444870 THERMOSTAT RANCO K50 L3337
 2 contacts 6A 250V
 capillary 1500 mm
 COLD 0°C - WARM +10°C - DT4°C
 D-shaft \varnothing 6 x 4.6 mm
 for Refrigerated cupboard (IARP) ARMONYHEINEKEN



IARP 0225090



3444865 THERMOSTAT RANCO K50 L3425
 2 contacts 6A 250V
 capillary 1000 mm
 COLD -30°C - WARM -10°C - DT3.5°C
 D-shaft \varnothing 6 x 4.6 mm
 for ice cream showcase, conservation unit
 for Display cabinet refrigerated (IARP)




IARP 3303610

3444862 THERMOSTAT RANCO K50 P1560
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -5°C - WARM +12°C - DT9°C
 D-shaft \varnothing 6 x 4.6 mm
 for Display cabinet refrigerated (IARP)
 Series GEMMA - Series SHELLY




IARP 0225113

3444861 THERMOSTAT RANCO K50 S3488
 2 contacts 6A 250V
 capillary 800 mm
 COLD +1°C - WARM +19°C - DT3.5°C
 D-shaft \varnothing 6 x 4.6 mm



IARP 3304611


3444872 THERMOSTAT RANCO K50B S3532
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -8°C - WARM +9.5°C - DT9°C
 D-shaft \varnothing 6 x 4.6 mm
 for Display cabinet refrigerated (IARP)
 Series JAZZ



IARP 0225189

IARP 3305974

3444860 THERMOSTAT RANCO K54 L1870
 3 contacts 6A 250V
 capillary 1000 mm
 COLD -29°C - WARM -19°C - DT5.4°C
 D-shaft \varnothing 6 x 4.6 mm
 for shaft freezer with alarm



IARP 0225009


3444864 THERMOSTAT RANCO K55 P5458
 2 contacts 6A 250V
 capillary 2500 mm
 COLD -28°C - WARM -12°C - DT3,5°C
 D-shaft \varnothing 6x4.6 mm
 for ice cream cabinet, display unit
 for Display cabinet refrigerated (IARP)



IARP 3301898


Timers

3322296 TIMER D94.44L 1 CAM
 6 hours - 12.5 minutes
 230V 50/60Hz
 for Refrigerated cupboard (IARP)



IARP 3301867

3322295 TIMER D94.44L 2 CAMS
 12 hours - 22.5 minutes
 230V 50/60Hz
 for Refrigerated cupboard (IARP)




IARP 0226001



Suitable for:

3322297 **TIMER D94.44L 2 CAMS**
12 hours - 16.5 minutes
230V 50/60Hz
for Refrigerated cupboard (IARP)




IARP 3302004

IARP



Suitable for:

3322239 **TIMER RZ-2001-21**
230V 50Hz
cycle 4h 15min
for Refrigerated cupboard (ZANUSSI) 400L



IARP 3300736

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA
via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas
13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China
Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com