



Spare parts for:

## Commercial refrigeration



Suitable for:

# ISA - TASSELLI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# ISA - TASSELLI



Suitable for:

## Axial motors

**3540001 SUNON FANS + BRACKETS ASSEMBLY**  
N.2 MC30151V2-000U-A99 12Vdc 0.45W 7000rpm  
30x30x15 mm



ISA - TASSELLI 418000124200

## Bodies

**3028023 COMPLETE TILTING UNIT KIT**  
length 1270 mm  
for Display cabinet (ISA - TASSELLI) ISETTA 7R



ISA - TASSELLI 491090906000

**3028024 COMPLETE TILTING UNIT KIT**  
length 1573 mm  
for Display cabinet (ISA - TASSELLI) ISETTA 9R



ISA - TASSELLI 491090908000

## Compressors and spares

**3070267 COMPRESSOR EMBRACO EMT2125U CSIR**  
220/240V 50Hz  
power 1/3 Hp, displacement 5.96 cc  
gas R290 LBP  
ASPERA



ISA - TASSELLI 452500005000

**3070268 COMPRESSOR EMBRACO NEK2134U CSIR**  
220/240V 50Hz  
power 1/2 Hp, displacement 10.00 cc  
gas R290 LBP  
ASPERA



ISA - TASSELLI 452500001000

**3070259 COMPRESSOR EMBRACO NEK2150U CSIR**  
220/240V 50Hz  
power 1/2 Hp, displacement 13.54 cc  
gas R290 LBP  
ASPERA



ISA - TASSELLI 452500019000

**3070269 COMPRESSOR EMBRACO NEK2160U CSR**  
220/240V 50Hz  
power 3/4 Hp, displacement 16.80 cc  
gas R290 LBP  
ASPERA



ISA - TASSELLI 452500016000



Suitable for:

**3070257 COMPRESSOR EMBRACO NJ2192GJ CSR GEMINI**  
220/240V, 50Hz  
power 1.2 Hp, displacement 26.20 cc  
gas R404a/R507 LBP  
with oil equalisation  
ASPERA



ISA - TASSELLI 452400055000

Suitable for:

**3070258 COMPRESSOR EMBRACO NJ2212GK CSR GEMINI**  
220/240V, 50Hz  
power 1.7 Hp, displacement 34.37 cc  
gas R404a/R507 LBP  
with oil equalisation  
ASPERA



ISA - TASSELLI 452452285000

**3070271 COMPRESSOR EMBRACO NT2170U CSR**  
220/240V, 50Hz  
power 3/4 Hp, displacement 20.44 cc  
gas R290 LBP  
ASPERA



ISA - TASSELLI 452500000000

## Door catches

**3398087 DOOR CATCH**  
mounting distance 27 mm



ISA - TASSELLI 50230200300

## Drip trays for coffee and bar

**3015084 DRIP TRAY**  
400x295x90 mm  
with hole for PTC cartridge heating element



ISA - TASSELLI 442254412000

**3015081 PLASTIC DRIP TRAY**  
370x100x90 mm



ISA - TASSELLI 442107704000



Suitable for:

**3015082 PLASTIC DRIP TRAY**  
385x180xh90 mm  
with hole for cartridge heating element



ISA - TASSELLI 442243696000

Suitable for:

**3015083 PLASTIC DRIP TRAY**  
470x255xh95-120 mm  
with hole for cartridge heating element



ISA - TASSELLI 442241872100

## Electronic printed-circuit boards

**3390390 DISPLAY CAREL PST01VR100**  
1 NTC probe (not included)  
mounting hole 71x29 mm



ISA - TASSELLI 418236625000

**3445419 DIXELL SENSOR TOUCH PAD ONE-T-00000**



ISA - TASSELLI 418200078000

**3445418 ELECTR.CIRCUIT BOARD DIXELL XM470K-510C1**  
230V 50/60Hz  
board without cover  
1 relay output 8A for compressor  
1 relay output 16A for light  
1 relay output 8A for evaporator fans  
1 relay output 20A for defrosting  
1 relay output 16A for aux  
3 NTC probes (not included)  
1 programmable digital input  
1 energy saving digital input  
RS485 serial output  
X-REP remote display output  
RTC internal timer function



ISA - TASSELLI 418249561100

**3445420 ELECTR.CIRCUIT BOARD DIXELL XM470K-510C1**  
230V 50/60Hz  
board without cover  
1 relay output 20A for compressor  
1 relay output 16A for light  
1 relay output 8A for evaporator fans  
1 relay output 8A for defrosting  
1 relay output 8A for aux  
2 NTC probes (not included)  
1 door microswitch digital input  
RS485 serial output  
RTC internal timer function  
X-REP remote display output  
touch sensor output



ISA - TASSELLI 418200076000

**3390387 ELECTR.CIRCUIT BOARD LED CONTROLLER DICE**



ISA - TASSELLI 418200093000

**3390386 ELECTR.CIRCUIT BOARD POWER ELECTRO 2 A-0136-08**



ISA - TASSELLI 418215217000



# ISA - TASSELLI



Suitable for:

**3445424 ELECTRON.CIRCUIT BOARD CAREL PSBIA01110**  
 115/230Vac  
 1 relay output 2Hp for compressor  
 1 relay output 16A for defrosting  
 1 relay output 10A for ventilators  
 1 relay output 10A for alarm  
 1 relay output 16A for light  
 1 relay output 10A for demisting heating element  
 2 digital inputs  
 LAN serial connection  
 3 NTC probes (not included)  
 RTC timer function  
 personalised ISA-TASSELLI



ISA - TASSELLI 418236623000


Suitable for:

**3390384 ELECTRON.CIRCUIT BOARD DICE B300136001**  
 for pneumatic valve control




ISA - TASSELLI 418200094100

**3390393 ELECTRONIC CIRCUIT BOARD B0496.01**



ISA - TASSELLI 418200007100

**3390385 ELECTRONIC CIRCUIT BOARD ELECTRO ON-OFF**  
 O-0017-12



ISA - TASSELLI 418221547100

**3390389 GRAPHIC DISPLAY CAREL PGD1000NW0**  
 mounting hole 74x39 mm  
 graphical resolution 132x64 pixels



ISA - TASSELLI 418200042000

**3390388 PUSH-BUTTON PANEL CAREL PSTIALR400**  
 mounting hole 138.5x29 mm  
 ISA-TASSELLI configuration



ISA - TASSELLI 418236624000

**3445417 PUSH-BUTTON PANEL DIXELL T840-100D0-X**  
 8 push-buttons for k format boards  
 IFI-DSL configuration



ISA - TASSELLI 418249562000



Suitable for:



Suitable for:

## Electronic thermostats and controllers

**3445426 CABLE WITH TELEPHONE PLUG 0.8 M**



ISA - TASSELLI 438300238000

**3445425 CONTROLLER CAREL PJS2C0H000**

230V 50/60Hz  
with light switch  
1 relay output 2Hp for compressor  
1 relay output 8A for defrosting  
1 relay output 8A for light  
2 NTC probes (not included)  
1 programmable digital input  
RTC timer function  
front dimension 81x36 mm  
mounting hole 71x29 mm



ISA - TASSELLI 418200101100

**3445416 CONTROLLER CAREL PYIA1Z052N**

230V 50/60Hz  
1 relay output 12A for compressor  
1 relay output 8A for defrosting  
1 relay output 8A for ventilator  
2 NTC probes (not included)  
serial output for programming key  
front dimension 81x36 mm  
mounting hole 71x29 mm  
PZIAC0H010K  
ISA-TASSELLI configuration



ISA - TASSELLI 418200090000

**3445412 CONTROLLER DIXELL XR44CX-0N0C8**

12Vac/dc  
1 relay output 16A for compressor 1  
1 relay output 16A for compressor 2  
1 relay output 16A for defrosting 1  
1 relay output 16A for defrosting 2  
3 selectable NTC/PTC probes (not included)  
1 programmable digital input  
hot key input  
front dimension 78x34xdepth 59 mm  
mounting hole 71x29 mm  
ISA-TASSELLI configuration



ISA - TASSELLI 418256848200

**3445428 CONTROLLER DIXELL XR72CX-0N0C8-U**

12Vac/dc  
1 relay output 16A for compressor 1  
1 relay output 16A for compressor 2  
1 relay output 16A for defrosting  
1 relay output 16A for ventilator  
2 selectable NTC/PTC probes (not included)  
1 programmable digital input  
hot key/TTL input  
front dimension 78x34xdepth 59 mm  
mounting hole 71x29 mm  
ISA-TASSELLI configuration



ISA - TASSELLI 418257552000

**3445413 CONTROLLER DIXELL XW260L-5N0D0-X**

230V 50/60Hz  
1 relay output 20A for compressor  
1 relay output 16A for defrosting  
1 relay output 8A for ventilator  
1 relay output 8A for aux  
3 NTC probes (not included)  
1 door microswitch digital input  
1 programmable digital input  
hot key input  
front dimension 185x38 mm  
mounting hole 150x31 mm  
ISA-TASSELLI configuration




ISA - TASSELLI 418253494000



Suitable for:

Suitable for:

## 3445422 CONTROLLER ELECTRO 120



ISA - TASSELLI 418294090000

## 3445414 CONTROLLER ELIWELL EW974

230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 relay output 8A aux  
 1 relay output 5A aux  
 2 selectable NTC/PTC probes (not included)  
 1 programmable digital input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm  
 EW2EDI0XC4704  
 ISA-TASSELLI configuration  
 extractable terminals version



ISA - TASSELLI 418200073000

## 3445415 CONTROLLER ELIWELL EW974

230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 relay output 8A aux  
 1 relay output 5A aux  
 2 selectable NTC/PTC probes (not included)  
 1 programmable digital input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm  
 EW2EDI0XC4701  
 ISA-TASSELLI configuration



ISA - TASSELLI 418200053000

## 3445427 CONTROLLER ELIWELL EW974

230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 relay output 8A for defrosting  
 1 relay output 5A for ventilator  
 2 NTC probes (not included)  
 1 programmable digital input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm  
 EW2EDI0XCH703  
 ISA-TASSELLI configuration



ISA - TASSELLI 418200064100

## 3445411 CONTROLLER ELIWELL ID971

230V 50/60Hz  
 1 relay output 2Hp for compressor  
 1 relay output 8A for defrosting  
 2 selectable NTC/PTC probes (not included)  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm  
 ID29D00TCH706  
 ISA-TASSELLI configuration



ISA - TASSELLI 418227413000

## 3445421 CONTROLLER ELIWELL ID974

230V 50/60Hz  
 1 relay output 8A for compressor  
 1 relay output 8A for defrosting  
 1 relay output 5A for ventilator  
 2 selectable NTC/PTC probes (not included)  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm  
 ID23D00TCH703  
 ISA-TASSELLI configuration



ISA - TASSELLI 418227691000



Suitable for:

# ISA - TASSELLI



Suitable for:


## Gaskets for refrigerators

**3186885 SNAP-IN DOOR GASKET 1320x632 mm**  
magnetic - grey colour  
for REFRIGERATOR model with glass door




ISA - TASSELLI ISA - TASSELLI 424019211000

**3186884 SNAP-IN DOOR GASKET 760x690 mm**  
magnetic - grey colour  
for REFRIGERATOR model with blind door




ISA - TASSELLI

**3286101 SNAP-IN GASKET 1540x685 mm**  
magnetic - grey colour



ISA - TASSELLI 424033299000

**5035801 SNAP-IN GASKET 1555x679 mm**  
magnetic - grey  
for GOURMET 600/700  
for Refrigerated cupboard (ISA - TASSELLI)  
Series GOURMET600 - Series GOURMET700



ISA - TASSELLI 29009

**3186883 SNAP-IN GASKET 1570x690 mm**  
magnetic - grey colour  
for REFRIGERATOR with blind door




ISA - TASSELLI

**3186725 SNAP-IN GASKET 1613x647 mm**  
magnetic - grey colour



ISA - TASSELLI 28047721

**3286099 SNAP-IN GASKET 432x180 mm**  
magnetic - grey colour  
for drawer 1/3



ISA - TASSELLI 29013

**3186709 SNAP-IN GASKET 614x434 mm**  
magnetic - grey colour  
for Refrigerated table (ISA - TASSELLI)  
Series SYSTEM



ISA - TASSELLI 29012

## Grids for refrigerator-oven

**3185962 CHROME-PLATED GRID 532x410 mm**  
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI

**3185961 CHROME-PLATED GRID 532x505 mm**  
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI





# ISA - TASSELLI



Suitable for:

**3185965 CHROME-PLATED GRID 540x367xh27 mm**  
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI

Suitable for:

**3185982 CHROME-PLATED GRID 720x532 mm**  
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI

## Handles

**3242757 ART-MPA GREY HANDLE 320xh43 mm**  
mounting distance 270 mm  
with white insert  
for Refrigerated cupboard (ISA - TASSELLI)  
Series TORNADO



ISA - TASSELLI 491094841000

**3242756 DICE HANDLE BASE**



ISA - TASSELLI 442200560000

ISA - TASSELLI 442200560100

## Heating elements

**3455477 CARTRIDGE HEATING ELEMENT PTC 250W 230V**  
cartridge length 130 mm  $\varnothing$  12 mm  
fitting 3/8"G  
cable length 4000 mm



ISA - TASSELLI 418500028000

**3455479 CARTRIDGE HEATING ELEMENT PTC 400W 230V**  
cartridge length 240 mm  $\varnothing$  12 mm  
fitting 3/8"G  
cable length 500 mm



ISA - TASSELLI 418500030000

**3455478 CARTRIDGE HEATING ELEMENT PTC 700W 230V**  
 $\varnothing$  12 mm  
cartridge length 370 mm  
cartridge width 90 mm  
fitting 3/8"G  
cable length 1500 mm



ISA - TASSELLI 418500020000

**3455480 HEATING ELEMENT 600W 230V**  
length 295 mm  
width 170 mm  
height 110 mm



ISA - TASSELLI 418503086200



Suitable for:

# ISA - TASSELLI



Suitable for:


## Hinges, catches and accessories

**3053598 BLACK PLASTIC HINGE**



ISA - TASSELLI 50230102400

**3053599 GREY PLASTIC HINGE**



ISA - TASSELLI 50230102300

**3053610 LEFT HINGE BRACKET ML/SY**



ISA - TASSELLI 442700041005

**3053920 LONG PIN HINGE INTERTECNICA 28L**  
with square pin 7.5 mm  
for Refrigerated cupboard (WHIRLPOOL)  
for Refrigerated cupboard (ZANUSSI) APP113



ISA - TASSELLI 24563

**3053617 LOWER LEFT DOOR HINGE ML/SY**



ISA - TASSELLI 442700045005

**3053596 LOWER LEFT HINGE BRACKET**



ISA - TASSELLI 442700042005

**3053597 RIGHT DOOR LOWER HINGE**



ISA - TASSELLI 442700040005

**3053600 RIGHT HINGE BRACKET**



ISA - TASSELLI 442700043005

**3053609 RIGHT HINGE BRACKET**



ISA - TASSELLI 442700044005

## Motors

**3240868 MOTOR MAFS 12 WITH RING  $\varnothing$  145-113 mm**  
230V 50/60Hz 9W 2700rpm  
with bearings



ISA - TASSELLI 418129631000

**3240871 BLOWING ALUMINUM FAN  $\varnothing$  96 mm 26°**



**3240870 SUCTION ALUMINUM FAN  $\varnothing$  96 mm 26°**



**3240872 THREE-POLE CABLE W/CONNECTOR 1500 mm**



**3240632 MOTOR W5/2A P.30 IV LC1**  
230V 50Hz  
cable length 1300 mm



ISA - TASSELLI 418113259000

## Reversing valves

**3150056 REVERSING VALVE V2-408060**  
suction 12.84 mm - discharge 9.67 mm  
capacity KW 2.81..6.33 (R22 - R407C)



ISA - TASSELLI 50600401200

**3150055 COIL WITH CABLE 230V LDK 41**  
50Hz 5W - 60Hz 4W  
cable length 1200 mm



ISA - TASSELLI 50504200500

## Tangential fans

**3805021 TANGENTIAL VENTILATOR 240x2 mm W/CABLE**  
230V 50/60Hz -  $\varnothing$  60 mm DOUBLE  
TAD24B-016



ISA - TASSELLI 50501506800

**3805022 TANGENTIAL VENTILATOR 300x2 mm W/CABLE**  
230V 50/60Hz -  $\varnothing$  60 mm DOUBLE  
TAD30B-009



ISA - TASSELLI 50501506900



Suitable for:



Suitable for:

## Transformers

### 3739030 TRANSFORMER MEAN WELL LPH-18-24

input 200-240Vac 50/60Hz 0.3A  
output 24Vdc 0.75A 18W



ISA - TASSELLI 419000015000