



Spare parts for:

Commercial refrigeration



Suitable for:

LAINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

LAINOX



Suitable for:

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



LAINOX

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



LAINOX R65060050

3240337 AXIAL VENTILATOR SUNON 80x80x38 mm
ball bearings
230V 50/60Hz 18W 2400rpm
SF23080A-2083HBL.GN



LAINOX R65060010

3240484 MOTOR FAN A4E315 AC08-19
230V 50/60Hz 95W 1370rpm 0.42A
ø 315 mm - capacitor 3µF (not included)



LAINOX RA880046

Bearings

3063912 BEARING FOR DRAWER GUIDE ø 28 mm
complete with pin
for Refrigerated table



LAINOX MA1194001

Capacitors, electrical

3068016 CAPACITOR µF 10 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190180

3068024 CAPACITOR µF 16 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190030



Suitable for:


3068002 CAPACITOR μ F 2.5 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX 965315

Suitable for:

3068006 CAPACITOR μ F 4 450V 50/60Hz
 operating temperature $-25+85^{\circ}\text{C}$
 in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX R50405600

LAINOX R65190010

LAINOX 50405600

Centrifigal fans


3340150 RADIAL VENTILATOR R2E190-A026-36
 230V 50/60Hz 58W 0.26A 2500rpm
 \varnothing 190 mm - capacitor $2\mu\text{F}$ (not included)



LAINOX SIRRA880040

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



LAINOX MACM187400

3454006 CONTACTOR SIEMENS 3RT1016-1AP02
 9A 230V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



LAINOX R65140380

3351059 THERMAL RELAY SIEMENS 1.8-2.5 A
 1 contact normally open
 1 contact normally closed
 3RU1116-1CB0 serie S00



LAINOX R65160580



Suitable for:

LAINOX



Suitable for:

Drain assembly


3316150 DRAIN ASSEMBLY 3/4"
with nut and gasket



LAINOX MA1138600


Electronic printed-circuit boards

5048651 BOARD WITH DISPLAY EVCO EVC20S35N7ALX30
230V 50/60Hz
3 relays (compressor-fan-light)
2 NTC probes (not included)
1 door microswitch input
dimensions 155x45 mm



LAINOX BN1681114

5058356 BOARD WITH DISPLAY EVCO EVC20S35N7ALX40
230V 50/60Hz
4 relays (compressor-defrosting-fan-light)
2 NTC probes (not included)
1 door microswitch input



LAINOX BN1681118

Fuses

3049009 DELAY FUSE 5x20 - 10 PCS
250V 400mA



LAINOX R65200350

3049016 DELAY FUSE 5x20 - 10 PCS
250V 2A



LAINOX R65200200

LAINOX 50304780

3049037 QUICK ACTING FUSE 5x20 - 10 PCS
250V 125mA



LAINOX R65200080

LAINOX R65200086

LAINOX 50304763

3049039 QUICK ACTING FUSE 5x20 - 10 PCS
250V 200mA




LAINOX R65200320




Gaskets for refrigerators

3786238 SNAP-IN DOOR GASKET 750x690 mm
magnetic - grey colour




LAINOX FR935307

3186984 SNAP-IN GASKET 1470x570 mm
magnetic - grey colour
for Refrigerated cupboard (POLARIS) ARTN40




LAINOX BN14415601460

3786333 SNAP-IN GASKET 1500x630 mm
magnetic - grey colour
for Refrigerated cupboard (POLARIS) SATN70




LAINOX BN14416191489

5028255 SNAP-IN GASKET 1540x640 mm
magnetic
for REFRIGERATOR FBP0060




LAINOX MA4836800

3186090 SNAP-IN GASKET 1560x670 mm
magnetic - grey colour
for Refrigerated cupboard (MARENO) AF140 - AF70
EF140DF




LAINOX MA2304414

3186549 SNAP-IN GASKET 1574x614 mm
magnetic - grey colour
for Refrigerated cupboard (POLARIS) SATN140
SATN70




LAINOX BN14415991559

3186583 SNAP-IN GASKET 485x290 mm
magnetic - grey color
for Refrigerated table (FRIULINOX) - Series TR EN




LAINOX FR925315

3186796 SNAP-IN GASKET 580x410 mm
magnetic - grey colour
for Refrigerated table (POLARIS) KTAR-TRS03




LAINOX BN14414300620

3786170 SNAP-IN GASKET 584x398 mm
magnetic - grey colour
for Refrigerated table (OLIS) OLKST04TN



LAINOX BN14414300569

3186954 SNAP-IN GASKET 620x395 mm
magnetic - grey colour
for TABLES




LAINOX MA2500912



Suitable for:


3786667 SNAP-IN GASKET 645x485 mm
magnetic - grey color
for Refrigerated table (POLARIS) KTAR82



LAINOX BN14415396405


Suitable for:

5029867 SNAP-IN GASKET 700x635 mm
magnetic
for Refrigerated cupboard (POLARIS) KSA35 SATN140



LAINOX BN14416190684


3186091 SNAP-IN GASKET 765x670 mm
magnetic - grey colour
for REFRIGERATORS



LAINOX MA2304514

Handles

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH




LAINOX R50103020

LAINOX R69010500

LAINOX 50103020

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm




LAINOX R50103010

LAINOX R69010030

LAINOX 50103010

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



LAINOX R50103020


LAINOX R69010500

LAINOX 50103020



Hinges, catches and accessories


3053882 CHROME PLATED HINGE 4484
length 100 mm - mounting distance 60 mm



LAINOX A33200080

LAINOX R69010330

3053944 HINGE FERMOD 176
with square shaft 8 mm
for Refrigerated cupboard (ANGELO PO) 607




LAINOX MA4837000

5058363 LOWER RIGHT HINGE KIT



LAINOX FR965548

5048178 TOP HINGE
pin \varnothing 6 mm
for REFRIGERATED TABLE KST TN/BT 01/02/03



LAINOX BN1412262

5054111 TOP HINGE
pin \varnothing 16 mm thread M6



LAINOX BN14850012


Lamps

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

3221012 GREEN INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



LAINOX R50304630

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX CR0587500

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810



Suitable for:

LAINOX



Suitable for:

Locks


3388905 LOCK COMPLETE
cylinder \varnothing 19x21 mm



LAINOX MA2315300

Microswitches

5021644 MICROSWITCH DEKA 250V 2.5A
3 contacts



LAINOX BN164608

5028294 MICROSWITCH E3102 WHITE
2 contacts NC 250V 5A



LAINOX BN164603

3240820 MICROSWITCH 16A 250V



LAINOX MA1037111300

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



LAINOX R50305111

LAINOX R65325010

LAINOX 50305111

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



LAINOX RA930008

LAINOX R65320540

LAINOX 995562

3445959 SILICONE PTC PROBE 5000 mm
temperature range -55°+150°C
bulb \varnothing 6x40 mm



LAINOX RA930009



Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V
 with indicator light and switch cover
 screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm



LAINOX MA4640500


1319202 GREEN TWO-POLE SWITCH 16A 250V
 16(4)A 250V - with indicator lamp
 silk-screen printing 0 - I
 temperature max 120°C
 mounting hole 22x30 mm



LAINOX A34100342

LAINOX R65267010

3319018 RED BIPOLAR CHANGE OVER SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 120°C
 mounting hole 22x30 mm



LAINOX R50304650

LAINOX R65260210

LAINOX 50304650

3319948 RED BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 120°C
 mounting hole \varnothing 25 mm



LAINOX R65260500

Terminal blocks

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



LAINOX MA1037104000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA
via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas
13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China
Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com