



Spare parts for:

## Commercial refrigeration



Suitable for:

# RAHRBACH



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:


# RAHRBACH



Suitable for:

## Handles


**3242540 BUMP PLATE 71-85 mm**



RAHRBACH 2105084

RAHRBACH 6000-02.0734


**3242309 CATCH ERGO 6190 W/CHROME PL.LOCK**  
base length 185.5x23.5x75h mm  
mounting distance 150 mm  
RAHRBACH



RAHRBACH 2103084

RAHRBACH 6190-021023


**3242308 CATCH ERGO 6190 WO/CHROME PL.LOCK**  
base length 185.5x23.5x75h mm  
mounting distance 150 mm  
RAHRBACH



RAHRBACH 2103083

RAHRBACH 6190-020998


**3242303 CATCH 6195 49 mm - 28.5 mm**  
mounting distance 41 mm - 20 mm  
RAHRBACH



RAHRBACH 2130002

RAHRBACH 6195-041901


**3242299 CATCH 6195 59 mm - 37 mm**  
mounting distance 50 mm - 28 mm  
RAHRBACH



RAHRBACH 2130004

RAHRBACH 6195-041903

**3242298 CATCH 6195 69 mm - 42 mm**  
mounting distance 57 mm - 30 mm  
RAHRBACH




RAHRBACH 2130006

RAHRBACH 6195-041905

**3242747 BLACK SPACER 42x12 mm**  
height 6 mm - distance between holes 30 mm



**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**  
base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



RAHRBACH 2103012


RAHRBACH 6188-02.0207



Suitable for:

Suitable for:

**3242890 HANDLE JUMBO WITH KEY**  
length 300 mm




RAHRBACH 0894+0699

RAHRBACH 2105021

RAHRBACH 6000-020894

**3242540 BUMP PLATE 71-85 mm**



RAHRBACH 2105084

RAHRBACH 6000-02.0734

**3242894 INTERNAL BUTTON 108-124 mm**



RAHRBACH 2105071

RAHRBACH 6000-020534

**3242891 INTERNAL BUTTON 60-76 mm.**



RAHRBACH 2105068

RAHRBACH 6000-020531

**3242892 INTERNAL BUTTON 76-92 mm**



RAHRBACH 2105069

RAHRBACH 6000-020532


**3242893 INTERNAL BUTTON 92-108 mm**



RAHRBACH 2105070

RAHRBACH 6000-020533


**3242096 PLATE FOR DOOR STRIKE PIN 30-43 mm**



RAHRBACH 2105062

RAHRBACH 6000-020715


**3242097 PLATE FOR DOOR STRIKE PIN 51-65 mm**



RAHRBACH 2105083

RAHRBACH 6000-020733


**3242439 ROLL FOR JUMBO**



RAHRBACH 2105140

RAHRBACH 6000-020017


**3242098 SEAL 7.5 mm**



RAHRBACH 2105066

RAHRBACH 6000-020719

**3242095 UPPER GRIPPING ASSEMBLY**



RAHRBACH 0732

RAHRBACH 2105081



Suitable for:

Suitable for:

**3242894 INTERNAL BUTTON 108-124 mm**

**3242891 INTERNAL BUTTON 60-76 mm.**



RAHRBACH 2105071

RAHRBACH 6000-020534

RAHRBACH 2105068

RAHRBACH 6000-020531

**3242892 INTERNAL BUTTON 76-92 mm**

**3242893 INTERNAL BUTTON 92-108 mm**



RAHRBACH 2105069

RAHRBACH 6000-020532

RAHRBACH 2105070



RAHRBACH 6000-020533

**3242307 LOCKING HANDLE ERGO 6188 W.CHROME PL. LO**

straight handle  
base length 185.5x23.5x33.2h mm  
distance between holes 150 mm  
RAHRBACH

**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**

base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



RAHRBACH 2103002

RAHRBACH 6188-020251

RAHRBACH 2103012


RAHRBACH 6188-02.0207

**3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188**

RAHRBACH - distance between holes 150 mm  
base length 185.5x23.5x33.2h mm

**3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE**

base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



RAHRBACH 00000002103001

RAHRBACH 2103001


RAHRBACH 6188-02.0252

RAHRBACH 2103012

RAHRBACH 6188-02.0207

RAHRBACH 6188-020.0252

**3242306 SHIM 5 mm**  
RAHRBACH



RAHRBACH 2103013

RAHRBACH 6188-020208





Suitable for:

Suitable for:

**3242096 PLATE FOR DOOR STRIKE PIN 30-43 mm**

**3242097 PLATE FOR DOOR STRIKE PIN 51-65 mm**



RAHRBACH 2105062



RAHRBACH 6000-020715

RAHRBACH 2105083

RAHRBACH 6000-020733

**3242439 ROLL FOR JUMBO**

**3242098 SEAL 7.5 mm**



RAHRBACH 2105140



RAHRBACH 6000-020017

RAHRBACH 2105066

RAHRBACH 6000-020719

**3242306 SHIM 5 mm**  
RAHRBACH

**3242095 UPPER GRIPPING ASSEMBLY**



RAHRBACH 2103013

RAHRBACH 6188-020208

RAHRBACH 0732



RAHRBACH 2105081

RAHRBACH 6000-020732

## Hinges, catches and accessories

**3053881 CHROME PLATED HINGE 4484**  
length 100 mm - mounting distance 60 mm

**3053882 CHROME PLATED HINGE 4484**  
length 100 mm - mounting distance 60 mm



RAHRBACH 2161002



RAHRBACH 4484-020285

RAHRBACH 2161003

RAHRBACH 4484-020082

**3053883 CHROME PLATED HINGE 4500/14**  
length 100 mm - mounting distance 80 mm

**3053884 CHROME PLATED HINGE 4500/23**  
length 100 mm - mounting distance 80 mm



RAHRBACH 2166010

RAHRBACH 4500-020397

RAHRBACH 4500-020400

RAHRBACH 2166008

RAHRBACH 4500-020398

RAHRBACH 4500-020460

RAHRBACH 4500-020433




Suitable for:

**3053583 DOOR HINGE FUTURO 4514 W/RIGHT RAMP**  
chrome plated - with 5 mm grey caps and shim

Suitable for:

**3053886 PLATE 100x20x4.5 mm**



RAHRBACH 2167001  
RAHRBACH 4514-020200+...

RAHRBACH 2167001+2167042+

RAHRBACH 4514-020200

















RAHRBACH 2166063

RAHRBACH 4513-020652

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)