



Spare parts for:

## Commercial refrigeration



Suitable for:

# SECOP



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.  
*Suitable universal spare parts may not be included*

Rel. 2014-04161051





# SECOP



## COMPRESSOR SECOP R134a HMBP

FREON  
R134a  
HMBP

# DANFOSS



TL

FR

SC

LF Code	Model	Motor power HP	Displacement cm <sup>3</sup>	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-10	-5	0	+5		
3070078	TL4G	1/8	3.86	CSIR	5.1	118	0.9	173	222	280	347	220-240/1/50	
3070077	TL5G	1/6	5.10	CSIR	5.7	149	1	220	277	345	423	220-240/1/50	
3070256	FR6G	1/5L	6.23	CSIR	7.5	172	1.1	226	290	365	452	220-240/1/50	
3070079	FR7.5G	1/5	6.93	CSIR	8.1	220	1.3	254	385	408	618	220-240/1/50	
3070039	FR8.5G	1/4L	7.95	CSIR	8.2	261	1.5	298	381	478	722	220-240/1/50	
3070070	FR10G	1/4	9.05	CSIR	10	296	1.9	324	412	516	779	220-240/1/50	
3070154	FR11G	1/3L	11.15	CSIR	10	357	2.1	395	501	628	780	220-240/1/50	
3070071	SC10G	1/3L	10.29	CSIR	11.1	322	1.85	369	486	618	925	220-240/1/50	
3070067	SC12G	1/3	12.87	CSIR	12.6	470	2.4	464	603	768	1182	220-240/1/50	
3070068	SC15G	3/8	15.28	CSIR	14.8	497	3	568	728	908	1340	220-240/1/50	
3070069	SC18G	1/2	17.69	CSIR	18.6	568	3.3	684	870	1087	1624	220-240/1/50	
3070155	SC21G	5/8	20.95	CSR	21.8	643	3.4	792	1012	1268	1889	220-240/1/50	

Condensation temperature +54.4°C

## COMPRESSOR SECOP R134a MBP

FREON  
R134a  
MBP

# DANFOSS



NL

LF Code	Model	Motor power HP	Displacement cm <sup>3</sup>	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz	
								Evaporating temperature °C					
								-15	-10	-5	0		
3070227	NL6.1MF	1/6	6.13	CSIR	8.0	187	1.4	189	245	312	390	220-240/1/50	
3070221	NL7.3MF	1/5	7.27	CSIR	8.8	230	1.7	236	304	385	480	220-240/1/50	
3070207	NL8.4MF	1/4	8.35	CSIR	10.8	261	1.9	277	353	445	553	220-240/1/50	
3070208	NL10MF	1/3	10.10	CSIR	13.1	323	2.2	346	441	554	687	220-240/1/50	
3070239	NL11MF	1/3	11.15	CSIR	16.1	388	2.4	380	485	609	756	220-240/1/50	

Condensation temperature +54.4°C



# SECOP



## COMPRESSOR SECOP R404a-R507 LBP



# DANFOSS



LF Code	Model	Motor power HP	Displacement cm3	Electric diagram	LRA	Watt	Ampere	Refrigeration power Watt				Power Volt/Ph/Hz
								Evaporating temperature °C				
								-30	-25	-20	-10	
3070214	FR6CL	1/5	6.23	CSIR	8.2	253	1.5	189	243	307	473	220-240/1/50
3070082	FR8.5CL	1/4	7.95	CSIR	11.5	315	2.2	222	290	372	577	220-240/1/50
3070159	SC10CL	1/3	10.29	CSIR	13.2	340	2.5	255	360	483	789	220-240/1/50
3070073	SC12CL	3/8	12.87	CSIR	15.8	430	2.7	353	490	650	1048	220-240/1/50
3070074	SC15CL	1/2	15.28	CSIR	18.5	510	3.2	452	615	792	1208	220-240/1/50
3070075	SC18CL	5/8	17.69	CSR	18.0	605	2.5	542	715	918	1425	220-240/1/50
3070076	SC21CL	7/8	20.95	CSR	22.0	733	3.2	617	813	1042	1606	220-240/1/50

Condensation temperature +54.4°C



Suitable for:

# SECOP



Suitable for:

## Compressors and spares

**3070212 COMPRESSOR SLV15CNX LBP R290**  
DANFOSS 104H-8568



SECOP SLV15CNX

**3445358 DANFOSS CONTROL BOX INVERTER 105N4325**  
SLV-ST(U)AD



**3445361 BLUE PROBE F. CONTROL BOX DANFOSS SLV**



**3445362 RED PROBE F. CONTROL BOX DANFOSS SLV**



**3445360 YELLOW PROBE F. CONTROL BOX DANFOSS SLV**

