



Spare parts for:

Commercial refrigeration



Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2014-02271702





Suitable for:

ZANUSSI



Suitable for:

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
ball bearing
230V 50Hz 19W 2650rpm
4656N



ZANUSSI

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANUSSI 0C1478

ZANUSSI 0C4106

ZANUSSI 0C4423

ZANUSSI 0E2261

ZANUSSI 002656

ZANUSSI 002690

ZANUSSI 058855

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



ZANUSSI 006125

3240515 AXIAL VENTILATOR EBM 80x80x38 mm
ball bearings
230V 50Hz 12W 2800rpm
8556N



ZANUSSI 083528

Bearings

3063900 BEARING FOR DRAWER GUIDE \varnothing 24 mm
for Refrigerated table



ZANUSSI 0A8292

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0U0403

ZANUSSI 056148

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883



Suitable for:

3068024 CAPACITOR μF 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

Suitable for:

3068002 CAPACITOR μF 2.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0E0174


3068027 CAPACITOR μF 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0H1044

ZANUSSI 047744

3068008 CAPACITOR μF 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0K9108


ZANUSSI 037268

3068010 CAPACITOR μF 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 049260

3068014 CAPACITOR μF 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 049126

3068040 RUNNING CAPACITOR $15\mu\text{F}$ 450V
 $\varnothing 40 \times 98\text{h mm}$



ZANUSSI 089915

3068036 RUNNING CAPACITOR $25\mu\text{F}$ 450V
 $\varnothing 45 \times 98\text{h mm}$



ZANUSSI 005135

3068101 STARTING CAPACITOR $43/52\mu\text{F}$ 330V



ZANUSSI 0A8764

ZANUSSI 086359

3068103 STARTING CAPACITOR $88/103\mu\text{F}$ 330V



ZANUSSI 0KQ662

ZANUSSI 083449

ZANUSSI 086174



Suitable for:

ZANUSSI



Suitable for:

Centrifigal fans

3240591 RADIAL VENTILATOR R2E190-A026-73

230V 50/60Hz 58W 0,26A 2500rpm
ø 190 mm - capacitor 2µF (not included)
for Refrigerated cupboard (STUDIO 54) OASIS1400
OASIS700
for Refrigerated cupboard (WHIRLPOOL) AFW1400
AFW1410 - AFW700 - AFW710



ZANUSSI 0E5666

Check-safety valves for refrigeration

3150016 SAFETY VALVE 3060/23C300 30 bar

inlet 1/4"npt - outlet 3/8"sae



ZANUSSI 092141

Clamps

3449457 HOSE CLAMP 60-80

for pipes ø 60÷80 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 046853

Compensation valves for refrigeration

3526800 COMPENSATION VALVE MINI EL/TN

ø 60 mm
for positive temperature
without heating element



ZANUSSI 081971



Compressors and spares

3070011 COMPRESSOR CUBIGEL GL45TB CSIR
power 1/6 HP. displacement 4.50 cc
220/240V 50Hz
CUBIGEL



ZANUSSI 085501

3070012 COMPRESSOR CUBIGEL GL60TB CSIR
220/240V. 50Hz
power 1/5 Hp, displacement 5.67 cc
gas R134a HMBP
for Refrigerated cupboard (MONDIAL ELITE) KPVX40
KPV40
for Refrigerated cupboard (WHIRLPOOL) AGB774
AGB840



ZANUSSI 085876

3070013 COMPRESSOR CUBIGEL GL80TB CSIR
220/240V 50Hz
power 1/5 Hp, displacement 7.57 cc
gas R134a HMBP
for Refrigerated cupboard (MONDIAL ELITE) KPVX60
KPV60
for Refrigerated cupboard (WHIRLPOOL) AGB777
AGB780



ZANUSSI 083735

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
220/240V 50Hz
power 1/4 Hp, displacement 8.85 cc
gas R134a HMBP



ZANUSSI 083718

3070015 COMPRESSOR CUBIGEL GP12TB CSIR
220/240V 50Hz
power 1/3 Hp, displacement 12.00 cc
gas R134a HMBP



ZANUSSI 083752

3070051 COMPRESSOR CUBIGEL GP14TB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 14.00 cc
gas R134a HMBP



ZANUSSI 083728

3070086 COMPRESSOR CUBIGEL GS34TB CSR
220/240V 50Hz
power 1 Hp, displacement 34.4 cc
gas R134a HMBP



ZANUSSI 084763

3070031 COMPRESSOR CUBIGEL MP12FB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 12.00 cc
gas R404a/R507 LBP
for Refrigerated cupboard (MONDIAL ELITE) KNX60
KN60
for Refrigerated cupboard (WHIRLPOOL) AGB777
AGB778



ZANUSSI 087001



Suitable for:

ZANUSSI



3070032 COMPRESSOR CUBIGEL MP14FB CSIR
220/240V 50Hz
power 1/2 Hp, displacement 14.00 cc
gas R404a/R507 LBP



ZANUSSI 0A9615

3070066 COMPRESSOR CUBIGEL MS34FB CSR
220/240V 50Hz
power 1.5 Hp, displacement 34.42 cc
gas R404a/R507 LBP



ZANUSSI 0A9727

ZANUSSI 084499

3070033 COMPRESSOR CUBIGEL MX18FBa CSR
220/240V 50Hz
power 5/8 Hp, displacement 18.39 cc
gas R404a/R507 LBP



ZANUSSI 091221

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
220/240V 50Hz
power 1/6 Hp, displacement 5.20 cc
gas R134a HMBP
ASPERA



ZANUSSI 0S0590

3070123 COMPRESSOR EMBRACO NJ2192GK CSR
220/240V, 50Hz
power 1.2 Hp, displacement 26.20 cc
gas R404a/R507 LBP
ASPERA



ZANUSSI 084076

ZANUSSI 099654

3070045 COMPRESSOR EMBRACO NJ2212GK CSR
220/240V 50Hz
power 1.5 Hp, displacement 34.37 cc
gas R404a/R507 LBP
ASPERA



ZANUSSI 085097

3070018 COMPRESSOR EMBRACO NJ9232GK CSR
220/240v 50Hz
power 1.2 Hp, displacement 26.20 cc
gas R404a/R507 HMBP
ASPERA



ZANUSSI 092906

3070027 COMPRESSOR EMBRACO NJ9232GS
400V 3Ph 50Hz
power 1.2 Hp, displacement 26.20 cc
gas R404a/R507 HMBP
ASPERA



ZANUSSI 085563



Suitable for:

3070028 COMPRESSOR EMBRACO NJ9238GS
 400V 3Ph 50Hz
 power 1.5 Hp, displacement 32.70 cc
 gas R404a/R507
 ASPERA



ZANUSSI 089761

Suitable for:

3070170 COMPRESSOR EMBRACO NT2180GK CSR
 220/240V 50Hz
 power 1 Hp, displacement 20.40 cc
 gas R404a/R507 LBP
 ASPERA
 for Refrigerated cupboard (ZANUSSI) RS13FX42F



ZANUSSI 093735

3070068 COMPRESSOR SECOP SC15G CSIR
 220/230V 50Hz
 power 3/8 Hp - displacement 15.28 cc
 gas R134a HMBP
 104G8520-HST DANFOSS



ZANUSSI 0T5270

3070130 COMPRESSOR TECUMSEH CAJ9480Z CSR
 220/240V 50Hz
 Rotalock suction connection
 power 5/8 Hp, displacement 15.2 cc
 gas R404a/R507 HMBP



ZANUSSI 0D2530

ZANUSSI 0D2530+089652

ZANUSSI 089652

ZANUSSI 089652+0D2530

Condensers


3068901 CONDENSER STN 8324 1x230 mm
 output 1125W DT 15°C
 300x90x250h



ZANUSSI 082229

Contactors


3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 003027

ZANUSSI 004206

3454022 CONTACTOR LOVATO BF1201A
 coil 12A 230V 50/60Hz 5.7Kw
 3 normally closed contacts
 1 normally closed auxiliary contact



ZANUSSI 0KD792




Suitable for:

ZANUSSI




3446506 CONTACTOR LOVATO BF2510A
 25A 400V 12.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 0K4938

ZANUSSI 054928

3446552 CONTACTOR LOVATO BG0610A
 coil 6A 230V 50/60Hz 2.2Kw
 3 normally open contacts
 1 normally open auxiliary contact




ZANUSSI 086215

3446214 CONTACTOR LOVATO BG09T4A
 4KW 400V 9A - 4 normally open contacts
 coil 230V 50/60Hz



ZANUSSI

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



ZANUSSI 086169

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 075796

Door catches

3398900 DOOR CATCH - 3 PIECES



ZANUSSI 082225



Doors

3058002 INNER DOOR FOR REFRIGERATOR

dimensions 670x1570 mm
grey
old series



ZANUSSI 081292

Drip trays for refrigeration

3015900 DRIP TRAY

530x325x40 mm
gastronorm 1/1
for Refrigerated cupboard (ZANUSSI) - Series ALF
Series ALN - Series ALP
for Refrigerated table (ZANUSSI) - Series MVR



ZANUSSI 080803

3015008 STAINLESS STEEL DRIP TRAY

300x145x35 mm
for Refrigerated cupboard (ZANUSSI)




ZANUSSI 083813

Electronic printed-circuit boards

3390086 DISPLAY CIRCUIT BOARD 185x50 mm

cable length 500 mm
for Refrigerated cupboard (ZANUSSI) ADF110ES




ZANUSSI 087481

Electronic thermostats and controllers

4091642 CONTROLLER CAREL IRELCOHN215


115/230V 50/60Hz
1 relay output 12A
3 relay outputs 8A
2 NTC probes (not included)
2 digital inputs
ELECTROLUX-ZANUSSI configuration



ZANUSSI 091642

4091609 CONTROLLER CAREL IRELFOEN215

115/230V 50/60Hz
2 relay outputs 8A
1 relay output 6A
2 NTC probes (not included)
1 digital input
ELECTROLUX-ZANUSSI configuration



ZANUSSI 091609



Suitable for:

ZANUSSI




Suitable for:

4092355 CONTROLLER CAREL IRELF0HN245
 115/230V
 1 relay output 12A
 2 relay outputs 8A
 3 NCT probes (not included)
 1 digital input
 ELECTROLUX-ZANUSSI configuration



ZANUSSI 092355

3445375 CONTROLLER ELIWELL ID PLUS 902
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ZANUSSI 0S0295

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

3445399 CONTROLLER ELIWELL ID PLUS 902
 12Vac/dc
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32x59 mm
 mounting hole 71x29 mm



ZANUSSI 0S0296

ZANUSSI 082388

ZANUSSI 082484

ZANUSSI 082396

3445028 PROBE NTC PVC 4000 mm
 temperature field -30°+80°C
 bulb ø 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445028 PROBE NTC PVC 4000 mm
 temperature field -30°+80°C
 bulb ø 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176



Suitable for:

Suitable for:


3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

3445376 CONTROLLER ELIWELL ID PLUS 961
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 pause defrosting
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ZANUSSI 089903


3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

3445378 CONTROLLER ELIWELL ID PLUS 974
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fans
 2 selectable NTC/PTC/PT1000 probes (not included)
 1 programmable digital/temperature input
 1 programmable digital input
 TTL input for copy card connection
 with buzzer
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ZANUSSI 0S0788

ZANUSSI 008904

ZANUSSI 089904

ZANUSSI 089913

ZANUSSI 099276

3445028 PROBE NTC PVC 4000 mm
 temperature field -30°+80°C
 bulb ø 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445028 PROBE NTC PVC 4000 mm
 temperature field -30°+80°C
 bulb ø 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ZANUSSI 0S0302


ZANUSSI 083583

ZANUSSI



Suitable for:

3445402 CONTROLLER ELIWELL ID PLUS 974
12Vac/dc
1 relay output 2Hp for compressor
1 relay output 8A for defrosting
1 relay output 5A for fans
2 selectable NTC/PTC/PT1000 probes (not included)
1 programmable digital/temperature input
1 programmable digital input
TTL input for copy card connection
with buzzer
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



ZANUSSI 088395

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm
for Refrigerated cupboard (ZANUSSI) - Series ADF
Series ADN



ZANUSSI 087832

ZANUSSI 092176

Evaporators

3123906 EVAPORATOR D4150 690x315x105 mm
for Refrigerated cupboard (ZANUSSI) AKP230
ALN220 - ALN240 - ALP220 - ALP240 - IKN220
IKP220 - ILN220 - ILN240 - ILP220 - ILP240
ISN220 - ISP220



ZANUSSI 082231

3123907 EVAPORATOR D4151 315x125x105 mm
for Refrigerated cupboard (ZANUSSI) ILNN220
ILN110 - ILP110 - ILP120




ZANUSSI 082211



Suitable for:


3068902 **EVAPORATOR D4241 395x250x100 mm**
for Refrigerated table (ZANUSSI)



ZANUSSI 082732

Suitable for:

3123141 **EVAPORATOR ECO D52686**
size 430x100x60 mm
for Refrigerated cupboard (ZANUSSI) ESMLR60
MLP600 - MLP601 - MLP602 - MLP609



ZANUSSI 0A9106

3123142 **EVAPORATOR ECO D53733**
size 935x 100x110 mm
for Refrigerated cupboard (ZANUSSI) MLP130
MLP131 - MLP132 - MLP139



ZANUSSI 0A9210

3123135 **EVAPORATOR ECO 57752**
455x300x110 mm
for Refrigerated cupboard (ZANUSSI) AKS110
ASS110 - IKP220N - IKS110 - ILS110 - ISS110



ZANUSSI 082410

3123140 **EVAPORATOR ECO 81111**
size 450x115x95 mm
for Refrigerated cupboard (ZANUSSI) ESMLF60
MLC600 - MLC601 - MLC602 - MLPC09



ZANUSSI 0A9212

3123086 **EVAPORATOR ROLL BOND**
dimensions 895x520 mm
with capillary
for Refrigerated cupboard (ZANUSSI)




ZANUSSI 0A9550

40A9672 **EVAPORATOR 460x205x200 mm**
for Refrigerated cupboard (ZANUSSI) ADF220
ADN220 - AEF220 - AEF240 - AEN220 - AEN240
ALN220 - ALN240 - ASF220 - ASN220



ZANUSSI 0A9672

3123001 **EVAPORATOR 57602 410x230x130 mm**
for 650 L
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A9681

ZANUSSI 087402



Suitable for:

ZANUSSI



Suitable for:

Fans for motors

3240394 PUSHER FAN \varnothing 230 mm 28°
for Refrigerated cupboard (ZANUSSI) C04NVF4D



ZANUSSI 085532

3240220 SUCTION BLADE \varnothing 200 mm 28°
for Refrigerated cupboard (MONDIAL ELITE) KNX60 KN60
for Refrigerated cupboard (WHIRLPOOL) AGB777 AGB778



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240222 SUCTION BLADE \varnothing 230 mm 28°



ZANUSSI 0A8420

ZANUSSI 082230

ZANUSSI 086327

3240964 SUCTION BLADE \varnothing 250 mm 28°



ZANUSSI 086311

3240965 SUCTION BLADE \varnothing 300 mm 28°



ZANUSSI 0KM740

ZANUSSI 087797

Feet

3313036 ADJUSTABLE S/STEEL FOOT \varnothing 1" x h 115 mm
with plastic support for tubular foot 40x40 mm
adjustable height 115÷205 mm



ZANUSSI 032550

3313045 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 125 mm
with square flange 74x74x2.5 mm
adjustable height 135÷235 mm



ZANUSSI 048579



Suitable for:

3313110 ADJUSTABLE STAINLESS STEEL FOOT \varnothing 2"
adjustable 145-230 mm
flange 130x90 mm
for Refrigerated cupboard (ZANUSSI) AKF110
ALF110 - ASF110 - FVNE061 - RSD36



ZANUSSI 0A9138

Suitable for:

3313109 FOOT M8xh39 mm
base \varnothing 39 mm
for Refrigerated cupboard (WHIRLPOOL) EC406
Series EKE - EN406 - EP406 - MP402 - MRL402
NEPA40 - NEPV40 - RW24
for Refrigerated cupboard (ZANUSSI) EC406
Series EKE - EN406 - EP406 - MP402 - MRL402
NEPA40 - NEPV40 - RW24



ZANUSSI 0A8640

3313003 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with rectangular flange 100x90 mm



ZANUSSI 057536

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm



ZANUSSI 053792

Filters for refrigeration

3160913 ANTIACID DEHYDRATOR FILTER 4305/2
1/4"MM sae lenght 119 mm \varnothing 52 mm
with solid cartridge - CODE INT.052
nominal cubature 80 cm³



ZANUSSI 086312

3160401 COPPER FILTER 15 g
3 ways - inlet 6.5-6.5 mm outlet 2.6 mm
 \varnothing 16 mm - length 170 mm
for Refrigerated cupboard (WHIRLPOOL) - Series IKN
for Refrigerated cupboard (ZANUSSI) - Series IKN



ZANUSSI 083854

3160244 COPPER FILTER 30 g
2 ways - inlet 6.5 mm outlet 6.5 mm
 \varnothing 24 mm - length 140 mm



ZANUSSI 0A9410



Suitable for:

ZANUSSI



Suitable for:

Fittings

3526812 ACCES VALVE WITH TUBE 10 cm ø 6 mm



ZANUSSI 0A8171

3526023 VALVE INTERNAL MECHANISM



ZANUSSI 085290

Fuses

3049003 DELAY FUSE 5x20 - 10 PCS
250V 100mA



ZANUSSI 086338

3049012 DELAY FUSE 5x20 - 10 PCS
250V 800mA



ZANUSSI 0C2301

3049038 QUICK ACTING FUSE 5x20 - 10 PCS
250V 160mA



ZANUSSI 002820

3049040 QUICK ACTING FUSE 5x20 - 10 PCS
250V 250mA



ZANUSSI 002920

3049041 QUICK ACTING FUSE 5x20 - 10 PCS
250V 315mA



ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032

3049042 QUICK ACTING FUSE 5x20 - 10 PCS
250V 400mA



ZANUSSI 002750

3049044 QUICK ACTING FUSE 5x20 - 10 PCS
250V 630mA



ZANUSSI 058871

3049049 QUICK ACTING FUSE 5x20 - 10 PCS
250V 2A



ZANUSSI 0A8438

Suitable for:

Suitable for:


3049052 QUICK ACTING FUSE 5x20 - 10 PCS
250V 4A



ZANUSSI 057783

Gaskets for refrigerators


3186075 MIDDLE EDGED GASKET 1570x670 mm
magnetic - white colour



ZANUSSI 0A8048


ZANUSSI 081293

3186926 MIDDLE EDGED GASKET 382x335 mm
magnetic - white colour
for Refrigerated table (ZANUSSI) - Series TR




ZANUSSI 084025

3186080 MIDDLE EDGED GASKET 390x185 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8083

3186769 MIDDLE EDGED GASKET 390x198 mm
magnetic - color white




ZANUSSI 0A8379

3186081 MIDDLE EDGED GASKET 390x310 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8079

3186082 MIDDLE EDGED GASKET 435x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8081

3186925 MIDDLE EDGED GASKET 590x382 mm
magnetic - white colour
for Refrigerated table (ZANUSSI) - Series TR



ZANUSSI 084026

3186083 MIDDLE EDGED GASKET 640x390 mm
magnetic -white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8075



Suitable for:

3186070 MIDDLE EDGED GASKET 770x670 mm
magnetic - white colour




ZANUSSI 0A8049

ZANUSSI 081294


Suitable for:

4088076 SNA-IN GASKET 1699x618 mm
magnetic
for Refrigerated cupboard (ZANUSSI) APF22B
APF223 - APF224 - APP11B - APP113 - APP114
APP224 - CM06RFWM - CM06RF3M - CM06RF4M
CM13FFWM - CM13FF3M - CM13FF4M - M06P0M1C
M06P2M1C - M06P9M1C - M13COM2C - M13C2M2C
M13C9M2C




ZANUSSI 088076

3186914 SNAP-IN DOOR GASKET 1470x690 mm
magnetic - grey colour
for REFRIGERATORS




ZANUSSI 0A8365

3186928 SNAP-IN DOOR GASKET 1530x660 mm
magnetic - grey colour
for REFRIGERATOR




ZANUSSI 082375

3186846 SNAP-IN DOOR GASKET 1530x665 mm
magnetic - black colour
for CABINETS




ZANUSSI 082586

3186933 SNAP-IN DOOR GASKET 1570x665 mm
magnetic - grey colour
for REFRIGERATOR (old type)




ZANUSSI 0A8225

3186920 SNAP-IN DOOR GASKET 325x170 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082740

3186923 SNAP-IN DOOR GASKET 385x155 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series MVR
Series TRN




ZANUSSI 031694



Suitable for:


3186930 SNAP-IN DOOR GASKET 385x215 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) TR1202 - TR1221
TR1603 - TR1622 - TR1641 - TR2004



ZANUSSI 081772


Suitable for:

3186921 SNAP-IN DOOR GASKET 385x275 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series TRN




ZANUSSI 082759

3186932 SNAP-IN DOOR GASKET 385x335 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) TR1202 - TR1221
TR1603 - TR1622 - TR1641 - TR2004




ZANUSSI 081815

3186931 SNAP-IN DOOR GASKET 600x385 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) TR1202 - TR1221
TR1603 - TR1622 - TR1641 - TR2004




ZANUSSI 081805

3186929 SNAP-IN DOOR GASKET 735x660 mm
magnetic - grey colour
for REFRIGERATOR




ZANUSSI 082424

3186917 SNAP-IN DOOR GASKET 760x665 mm
magnetic - grey colour
for REFRIGERATORS




ZANUSSI 0A8230

3786465 SNAP-IN GASKET 1545x635 mm
magnetic - colour grey




ZANUSSI 083851

3186919 SNAP-IN GASKET 1480x640 mm
magnetic - grey
for Refrigerated cupboard (WHIRLPOOL) ADN110
ADN220 - AKN110 - AKN220 - ASN110 - ASN220
C14RM - KDNE662 - RSD36 - RS212 - RVNM051
RVNM061 - RVNM142
for Refrigerated cupboard (ZANUSSI) E14COD2C




ZANUSSI 087129

3186077 SNAP-IN GASKET 1500x710 mm
magnetic - grey colour



ZANUSSI 081724

3786378 SNAP-IN GASKET 1512x642 mm
magnetic - color grey




ZANUSSI 089735



Suitable for:


3186845 SNAP-IN GASKET 1515x685 mm
magnetic - grey colour
for 400 L CABINET



ZANUSSI 0A8647


Suitable for:

3186599 SNAP-IN GASKET 1531x682 mm
magnetic - grey color
for Refrigerated cupboard (WHIRLPOOL) RW24
for Refrigerated cupboard (ZANUSSI) RS24




ZANUSSI 085719

3186074 SNAP-IN GASKET 1544x652 mm
magnetic - grey color




ZANUSSI 081943

3186076 SNAP-IN GASKET 1570x670 mm
magnetic - grey colour




ZANUSSI 080959

3186505 SNAP-IN GASKET 1695x600 mm
magnetic-colour grey
for Refrigerated cupboard (WHIRLPOOL) - Series APF
Series APP
for Refrigerated cupboard (ZANUSSI) - Series APF
Series APP - M13P0M2C 728260




ZANUSSI 087357

3186507 SNAP-IN GASKET 1700x612 mm
magnetic - grey colour
for REFRIGERATOR 600 L




ZANUSSI 0A9099

3786482 SNAP-IN GASKET 1705x663 mm
magnetic - grey colour
for Refrigerated cupboard (WHIRLPOOL) WDE752
WE751 - WZ751
for Refrigerated cupboard (ZANUSSI) WE751



ZANUSSI 087824

3786549 SNAP-IN GASKET 1805x740 mm
magnetic - grey colour
for Refrigerated cupboard (ALPENINOX)
for Refrigerated cupboard (WHIRLPOOL) EWDE602
EWDZ602 - EWE601 - EWZ601
for Refrigerated cupboard (ZANUSSI) EWDE602
EWDZ602 - EWE601 - EWZ601




ZANUSSI 0A9180



Suitable for:


4088028 SNAP-IN GASKET 374x363 mm
magnetic



ZANUSSI 088028


Suitable for:

3186485 SNAP-IN GASKET 385x170 mm
magnetic-colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series EDORN




ZANUSSI 0A8752

3786484 SNAP-IN GASKET 407x175 mm
magnetic - colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series RCDR - Series TRNA - Series TRRN




ZANUSSI 088484

3186486 SNAP-IN GASKET 407x270 mm
magnetic-colour grey
for Refrigerated table (WHIRLPOOL) - Series EDON
Series RCDR - Series TRNA - Series TRRN
for Refrigerated table (ZANUSSI) - Series EDON
Series TRN




ZANUSSI 087691

3786483 SNAP-IN GASKET 441x366 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) DRPAF12 - DRPAF16
SSDPC12 - SSDPC16




ZANUSSI 088055

3786400 SNAP-IN GASKET 510x435 mm
magnetic - grey colour
for Display cabinet refrigerated (ZANUSSI) SAL25




ZANUSSI 0A9647

3186487 SNAP-IN GASKET 570x405 mm
magnetic-colour grey
for Refrigerated table (WHIRLPOOL) - Series EDON
Series RCDR - Series TRNA - Series TRRN
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 087664

3186922 SNAP-IN GASKET 580x385 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series TRN




ZANUSSI 082725



Suitable for:


3786553 SNAP-IN GASKET 580x407 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) STRP1101



ZANUSSI 089183


Suitable for:

4099531 SNAP-IN GASKET 585x415 mm
magnetic
for Refrigerated table (ZANUSSI) HB4P




ZANUSSI 099531

5048656 SNAP-IN GASKET 590x385 mm
magnetic - colour grey
for Refrigerated table (ZANUSSI) - Series TRN




ZANUSSI 082725

3786586 SNAP-IN GASKET 590x397 mm
magnetic - grey color




ZANUSSI 0A9565

3186484 SNAP-IN GASKET 595x465 mm
magnetic-colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series EDORN - Series ZBRAV




ZANUSSI 0A8992

3186600 SNAP-IN GASKET 685x590 mm
magnetic - grey color
for Refrigerated cupboard (ZANUSSI) PFF119




ZANUSSI 087451

3186488 SNAP-IN GASKET 710x650 mm
magnetic - grey colour
for Refrigerated cupboard (ZANUSSI) - Series ADN



ZANUSSI 0A9741

3186071 SNAP-IN GASKET 730x710 mm
magnetic - grey colour



ZANUSSI 081725

Glues

3180021 THERMAL MASTIC 228 g PM8 TUBE
pasta termoconduttrice
temperatura di utilizzo -45°+105°C



ZANUSSI 049196



Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ZANUSSI 057468

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ZANUSSI 025020

ZANUSSI 081883

3185911 PLASTIC COVERED GRID 530x530 mm
for Refrigerated cupboard (ZANUSSI)




ZANUSSI 082904

3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm
grey colour



ZANUSSI 082729


3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm
white colour
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082885

Guard grids

3185088 FAN GRILLE ø 200 mm
height 25 mm
distance between mounting holes 236 mm



ZANUSSI 083440


Guides

3189001 LEFT-HAND DRAWER SLIDEWAY 620x30 mm
for Refrigerated table (ZANUSSI) - Series TRNP



ZANUSSI 082742

3063900 BEARING FOR DRAWER GUIDE ø 24 mm
for Refrigerated table



ZANUSSI 0A8292



Suitable for:

3189903 LEFT-HAND DRAWER SLIDEWAY 580x60 mm
for Refrigerated table (ZANUSSI) - Series TRN-EDON



ZANUSSI 082761

3391013 LEFT-RIGHT GRILL SLIDE 620x20 mm - 2 PCS
for Refrigerated cupboard (ZANUSSI) - Series ADN



ZANUSSI 0A9680

ZANUSSI 093851

3189937 RH SHELF SLIDEWAY 565x20 mm
for REFRIGERATED TABLES




ZANUSSI 082720

3189000 RIGHT-HAND DRAWER SLIDEWAY 620x30 mm
for Refrigerated table (ZANUSSI) - Series TRNP



ZANUSSI 082743

3189940 RIGHT-HAND OVEN SHELF SLIDEWAY 645x20 mm
for REFRIGERATORS ALPENINOX (old model)



ZANUSSI 0A8042


3189009 SLIPPER FOR GLAS



ZANUSSI 083893

Suitable for:

3189941 LEFT-HAND OVEN SHELF SLIDEWAY 645x20 mm
for REFRIGERATORS ALPENINOX (old model)



ZANUSSI 0A8045

3189936 LH SHELF SLIDEWAY 565x20 mm
for REFRIGERATED TABLES



ZANUSSI 082719

3189902 RIGHT-HAND DRAWER SLIDEWAY 580x60 mm
for Refrigerated table (ZANUSSI) - Series TRN-EDON



ZANUSSI 082760

3063900 BEARING FOR DRAWER GUIDE ø 24 mm
for Refrigerated table



ZANUSSI 0A8292

3391907 SHELF SLIDEWAYS 580x20 mm



ZANUSSI 082206


ZANUSSI 082263

ZANUSSI 093850



Handles

3242923 BLACK DOOR HANDLE 8730 276x28x40 mm
distance between holes 226 mm
insert in aluminium



ZANUSSI 031529

3242907 DOOR HANDLE \varnothing 24x204 mm



ZANUSSI 081728

3242906 DOOR HANDLE BASE 315x175 mm




ZANUSSI 054261

3242907 DOOR HANDLE \varnothing 24x204 mm



ZANUSSI 081728

3242914 DOOR HANDLE WITH INSERT 5210-25
distance between fixing holes 222 mm



ZANUSSI 081838

ZANUSSI 081846

3242916 DOOR HANDLE WITH INSERT 5210-40
distance between holes 376 mm



ZANUSSI 081906+082448

3242910 GREEN DOOR HANDLE \varnothing 24x203 mm



ZANUSSI 081726

3242061 HANDLE CAP



ZANUSSI 081727

3242061 HANDLE CAP



ZANUSSI 081727

3242133 LEFT PLASTIC HEAD



ZANUSSI 082728




Suitable for:

Suitable for:

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188

RAHRBACH - distance between holes 150 mm
base lenght 185.5x23.5x33.2h mm



ZANUSSI 002278

ZANUSSI 055510

ZANUSSI 056459

3242131 PLASTIC HANDLE length 430 mm for REFRIGERATED TABLE



ZANUSSI 082726

3242133 LEFT PLASTIC HEAD



ZANUSSI 082728


3242132 RIGHT PLASTIC HEAD



ZANUSSI 082727

3242579 RH-LH CATCH WITHOUT LOCK 570 CR

straight handgrip
length 230x23 mm
mounting distance 110 mm
altezza aggancio 16,5 mm



ZANUSSI 032156

3242132 RIGHT PLASTIC HEAD



ZANUSSI 082727

Heating elements

3455466 CARTRIDGE HEATING ELEMENT PTC 110W 230V

cartridge length 120 mm \varnothing 12 mm
power in absence of water 10W
fitting 3/8"G
cable length 1000 mm



ZANUSSI 083814

3355911 CARTRIDGE HEATING ELEMENT 95W 230V

bulb: \varnothing 12x120 mm
connection \varnothing 16 mm
capillary length 4000 mm
for TRAY
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 083814



Suitable for:

3355903 HEATING ELEMENT 105W 220V
length 430 mm - width 47 mm
height 120 mm
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082731

Suitable for:

3355905 HEATING ELEMENT 120W 220V
length 210 mm - width 110 mm
connection \varnothing 14 mm
for Refrigerated cupboard (ZANUSSI)




ZANUSSI 082188

3355906 HEATING ELEMENT 160W 220V
length 380 mm - width 60 mm
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082733

3355900 HEATING ELEMENT 335W 220V
length 265 mm - width 320 mm
for Refrigerated cupboard (WHIRLPOOL) - Series ALN
Series ILF
for Refrigerated cupboard (ZANUSSI)
for Refrigerated table (ZANUSSI)



ZANUSSI 083093

3355901 HEATING ELEMENT 350W 220V
length 470 mm - width 65 mm
height 90 mm
for Refrigerated table (ZANUSSI)



ZANUSSI 083530

3755271 HEATING ELEMENT 450W 230V
length 370 mm
width 35 mm
height 95 mm
for EVAPORATOR
for Refrigerated cupboard (ZANUSSI) ADN120
ADNF220 - ADNN220 - ADN111 - AEN110 - AEN120
ALN110 - ALN120 - ARDN110 - RGD36 - WDE752



ZANUSSI 0A9683

3355982 HEATING ELEMENT 480W 230V
length 365 mm - width 80 mm
height 190 mm
for Refrigerated cupboard (IRF)
Series BASIC SHOP700-TNN/V
Series SIRIUS1300-TNN/V



ZANUSSI 088377

3355902 HEATING ELEMENT 540W 220V
length 735 mm
width 310 mm
for Refrigerated cupboard (WHIRLPOOL) - Series AKN
Series ALF - Series ALN - Series IKF - Series IKN
Series ILF - Series ISF - Series ISN
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082279



Suitable for:

3355904 HEATING ELEMENT 610W 220V
length 480 mm - width 250 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A8017

Suitable for:

3355908 HEATING ELEMENT 85W 220V
length 495 mm - width 60 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A8134

Hinges, catches and accessories

3053523 BOTTOM HINGE
for Refrigerated cupboard (ZANUSSI) WE751 - WZ751



ZANUSSI 087826

3053908 BRACKET BUSHING 22 x 22 mm
for Refrigerated cupboard (STUDIO 54) OASI700
for Refrigerated cupboard (WHIRLPOOL) AFW1400
AFW700 - OASI1400



ZANUSSI 081654

3053913 DOOR BUSH
for REFRIGERATED TABLES
for Refrigerated table (ZANUSSI) TR1221 - TR1603
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ZANUSSI 081807

3053914 DOOR BUSH PIN
ø 5x20 mm
for Refrigerated table (ZANUSSI)



ZANUSSI 082757

3053915 GRIPPING ASSEMBLY WITH SPRING
for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082587

3053917 LEFT-HAND BRACKET
for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082499

ZANUSSI 087136

3053916 RIGHT-HAND BRACKET
for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082501

ZANUSSI 087135

Suitable for:

3053540 HINGE
for Refrigerated cupboard (ZANUSSI) MP402 - MRL402



ZANUSSI 0A9549

3704002 LOWER BUSH
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC600 - MLC601 - MLC602
MLP130 - MLP131 - MLP132 - MLP601 - MLP602
MP402 - MRL402



ZANUSSI 082964

3704003 UPPER BUSH
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082965

3053518 HINGE BUSH



ZANUSSI 083875

Suitable for:

3704009 HINGE SUPPORT BUSH
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402




ZANUSSI 0A9092

3324006 PIN
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082962

3053905 HINGE CENTRAL BRACKET
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082374



Suitable for:

3704009 HINGE SUPPORT BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 0A9092

Suitable for:

3053917 LEFT-HAND BRACKET

for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14




ZANUSSI 082499

ZANUSSI 087136

3053912 LEFT-HAND HINGE

for Refrigerated table (ZANUSSI) TR1221 - TR1603
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ZANUSSI 081808

3053913 DOOR BUSH

for REFRIGERATED TABLES
for Refrigerated table (ZANUSSI) TR1221 - TR1603
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ZANUSSI 081807

3053914 DOOR BUSH PIN


ø 5x20 mm
for Refrigerated table (ZANUSSI)



ZANUSSI 082757

3053920 LONG PIN HINGE INTERTECNICA 28L

with square pin 7.5 mm
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI) APP113



ZANUSSI 081653

ZANUSSI 082219

3704002 LOWER BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC600 - MLC601 - MLC602
MLP130 - MLP131 - MLP132 - MLP601 - MLP602
MP402 - MRL402



ZANUSSI 082964

3053909 LOWER LEFT-RIGHT HAND BRACKET

for hinge
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082256

3053908 BRACKET BUSHING 22 x 22 mm

for Refrigerated cupboard (STUDIO 54) OASI700
for Refrigerated cupboard (WHIRLPOOL) AFW1400
AFW700 - OASI1400



ZANUSSI 081654

Suitable for:

3324006 PIN

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082962

Suitable for:

3053916 RIGHT-HAND BRACKET

for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14




ZANUSSI 082501

ZANUSSI 087135

3053930 SHORT PIN HINGE INTERTECNICA 28XC

with square pin 7.5 mm
for Refrigerated cupboard (STUDIO 54) OASIS1400
OASIS700
for Refrigerated cupboard (WHIRLPOOL) AFW1400
AFW700
for Refrigerated cupboard (AFINOX) AR300LT



ZANUSSI 083876

3053901 SPRING CATCH

for Refrigerated cupboard (ALPENINOX)



ZANUSSI 0A8039

3053928 RIGHT SPRING \varnothing 15x132 mm

for Refrigerated cupboard (ALPENINOX)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082178

3053929 LEFT SPRING \varnothing 15 x 132 mm

for Refrigerated cupboard (ALPENINOX)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082179



Suitable for:

3053522 TOP HINGE

for Refrigerated cupboard (ZANUSSI) WE751 - WZ751



ZANUSSI 087822

ZANUSSI



Suitable for:

3704003 UPPER BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082965

Insulators

3180024 INSULATING SHELL FOR THERMOSTATIC VALVE


suitable against condensate and
ice formation
in network polyethylene foam with closed
cells and CL1, M1 certification



ZANUSSI 089614

Interference suppression filters

3160099 INTERFERENCE SUPPRESSION FILTER 0.47µF



ZANUSSI 046217

Knobs

3241903 THERMOSTAT KNOB

for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 082916

3241905 THERMOSTAT KNOB ø 26 mm


hole ø 6x4 mm



ZANUSSI 081690

Suitable for:

3241907 THERMOSTAT KNOB \varnothing 35 mm
hole \varnothing 6x4 mm



ZANUSSI 0A8203

Suitable for:

3241900 THERMOSTAT KNOB \varnothing 50 mm
hole \varnothing 6x4 mm
for Self service counter (ZANUSSI)



ZANUSSI 080837

Lamps

3221005 GREEN INDICATOR LAMP 220/380V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154


3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221914 LAMP SCREEN 105x65 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 081697

3221006 ORANGE INDICATOR LAMP 220/380V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



ZANUSSI 053811+053812

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2225

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544



Suitable for:

ZANUSSI




Suitable for:

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221014 ORANGE INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



ZANUSSI 0KM981

3221004 RED INDICATOR LAMP 220/380V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 053153

3221005 GREEN INDICATOR LAMP 220/380V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221006 ORANGE INDICATOR LAMP 220/380V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2408



Locks

3388010 LOCK COMPLETE
 cylinder \varnothing 18x15 mm
 for Refrigerated cupboard (WHIRLPOOL)
 for Refrigerated cupboard (ZANUSSI) ESMLF60
 ESMLR60 - MLC600 - MLC601 - MLC602 - MLP130
 MLP131 - MLP132 - MLP600 - MLP601 - MLP602



ZANUSSI 0A8655

3388900 LOCK COMPLETE
 cylinder \varnothing 19x39 mm
 for Refrigerated cupboard (ZANUSSI) IKN110
 IKN220 - ISF110 - ISF220 - ISN110 - ISN220
 ISP110 - ISP220 - ISS110 - ISS220



ZANUSSI 0KM805

ZANUSSI 081694

3388910 LOCK COMPLETE
 cylinder \varnothing 19x16 mm



ZANUSSI 0A8053

Measuring tools

3394207 BLACK DIGITAL THERMOMETER F/PANEL MOUNT.
 battery powered
 front battery
 RANGE $-50^{\circ}+70^{\circ}\text{C}$
 precision $\pm 1^{\circ}\text{C}$
 resolution 0.1°C
 remote probe length 1600 mm
 dimensions 62.5x29.5x19 mm



ZANUSSI 099993


3394952 DIGITAL THERMOMETER PDT300/1C
 probe protected by its case
 range $-50+150^{\circ}\text{C}/-58+300^{\circ}\text{F}$
 resolution $0,1^{\circ}$ - precision $\pm 1^{\circ}\text{C}$
 auto power-off
 memory button - ON/OFF button



ZANUSSI 0S2040

Microswitches

3240854 LEFT MICROSWITCH C3006 WHITE
 250V 0.3A
 for Refrigerated cupboard (MONDIAL ELITE) KPVX40
 KPVX60 - KPV40 - KPV60
 for Refrigerated cupboard (WHIRLPOOL) AGB774
 AGB779 - AGB780 - AGB840



ZANUSSI 084403

9014016 MAGNETIC MICROSWITCH E5101A
 0.5A 250V - contact NO - head 32x13x8 mm
 with cable length 750 mm




ZANUSSI 083881



Suitable for:

3240469 MAGNETIC MICROSWITCH E7101B
50VA 250V - NO contact - head 50x19 mm



ZANUSSI 049621


Suitable for:

3240148 MICROSWITCH MAGNET 63x19x11 mm




ZANUSSI 049627

3240407 MECHANICAL MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



ZANUSSI 069484

3240294 MICROSWITCH E3111 WHITE
3 contacts 250V 5A
for Refrigerated cupboard (WHIRLPOOL) - Series CM
Series CR - Series EDVNN - Series EMVNN
Series ESR - Series EUKR



ZANUSSI 087485

3240155 MICROSWITCH FR530A 3A 400V
for COLD ROOMS DOORS



ZANUSSI 046884

3240148 MICROSWITCH MAGNET 63x19x11 mm




ZANUSSI 049627

3240123 MICROSWITCH 16A 250V



ZANUSSI 0K1505

3240820 MICROSWITCH 16A 250V



ZANUSSI 0KB678

ZANUSSI 046286

ZANUSSI 047485

3240401 ACTUATOR FOR MICROSWITCH
for OVEN




ZANUSSI 054902



Suitable for:

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ZANUSSI 045404

ZANUSSI 45404

ZANUSSI




Suitable for:

3240526 MICROSWITCH 250V 1A
for Refrigerated cupboard (WHIRLPOOL) - Series CM
Series CR - Series EDVNN - Series EMVNN
Series ESR - Series EUKR



ZANUSSI 0A9383

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ZANUSSI 045404

ZANUSSI 45404

Motors


3240490 MOTOR ELCO 45W 3FBT 50-40/15
230V 50/60Hz 1300rpm 120W Input
with capacitor 2 μ F
for bracket fastening 4 screws M4
distance 31 mm
shaft length 22 mm



ZANUSSI 087799

ZANUSSI 088013

3240881 MOTOR EMI 101M-50130/3
230V 50/60Hz 130W 1300rpm
with thermal protection



ZANUSSI 0KM759

3240920 MOTOR FAN 10W WITH RING
fan \varnothing 230 mm
for Refrigerated cupboard (ZANUSSI) - Series AKP
Series ALN - Series ALP - Series IKN - Series ILP



ZANUSSI 081703

3240921 MOTOR FIME C09R1731
230V 50/60Hz
fan \varnothing 100 mm



ZANUSSI 0A9308




Suitable for:

ZANUSSI



Suitable for:

3240631 MOTOR 35W EMI 83D-2535
 230V 50/60Hz 1300rpm 95W Input
 with starting capacitor 2.5µF
 4 screws M4 for flange and bracket mounting
 distance 17 mm
 shaft length 34 mm



ZANUSSI 0KM742

3240211 5-POLE MOTOR ELCO 10W
 230V 50/60Hz 1300rpm 38W Input
 VN 10-20
 for Refrigerated cupboard (IARP) CF700A



ZANUSSI 0S0561

ZANUSSI 081393

ZANUSSI 086207

3240220 SUCTION BLADE ø 200 mm 28°
 for Refrigerated cupboard (MONDIAL ELITE) KNX60
 KN60
 for Refrigerated cupboard (WHIRLPOOL) AGB777
 AGB778



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240902 5-POLE MOTOR ELCO 16W
 230V 50/60Hz 1300rpm 65W Input
 VN 16-25



ZANUSSI 0S0562

ZANUSSI 086310

3240220 SUCTION BLADE ø 200 mm 28°
 for Refrigerated cupboard (MONDIAL ELITE) KNX60
 KN60
 for Refrigerated cupboard (WHIRLPOOL) AGB777
 AGB778




ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240903 5-POLE MOTOR ELCO 25W
 230V 50/60Hz 1300rpm 95W Input
 VNT 25-40



ZANUSSI 0S0563

ZANUSSI 081394

3240220 SUCTION BLADE ø 200 mm 28°
 for Refrigerated cupboard (MONDIAL ELITE) KNX60
 KN60
 for Refrigerated cupboard (WHIRLPOOL) AGB777
 AGB778



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041



Suitable for:

3240904 5-POLE MOTOR ELCO 34W
230V 50/60Hz 1300rpm 120W Input
VNT 34-45



ZANUSSI 0KM742

Suitable for:

3240220 SUCTION BLADE ø 200 mm 28°
for Refrigerated cupboard (MONDIAL ELITE) KNX60
KN60
for Refrigerated cupboard (WHIRLPOOL) AGB777
AGB778



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240210 5-POLE MOTOR ELCO 5 W
230V 50/60Hz 1300rpm 32W Input
VN 5-13



ZANUSSI 0KD790

Pressure reducers

7103403 WATER PRESSURE ADJUSTER 3/8 FF
for NIGARA FOUNTAIN SL 120R



ZANUSSI 0PR626

Pressure valves for refrigeration

3526550 PRESSURE VALVE V46AA-9950 G 3/8"
pressure range 5..18 bar
capillary length 750 mm - fitting to be welded



ZANUSSI 086246



Suitable for:

ZANUSSI



Suitable for:

Probes

3445046 EVAPORATOR PROBE 2000 mm
 bulb \varnothing 6x20 mm
 for Refrigerated cupboard (WHIRLPOOL)
 Series ADN - Series ALN - Series ARDN
 Series EDON - Series KLN - Series KLP
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087654

ZANUSSI 092174

3445028 PROBE NTC PVC 4000 mm
 temperature field $-30^{\circ}+80^{\circ}\text{C}$
 bulb \varnothing 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range $-30+80^{\circ}\text{C}$
 bulb \varnothing 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

Rating-plates


3319327 CONTROL PANEL
 for Refrigerated cupboard (ZANUSSI) 12800100.1



ZANUSSI 0A8881

Relays

3351900 RELAY B2-3 250V 16A
 tripolar changeover switch



ZANUSSI 046001

1351021 RELAY G7L-2A-TUB 25A 240V



ZANUSSI 088267



Suitable for:

3351901 RELAY 60.62 10A 230V 50/60Hz
2 switching contacts




ZANUSSI 0D0013
ZANUSSI 083215

ZANUSSI 058857

ZANUSSI 069882

Suitable for:

3351605 RELAY 60.63 10A 230V 50/60Hz
3 switching contacts




ZANUSSI 056446
ZANUSSI 085296

ZANUSSI 056466
ZANUSSI 086214


ZANUSSI 056510

3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



ZANUSSI 0PE302


3351602 RELAY 65.31 30A 250V 50/60Hz
1 cut-off contact



ZANUSSI 085647

Solenoid valves

3120189 CASTEL COIL 110V HM2
50/60 Hz



ZANUSSI

3120910 CASTEL COIL 230V HM2
50/60 Hz



ZANUSSI 085289


3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz



ZANUSSI 086051

ZANUSSI 086534

3120912 SOLENOID VALVE 1028/2 ø 1/4"-6 mm
direct action NC



ZANUSSI 087965

3120158 SOLENOID VALVE 1068/M10 ø 10 mm
diaphragm NC



ZANUSSI 089075



Suitable for:

ZANUSSI



Suitable for:

Springs

3053929 LEFT SPRING \varnothing 15 x 132 mm
for Refrigerated cupboard (ALPENINOX)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082179

3053928 RIGHT SPRING \varnothing 15x132 mm
for Refrigerated cupboard (ALPENINOX)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082178

3053919 SPRING



ZANUSSI 053342

3441906 SPRING FOR KNOB



ZANUSSI 082792

3250901 TORSION SPRING FOR RIGHTHAND HINGE
dimensions \varnothing 14x132 mm
wire: \varnothing 2.4 x 19 turns



ZANUSSI 088516

Supports

3391041 BRACKET 184x25 mm
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082257

3391010 GRILL SUPPORT 540x27x18 mm
for back lower mounting
for 9 grills
for old series
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI) - Series ASF
Series ASN - Series ASP - Series ASS - Series DVC
Series DVN - Series EDVN - Series EDVP
Series EMVN - Series ISF - Series ISN - Series ISP
Series ISS - Series MVP



ZANUSSI 082317



Suitable for:

3391001 GRILL SUPPORT 540x48x18 mm
 for lower lateral mounting
 for 9 grills
 for old series
 for Refrigerated cupboard (WHIRLPOOL)
 for Refrigerated cupboard (ZANUSSI) - Series ASF
 Series ASN - Series ASP - Series ASS - Series DVC
 Series DVN - Series EDVN - Series EDVP
 Series EMVN - Series ISF - Series ISN - Series ISP
 Series ISS - Series MVP



ZANUSSI 081957

Suitable for:

3391009 GRILL SUPPORT 720x27x18 mm
 for back upper mounting
 for 12 grills
 for old series
 for Refrigerated cupboard (WHIRLPOOL)
 for Refrigerated cupboard (ZANUSSI) - Series ASF
 Series ASN - Series ASP - Series ASS - Series DVC
 Series DVN - Series EDVN - Series EDVP
 Series EMVN - Series ISF - Series ISN - Series ISP
 Series ISS - Series MVP



ZANUSSI 082316

3391002 GRILL SUPPORT 720x48x18 mm
 for back lateral mounting
 for 12 grills
 for old series
 for Refrigerated cupboard (WHIRLPOOL)
 for Refrigerated cupboard (ZANUSSI) - Series ASF
 Series ASN - Series ASP - Series ASS - Series DVC
 Series DVN - Series EDVN - Series EDVP
 Series EMVN - Series ISF - Series ISN - Series ISP
 Series ISS - Series MVP



ZANUSSI 080811

ZANUSSI 081958

3391035 TRAY SUPPORT



ZANUSSI 031970

Switches

3319920 BLACK TWO-POLE SWITCH 16A 250V



ZANUSSI 0A8754

3319923 BLACK/RED CAM




ZANUSSI 0A8272

3319299 BUTTON 0-1
 for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A8691

3319012 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V
 with indicator light and switch cover
 screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm



ZANUSSI 053810



Suitable for:

ZANUSSI



3319013 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V
 with indicator lamp and switch cover
 "0 - II" symbol screenprinted
 max temperature 120°C
 mounting hole 22x30 mm



ZANUSSI 053837

3319330 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V - silk-screen printing 0-1
 with indicator light
 mounting hole \varnothing 25 mm
 for Refrigerated cupboard (ZANUSSI) - Series KLN
 Series KLP



ZANUSSI 087655

3319928 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 120°C
 mounting hole \varnothing 25 mm



ZANUSSI 054518

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



ZANUSSI 053979

3319944 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 0-I silk-screen printing
 temperature max 120°C
 mounting hole 22x30 mm



ZANUSSI 056703

3319951 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 125°C
 lead connector 6.35x0.8 mm
 mounting hole 25x27 mm



ZANUSSI 085987

ZANUSSI 099274

3319972 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 ON - OFF silk-screen printing
 max temperature 120°C
 mounting hole 22x30 mm



ZANUSSI 082873

3319936 GREEN BIPOLAR SWITCH 250V 16A
 16(4)A 250V - max temperature 120°C
 with green indicator light
 for Refrigerated cupboard (WHIRLPOOL)
 for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082486



Suitable for:

3319967 GREEN SINGLE-POLE SWITCH 16A 250V
 16(4)A 250V - max temperature 120°C
 mounting hole 11x30 mm



ZANUSSI 004110

Suitable for:

3319930 GREEN SWITCH SPL61 16A 250V
 with indicator lamp
 mounting hole \varnothing 25 mm
 lead connector 6.35x0.8 mm



ZANUSSI 082337


1319202 GREEN TWO-POLE SWITCH 16A 250V
 16(4)A 250V - with indicator lamp
 silk-screen printing 0 - I
 temperature max 120°C
 mounting hole 22x30 mm



ZANUSSI 056703


ZANUSSI 081680

3319932 GREY SINGLE POLE CHANGEOVER SWITCH
 16(4)A 250V - silk-screen printing I - II
 max temperature 120°C
 lead connector 6.35x0.8 mm
 mounting hole 22x30 mm



ZANUSSI 082473

3319415 KEY SUPPORTING BODY
 for all models



ZANUSSI 083050

3319922 SINGLE POLE CHANGEOVER SWITCH
 lead connector 6.35x0.8 mm



ZANUSSI 0A8273

3319923 BLACK/RED CAM



ZANUSSI 0A8272

3319921 SINGLE-POLE SWITCH 16A 250V



ZANUSSI 0A8274

3319923 BLACK/RED CAM



ZANUSSI 0A8272




Suitable for:

Suitable for:

3319328 SWITCHES BUTTON

3319329 SWITCHES BUTTON



ZANUSSI 0A8747

ZANUSSI 0A8692

3319924 SWITCHES BUTTON

3319925 SWITCHES BUTTON



ZANUSSI 083200

ZANUSSI 083201

3319931 WHITE BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
silk-screen printing 0-1
mounting hole 22x30 mm
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI)

3319929 WHITE SWITCH SPL60 16A 250V
with indicator lamp
mounting hole \varnothing 25 mm
lead connector 6.35x0.8 mm



ZANUSSI 081679

ZANUSSI 082390

ZANUSSI 082328

Tangential fans

3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT
230V 50/60Hz - \varnothing 45 mm
QLK45/1200 A36-2513L-93

3526900 TANGENTIAL BLOWER QLK45 300 mm LEFT
230V 50/60Hz - \varnothing 45 mm
QLK45/0030 A35-2524L-70



ZANUSSI 081795

ZANUSSI 082730

3526019 TANGENTIAL BLOWER QL45 180 mm RIGHT
230V 50/60Hz - \varnothing 45 mm
QLK45/1800 A108-2513L-93 vr

3526150 TANGENTIAL FAN 180 mm LEFT
230V 50/60Hz - \varnothing 60 mm - 25 W
operating temperature $-30^{\circ}+135^{\circ}\text{C}$
for Refrigerated cupboard (MONDIAL ELITE)
EBA171122 KKPRO600



ZANUSSI 0A8087

ZANUSSI 0A2272

ZANUSSI 0A3008

Suitable for:

Suitable for:


3526966 TANGENTIAL FAN 300 mm LEFT
 230V 50/60Hz - \varnothing 60 mm - 26 W
 operating temperature $-30^{\circ}+135^{\circ}\text{C}$



ZANUSSI 083737

Tapes

3394158 SMOOTH ALUMINIUM BAND 50 m



ZANUSSI 006451

Telethermometers

3441002 BLACK TELETHERMOMETER \varnothing 52 mm $-40+40^{\circ}\text{C}$
 metal case
 covered capillary length 2500 mm
 plasticized bulb \varnothing 7.5x40 mm
 for Refrigerated cupboard



ZANUSSI 081792

3441001 BLACK TELETHERMOMETER 58x25 mm $-40+40^{\circ}\text{C}$
 covered capillary length 2500 mm
 bulb \varnothing 8.4x25 mm
 for Refrigerated cupboard (ZANUSSI) - Series IKN
 Series ISP



ZANUSSI 082613

ZANUSSI 083101

3441003 WHITE TELETHERMOMETER \varnothing 60 mm $-40+40^{\circ}\text{C}$
 metal case
 covered capillary length 2000 mm
 plasticized bulb \varnothing 6x150 mm
 for Refrigerated cupboard



ZANUSSI 081512



Suitable for:

ZANUSSI



Suitable for:

Terminal blocks

3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ZANUSSI 0W3543

3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ZANUSSI 053805

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ZANUSSI 054042

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 046347

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 005420

ZANUSSI 058613

Thermostats

3744052 SAFETY THERMOSTAT



ZANUSSI 0KK203

3444448 SAFETY THERMOSTAT 40°C

cable length 1400 mm



ZANUSSI 0A9671

Suitable for:

3444971 THERMOSTAT END-DEFROSTING
 37T31-501513
 L25 - 10C - C0015
 for Refrigerated cupboard (WHIRLPOOL) - Series AKN
 Series ALN - Series ILN - PDVN901



ZANUSSI 083113

Suitable for:

3444515 THERMOSTAT FOR END OF DEFROSTING
 37T31-501510
 L7-8C J0350



ZANUSSI 083106

3444518 THERMOSTAT FOR END OF DEFROSTING 20°C
 cable length 1400 mm



ZANUSSI 085940

3444911 THERMOSTAT RANCO K50 L3078
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -7.0°C - WARM +7.5°C
 D shaft \varnothing 6x4.6 mm




ZANUSSI 0A8089

3241907 THERMOSTAT KNOB \varnothing 35 mm
 hole \varnothing 6x4 mm




ZANUSSI 0A8203

3444897 THERMOSTAT RANCO K50 L3295
 2 contacts 6A 250V
 capillary 1300 mm



ZANUSSI 0KD779

3444919 THERMOSTAT RANCO K50 P1115
 2 contacts 6A 250V
 capillary 2000 mm
 COLD +1.5°C - WARM +11.0°C
 D shaft \varnothing 6x4.6 mm



ZANUSSI 083520

3441906 SPRING FOR KNOB



ZANUSSI 082792




Suitable for:

3241905 THERMOSTAT KNOB \varnothing 26 mm
hole \varnothing 6x4 mm



ZANUSSI 081690

3444931 THERMOSTAT RANCO K52 L4512
2 contacts 6A 250V
double capillary
capillaries 2100 mm - 1850 mm
COLD -6,4°C - WARM +8,5°C
COLD -6.0°C - WARM +8.8°C
D shaft \varnothing 6x4.6 mm



ZANUSSI 0A8653

3444916 THERMOSTAT RANCO K55 L5026
2 contacts 6A 250V
capillary 2000 mm
COLD -0.5°C - WARM +8.5°C
D shaft \varnothing 6x4.6 mm



ZANUSSI 082025

3444906 THERMOSTAT RANCO K55 L5027
2 contacts 6A 250V
capillary 2000 mm
COLD -5.0°C - WARM +8.5°C
D shaft \varnothing 6x4.6 mm
for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 081689

ZANUSSI



Suitable for:

3241905 THERMOSTAT KNOB \varnothing 26 mm
hole \varnothing 6x4 mm



ZANUSSI 081690

3241903 THERMOSTAT KNOB
for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 082916

Suitable for:

3444909 THERMOSTAT RANCO K55 L5070

2 contacts 6A 250V
capillary length 2500 mm
COLD -22°C - WARM -7.5°C
D shaft \varnothing 6x4.6 mm



ZANUSSI 082985

Suitable for:

3241905 THERMOSTAT KNOB \varnothing 26 mm


hole \varnothing 6x4 mm



ZANUSSI 081690

3444905 THERMOSTAT RANCO K55 L5078

2 contacts 6A 250V
capillary 2000 mm
COLD +1.4°C - WARM +10.5°C
D shaft \varnothing 6x4.6 mm
for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 083125

3241903 THERMOSTAT KNOB

for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 082916

3744066 THERMOSTAT RANCO K55 L5079

6A 250V
capillary 2000 mm
COLD -2°C - WARM +11°C
for Refrigerated cupboard (ZANUSSI) - Series EDVC
Series EDVN - Series EDVP - Series EMVC
Series EMVN - Series EMVP - Series IKF
Series IKN - Series IKS



ZANUSSI 083135

3344012 THERMOSTAT RANCO K55 L5080

2 contacts 6A 250V
capillary 1600 mm
COLD -3°C - WARM +10°C
D shaft \varnothing 6x4.6 mm
for Refrigerated cupboard (WHIRLPOOL) MLC130
MLC131 - MLC132 - MLP130 - MLP131 - MLP132
for Refrigerated table (WHIRLPOOL) SAL250
Series TRN



ZANUSSI 083147

3444447 THERMOSTAT RANCO K55 P5851

2 contacts 6A 250V
capillary 2500 mm
D-shaped pin 6x4,6 mm
for Refrigerated cupboard (WHIRLPOOL)
for Refrigerated cupboard (ZANUSSI) C04PVG4D
730432




ZANUSSI 087516



Suitable for:

3444921 THERMOSTAT RANCO K60 L2034
2 contacts 6A 250V
capillary 1500 mm
COLD -17°C - WARM -10°C
for Refrigerated table (ZANUSSI) - Series DCB



ZANUSSI 081378

Suitable for:

3441906 SPRING FOR KNOB




ZANUSSI 082792

3241900 THERMOSTAT KNOB Ø 50 mm
hole Ø 6x4 mm
for Self service counter (ZANUSSI)




ZANUSSI 080837

3444516 THERMOSTAT RANCO K60 L2112
2 contacts 6A 250V
capillary 2500 mm
for Self service counter refrigerated (ZANUSSI)



ZANUSSI 083177

3444517 THERMOSTAT RANCO K60 L2141
2 contacts 6A 250V
capillary 800 mm
for Self service counter refrigerated (WHIRLPOOL)
DLP14/F - DLP21/F - DL14/F - DL21/F
for Self service counter refrigerated (ZANUSSI)
DLP14/F - DLP21/F - DL14/F - DL21/F



ZANUSSI 083178

Timers

3322902 TIMER EWTS70 12V
for Refrigerated cupboard (ZANUSSI) - Series ALP
Series ILN - Series ILP - Series ILS



ZANUSSI 082485

3322900 TIMER HAGER EH710 24h
dimension 72x72 mm
minimum programming interval 10 minutes
minimum interval between 2 switches 20 seconds
250V 16A




ZANUSSI 083517



Suitable for:

3322239 **TIMER RZ-2001-21**
230V 50Hz
cycle 4h 15min
for Refrigerated cupboard (ZANUSSI) 400L



ZANUSSI 084986

Suitable for:

3322901 **TIMER SB3.82**
24 hours cycle (1 - 12)
defrosting from 2 to 60 minutes
with fan delay
230V 50Hz



ZANUSSI 081983

Transformers

3445110 **TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ZANUSSI 0A2269
ZANUSSI 083833

ZANUSSI 004120

ZANUSSI 082378

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com