



Spare parts for:

Cooking equipment



Suitable for:

AMBACH



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2013-11151535





Suitable for:

AMBACH

Suitable for:



Air regulators

3025216 AERATION REGULATOR

internal \varnothing 40 mm - external \varnothing 45 mm
height 40 mm



AMBACH 3028604319

Burners, flame spreaders and accessories

3025054 BURNER "C" \varnothing 75 mm

for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914265

3025270 BURNER "E" \varnothing 125 mm

for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914267

3025214 BURNER BASE \varnothing 125 mm

for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905412

AMBACH 2016905418

AMBACH 3516905412

3025187 BURNER BASE \varnothing 80 mm

for Pot stove gas (AMBACH) GHG/70



AMBACH 2016902017

3025212 BURNER BASE \varnothing 90 mm

for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905411

AMBACH 3516905411

3025266 BURNER CAP \varnothing 70 mm

for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5018709571

3061011 O-RING SEAL 04375 EPDM



AMBACH 5017308860



AMBACH



Suitable for:

3025268 BURNER CAP \varnothing 80 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5018709572

3061011 O-RING SEAL 04375 EPDM



AMBACH 5017308860

3025269 BURNER CAP "E" \varnothing 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5018714247

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244

3025058 VENTURI TUBE "E" F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914240

Suitable for:

3025267 BURNER HEAD \varnothing 80 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5016908863

AMBACH 5016909392

3025270 BURNER "E" \varnothing 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914267

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

3025059 VENTURI ELBOW "C" "E"



AMBACH 5050120709



Suitable for:

Suitable for:

3025267 BURNER HEAD \varnothing 80 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5016908863

AMBACH 5016909392

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3025147 FLAME SPREADER \varnothing 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 5018705859

3025216 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 45 mm
height 40 mm



AMBACH 3028604319

3025214 BURNER BASE \varnothing 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905412

AMBACH 2016905418

3025215 VENTURI F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605351

AMBACH 3500605351

AMBACH 5000605351

3025144 FLAME SPREADER \varnothing 65 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 3018703054

3025145 FLAME SPREADER \varnothing 80 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 3018702019

3025187 BURNER BASE \varnothing 80 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 2016902017



AMBACH



Suitable for:

3025146 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 5018705710

3025212 BURNER BASE \varnothing 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905411

AMBACH 3516905411

3025053 FLAME SPREADER "C" \varnothing 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5018714245

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244

Suitable for:

3025216 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 45 mm
height 40 mm



AMBACH 3028604319

3025213 VENTURI F/FLAME SPREADER 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605350

AMBACH 3500605350

AMBACH 5000605350

3025054 BURNER "C" \varnothing 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914265

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

3025186 VENTURI PIPE "C" F/FLAME SPREADER 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914238



Suitable for:

AMBACH



3025059 VENTURI ELBOW "C" "E"



AMBACH 5050120709

Suitable for:

3025215 VENTURI F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605351

AMBACH 3500605351

AMBACH 5000605351

3025213 VENTURI F/FLAME SPREADER 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605350

AMBACH 3500605350

AMBACH 5000605350

3025186 VENTURI PIPE "C" F/FLAME SPREADER 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914238

3025058 VENTURI TUBE "E" F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914240

Cables for piezo igniters

3001022 IGNITION CABLE 1200 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston terminal \varnothing 4 mm for plug



AMBACH 5061005414

3001016 SIT IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



AMBACH 5061003550

3001018 SIT IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



AMBACH 5061003549



Contactors

- 3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**
 coil 230V 50/60Hz
 4 normally open contacts
 no auxiliary contact



AMBACH 5061411123

Drain taps and accessories

- 3356007 DRAIN TAP Ø 1"1/2F TECNO**
 TAPERED SEAL - swivel nut Ø 1"1/2F
 with gasket
 for BOILING PAN



AMBACH 5018007363

AMBACH 5018013159

AMBACH 5018019217

Electric hot plates

- 3311096 ELECTRIC HOT PLATE Ø 180 mm 2000W 230V**
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



AMBACH 5062508298

- 3311053 ELECTRIC HOT PLATE 2600W 230V**
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



AMBACH 5062502395

- 3311054 ELECTRIC HOT PLATE 2600W 400V**
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



AMBACH 5062502382

- 3311063 ELECTRIC HOT PLATE 3000W 400V**
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Kitchen electric (FAGOR) CE-941
 for Oven under cooktop electric (FAGOR) CE-920
 CE-940



AMBACH 5062508314

AMBACH 5062508315



Suitable for:

3311048 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
for electric cooking top



AMBACH


Suitable for:

3311065 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940




AMBACH 5062508311

3311151 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooktop
WITHOUT PAN DETECTOR



AMBACH 5060810556

3311152 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooktop
WITH PAN DETECTOR



AMBACH 5060810557

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



AMBACH 5018902787



Suitable for:

3526124 KNOB EXTENSION LENGTH 65 mm
for VALVE 820 NOVA-824 NOVASIT



AMBACH 5022910518

Suitable for:


3526175 VALVE 822 NOVA 230V 50Hz
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
gas inlet max. pressure 60 mbar
outlet pressure range
3 ÷ 30 mbar
room temperature 0 ÷ 60°C
power supply 230V 50Hz



AMBACH 5018909590

Electronic boxes

3091018 IGNITION CONTROL BOX AM
power supply 230V - 50Hz
for Bratt pan (AMBACH) TPG/80



AMBACH 5060409548

Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 12A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M
E6BM6B - E6BM6M - SE9BM4M - SE9BM8M
for Grill electric (BERTO'S) E6PL60B - E6PL60M
E9PL40M - E9PL80M - PLE40BE - PLE40ME
PLE80BE - PLE80ME - SE9PL40M - SE9PL80M
for Salamander electric (BERTO'S) SA/E48 - SA/E60
SA/E60-E - SA/E68M - SA/E68M-E



AMBACH 5061616087

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Boiling pan (MORICE)
for Boiling pan (THIRODE)
for Bratt pan (MORICE)
for Bratt pan (THIRODE)
for Fry top (LOTUS) - Series 60 - Series 65
Series 70
for Grill (THIRODE)
for Hot plate (EMMEPI) - Series 650 - Series 700
for Hot plate (GICO) - Series 110 - Series 700
Series 920
for Pasta cooker electric (BONNET)



AMBACH 6205406501



Suitable for:

AMBACH



Suitable for:

Fryer baskets and accessories

3055270 FRYER BASKET 330x140x140 mm
for Fryer electric (AMBACH) EY2/40M - FE2/40M



AMBACH 502081177

3055325 FRYER BASKET 360x140x115 mm
in chrome plated iron
for Fryer gas (AMBACH) GY/40



AMBACH 5020802413

Gas burners

3023108 BURNER ø 120x342 mm
height 103 mm
for Solid top range gas (AMBACH) GK/70 - GPS/80



AMBACH 3516911678

3023168 BURNER ø 50x365 mm
overall length 465 mm
made of stainless steel
for Solid top range gas (AMBACH) - Series 900



AMBACH 5016914277

3023169 BURNER ø 50x370 mm
made of stainless steel
overall length 470 mm
for Solid top range gas (AMBACH) - Series 900



AMBACH 5016914204

3023184 BURNER ø 50x465 mm
overall length 560 mm
for Pasta cooker gas (AMBACH) GPK/40 - GUK/45



AMBACH 5016914275

3023167 BURNER ø 50x565 mm
overall length 680 mm
made of stainless steel
for Fry top gas (AMBACH) - Series 900



AMBACH 5016914276

3023124 BURNER 230x75 mm
made of stainless steel
without jet
for old series
for Fry top gas (AMBACH) - Series 90
for Kitchen gas (AMBACH) - Series 90
for Solid top range gas (AMBACH) - Series 90



AMBACH 5020307627



Suitable for:

3023161 BURNER 445x200 mm
made of stainless steel
for Lava rock grill gas (AMBACH) GLG/40/CP
GLG/45 - GLG/70 - GLG/80 - GLG/90



AMBACH 5016911984

Suitable for:

3023152 BURNER 490x30 mm
overall length 530 mm
of chrome-plated iron



AMBACH 5016901907

3023153 VERTICAL BURNER \varnothing 74x185 mm
for Fryer gas (AMBACH) GF1/40 - GF1/45 - GF1/45BF
GF2/60 - GF2/60BF



AMBACH 5016914328

AMBACH 5016917788

Gas taps and accessories

3348029 FITTING FOR PIPE \varnothing 4 mm
for model PEL 21-22



AMBACH 5040603572

3348016 GAS COCK 21/SV
with pilot flame
fittings \varnothing M16x1.5mm
thermocouple connection M9x1 mm
D-shaped pin \varnothing 8x6.5 mm



AMBACH 5018905405

3348002 GAS COCK 22/0
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm
for Boiling pan (THIRODE)
for Bratt pan gas (THIRODE) SA30 - SA41
for Grill (FAGOR) - Series 900



AMBACH 301891660

AMBACH 5018909180

AMBACH 5018914348

3348003 GAS COCK 22/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



AMBACH 5018903683



Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22




AMBACH 5050503573

AMBACH 5050506686

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
for model PEL 20-21



AMBACH 5040603582

3348032 PIPE FITTING \varnothing 12 mm
for model PEL 22



AMBACH 5040603188

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



AMBACH 5050503589

Gas valves and accessories

3526146 EUROSIT VALVE FOR FRY TOP 40-250°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Fry top gas (AMBACH) GBP/45V - GBP/90V



AMBACH 5018900934

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb \varnothing 4x200 mm
for Fryer gas (ELFRAMO) GBD10 - GB10



AMBACH 5018900958

AMBACH 5018916798

3526130 EUROSIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series BIFRONT - Series DELTA
Series GAMMA - Series OMEGA



AMBACH

3526139 EUROSIT VALVE FOR OVEN 80÷320°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
capillary length 1000 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series DELTA



AMBACH AM3518912246
AMBACH 5018900942

AMBACH 3518912246

AMBACH 3518912730



Suitable for:

Suitable for:

3523026 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb \varnothing 14.4x26 mm
with an elbow flange \varnothing 3/8"F
for Fryer gas (ANGELO PO) - Series SENIOR



AMBACH 5018907490

Gaskets and seals

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

3186348 GASKET FOR KNOB
external \varnothing 64 mm - internal \varnothing 54 mm - thickn. 8 mm



AMBACH 5017314030

Grids for kitchen

3185030 PAN SUPPORT GRID 400x330 mm
for Pot stove (AMBACH) - Series 900



AMBACH 5010104350

AMBACH 5010110315

3185031 STAINLESS STEEL GRID 315x320 mm
for Pot stove (AMBACH) - Series 700



AMBACH 5010102021

AMBACH 5010108970

3185096 STAINLESS STEEL GRID 740x400 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5010114017



Suitable for:

AMBACH

Suitable for:



Handles

3242336 OVEN DOOR HANDLE ø 29x90 mm M10



AMBACH 5005607080

Heating elements

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE80



AMBACH 6205403708

3755456 HEATING ELEMENT 12000W 400V
length 470 mm - width 700 mm
overall height 80 mm - flange 105x25 mm
with cables
for Bratt pan electric (AMBACH) KHE/90



AMBACH 5060803648

3755446 HEATING ELEMENT 1350W 400V
length 215 mm - width 225 mm
total length 90 mm
for Kitchen electric (AMBACH) EKE/70



AMBACH 5060808461

3355654 HEATING ELEMENT 1500W 230V
length 530 mm - width 45 mm
height 110 mm
for Bratt pan electric (AMBACH) EKB/90
Series 700 - Series 900



AMBACH 5060814355

3755433 HEATING ELEMENT 1500W 400V
length 540 mm - width 476 mm
fittings ø 1/4"
for Oven under cooktop electric (AMBACH) EHE/70
GZE/70



AMBACH 5060804027

3755447 HEATING ELEMENT 1650W 400V
length 245 mm - width 255 mm
total height 94 mm
for Kitchen electric (AMBACH) EKE/70



AMBACH 5060808462



Suitable for:

3755431 HEATING ELEMENT 1700W 400V
length 305 mm - width 215 mm
total height 85 mm
for Solid top range electric (AMBACH) EPE/40



AMBACH 5060808465

Suitable for:

3355653 HEATING ELEMENT 1800W 230V
external \varnothing 178 mm - overall height 50 mm
flange 70x22 mm
for Hot cupboard electric (AMBACH)
Series ECOLINE



AMBACH 5060809912

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm
for Salamander electric (TECNOINOX) SE60



AMBACH 6205403706

3755435 HEATING ELEMENT 2000W 230V
length 406 mm - width 150 mm
2 flanges 25x15 mm
for Bain-marie electric (AMBACH) EBM/40 - EBM/80
7EBM/40-T - 7EBM/80-T



AMBACH 5060801490

AMBACH 5060811860

3755437 HEATING ELEMENT 2000W 230V
length 486 mm - width 138 mm
flange 175x16 mm
for Bain-marie electric (AMBACH) BEW/85 - BEW/90
BMW/70



AMBACH 5060802391

3755432 HEATING ELEMENT 2000W 400V
length 335 mm - width 232 mm
total height 85 mm
for Solid top range electric (AMBACH) EPE/40



AMBACH 5060808466

3755448 HEATING ELEMENT 2000W 400V
length 585 mm - width 440 mm
flange 70x21 mm
for Oven under cooktop electric (AMBACH) EPE/80
HEE/85 - HEE/90



AMBACH 5060804349

3755459 HEATING ELEMENT 300W 230V
immersed length 220 mm - connection \varnothing 1"
with thermostat probe receptacle \varnothing 4 mm
for Boiling pan electric (AMBACH)



AMBACH 5024709751



Suitable for:

AMBACH



3755445 HEATING ELEMENT 3000W 400V
 length 610 mm - width 445 mm
 flange 70x22 mm
 for Kitchen electric (AMBACH) EKE/70
 for Oven under cooktop electric (AMBACH) ERE/70

Suitable for:

3755449 HEATING ELEMENT 3000W 400V
 length 650 mm - width 445 mm
 for Oven under cooktop electric (AMBACH) EPE/80
 HEE/85 - HEE/90



AMBACH 5060825601

AMBACH 5060804348

3755443 HEATING ELEMENT 3500W 400V
 length 540 mm - width 476 mm
 fittings \varnothing 1/4"
 upon request nut and washer
 for Oven under cooktop electric (AMBACH) EHE/70
 GZE/70



AMBACH 5060804028

3755434 HEATING ELEMENT 4500W 230V
 immersed length 395 mm
 flange external \varnothing 63 mm
 with thermostat probe receptacle
 with O-ring
 with cables

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



AMBACH

AMBACH 5060807384

AMBACH 5060810063

AMBACH 5017303768

AMBACH 5017313781

3755453 HEATING ELEMENT 5000W 230V/400V
 length 505 mm - width 264 mm
 overall length 75 mm - flange 106x25 mm
 for Fry top electric (AMBACH) GUE/40 - GUE/70



AMBACH 5060803506



Suitable for:

Suitable for:

3755436 HEATING ELEMENT 6000W 230V
immersed length 395 mm
flange external \varnothing 63 mm
with thermostat probe receptacle
with O-ring
with cables

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



AMBACH 5060807386

AMBACH 5060810064

AMBACH 5017303768

AMBACH 5017313781

3755454 HEATING ELEMENT 7500W 230V
length 480 mm - width 439 mm
for Bratt pan electric (AMBACH) KBHE/70

3755460 HEATING ELEMENT 7500W 400V
length 310 mm - width 140 mm
height 340 mm - flange 120x40 mm
for Fryer electric (AMBACH)



AMBACH 5060807220

AMBACH 5060811194

3755438 HEATING ELEMENT 800W 230V
length 545 mm - width 40 mm
fittings \varnothing 1/4"
upon request nut and washer
for Hot cupboard electric (AMBACH) WS

3755439 HEATING ELEMENT 800W 400V
length 545 mm - width 40 mm
fittings \varnothing 1/4"
upon request nut and washer
for Hot cupboard electric (AMBACH) WS



AMBACH 5060808748

AMBACH 5060807674

3755457 HEATING ELEMENT 8000W 230V
immersed length 490 mm
flange external \varnothing 75 mm
with thermostat probe receptacle - with cables
for Pasta cooker electric (AMBACH)



AMBACH 5060814407



Suitable for:

Suitable for:

3755511 HEATING ELEMENT 8000W 230V
immersed length 395 mm
flange external \varnothing 63 mm
with thermostat probe receptacle
with O-ring
with cables
for Boiling pan electric (AMBACH) - Series KKE
KSKE/100 - KSKE/50

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



AMBACH 5060807387

AMBACH 5060809979

AMBACH 5017303768

AMBACH 5017313781

3755455 HEATING ELEMENT 9000W 230V
length 520 mm - width 600 mm
flange 105x23 mm - total height 35 mm
with cables
for Bratt pan electric (AMBACH) KME/50



AMBACH 5060807221

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



AMBACH 5006302092



Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm
for Oven under cooktop



AMBACH 5012002108

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



AMBACH 5006302092

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm
for Oven under cooktop



AMBACH 5012002196

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



AMBACH 5006302092

Hydraulic plumbing

1449682 SILICONE HOSE \varnothing 5x8 SHORE 60 - 10 m

alimentary



AMBACH 5024610547



Suitable for:

AMBACH



Suitable for:

Injectors

3500337 GAS NOZZLE M10x1 ø 1,50 mm
for Pasta cooker gas (WHIRLPOOL) AGB527 - AGB529



AMBACH 5017203108

3500272 GAS NOZZLE M11x1 ø 1,10 mm
for Pot stove (OLIS) - Series 700 - Series 900



AMBACH 5017208831

3500356 GAS NOZZLE M11x1 ø 1,60 mm
for Pot stove (OLIS) - Series 700 - Series 900



AMBACH 5017209545

Ironmongery (screws,nuts,washers)

3060069 S/STEEL HEXAGONAL MEDIUM NUT M8 UNI 5588



AMBACH 5040310595

Knobs

3241129 BLACK KNOB ø 52 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove gas (AMBACH) - Series 700



AMBACH 5022902024

AMBACH 5022906228

AMBACH 5022906268

AMBACH 5022908971

3241216 BLACK KNOB ø 52 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Solid top range gas (AMBACH) GK/70



AMBACH 5022908981

3241215 BLACK KNOB ø 52 mm 0-1-2-3
D shaft hole 6x4.6 mm
for Pot stove electric (AMBACH) - Series 700
Series 900



AMBACH 5022901044

3241130 BLACK KNOB ø 52 mm 1-2-3-4-5-6-7-8
D shaft hole 10x9 mm
for Oven under cooktop (AMBACH)



AMBACH 5022908973

Suitable for:

Suitable for:

3241212 BLACK KNOB \varnothing 52 mm 50-300°C
 D shaft hole 6x4.6 mm
 for Kitchen electric (AMBACH) EKE/70



AMBACH 5022901048

3241217 BLACK KNOB \varnothing 60 mm PILOT-MAX-MIN
 round hole \varnothing 10 mm
 screw fastening to the spindle
 for Solid top range (AMBACH) - Series 900



AMBACH 5022907196

3241218 KNOB FASTENING SCREW \varnothing 6x32 mm
 thread M3



AMBACH 3009600005

3241083 BLACK KNOB \varnothing 63 mm SILK-SCREEN PRINTED
 D shaft hole 8x6.5 mm
 for Grill gas (AMBACH)



AMBACH 5022904344

3241148 BLACK KNOB \varnothing 63 mm SILK-SCREEN PRINTED
 D shaft hole 10x8 mm
 for Pot stove (AMBACH) KKG



AMBACH 5022908810

3241219 BLACK KNOB \varnothing 63 mm SILK-SCREEN PRINTED
 D shaft hole 6x4.6 mm
 for Pot stove electric (AMBACH)
 Series 700 VECCHIA - Series 900 VECCHIA



AMBACH 5022902025

AMBACH 5022904345

3241374 BLACK KNOB \varnothing 63 mm 110-190°C
 D shaft hole 6x4.6 mm
 for Fryer (AMBACH) EF1/40 - FE/40 - FE/80



AMBACH 5022909977

3241128 BLACK KNOB \varnothing 63 mm 160-300°C
 D shaft hole 8x6.5 mm
 for Oven under cooktop (AMBACH) - Series 850
 Series 900



AMBACH 5022904331

3241394 BLACK KNOB \varnothing 63 mm 50-300°C
 D shaft hole 6x4.6 mm



AMBACH 5022904315



AMBACH




Suitable for:

3241393 BLACK KNOB \varnothing 72 mm
D shaft hole 6x4.6 mm
for Pot stove electric (AMBACH) - Series 900



AMBACH 5022914031

3241214 SELF-STICKING DISK 0-1-2-3
external \varnothing 68 mm



AMBACH 5022914336

3241395 BLACK KNOB \varnothing 72 mm
D shaft hole 10x8 mm
for Pot stove gas (AMBACH) - Series 900



AMBACH 5022914032

3241397 SELF-STICKING DISK 110-190°C
external \varnothing 68 mm



AMBACH 5022914338

3241218 KNOB FASTENING SCREW \varnothing 6x32 mm
thread M3



AMBACH 3009600005


Suitable for:

3186348 GASKET FOR KNOB
external \varnothing 64 mm - internal \varnothing 54 mm - thickn. 8 mm



AMBACH 5017314030

3241211 SELF-STICKING DISK 50-300°C
external \varnothing 68 mm



AMBACH 5022914339

3241396 SELF-STICKING DISK WITH PILOT SYMBOL
external \varnothing 68 mm



AMBACH 5022914331

3241396 SELF-STICKING DISK WITH PILOT SYMBOL
external \varnothing 68 mm




AMBACH 5022914331



Suitable for:


3241214 SELF-STICKING DISK 0-1-2-3
external \varnothing 68 mm



AMBACH 5022914336


Suitable for:

3241397 SELF-STICKING DISK 110-190°C
external \varnothing 68 mm



AMBACH 5022914338

3241211 SELF-STICKING DISK 50-300°C
external \varnothing 68 mm



AMBACH 5022914339

Lamps

3221077 ORANGE INDICATOR LAMP 400V
 \varnothing head 16 mm - hole \varnothing 13 mm - 150°C
for Fry top (AMBACH) - Series 700 - Series 900



AMBACH 5061108879

AMBACH 506111707

3221075 ORANGE INDICATOR LIGHT 230V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



AMBACH 506111706

3221078 ORANGE INDICATOR LIGHT 230V
head \varnothing 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 5061109898

3221007 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 12.5 mm
universal application



AMBACH 5061108880

3221084 RED INDICATING LAMP 230V
head \varnothing 18 mm - hole \varnothing 11.5 mm - 120°C



AMBACH 506111704

3221210 RED PILOT LIGHT 230V
 \varnothing head 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 5061110293



Suitable for:

AMBACH



3221079 WHITE INDICATOR LAMP 230V
head \varnothing 19 mm - hole \varnothing 16 mm - 150°C
for Pot stove (AMBACH) - Series 700 - Series 900



AMBACH 506111121

3221210 RED PILOT LIGHT 230V
 \varnothing head 19 mm - hole \varnothing 16 mm - 150°C



AMBACH 5061110293

3221076 WHITE INDICATOR LIGHT 230V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



AMBACH 5061111708

3221211 YELLOW INDICATOR LAMP 400V
head \varnothing 19 mm - hole \varnothing 16 mm - 150°C
for old series
for Pot stove (AMBACH) - Series 700 - Series 900



AMBACH 5061103271

AMBACH 5061103275

AMBACH 5061109899

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



AMBACH 5029703203

Microswitches

3240238 MICRO SWITCH LS-11D 6A 230V
for Bratt pan (AMBACH) - Series 900



AMBACH 0160927929

AMBACH 160927929

AMBACH 5060909440

AMBACH 5060909748

3240406 MICROSWITCH 10A 250V



AMBACH 5060909894



AMBACH



Suitable for:

3240151 MICROSWITCH 16A 250V
for ZANUSSI TRAINO RT
for BIANCHI LEVEL TANK



AMBACH

Suitable for:

3240820 MICROSWITCH 16A 250V



AMBACH

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm
for Hot cupboard
for Warm table



AMBACH 5062114289

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



AMBACH 5017303768

AMBACH 5017313781

3061011 O-RING SEAL 04375 EPDM



AMBACH 5017308860

3186860 OR GASKET 03056 EPDM
EX OR 0118



AMBACH 5017312815

Piezo ignitors

3001025 PIEZO CONTACT



AMBACH 5060914259

3001005 PIEZO IGNITER

a \varnothing 18 mm hole is needed for the assembly
male faston \varnothing 2.4 mm
for Bain-marie gas (SILKO) BMG40 - BMG60
for Fry top gas (SILKO) SKT



AMBACH 5060403707



Suitable for:

Suitable for:

3001020 PIEZO IGNITER 10015
18 mm \varnothing mounting hole
2.4 mm \varnothing male faston connector

3001023 PIEZO SUPPORT



AMBACH 5060408640

AMBACH 5006314278

3001024 SUPPORT HOOK




AMBACH 5006314300

Pilot burners and accessories

3020267 LOCKING NUT \varnothing 4 mm
for Pot stove gas (AMBACH) - Series COUNTER700
Series 900

3020085 NUT FOR SPARKING PLUG CONNECTION



AMBACH 5040603228

AMBACH 5040317235

AMBACH 5040616959

3345021 OLIVE FOR PIPE \varnothing 4 mm

3020082 OLIVE FOR 12 mm \varnothing PIPE



AMBACH 5050503209

AMBACH 5050503001

3020081 OLIVE FOR 6 mm \varnothing PIPE



AMBACH 5050503194



AMBACH



Suitable for:

Suitable for:

3020262 PILOT BURNER
supplied without jet
for Pot stove gas (AMBACH) GRG/70

3020040 PILOT JET \varnothing 0.30 mm



AMBACH 5024708680

AMBACH 5017208677

3020018 PILOT BURNER CB 503.003
with LPG jet and pilot olive
with pilot pipe connection

3020159 PILOT BURNER GPL CB 503.006
with LPG nozzle and pilot olive



AMBACH

AMBACH

3020260 PILOT BURNER HEAD
for Pot stove gas (AMBACH) GRG/70

3020261 PILOT NOZZLE \varnothing 0.35 mm
for Pot stove gas (AMBACH) GRG/70



AMBACH 5024708974

AMBACH 5017202871

3020263 PILOT BURNER HEAD
for Pot stove gas (AMBACH) - Series 85 - Series 90

3020267 LOCKING NUT \varnothing 4 mm
for Pot stove gas (AMBACH) - Series COUNTER700
Series 900




AMBACH 5024704318

AMBACH 5040603228

3345021 OLIVE FOR PIPE \varnothing 4 mm

3020264 PILOT GAS JET \varnothing 0.20 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5050503209

AMBACH 5017202865



Suitable for:

3020265 PILOT GAS JET \varnothing 0.40 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202875

3020044 PILOT GAS JET \varnothing 0.20 mm



AMBACH 5017207876

3020265 PILOT GAS JET \varnothing 0.40 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202875

3020157 PILOT JET \varnothing 0.25 mm



AMBACH 5017214033

3020261 PILOT NOZZLE \varnothing 0.35 mm
for Pot stove gas (AMBACH) GRG/70



AMBACH 5017202871

3020059 PILOT SPRING



AMBACH 5004708809

AMBACH

Suitable for:

3020264 PILOT GAS JET \varnothing 0.20 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202865

3020259 PILOT HEAD WASHER 10x14x1,5



AMBACH 5017302671

3020040 PILOT JET \varnothing 0.30 mm



AMBACH 5017208677

3020113 PILOT OLIVE TARGET \varnothing 4 mm



AMBACH 5050511405

3020034 PILOT SUPPORT



AMBACH 3006314269





Suitable for:

Suitable for:

3020283 TARGET ONE-FLAME PILOT BURNER SIT
 without sparking plug, gas nozzle and gasket
 thermocouple fitting included
 for Lava rock grill gas (MARENO) - Series PLG

3020200 THERMOCOUPLE NUT



AMBACH 5024716410

AMBACH 5040306819

AMBACH 5040616958

3020149 THREE-FLAME PILOT BURNER
 supplied without sparking plug
 with pipe fitting and LPG nozzle
 with thermocouple fitting
 with sparking plug fitting
 for Solid top range gas (AMBACH) - Series GK
 Series GP

3020044 PILOT GAS JET \varnothing 0.20 mm



AMBACH 3524707258

AMBACH 5017207876

3020150 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple fitting
 with sparking plug fitting
 for Grill gas (AMBACH)
 for Oven under cooktop gas (AMBACH)

3020044 PILOT GAS JET \varnothing 0.20 mm



AMBACH 5024706878

AMBACH 5017207876

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket
 for Bain-marie gas (FAGOR)
 for Bain-marie gas (GIGA) - Series 650
 Series 700 - Series 900
 for Boiling pan gas (FAGOR)
 for Fry top gas (GIGA) - Series 650 - Series 700
 Series 900
 for Lava rock grill gas (GIGA) - Series 650
 Series 700 - Series 900
 for Oven under cooktop gas (FAGOR)

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



AMBACH 5024703475

AMBACH 5062607632



Suitable for:

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bain-marie gas (FAGOR)
for Boiling pan gas (FAGOR)
for Grill gas (ZANUSSI)
for Oven under cooktop gas (FAGOR)



AMBACH 5024708693

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

Pressure switches

3320058 STEAM CONTROL PRESSURE SWITCH -1/1 BAR
fitting 3/8" M - 250V
for ALL PRESSURE BOILING AND TILTING PANS
for Boiling pan (AMBACH)
for Bratt pan (AMBACH)



AMBACH 5061315480

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



AMBACH 5006304040

3057307 CONNECTION BRACKET
small model
for connection with thermostats



AMBACH 5006304040



Suitable for:

3057014 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



AMBACH 5060904036

Suitable for:

3057027 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
rear hole for thermostat
for Fryer (MORICE)
for Fryer electric (GIGA) SKF2E - Series 600
Series 700 - Series 800 - Series 900
for Grill (MORICE)
for Hot plate (MORICE)
for Kitchen (OM GAS) - Series MERCURY
Series SCORPION
for Kitchen (THIRODE) - Series 700 - Series 900
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900




AMBACH 5060904057

AMBACH 5060940570

3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



AMBACH 5060909122

3057078 SELECTOR SWITCH 0-2 POSITIONS

contact capacity 16A 250V - max temperature 150°
D-shaped pin \varnothing 6x4.6 mm
for Fryer electric (AMBACH) - Series EY
Series FE



AMBACH 5060910023

3057001 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 32A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
for Pot stove gas (ZANUSSI) JUN90002 - JUN90012
JUN90022 - JUN90042 - JUN90069 - JUN92012
JUN92032



AMBACH 5060902396

AMBACH 5060908251

3057087 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°
D-shaft \varnothing 6x4.6 mm



AMBACH 5060902384




Suitable for:

AMBACH



3057098 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Pasta cooker (MODULAR) - Series 600
Series 700 - Series 900
for Pasta cooker electric (DESCO) CPE2 - CPE2-7




AMBACH AM5060904035

AMBACH 5060904035

Suitable for:

3057023 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Kitchen electric (EMMEPI) - Series 900
for Pot stove electric (COMETTO)



AMBACH 5060904041

3057024 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750
for Kitchen electric (GICO) - Series 700
for Kitchen electric (GIGA) - Series 600
Series 700 - Series 800 - Series 900
for Kitchen electric (OFFCAR) - Series 700
Series 900
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
94/04CE - 94/04TCE



AMBACH 5060904034

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm


in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



AMBACH 5027207356

3184047 VACUUM RELIEF VALVE \varnothing 1/2" M

chrome-plated brass - for safety group 1"



AMBACH 5018107456



Suitable for:

AMBACH



Suitable for:

Shock absorbers

- 3007006 SHOCK ABSORBER FOR COVER 0400N**
for Bratt pan gas (AMBACH) GKB/120 - GKB/150



AMBACH 5004714039

Solenoid valves

- 3120138 COIL FOR GAS SOLENOID VALVE 1/2" 230V**
for Boiling pan (ZANUSSI) - Series HD900



AMBACH 5061507400

Spark generators

- 3181002 SPARK GENERATOR 2 OUTLETS**
220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



AMBACH 5060401734

AMBACH 5060402388

- 3181004 SPARK GENERATOR 6 OUTLETS**
220/240V - 50/60Hz



AMBACH 5060402388

Sparking and detection plugs

- 3020174 ROUND DETECTOR ELECTRODE \varnothing 7x47 mm**
overall length 69 mm



AMBACH 3562614388

- 3020179 ROUND DETECTOR ELECTRODE \varnothing 7x47 mm**
overall length 135 mm



AMBACH 3562614698



Suitable for:

3020076 ROUND IGNITION ELECTRODE \varnothing 7/8x50 mm
faston connection
overall length 63 mm



AMBACH 5062602389

3020172 ROUND IGNITION ELECTRODE \varnothing 7x47 mm
overall length 70 mm



AMBACH 3562614387

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



AMBACH 5062606677

Suitable for:

3020080 ROUND IGNITION ELECTRODE \varnothing 7x47 mm
overall length 97 mm
for Bratt pan gas (AMBACH) GKB



AMBACH 3562614697

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

Springs

3250126 DOOR HINGE SPRING \varnothing 30x555 mm
for BRATT PAN EKH90-GKH90



AMBACH 5004707073

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244



Suitable for:

AMBACH



Suitable for:

Switches

1319202 GREEN TWO-POLE SWITCH 16A 250V
 with indicator lamp
 silk-screen printing 0 - I
 temperature max 120°C
 mounting hole 22x30 mm
 for Hood electric (MORETTI) TIVOLI KAPPA



AMBACH 5060903316

3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V
 with protection cap
 mounting hole \varnothing 16 mm
 for Pot stove electric (ZANUSSI)



AMBACH 5018609593

Taps for boiling pans

3183014 SPOUT - CONNECTION 1/2" M
 swivel spout in chrome plated brass
 spout \varnothing 18 mm
 for Boiling pan (JEMI) - Series 700 - Series 900
 for Boiling pan (MBM) - Series MAGIS MAGISTRA
 for Boiling pan electric (MBM) E100I - E150I
 for Boiling pan gas (MBM) G100 - G150



AMBACH 5000507358

AMBACH 5000508009

Terminal blocks


3247023 12-POLE PLASTIC TERMINAL BLOCK
 for cable max 10 mm²
 operating temperature 150°C
 nominal voltage 450V



AMBACH 5060508822

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
 interrupted contact with terminals



AMBACH 5024108078

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
 interrupted contact with fastons



AMBACH 5024108086



AMBACH



Suitable for:

Suitable for:

3440031 THERMOCOUPLE SIT M8x1 120 cm

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



AMBACH 5024102066

AMBACH 5024102066

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS

3440068 THERMOCOUPLE SIT M8x1 32 cm



AMBACH 5024102066

AMBACH 5024102013

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

3440046 THERMOCOUPLE SIT M8x1 60 cm

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

AMBACH 5024102012

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

AMBACH AM5024108855

AMBACH 5024108855

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

AMBACH 5024110057



AMBACH



Suitable for:

3440080 THERMOCOUPLE SIT M9x1 40 cm.



AMBACH 5024110057

Suitable for:

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH 5024110057

**3440034 THERMOCOUPLE SIT M9x1 50 cm
for Fry top gas (SILKO) BG74TLC**



AMBACH 5024107489

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



AMBACH 5024107489

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024107489

3440036 THERMOCOUPLE SIT M9x1 85 cm.



AMBACH 5024114564

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024114564

3440048 THERMOCOUPLE SPRING



AMBACH 5024114564

AMBACH 5004703711



Suitable for:

AMBACH



Suitable for:

Thermostatic gas valves

3345006 THERMOSTATIC GAS COCK PEL24ST

temperature range 120-320°C
 fitting inlet/outlet M20x1.5 mm
 capillary 900 mm
 thermocouple connection M9x1
 bulb ø 6x100 mm
 D-shaped pin ø 10x8mm
 for Bratt pan
 for Fry top
 for Oven under cooktop



AMBACH 5018908975

Thermostats

3444482 SINGLE-PHASE THERMOSTAT 100-185°C

D-shaped pin ø 6x4.6 mm
 capillary length 1800 mm
 bulb ø 4x230 mm - with adapter nipple bland M9x1
 for Fryer electric (AMBACH) EY/40M - FE/40M



AMBACH 5061610987

AMBACH 5061611125

AMBACH 5061633535

3444545 SINGLE-PHASE THERMOSTAT 140°C

with automatic reset
 covered capillary length 900 mm - 16A 230V
 bulb ø 4x158 mm
 for Boiling pan (AMBACH) - Series KSK



AMBACH 5061609772

AMBACH 5061633534

3444350 SINGLE-PHASE THERMOSTAT 150°C

with automatic reset
 covered capillary length 1000 mm - 0.5A 12V
 bulb ø 6x86 mm
 for Boiling pan (AMBACH) - Series 900



AMBACH 5061603920

3444485 SINGLE-PHASE THERMOSTAT 150°C

with manual reset
 capillary length 900 mm
 bulb ø 3x220 mm
 for Boiling pan (AMBACH) - Series KE - Series KS



AMBACH 5061600808

AMBACH 5061633533

3444481 SINGLE-PHASE THERMOSTAT 20-440°C

complete with knob
 D-shaped pin ø 6x4.6 mm
 capillary length 1100 mm
 button bulb ø 20x20 mm
 for Oven under cooktop (AMBACH) - Series KE
 Series KS



AMBACH 5061608151

AMBACH 5061608296

3444483 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
 capillary length 900 mm - 0.5A 12V
 bulb ø 6x87 mm
 for Fryer (AMBACH) - Series FG - Series GF
 Series GY



AMBACH 5061614325



Suitable for:

3444344 SINGLE-PHASE THERMOSTAT 25-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1600 mm - 29A 250V
 bulb \varnothing 4x103 mm
 for Bratt pan (AMBACH) - Series 700 - Series 900



AMBACH 5061613760
AMBACH 5061633536

AMBACH 5061618076

AMBACH 5061619760

Suitable for:

3444550 SINGLE-PHASE THERMOSTAT 50-320°C
 complete with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 bulb \varnothing 3x225 mm



AMBACH 5061602948

AMBACH 5061618075

AMBACH 5061633537

3444471 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm
 for Pasta cooker electric (AMBACH) - Series CPE70



AMBACH 5061603828

3444343 THREE-PHASE THERMOSTAT 20-500°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1030 mm
 bulb \varnothing 20x20 mm
 for Kitchen electric (AMBACH) - Series 900



AMBACH 5061614400

3444204 THREE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 1700 mm - 10A 400V
 bulb \varnothing 4x120 mm - with adapter nipple band M9x1
 for Fryer electric (AMBACH) - Series EY
 Series FE



AMBACH 5061603878

AMBACH 5061610988

AMBACH 5061611126

3444143 THREE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length 1600 mm - 10A 400V
 bulb \varnothing 6x85 mm
 for Fryer (ANGELO PO) - Series JUNIOR
 Series SENIOR - Series SUMMIT



AMBACH 5061038930

3444546 THREE-PHASE THERMOSTAT 30-120°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm
 button bulb \varnothing 11x28 mm M14
 for Boiling pan (AMBACH)



AMBACH 5061603938

3444484 THREE-PHASE THERMOSTAT 360°C
 with manual reset
 capillary length 1300 mm
 bulb \varnothing 4x120 mm
 for Bratt pan (AMBACH) - Series BP - Series KB



AMBACH 5061603684

AMBACH 5061616223



Suitable for:

3444349 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 860 mm - 10A 400V
bulb \varnothing 4x240 mm
for Fry top (AMBACH) - Series ECOLINE



AMBACH 5061607675

AMBACH 5061618784

Suitable for:


3444166 THREE-PHASE THERMOSTAT 95-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1
for Fryer (ZANUSSI)



AMBACH 5061608750

Water filling taps

3358012 LEVEL TAP \varnothing 3/8" F
with fixed connection \varnothing 3/8" F



AMBACH 501800055

Wire pan supports

3354007 GRID REDUCER FOR MOKA 205x205 mm
made of anodised steel
for Pot stove (AMBACH) - Series 85 - Series 90



AMBACH 5010104372