




Spare parts for:

Cooking equipment



Suitable for:

ARISTARCO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ARISTARCO



Suitable for:


Bearings

9063007 BEARING 6005 2RS
external \varnothing 47 mm-internal \varnothing 25 mm-thickness 12 mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW S03100



ARISTARCO 5568

1063911 BEARING 6202 2Z
external \varnothing 35 mm-internal \varnothing 15 mm-thickness 11 mm



ARISTARCO 714

3063017 BEARING 6203 2RS NSK
external \varnothing 40 mm -internal \varnothing 17 mm-thickness 12 mm



ARISTARCO 918

3063121 BEARING 6203 2RS SKF
 \varnothing ext. 40 mm - \varnothing int. 17 mm - thickness 12 mm



ARISTARCO 918

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ARISTARCO 166

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ARISTARCO 2036

Clamps

3449408 DOUBLE-WIRE CLAMP 14.4-15.1 - 100 PCS
for hoses \varnothing 14.4÷15.1 mm



ARISTARCO 388




Suitable for:

Suitable for:

Heating elements

3355306 HEATING ELEMENT 1000W 380V TOP
length 185 mm - width 265 mm
for Panini grill electric (ARISTARCO) ORION1,5



ARISTARCO 2518

3355303 HEATING ELEMENT 1100W 230V TOP
length 185 mm - width 265 mm
for Panini grill electric (ARISTARCO) ORION1,5



ARISTARCO 2396

3355305 HEATING ELEMENT 1100W 380V BOTTOM
length 185 mm - width 265 mm
for Panini grill electric (ARISTARCO) ORION1,5



ARISTARCO 2517

3355304 HEATING ELEMENT 1200W 230V BOTTOM
length 185 mm - width 265 mm
for Panini grill electric (ARISTARCO) ORION1,5



ARISTARCO 2397

3355835 HEATING ELEMENT 400W 120V LEFT-HAND
length 152 mm - width 145 mm
complete with cables
for a correct service we recommend
to replace the right one 3355821 too




ARISTARCO 1104

3355821 HEATING ELEMENT 400W 120V RIGHT-HAND
length 152 mm - width 145 mm
complete with cables
for a correct service we recommend
to replace the right one 3355835 too



ARISTARCO 1104

3355301 HEATING ELEMENT 800W 230V TOP
length 180 mm - width 185 mm
for Panini grill electric (ARISTARCO) ORION1
ORION2
for Panini grill electric (DIHR) XAL - XAR - XBL
XBR



ARISTARCO 1597

3355302 HEATING ELEMENT 900W 230V BOTTOM
length 180 mm - width 185 mm
for Panini grill electric (ARISTARCO) ORION1
ORION2
for Panini grill electric (DIHR) XAL - XAR - XBL
XBR



ARISTARCO 1598



Suitable for:

3755729 QUARTZ HEATING ELEMENT 390W 110V
length 265 mm - \varnothing 10 mm
for Toaster electric (ARISTARCO) 2P - 3P - 4P - 6P



ARISTARCO 6988

3355298 QUARTZ TUBE \varnothing 10x285 mm
for Toaster electric (ARISTARCO) 2P



ARISTARCO 2523

3755286 SILICONE HEATING ELEMENT 100W 230V
length 120 mm - width 120 mm
complete with cables



ARISTARCO 4761

ARISTARCO 6542

3355341 WIRE HEATING ELEMENT 1000W 230V
length 200 mm - flange 120x22 mm
for Toaster electric (ARISTARCO) 2P - 3P - 6P



ARISTARCO 2524

ARISTARCO 603

3355299 QUARTZ TUBE \varnothing 10x390 mm
for Toaster electric (ARISTARCO)



ARISTARCO 615

Suitable for:

3755728 QUARTZ HEATING ELEMENT 500W 110V
length 367 mm - \varnothing 10 mm



ARISTARCO 6989

3355299 QUARTZ TUBE \varnothing 10x390 mm
for Toaster electric (ARISTARCO)



ARISTARCO 615

3755106 STEATITE INSULATOR FOR HEATING ELEMENT
composed of 1 male piece and 1 female piece
for Toaster electric (ARISTARCO) EXPO2P - EXPO3P - EXPO6P



ARISTARCO 602

3355298 QUARTZ TUBE \varnothing 10x285 mm
for Toaster electric (ARISTARCO) 2P



ARISTARCO 2523

Interference suppression filters

3160479 INTERFERENCE SUPPRESSION FILTER 0,47 μ F



ARISTARCO 2779

Ironmongery (screws,nuts,washers)

3528143 S/STEEL EXAGONAL BLIND NUT M5-200PCS
NF E 27-453



ARISTARCO 1013

Knobs

3241161 BLACK KNOB \varnothing 40 mm
D shaft hole 6x4.6 mm
for Panini grill (ARISTARCO) ORION



ARISTARCO 3345

ARISTARCO 621

3241168 BLACK KNOB 38x38 mm
square hole 3x3 mm



ARISTARCO 2686

Lamps

3221042 GREEN INDICATOR LAMP 230V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C
PVC cables
wires connection length 200 mm



ARISTARCO 1083

3221176 GREEN INDICATOR LAMP 230V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



ARISTARCO 6207

3221141 GREEN INDICATOR LAMP 250V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C
for Toaster (ARISTARCO)



ARISTARCO 624

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



ARISTARCO 4051



Suitable for:

3221177 NEUTRAL INDICATOR LAMP 230V
head \varnothing 10 mm - hole \varnothing 8.5 mm - 120°C



ARISTARCO 6204

3221170 ORANGE INDICATOR LIGHT 230V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



ARISTARCO 6206

3221177 NEUTRAL INDICATOR LAMP 230V
head \varnothing 10 mm - hole \varnothing 8.5 mm - 120°C



ARISTARCO 6204

Suitable for:

3221014 ORANGE INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



ARISTARCO 1271

3221176 GREEN INDICATOR LAMP 230V
head \varnothing 10 mm - hole \varnothing 9 mm - 120°C



ARISTARCO 6207

Microswitches

3240123 MICROSWITCH 16A 250V



ARISTARCO 1689

ARISTARCO 833

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ARISTARCO 2662

3186434 O-RING 0121 EPDM



ARISTARCO 93



Suitable for:

3243266 O-RING 02081 EPDM



ARISTARCO 2155

Suitable for:

1186238 O-RING 04081 EPDM



ARISTARCO 2934

**3186860 OR GASKET 03056 EPDM
EX OR 0118**



ARISTARCO 1136

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm
for Toaster



ARISTARCO 622

Relays

3351901 RELAY 60.62 10A 230V 50/60Hz
2 switching contacts



ARISTARCO 2300

Solenoid valves

3120407 SOLENOID VALVE 230V ø 10.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets ø 10.5 mm



ARISTARCO 3269

3120408 SOLENOID VALVE 230V ø 13.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet ø 13.5 mm



ARISTARCO



Suitable for:

3120410 SOLENOID VALVE 230V \varnothing 13.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets \varnothing 13.5 mm



ARISTARCO 148

Suitable for:

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ARISTARCO 394

3120504 SOLENOID VALVE 319 24V \varnothing 10 mm
solenoid valve 90° - 24V 50Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ARISTARCO

3120511 SOLENOID VALVE 350 24V \varnothing 14 mm
solenoid valve 90° - 24V 50Hz - max 90°C
3/4" inlet - \varnothing 14 mm outlet



ARISTARCO

Springs

3250001 LEFTHAND SPRING \varnothing 20x42 mm
for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



ARISTARCO 670

3250002 RIGHTHAND SPRING \varnothing 20x42 mm
for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



ARISTARCO 669

Switches

3319140 BLACK SINGLE-POLE SWITCH 16A 250V
lever-operated
for Toaster electric (ARISTARCO)
till 1/01/05
2P - 3P - 6P



ARISTARCO 632

3319254 BLACK TWO-POLE SWITCH 16A 250V
with protection cap
max temperature 120°C
mounting hole 22x30 mm



ARISTARCO 1



ARISTARCO



Suitable for:

3319920 BLACK TWO-POLE SWITCH 16A 250V



ARISTARCO 4323

Suitable for:

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



ARISTARCO 2496

ARISTARCO 364

3319088 ORANGE BIPOLAR SWITCH 250V 16A
with indicator lamp and push-button cover
temperature max 120°C
mounting hole 22x30 mm



ARISTARCO 1146

1319082 SINGLE-POLE PUSH BUTTON 16A 250V



ARISTARCO 4322

3319921 SINGLE-POLE SWITCH 16A 250V



ARISTARCO 6992

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary 1500 mm
bulb \varnothing 6x26 mm



ARISTARCO 6460



Suitable for:

ARISTARCO



Suitable for:

Terminal blocks

3247004 3-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 33x18x15 mm



ARISTARCO

3247007 3-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 38x25x20 mm



ARISTARCO 120

Thermostats

3444335 THERMOSTAT TR2 0-250°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 940 mm - 15A 250V
bulb \varnothing 3x190 mm
for Hot plate electric (ELETTROBAR)



ARISTARCO 1628

3444004 THERMOSTAT TR2 0-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



ARISTARCO 359

Timers

3446105 TIMER 15 MINUTES C20

manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ARISTARCO 6991

3241161 BLACK KNOB \varnothing 40 mm

D shaft hole 6x4.6 mm
for Panini grill (ARISTARCO) ORION



ARISTARCO 3345

ARISTARCO 621

3446138 TIMER 15 MINUTES M2

mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
square pin 3x3 mm



ARISTARCO 629

3241168 BLACK KNOB 38x38 mm

square hole 3x3 mm



ARISTARCO 2686



ARISTARCO



Suitable for:

3446151 TIMER 5 MINUTES C20
manually set mechanical timer
manually set cycle 5 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ARISTARCO 1089

Suitable for:

3241161 BLACK KNOB \varnothing 40 mm
D shaft hole 6x4.6 mm
for Panini grill (ARISTARCO) ORION



ARISTARCO 3345

ARISTARCO 621